	<b>Enquiry OLT2023773</b>	Unique Identifier	240-75978567
		Revision	Rev. 0
		Revision Date	Feb-2019
		Investment Recovery Section	

**INVITATION TO TENDER FOR THE DISPOSAL OF MIXED E-WASTE PC's AND LAPTOPS AT ESKOM ROSHERVILLE ERIC  
ENQUIRY NUMBER: OLT2023773  
CLOSING DATE: 06 MAY 2022**

Date:  
26/04/2022

Ref: OLT2023773

Enquiry:  
Lethu Macala  
☎ 011 – 516 7134

**INVESTMENT RECOVERY SECTION**

**TENDER ENQUIRY OLT2023773**

You are kindly invited to submit a Tender for the mixed e -waste as detailed in the Scope of Work and attached OFFER TO PURCHASE.

**1. INSPECTION AND VIEWING**

Site view would be held on appointment. Please contact Moagaesi Motlhodi at [083 498 1154](tel:0834981154) for more details including directions to site.

**2. SUBMISSION OF THE “OFFER TO PURCHASE”**

**THE FOLLOWING DOCUMENTATION FORMS AND A COMPLETE TENDER TO BE SUBMITTED TOGETHER WITH YOUR TENDER DOCUMENT:**

Your quotation, as submitted by you on the “Offer to Purchase” document shall be emailed to [informaltendering@eskom.co.za](mailto:informaltendering@eskom.co.za), **Offer to Purchase Confidential Enquiry No.** and submitted as follows:

- All tender returnables/documentation must be submitted to [Informaltendering@eskom.co.za](mailto:Informaltendering@eskom.co.za) only.
- E-mails to any other address (except for clarifications) will not be accepted.
- Failure to comply with these rules will result in your tender being disqualified.
- Please ensure that the email subject line only contains the Enquiry number as per heading and no other information. Do not add any text to the subject line. Do not add any space in between the prefix and the enquiry number.
- Ensure that the enquiry number is stipulated in the subject line on all e-mails if multiple emails are sent.




	<b>Enquiry OLT2023773</b>	Unique Identifier	240-75978567
		Revision	Rev. 0
		Revision Date	Feb-2019
		Investment Recovery Section	

- Ensure that you receive a confirmation email after submitting your documentation. Please follow up immediately via the email address of the respective buyer if you did not receive this.
- Maximum attachment size per email is 10MB. It is the supplier's obligation to ensure that the attachments per email do not exceed this limit.
- Please note closing date and time on the enquiry your submission will not be evaluated if it is received after the closing date and time of the enquiry.
- Requests for Clarifications must be sent in writing to the respective disposal at [Macalal@eskom.co.za](mailto:Macalal@eskom.co.za) and not to [Informaltendering@eskom.co.za](mailto:Informaltendering@eskom.co.za).
- All requests for clarifications and responses must be in writing. Eskom will respond to requests for clarification received within one (1) – two (2) working days before the tender closing deadline, depending on the enquiry duration and complexity.
- **The closing date is 10:00am on 06 May 2022**

**ALL OFFERS TO PURCHASE ARE TREATED AS CONFIDENTIAL!  
NO LATE OFFERS WILL BE ACCEPTED!**

### 3. STANDARD CONDITIONS OF TENDER


- Please quote the tender enquiry number on all correspondence.
- Please take note of the STANDARD CONDITIONS OF TENDER, (July 2000) noted in this letter and any amendments that accompany the TENDER ENQUIRY. The tenderer should understand that his / her signed Offer to Purchase serves as his legal agreement to the Standard conditions of tender.

STANDARD CONDITIONS OF TENDER	AGREEMENT 37.2	TST 41-61
 D:\User\2017\INVITATION TO TEN	 Section 37 2 Agreement 2010 Esk	 TST 41-61 Standard.doc

### 4. SCOPE OF WORK

Purchase and removal of E waste (computers and laptops) from Rosherville ERIC. The project will be undertaken according to the latest construction regulations, environmental regulations and removed according to the road transport act.

### NOTES

	<b>Enquiry OLT2023773</b>	Unique Identifier	240-75978567
		Revision	Rev. 0
		Revision Date	Feb-2019
		Investment Recovery Section	

Eskom will not be responsible for any damages or losses suffered during the removal of the Scrap while working on this project arising from theft, damage or personal injury.

b. You will be required to adhere to the condition as laid out by the Eskom site agent with regards to site access etc.

c. Littering is prohibited at all times. Facilities will have to be made available on site during operations for the collection of disposal waste material. No rubble whatsoever is to be left on site.

d. You will be required to be put on an Eskom permit, prior to commencement of work. After completion of the work, it is imperative that you notify the Eskom site agent, so that the job can be signed off.

e. All work must comply with the OHSA Act no 85 of 1993. All Safety requirements and documentation shall be available on the site.

f. A successful contractor should provide Eskom with destruction certificate after collecting e waste and disposed it.

## 5. Environmental requirements

The intended activities at the Distribution and Gauteng, Transmission and Generation and Project will have an impact on the environment and as such have to be properly managed. Proper management requires that there is compliance with all the relevant pieces of legislation that impact on the development or intended activities. Therefore, the list below indicates the pieces of legislation that impact on the proposed activities. It is important that the Collection team complies with these. Non-compliance will be unwise and may prove to be very costly for the organisation.


ACT NAME	ACT NO	NOTES/REMARKS
Constitution of the Republic of South Africa	108 of 1996	<i>States that everybody has a right to the environment that is not harmful to their health and well-being</i>
National Environmental Management Act	107 of 1998, as amended	List of activities and competent authorities identified in terms of sections 24 and 24d  Protects the rights of all citizens to a healthy and safe environment
Atmospheric Pollution Prevention Act	45 of 1965	Control all activities that pollute the air <i>Dust control during construction –Applicable during the clearing of yard-stones</i> <i>Fumes emitted by vehicles – front end loader for diesel emissions</i>

	Enquiry OLT2023773	Unique Identifier	240-75978567
		Revision	Rev. 0
		Revision Date	Feb-2019
		Investment Recovery Section	

ACT NAME	ACT NO	NOTES/REMARKS
Conservation of Agricultural Resources Act	43 of 1983	Control of utilisation and protection of wetlands; soil conservation; control and prevention of veld fires; control of weeds and invader plants. <i>NB: applicable for use of weed killers</i>
Environment Conservation Act	73 of 1989	Controls for the effective protection and utilisation of the environment, littering, waste disposal, noise and various other activities, which may have a detrimental effect on the environment. <i>Waste management</i> <i>Application of waste disposal permit</i> <i>Noise control regulations</i>
Fencing Act	31 of 1963	Prohibition of damage to a property owner's gates and fences <i>Climbing or crawling over or through fences without permission</i> <i>Closing gates</i>
Hazardous Substance Act	15 of 1973	Sale of Group I,II,III and letting, use, operation, application and installation of Group III hazardous substances. <i>NB: no hazardous substances will be used during this phase of construction</i>
Occupational Health and Safety Act	85 of 1993	Control of health aspects of Waste disposal and water Treatment. <i>Regulates nuisances and/or odours particularly due to rubbish, night soil, sewage, or other waste</i> <i>Regulations relating to nuisances</i> <i>NB: applicable to the rented toilet facilities</i>
National Water Act	36 of 1998	Protect and regulates the use of water Manage aspects relating to pollution of surface and ground water. <i>NB: this includes all rain water channels.</i>

## 6. GUARANTEE / WARRANTY

Eskom Holdings SOC Limited gives no guarantee or warranty to the workability or condition of the equipment/scrap for sale, other than allow each tenderer to familiar

	<b>Enquiry OLT2023773</b>	<b>Unique Identifier</b>	<b>240-75978567</b>
		<b>Revision</b>	<b>Rev. 0</b>
		<b>Revision Date</b>	<b>Feb-2019</b>
		<b>Investment Recovery Section</b>	

themselves at the site prior to tendering in terms of the Consumer Protection Act. All equipment will be sold “Voetstoots”.

## 7. OFFERS

Offers received for this tender will be deemed valid for a period of 3 months (90 days) from tender closing date.

**Eskom reserves the right not to accept the highest or any tender / offer or withdraw any item it wishes to retain.**

**Only the successful tenderer will be notified.**

## 8. VALUE ADDED TAX (VAT)

Value Added Tax Act no 89 Of 1991 and VAT invoices will be issued on request.

## DECLARATION (BY TENDERERS) OF GOOD STANDING REGARDING TAX

IT IS A CONDITION OF TENDERERS THAT:


- 8.1 It is an absolute requirement that the taxes of the successful tenderer must be in order, or that suitable arrangement is made with the Receiver of Revenue to satisfy them.
- 8.2 The tenderer must include with his tender documents a copy of a Tax Clearance Certificate (in respect of Tenders)
- 8.3 If the certificate is not included or found to be incorrect, Eskom may, in addition to any other remedy it may have:
- 8.4 Recover from the contractor all costs, losses or damage incurred or sustained by Eskom as a result of the award of the disposal agreement: and/or
- 8.5 Cancel the disposal agreement and claim any damages, which Eskom may suffer by having to make less favourable arrangements after such cancellation.
- 8.6 Each party to Consortium/Sub-contractor must complete a separate declaration.

The onus will be on the tenderer to obtain “Tax Clearance Certificate (in respect of tenders)”, from the office of the South African Revenue Services (SARS) and submit the same with their tenders.

## 9. VARIATION

No variation or modification of the proposed agreement shall be in force, unless the same is confirmed in writing.

## 10. CRITERIA USED FOR EVALUATION OF OFFERS

	<b>Enquiry OLT2023773</b>	<b>Unique Identifier</b>	<b>240-75978567</b>
		<b>Revision</b>	<b>Rev. 0</b>
		<b>Revision Date</b>	<b>Feb-2019</b>
		<b>Investment Recovery Section</b>	

In terms of the ESKOM Purchasing Pact, the following criteria will be used in the evaluation and awarding of the contract:

<b>Evaluation Criteria</b>	<b>Weighting</b>
Financial – Best price	80
BBBEE	20

Yours Faithfully




**Lethu Macala**

Investment Recovery Section

Group Commercial

This has been sent electronically and must be considered as signed.

	Enquiry OLT2023773	Unique Identifier	240-75978567
		Revision	Rev. 0
		Revision Date	Feb-2019
		Investment Recovery Section	

	<b>INVESTMENT RECOVERY</b>  <b>OFFER TO PURCHASE FORM</b>	OLT2023773
---	---	------------

**TO: ESKOM HOLDINGS LIMITED  
TENDER OFFICE  
MEGAWATPARK  
SUNNINGHILL**

ENQUIRY NO: OLT2023773

CLOSING DATE: 10:00, 06 May 2022

CONTACT PERSON: Lethu Macala, Tel: (011) 516 7134 Cell: 083 248 2541

Your tender must be submitted strictly in accordance with the requirements stipulated in the following sections, forms and/or documents on the basis that tenders out of time or incomplete tenders will not qualify for consideration and the under mentioned documents and required declarations are to accompany the "Offer to Purchase" to qualify for evaluation purposes.

Offer to purchase forms (price schedule and comments to price schedule)

Environmental and safety undertakings

Tax clearance certificate from South African Revenue Service

Valid BBBEE certificate

EWASA or E waste Membership Certificate

CSD Report

**Note that Eskom is only doing business with suppliers who are registered at the central supplier database. If you not registered with CSD we will not consider your tender**

ITEM NO.	DESCRIPTION	PRICE PER LOT EXCL VAT
lot	Scrap Mixed Electronic Equipment , PC, laptops at Eskom Rosherville ERIC	R

PRICES EXCLUDING VAT

NAME: -----

TEL NO: -----


COMPANY NAME: -----

FAX NO: -----

SIGNED: -----

DATE: -----

EMAIL ADDRESS -----

	<b>Enquiry OLT2023773</b>	<b>Unique Identifier</b>	<b>240-75978567</b>
		<b>Revision</b>	<b>Rev. 0</b>
		<b>Revision Date</b>	<b>Feb-2019</b>
		<b>Investment Recovery Section</b>	


## Rustenburg list

DESCRIPTION	UID	SERIAL
Mecer Desktop	604708-188-43592	No Serial
Mecer Desktop	6004708-188-47552	IW128Z0648
Mecer Desktop	600708-188-43861	IW120Z0745
Mecer Desktop	6004708-188-26477	IW108Z2114
Mecer Desktop	6004708-188-43296	IW122Z4085
Mecer Desktop	6004708-188-75841	IW250Z2389
Mecer Desktop	6004708-188-26517	IW108Z2294
Mecer Desktop	6004708-188-24314	IW044Z2832
Mecer Desktop	6004708-188-24255	IW045Z2610
Mecer Desktop	6004708-188-51160	IW141Z0245
Mecer Desktop	6004708-188-63919	IW137Z4073
Mecer Desktop	6004708-188-83104	IW311Z1948
Mecer Desktop	6004708-188-51157	IW141Z0283
Mecer Desktop	6004708-188-35744	IW805Z1131
Mecer Desktop	6004708-188-26730	IW051Z0401
Mecer Desktop	6004708-188-43915	IW122Z2967
Mecer Desktop	6004708-188-43906	IW122Z3465
Mecer Desktop	6004708-188-26505	IW108Z1590
Mecer Desktop	6004708-188-25284	IW036Z2330
Mecer Desktop	6004708-188-23869	IW004Z0934
Mecer Desktop	6004708-188-26475	IW108Z2577
Mecer Desktop	6004708-188-25283	IW051Z3346
Mecer Desktop	6004708-188-43634	IW122Z4555
Mecer Desktop	6004708-188-49092	IW134Z2622
Mecer Desktop	6004708-188-49417	IW134Z2491
Mecer Desktop	6004708-344-31504	C5M1784
Mecer Desktop	6004708-188-74705	IW311Z1687
Mecer Desktop	6004708-188-41914	IW752Z5643
Mecer Desktop	60048-188-24292	IW044Z1458
Mecer Desktop	6004708-188-21853	IW849Z1388
Mecer Desktop	6004708-188-43617	IW122Z5300
Mecer Desktop	6004708-188-43926	IW122Z2434
Mecer Desktop	6004708-188-49410	IW134Z2461
Mecer Desktop	6004708-188-74709	IW311Z2780
Mecer Desktop	6004708-188-43843	IW122Z3983
Mecer Desktop	6004708-188-60853	IW131Z4632




	<b>Enquiry OLT2023773</b>	<b>Unique Identifier</b>	<b>240-75978567</b>
		<b>Revision</b>	<b>Rev. 0</b>
		<b>Revision Date</b>	<b>Feb-2019</b>
		<b>Investment Recovery Section</b>	


Mecer Desktop	6004708-188-83128	IW311Z2016
Mecer Desktop	No UID	IW003Z0339
Mecer Desktop	6004708-188-40916	IW751Z1071
Toshiba Laptop	6004708-188-56200	3B126483H
Toshiba Laptop	6004708-188-90174	1B033344H
Toshiba Laptop	6004708-188-70637	7B119505H
Toshiba Laptop	6004708-188--58777	3B123026H
Toshiba Laptop	6004708-188-73636	7B126865H
Toshiba Laptop	6004708-188-73636	7B126865H
Toshiba Laptop	6004708-188-58785	7B144664H
Toshiba Laptop	6004708-188-88658	1B033337H
Toshiba Laptop	6004708-188-89273	1B032700H
Toshiba Laptop	6004708-188-89167	1B033323H
Toshiba Laptop	6004708-188-52778	ZA098437H
Toshiba Laptop	6004708-188-62042	6B114613H
Toshiba Laptop	6004708-188-86646	ZB036461H
Toshiba Laptop	6004708-188-101237	5D043622H
Toshiba Laptop	6004708-188-86301	ZB038744H
Toshiba Laptop	6004708-188-76602	9B126157H
Toshiba Laptop	6004708-188-100935	5D045106H
Toshiba Laptop	6004708-188-80134	YB032450H
Toshiba Laptop	6004708-188-84341	XB017975H
Toshiba Laptop	6004708-188-71182	9B127685H
Toshiba Laptop	6004708-188-69438	XB017486H
Toshiba Laptop	6004708-188-69438	ZB87585H
Toshiba Laptop	6004708-188-93806	ZC025595
Toshiba Laptop	6004708-188-93893	ZC032151H
Toshiba Laptop	6004708-188-109795	XF066025H
Toshiba Laptop	6004708-188-109796	XF066004H
Toshiba Laptop	6004708-188-91518	9C142565H
Toshiba Laptop	6004708-188-76605	9B122513H
Toshiba Laptop	6004708-188-60592	5B086624H
Toshiba Laptop	6004708-188-81535	7B115482H
Toshiba Laptop	6004708-188-63526	6B106098H
Toshiba Laptop	6004708-188-67168	7B115494H
Toshiba Laptop	6004708-188-90175	1B034007H
Toshiba Laptop	6004708-188-48888	XA040560H
Toshiba Laptop	6004708-188-90172	XA145768H
Toshiba Laptop	6004708-188-90222	ZB100436H

	<b>Enquiry OLT2023773</b>	<b>Unique Identifier</b>	<b>240-75978567</b>
		<b>Revision</b>	<b>Rev. 0</b>
		<b>Revision Date</b>	<b>Feb-2019</b>
		<b>Investment Recovery Section</b>	

Toshiba Laptop	6004708-188-61545	7B115417H
Toshiba Laptop	6004708-188-83146	YB139286H
Toshiba Laptop	6004708-188-01493	YB139958H
Toshiba Laptop	6004708-188-67162	7B119587H
Toshiba Laptop	6004708-188-88596	1B033330H
Toshiba Laptop	6004708-188-89202	XA146444H
Toshiba Laptop	6004708-188-73495	7B110285H
Toshiba Laptop	6004708-188-61526	7B115429H
Toshiba Laptop	6004708-188-74000	7B126838H
Toshiba Laptop	6004708-188-61821	6B073823H
Toshiba Laptop	6004708-188-01460	YB133742H
Toshiba Laptop	6004708-188-03840	YB137316H
Toshiba Laptop	6004708-188-56037	3B122948H
Toshiba Laptop	6004708-188-89924	1B034023H
Toshiba Laptop	6004708-188-89705	1B038292H
Toshiba Laptop	6004708-188-63084	6B107128H
Toshiba Laptop	6004708-344-40165	4D029124H
Toshiba Laptop	6004708-188-82276	9B137534H
Toshiba Laptop	6004708-188-80632	YB032424H
Toshiba Laptop	6004708-188-102255	5D038933H
Toshiba Laptop	6004708-188-94468	7C071302H
Toshiba Laptop	6004708-188-90998	9C146020H
Toshiba Laptop	6004708-344-125706	XB018872H
Toshiba Laptop	6004708-188-73636	7B126865H
Toshiba Laptop	6004708-188-73636	7B126865H
Toshiba Laptop	6004708-188-05528	5D045812H
Toshiba Laptop	6004708-188-07317	5D045715H
Toshiba Laptop	6004708-188-05513	5D043977H
Toshiba Laptop	6004708-188-93896	ZC033812H
Toshiba Laptop	6004708-188-04606	5D040019H
Toshiba Laptop	6004708-188-05704	5D040822H
Toshiba Laptop	6004708-188-05435	5D045802H
Toshiba Laptop	6004708-188-05488	5D039141H
Acer Laptop	6004708-188-111135	NXVATEA0036020730A3400
Acer Laptop	6004708-188-111155	NXVATEA00360206FCC3400
Acer Laptop	6004708-188-110025	NXVATEA003552006F53400
Acer Laptop	6004708-188-111148	NXVATEA00360206A873400
Toshiba Laptop	6004708-188-07191	5D045562H
Toshiba Laptop	6004708-188-07040	5D046151H

	<b>Enquiry OLT2023773</b>	<b>Unique Identifier</b>	<b>240-75978567</b>
		<b>Revision</b>	<b>Rev. 0</b>
		<b>Revision Date</b>	<b>Feb-2019</b>
		<b>Investment Recovery Section</b>	

Toshiba Laptop	6004708-188-05392	5D039227H
Mecer Monitor	6004708-188-113845	VGA20551608030139
Mecer Monitor	6004708-188-87729	VGA19531202060866
Mecer Monitor	6004708-188-18242	934WBCS22R0558
Mecer Monitor	6004708-188-15936	VGA19531203180824
Mecer Monitor	No UID	014WKHK22R0582
Mecer Monitor	6004708-188-49978	CGWM7DLA010090956
Mecer Monitor	6004708-188-68273	VGA17031105182561
Mecer Monitor	6004708-188-14764	VGA17031106151692
Mecer Monitor	6004708-344-297	802UNHM22R0648
Mecer Monitor	6004708-188-89429	VGA19531203182220
Mecer Monitor	6004708-188-06466	950WKHM22R0294
Mecer Monitor	No UID	VGA170311051181510
Mecer Monitor	6004078-188-05624	826WBTT22R0424
Mecer Monitor	6004708-188-68802	VGA17031105181062
Mecer Monitor	6004708-188-55103	VGA17431012251251
Mecer Monitor	No UID	VGA23391101261084
Mecer Monitor	6004708-188-18156	934WBCS22R1020
Mecer Monitor	6004708-188-42742	907WBYR22R0921
Mecer Monitor	6004708-188-56674	VGA19431106100247
Mecer Monitor	6004708-188-67624	VGA17031105181784
Mecer Monitor	6004708-188-68771	VGA17031105182476
Mecer Monitor	6004708-188-8941	907WBTT22R1841
Mecer Monitor	6004708-188-10013	003WBYX22R0345
Mecer Monitor	No UID	806UXVW11599
Mecer Monitor	6004708-188-39521	840WDMZ22R0343
Mecer Monitor	6004708-188-44929	014WKHK22R0923
Mecer Monitor	6004708-188-74256	VGA19431106102114
	6004708-188-68771	VGA1703110582476
		VGA17031106150049

	<b>Enquiry OLT2023773</b>	<b>Unique Identifier</b>	<b>240-75978567</b>
		<b>Revision</b>	<b>Rev. 0</b>
		<b>Revision Date</b>	<b>Feb-2019</b>
		<b>Investment Recovery Section</b>	