

Works information supply, deliver and offload bulk oil

Detailed scope for the hydraulic oil bulk includes below points:

- Supply, deliver and offload, 25 000 litres, of Shell Turbo T46 (ISO Grade VG46) hydraulic bulk oil
- From oil tanker to bulk storage tank located underground on the operating floor at Eskom Ingula Pumped Storage Scheme.
- Connection to Eskom bulk tank is a flanged 80mm pipe connection: DN80 PN16 EN1092-1, Typ 11, B1 raised face.
- Contractor is to supply sufficient flexible hose and a suitable adaptor and/or fitting to allow connection of the truck mounted pump directly to the tank filling connection flange.
- The oil delivery truck cannot park closer than 10m from the tank, and a flexible hose of at least 15m needs to be provided for offloading.
- Tanker must have its own flow meter calibrated to prove delivered oil quantities.
- Calibration certificates be made available.
- Cleanliness certificate of tanker provided giving the assurance there is no contamination of oil.

SUPPLY, DELIVERY AND TRANSFER OF OIL TO THE UNDERGROUND WORKS AT INGULA PSS.

DELIVERY ADDRESS IS: INULA PSS, OFF THE R103 ONTO THE P275 BETWEEN LADYSMITH AND HARRISMITH ON THE D48 ROAD NEAR BESTERS.

SHE FILE TO BE SUBMITTED BY VENDOR as per SHE EVALUATION CRITERIA CHECKLIST AT TENDER SUBMISSION STAGE AND ACCEPTED BY ESKOM BEFORE DELIVERY COULD TAKE PLACE.

VENDORS TO REVIEW AND ADJUST THEIR RISK ASSESSMENT FOLLOWING REVIEW OF ESKOM INGULA BASELINE RISK ASSESSMENT ATTACHED.