


TOP VIEW



SIDE VIEW


FRONT VIEW


CLAMP RANGE mm	A	B	C
25-55	70 - 110	55	24

SAP MATERIAL No.:	0256030
SHORT DESCRIPTION:	CLAMP,CABLE 25-55 DIA POLYPROP BLK D8019


TECH. DESCRIPTION:

CABLE CLAMP * MATERIAL : POLYPROPYLENE * COLOUR : BLACK *
 FABRICATED IN TWO SECTIONS TO FIT 25-55mm DIA. CABLE *
 FITTED WITH REMOVABLE EPDM RUBBER RANGE-TAKING (PEELABLE) INSERTS *
 BOLTED TOGETHER *
 COMPLETE WITH STAINLESS STEEL :
 2 x THREADED RODS M10 x 220mm LONG,
 4 x M10 FLAT ROUND WASHERS,
 2 x HEXAGON NUTS AND 4 x SPRING WASHERS *
 CLAMP TO BE UV STABLE, FIRE AND OIL RESISTANT *
 ESKOM DRAWING No. D-DT-8019 *

5	SAP 0186889 MOVED TO SHEET 4 AND 25-50 SINGLE CABLE CLAMP ADDED	P.A.T.	B. MWAREHWA	R. KELLY	30.05.2011	
4	SHORT DESCRIPTIONS CORRECTED	N.M.	P.A.T.	P.A.T.	04.02.2009	
3	LOGO CHANGED AS PER NEW CORPORATE ID	PBM	P.A.V.	P.A.V.	12.11.04	
2	50-75 DOUBLE CABLE CLAMP ADDED	P.A.V.	G.WHYTE	A. BEKKER	25.03.02	
REV	REVISION DESCRIPTION	BY	CHKD	AUTH	DATE	REF. DWGS
AUTH:	P. CROWDY	DATE:	03.12.1999	 D-DT-8019		SAP No:
CHKD:	G. WHYTE	DATE:	03.12.1999			0256030
DRAWN:	P. A. VERMAAK	DATE:	06.10.1999			SET
			SCALE NTS			SHEET
			CAD REF:			REV
			SERIES 8000			5
			FILE No:			1
			8019			5




CLAMP	A	B
50-75	90 - 130	75
75-100	110 - 150	100


ITEM		:- CLAMP,CABLE POLYPROPYLENE BLACK							
MATERIAL SPECIFICATION		:-							
CORROSION SPECIFICATION		:-							
STANDARD SPECIFICATION		:-							
ESKOM SPECIFICATION		:- D-DT-8019							
TEST & CERTIFICATION REQUIREMENTS :-									
INSPECTION		Yes	No	ESKOM RELEASE NOTE		Yes	No		
IDENTIFICATION:- INDELIBLE MANUFACTURES TRADEMARK & PART No. ON ALL ITEMS									
5	SAP 0186889 MOVED TO SHEET 4 AND 25-50 SINGLE CABLE CLAMP ADDED			P.A.T.	B. MWAREHWA	R. KELLY	30.05.2011		
4	SHORT DESCRIPTIONS CORRECTED			N.M.	P.A.T.	P.A.T.	04.02.2009		
3	LOGO CHANGED AS PER NEW CORPORATE ID			PBM	P.A.V.	P.A.V.	12.11.04		
2	50-75 DOUBLE CABLE CLAMP ADDED			P.A.V.	G.WHYTE	A. BEKKER	25.03.02		
REV	REVISION DESCRIPTION			BY	CHKD	AUTH	DATE		
AUTH:	P. CROWDY	DATE:	03.12.1999	SCALE NTS	 D-DT-8019		SAP No:		
CHKD:	G. WHYTE	DATE:	03.12.1999	CAD REF:			0175928		
				SERIES 8000			0175929		
DRAWN:	P. A. VERMAAK	DATE:	06.10.1999	FILE No: 8019			SET	SHEET	REV
							5	2	5

SPEC SHEET

SAP MATERIAL No.:		0175928					
SHORT DESCRIPTION:		CLAMP,CABLE 50-75 DIA POLYPROP BLK D8019					
TECH. DESCRIPTION:							
CABLE CLAMP * MATERIAL : POLYPROPYLENE * COLOUR : BLACK * FABRICATED IN TWO SECTIONS TO FIT 50-75mm DIA. CABLE * BOLTED TOGETHER * COMPLETE WITH STAINLESS STEEL : 2 x THREADED RODS M10 x 220mm LONG, 4 x M10 FLAT ROUND WASHERS, 2 x HEXAGON NUTS AND 4 x SPRING WASHERS * CLAMP TO BE UV STABLE, FIRE AND OIL RESISTANT * ESKOM DRAWING No. D-DT-8019 *							
SAP MATERIAL No.:		0175929					
SHORT DESCRIPTION:		CLAMP,CABLE 75-100 DIA POLYPROP BLK D8019					
TECH. DESCRIPTION:							
CABLE CLAMP * MATERIAL : POLYPROPYLENE * COLOUR : BLACK * FABRICATED IN TWO SECTIONS TO FIT 75-100mm DIA. CABLE * BOLTED TOGETHER * COMPLETE WITH STAINLESS STEEL : 2 x THREADED RODS M10 x 220mm LONG, 4 x M10 FLAT ROUND WASHERS, 2 x HEXAGON NUTS AND 4 x SPRING WASHERS * CLAMP TO BE UV STABLE, FIRE AND OIL RESISTANT * ESKOM DRAWING No. D-DT-8019 *							
5	SAP 0186889 MOVED TO SHEET 4 AND 25-50 SINGLE CABLE CLAMP ADDED			P.A.T.	B. MWAREHWA	R. KELLY	30.05.2011
4	SHORT DESCRIPTIONS CORRECTED			N.M.	P.A.T.	P.A.T.	04.02.2009
3	LOGO CHANGED AS PER NEW CORPORATE ID			PBM	P.A.V.	P.A.V.	12.11.04
2	50-75 DOUBLE CABLE CLAMP ADDED			P.A.V.	G.WHYTE	A. BEKKER	25.03.02
REV	REVISION DESCRIPTION			BY	CHKD	AUTH	DATE
AUTH:	P. CROWDY	DATE:	03.12.1999	SCALE NTS		SAP No:	
CHKD:	G. WHYTE	DATE:	03.12.1999	CAD REF:		0175928	
				SERIES 8000		0175929	
DRAWN:	P. A. VERMAAK	DATE:	06.10.1999	FILE No:		SET	SHEET
				8019		5	3
				D-DT-8019			5



TOP VIEW




SIDE VIEW

FRONT VIEW


CLAMP	A	B
50-75	90 - 130	75
75-100	110 - 150	100

SAP MATERIAL No.:	0187691
SHORT DESCRIPTION:	CLAMP CABLE DBL 50-75 P/PROP BLK D8019

TECH. DESCRIPTION:
 DOUBLE CABLE CLAMP * MATERIAL : POLYPROPYLENE * COLOUR : BLACK *
 FABRICATED IN TWO SECTIONS TO FIT 50-75mm DIA. CABLE *
 BOLTED TOGETHER *
 COMPLETE WITH STAINLESS STEEL :
 2 x THREADED RODS M10 x 380mm LONG,
 4 x M10 FLAT ROUND WASHERS,
 2 x HEXAGON NUTS AND 4 x SPRING WASHERS *
CLAMP TO BE UV STABLE, FIRE AND OIL RESISTANT *
 ESKOM DRAWING No. D-DT-8019 * S *

5	SAP 0186889 MOVED TO SHEET 4 AND 25-50 SINGLE CABLE CLAMP ADDED			P.A.T.	B. MWAREHWA	R. KELLY	30.05.2011			
4	SHORT DESCRIPTIONS CORRECTED			N.M.	P.A.T.	P.A.T.	04.02.2009			
3	LOGO CHANGED AS PER NEW CORPORATE ID			PBM	P.A.V.	P.A.V.	12.11.04			
2	50-75 DOUBLE CABLE CLAMP ADDED			P.A.V.	G.WHYTE	A. BEKKER	25.03.02			
REV	REVISION DESCRIPTION			BY	CHKD	AUTH	DATE	REF. DWGS		
AUTH:		P. CROWDY	DATE:	03.12.1999	 D-DT-8019		SAP No:			
CHKD:		G. WHYTE	DATE:	03.12.1999			0187691			
DRAWN:		P. A. VERMAAK	DATE:	06.10.1999			SET		SHEET	REV
							5		4	5

SPEC SHEET

SAP MATERIAL No.:	0186889								
SHORT DESCRIPTION:	CLAMP,CABLE DBL 75-100 P/PROP BLK D8019								
TECH. DESCRIPTION:									
DOUBLE CABLE CLAMP * MATERIAL : POLYPROPYLENE * COLOUR : BLACK * FABRICATED IN TWO SECTIONS TO FIT 75-100mm DIA. CABLE * BOLTED TOGETHER * COMPLETE WITH STAINLESS STEEL : 2 x THREADED RODS M10 x 380mm LONG, 4 x M10 FLAT ROUND WASHERS, 2 x HEXAGON NUTS AND 4 x SPRING WASHERS * CLAMP TO BE UV STABLE, FIRE AND OIL RESISTANT * ESKOM DRAWING No. D-DT-8019 * S *									
5	SAP 0186889 MOVED TO SHEET 4 AND 25-50 SINGLE CABLE CLAMP ADDED			P.A.T.	B. MWAREHWA	R. KELLY	30.05.2011		
4	SHORT DESCRIPTIONS CORRECTED			N.M.	P.A.T.	P.A.T.	04.02.2009		
3	LOGO CHANGED AS PER NEW CORPORATE ID			PBM	P.A.V.	P.A.V.	12.11.04		
2	50-75 DOUBLE CABLE CLAMP ADDED			P.A.V.	G.WHYTE	A. BEKKER	25.03.02		
REV	REVISION DESCRIPTION			BY	CHKD	AUTH	DATE	REF. DWGS	
AUTH:	P. CROWDY	DATE:	03.12.1999	SCALE NTS			SAP No:		
CHKD:	G. WHYTE	DATE:	03.12.1999	CAD REF:			0186889		
				SERIES 8000	D-DT-8019		SET	SHEET	REV
DRAWN:	P. A. VERMAAK	DATE:	06.10.1999	FILE No: 8019			5	5	5