

PART A
INVITATION TO BID

YOU ARE HEREBY INVITED TO BID FOR REQUIREMENTS OF ESKOM HOLDINGS SOC LTD					
BID NUMBER:	OLT2030465	OPENING DATE:	09 June 2022	CLOSING TIME&DATE	23:00 20 June 2022
DESCRIPTION	<p>Supply and Deliver: Maintenance Consumables</p> <p>SPRAYER: Q20 MULTI-PURPOSE SPRAY;300G BLADE WPR:LG MM;SCRAPER PIN TAPR:MM;LG MM PIN TAPR SET:DRILL BITS;SPEC;1MM TO 14MM MM TAP SET THRD CUT:MM;SET BOLT U:IN;MM;MM HAMMER MLLT HAMMER:KG;FIXED RUBBER GRINDER ELEC:ANGLE;1000;11000;115 MM SET:SLEEVES FLDLIGHT:LEAD LIGHT;220V;N/A;N/A;5W;N/A BAR:THREADED BAR;MM BOLT:NUTS:M6-M24;LG MM;MM;MM;COATED HT PAINT OIL:RED OXIDE;5 L;SPEC BRUSH PAINT:PAINT BRUSH;WD 75 MM BRUSH PAINT:PAINT BRUSH PAPER ABRVS:SANDING;MM;LG MM;PAPER WHEEL ABRVS:ID MM;OD MM;FLAPPER DISC:STEEL SLIM CUTTING DISC;115 X 1 MM TAILEND HOSE CLAMP HOSE COVERALLS:DISPOSABLE;L;WHITE GLOVE CHEM PROTCTV:NITRILE GLOVE;LARGE PAINT STRIPPER:PAINT;TIN;5 L CORD:O-RING;LG M;THK MM CORD:O-RING;LG 12MM M;THK MM CORD:O-RING;LG 100 M;THK MM SEAL:GLUE;MM COMPOUND SEALG:SILICONE;400ML G SOLVENT:DEGREASER;25 L KNIFE:BLADES BLADE SAW:HACKSAW BLADES;T/I;CS;WD GUN GLUE DIAPHRAGM:MM;RUBBER INSERTION DIAPHRAGM:MM;RUBBER INSERTION GASKET PC:MM;KLINGER GASKET PC:KLINGER CREAM BARR:PETROLEUM JELLY WHITE;500 G BLADE SAW:POWER CLEANER HND:CREAM;CAN PLASTIC 1 L;REINOL ELECTRODE WELDG:3.15 MM;E7018;5 KG ELECTRODE WELDG:2.5 MM;E7018;5 KG ELECTRODE WELDG:3.15 MM;E6013;5 KG ELECTRODE WELDG:2.5 MM;E6013;5 KG</p>				
DELIVERY ADDRESS	Drakensberg Pumped Storage, Jagersrust.				
THE SUCCESSFUL BIDDER WILL BE REQUIRED TO FILL IN AND SIGN A WRITTEN CONTRACT FORM (SBD7).					

BID RESPONSE DOCUMENTS MAY BE SUBMITTED VIA: Informaltendering@eskom.co.za

Please note the following rules with respect to the OLT system (Informal Tendering)

- a. Use the OLT2030465 Reference pertaining the line item you wish to tender for and submit each OLT

separately.

- b. Please **ensure that the email subject line only contains the OLT2030465 Enquiry number heading and no other information**. Do not add any text to the subject line. Do not add any space in between the prefix and the enquiry number.
- c. Ensure that the **OLT2030465** enquiry number is stipulated in the subject line on all e-mails if multiple emails are sent
- d. Ensure that you receive a confirmation email after submitting your documentation. Please follow up immediately via the email address of the respective buyer if you did not receive this.
- e. Maximum attachment size per email is **10MB**. It is the supplier's obligation to ensure that the attachments per email do not exceed this limit.
- f. Please note closing date and time on the OLT. Your submission will not be evaluated if it is received after the closing date and time of the OLT.
- g. All tender returnables/documentation must be submitted to Informaltendering@eskom.co.za only.
 - E-mails to any other address (except for clarifications) will not be accepted.
 - Failure to comply with these rules will result in your tender being disqualified.
- h. Requests for Clarifications must be sent in writing via email to Thethwnn@eskom.co.za and not to Informaltendering@eskom.co.za. All requests for clarifications and responses must be in writing. Eskom will respond to requests for clarification received within **three (3) working days** before the tender closing deadline, depending on the enquiry duration and complexity.
- i. **Please see Part C for returnables to be submitted with offer**

Note:

- Due to varying requirements, slight changes could be included in each RFQ document, and suppliers are therefore required to read through the document carefully whenever invited to tender.
- ALL Suppliers are required to be registered (except foreign suppliers) on the National Treasury Central Supplier Database (CSD) as at tender response stage and the respective CSD number must be provided with all quotes together with the Eskom vendor registration number. Responses that do not comply with the CSD requirement will be regarded as non-responsive (except foreign suppliers). For CSD registration: Please register at <https://secure.csd.gov.za/>
- All Suppliers (including foreign suppliers) are required to complete SBD 1-Invitation to Bid and submit this annexure at tender closing deadline. Local suppliers are required to be tax compliant and must submit CSD Number/ Efiling pin number/ copy of tax clearance certificate as evidence of their tax compliance status.
- Foreign suppliers (even those with no footprint in RSA) are in addition required to answer Part B (3) which is part of the afore-mentioned SBD 1. Should the said foreign suppliers answer "yes" to any of the questions [Part B (3)]; they are required to be tax compliant and must therefore submit their Efiling pin number or copy of tax clearance certificate which will be verified by Eskom.
- All suppliers are required to refer to www.eskom.co.za for the Supplier Integrity Pact that must be downloaded and read. The Integrity Pact Declaration annexure A (attached hereto) named Supplier Declaration Form is a mandatory tender returnable.
- Specify line prices at lines where prices are submitted and indicate no quote at lines where no price is submitted. Refer Part D
- Where "designated sectors" are applicable, ensure that the relevant annexures and declarations are submitted by the OLT deadline, or the submission will be regarded as non-responsive and disqualified.
- You are also required to complete and submit the attached deviation form along with your quotation at OLT closing deadline. If there are deviations, but the deviation schedule has not been completed and/or returned with your quote, your offer will be disqualified.

SUPPLIER INFORMATION

NAME OF BIDDER			
POSTAL ADDRESS			
STREET ADDRESS			
TELEPHONE NUMBER	CODE	NUMBER	
CELLPHONE NUMBER			
FACSIMILE NUMBER	CODE	NUMBER	
E-MAIL ADDRESS			
VAT REGISTRATION NUMBER			
TCS PIN:		CSD No:	
ESKOM VENDOR NUMBER			
B-BBEE STATUS LEVEL VERIFICATION CERTIFICATE [TICK APPLICABLE BOX]	<input type="checkbox"/> Yes <input type="checkbox"/> No	B-BBEE STATUS LEVEL SWORN AFFIDAVIT	<input type="checkbox"/> Yes <input type="checkbox"/> No
IF YES, WHO WAS THE CERTIFICATE ISSUED BY?			
AN ACCOUNTING OFFICER AS CONTEMPLATED IN THE CLOSE CORPORATION ACT (CCA) AND NAME		<input type="checkbox"/>	AN ACCOUNTING OFFICER AS CONTEMPLATED IN THE CLOSE

THE APPLICABLE IN THE TICK BOX		CORPORATION ACT (CCA)	
<input type="checkbox"/>	A VERIFICATION AGENCY ACCREDITED BY THE SOUTH AFRICAN ACCREDITATION SYSTEM (SANAS)		
<input type="checkbox"/>	A REGISTERED AUDITOR		
	NAME:		
[A B-BBEE STATUS LEVEL VERIFICATION CERTIFICATE/SWORN AFFIDAVIT(FOR EMEs& QSEs) MUST BE SUBMITTED IN ORDER TO QUALIFY FOR PREFERENCE POINTS FOR B-BBEE]			
ARE YOU THE ACCREDITED REPRESENTATIVE IN SOUTH AFRICA FOR THE GOODS /SERVICES /WORKS OFFERED?		<input type="checkbox"/> Yes <input type="checkbox"/> No [IF YES ENCLOSE PROOF]	ARE YOU A FOREIGN BASED SUPPLIER FOR THE GOODS /SERVICES /WORKS OFFERED? <input type="checkbox"/> Yes <input type="checkbox"/> No [IF YES ANSWER PART B:3 BELOW]
PRICING			
TOTAL TENDER PRICE, EXCLUDING DELIVERY			
TOTAL TENDER PRICE INCLUDING DELIVERY BUT EXCLUDING VAT			
TOTAL TENDERED PRICE, INCLUDING VAT			
ARE DELIVERY CHARGES INCLUDED IN THE PRICE		Yes _____	No _____
OFFER VALIDITY PERIOD		(Minimum 90 days)	
ARE THE PRICE/S FIXED AND FIRM?	Yes _____ No _____	RATE OF EXCHANGE:	FOB VALUE: _____ Freight Insurance: _____
DISCOUNT:		TRADE _____	(2) SETTLEMENT _____
DO YOU ACCEPT ESKOM HOLDINGS SOC LTD GENERAL CONDITIONS OF PURCHASE?		Yes _____	No _____
The invitee/tenderer hereby confirms that a copy of the Integrity Pact was obtained, that it understands the provisions thereof and, undertakes to abide by the provisions thereof in any dealings it may have with Eskom and that the signed Integrity Pact Declaration is submitted as a tender returnable by the stipulated deadline.			
SIGNATURE OF BIDDER	DATE
CAPACITY UNDER WHICH THIS BID IS SIGNED (Attach proof of authority to sign this bid; e.g. resolution of directors, etc.)			
BIDDING PROCEDURE ENQUIRIES MAY BE DIRECTED TO:			
DEPARTMENT/ PUBLIC ENTITY		Eskom Holdings SOC Ltd	
CONTACT PERSON		Nondumiso Thethwayo	
TELEPHONE NUMBER	N/a		
FACSIMILE NUMBER	N/a		
E-MAIL ADDRESS	Thethwnn@eskom.co.za		

PART B
TERMS AND CONDITIONS FOR BIDDING

1. BID SUBMISSION:

- 1.1. BIDS MUST BE SUBMITTED BY THE STIPULATED TIME TO THE CORRECT EMAIL ADDRESS. LATE BIDS WILL NOT BE ACCEPTED FOR CONSIDERATION.
- 1.2. ALL BIDS MUST BE SUBMITTED ON THE OFFICIAL FORMS PROVIDED VIA TO Informaltendering@eskom.co.za AS PER SUBMISSION INSTRUCTIONS DETAILED IN PART A
- 1.3. BIDDERS MUST REGISTER ON THE CENTRAL SUPPLIER DATABASE (CSD) TO UPLOAD MANDATORY INFORMATION NAMELY: (BUSINESS REGISTRATION/ DIRECTORSHIP/ MEMBERSHIP/IDENTITY NUMBERS; TAX COMPLIANCE STATUS; AND BANKING INFORMATION FOR VERIFICATION PURPOSES). B-BBEE CERTIFICATE OR SWORN AFFIDAVIT FOR B-BBEE MUST BE SUBMITTED TO BIDDING INSTITUTION.
- 1.4. WHERE A BIDDER IS NOT REGISTERED ON THE CSD, MANDATORY INFORMATION NAMELY: (BUSINESS REGISTRATION/ DIRECTORSHIP/ MEMBERSHIP/IDENTITY NUMBERS; TAX COMPLIANCE STATUS MAY NOT BE SUBMITTED WITH THE BID DOCUMENTATION. B-BBEE CERTIFICATE OR SWORN AFFIDAVIT FOR B-BBEE MUST BE SUBMITTED TO BIDDING INSTITUTION.
- 1.5. THIS BID IS SUBJECT TO THE PREFERENTIAL PROCUREMENT POLICY FRAMEWORK ACT 2000 AND THE PREFERENTIAL PROCUREMENT REGULATIONS, 2017, THE GENERAL CONDITIONS OF CONTRACT (GCC) AND, IF APPLICABLE, ANY OTHER LEGISLATION OR SPECIAL CONDITIONS OF CONTRACT.
- 1.6. ESKOM RESERVES THE RIGHT TO AWARD A TENDER TO A SUPPLIER WHO MAY NOT BE THE HIGHEST SCORING OR HIGHEST RANKED SUPPLIER FOR THE PURPOSE OF MAXIMISING RECOGNITION OF BLACK OWNERSHIP, BLACK MANAGEMENT CONTROL, SKILLS DEVELOPMENT AND/OR PREFERENTIAL PROCUREMENT IN LINE WITH SECTION (2)(1)(F) OF PPPFA.
- 1.7. ESKOM RESERVES ITS RIGHT TO TERMINATE THIS PROCUREMENT PROCESS IN THE EVENT THAT INFORMATION COMES TO LIGHT (IN WHATEVER WAY OR FORM) THAT IT MAY SUFFER SERIOUS REPUTATIONAL DAMAGE BY DOING BUSINESS WITH THE SUPPLIER OR, ALTERNATIVELY, INFORMATION IS RECEIVED BY ESKOM THAT THE SUPPLIER (HOWSOEVER), WHETHER DIRECTLY OR INDIRECTLY, MAY BE INVOLVED IN CORRUPT PRACTICES AND ACTIVITIES IN VIOLATION OF THE PREVENTION AND COMBATING OF CORRUPT PRACTICES ACT, NO.12 OF 2004 (PRECCA), THE PREVENTION OF ORGANISED CRIME ACT, 121 OF 1998 (POCA), THE PUBLIC FINANCE MANAGEMENT ACT, NO. 1 OF 1999 (PFMA) AND THE CONSTITUTION.

2. TAX COMPLIANCE REQUIREMENTS

- 2.1 BIDDERS MUST ENSURE COMPLIANCE WITH THEIR TAX OBLIGATIONS.
- 2.2 BIDDERS ARE REQUIRED TO SUBMIT THEIR UNIQUE PERSONAL IDENTIFICATION NUMBER (PIN) ISSUED BY SARS TO ENABLE THE ORGAN OF STATE TO VIEW THE TAXPAYER'S PROFILE AND TAX STATUS.
- 2.3 APPLICATION FOR TAX COMPLIANCE STATUS (TCS) OR PIN MAY ALSO BE MADE VIA E-FILING. IN ORDER TO USE THIS PROVISION, TAXPAYERS WILL NEED TO REGISTER WITH SARS AS E-FILERS THROUGH THE WEBSITE WWW.SARS.GOV.ZA.
- 2.4 BIDDERS MAY ALSO SUBMIT A PRINTED TCS TOGETHER WITH THE BID.
- 2.5 IN BIDS WHERE CONSORTIA / JOINT VENTURES / SUB-CONTRACTORS ARE INVOLVED; EACH PARTY MUST SUBMIT A SEPARATE PROOF OF TCS / PIN / CSD NUMBER.
- 2.6 WHERE NO TCS IS AVAILABLE BUT THE BIDDER IS REGISTERED ON THE CENTRAL SUPPLIER DATABASE (CSD), A CSD NUMBER MUST BE PROVIDED.

3. QUESTIONNAIRE TO BIDDING FOREIGN SUPPLIERS

- 3.1. IS THE BIDDER A RESIDENT OF THE REPUBLIC OF SOUTH AFRICA (RSA)? ☐ YES ☐ NO
- 3.2. DOES THE BIDDER HAVE A BRANCH IN THE RSA? ☐ YES ☐ NO
- 3.3. DOES THE BIDDER HAVE A PERMANENT ESTABLISHMENT IN THE RSA? ☐ YES ☐ NO
- 3.4. DOES THE BIDDER HAVE ANY SOURCE OF INCOME IN THE RSA? ☐ YES ☐

NO

IF THE ANSWER IS “NO” TO ALL OF THE ABOVE, THEN, IT IS NOT A REQUIREMENT TO OBTAIN A TAX COMPLIANCE STATUS / TAX COMPLIANCE SYSTEM PIN CODE FROM THE SOUTH AFRICAN REVENUE SERVICE (SARS) AND IF NOT REGISTER AS PER 2.3 ABOVE.

NB: FAILURE TO PROVIDE ANY OF THE ABOVE PARTICULARS MAY RENDER THE BID INVALID.

PART C TENDER RETURNABLES

C.1 Attachments issued with this OLT Invitation to Tender

- **Attachment 1:** Integrity Pact Declaration – Annexure A
- **Attachment 2:** Preference Claim Form – Annexure J
- **Attachment 3:** Eskom Standard Conditions of Tender
- **Attachment 4:** Eskom’s General Conditions of Purchase
- **Attachment 5:** Teacher Guidelines
- **Attachment 6:** BBBEEE Guidelines and templates

NOTE: **TENDER RETURNABLES**

Please ensure that the tender returnables listed hereunder are submitted as per stipulated deadlines as non-compliance with mandatory tender returnables at RFQ closing deadline will result in disqualification (except where these are required for scoring /ranking purposes only). Non-compliance with mandatory returnables due at contract/order award stage will impact award.

- Integrity Pact Declaration (**at RFQ closing deadline**)
- SBD 1- Invitation to Bid (**at RFQ closing deadline**) Applicable for all suppliers
- Copy of valid current SARS certificate (**at contract/order award**) Applicable for Foreign suppliers who are required to be tax compliant but have not submitted a CSD/eFiling Pin number.
- ***Certified copy of a Valid original B-BBEE certificate (at RFQ closing deadline)**
- Letter of Good Standing (COIDA) (**at contract/order award**)
- **Data Sheets (at RFQ closing deadline)**
- **SBD 4**

C.2 EVALUATION CRITERIA

For transactions above **R30 000** up to **R50M** (inclusive of VAT) Price and B-BBEE Preferential Point Scoring will be based on the **80/20** allocation aligned to the PPPFA Regulations 2017;

For transactions less than **R30 000** (inclusive of VAT); the Preferential Point Scoring is not mandatory and only Price may be used (or state any other criteria to be used).

C.2.1: PRICE AND PREFERENCE (PPPFA REQUIREMENTS)

C.2.1.1 Price Evaluation (80 points)

Adjudication Criteria		Points
Price Evaluation 80/20	$P_s = 80 \left(1 - \frac{P_t - P_{\min}}{P_{\min}} \right)$	80

Where:

- Ps= Points scored for price of Bid under consideration
 Pt = Rand value of Bid under consideration
 Pmin= Rand value of lowest acceptable Bid

C.2.1.2 B-BBEE EVALUATION (20 points)

- Tenderers are required to submit original and valid B-BBEE Status Level Verification Certificates or certified copies thereof together with their bids to substantiate the B-BBEE claims.
- Tenderers who do not submit B-BBEE Status Level Verification Certificates or non-compliant contributors to B-BBEE will not qualify for preference points for B-BBEE however will not be disqualified from the tender process. Such a tenderer will score points out of 80 for price and 0 points out of 20 for B-BBEE.
- Points will be awarded to a tenderer for attaining the B-BBEE Status Level of contribution in accordance with the table below:

The following preference point system is applicable to this tender:

- the 80/20 system for requirements with a Rand value less than R1 000 000 (all applicable taxes included)

B-BBEE Status Level of Contributor	Number of Points (80/20 System)
1	20
2	18
3	16
4	12
5	8
6	6
7	4
8	2
Non - Compliant Contributor	0

A trust consortium or joint venture must obtain and submit a consolidated B-BBEE Status Level Verification Certificate with their bids.

NOTE: No submission of BBBEE certificate at the tender submission stage will result in the tenderer not being allocated points for the BBBEE section.

The points scored for price will be added to the points scored for B-BBEE status level of contribution to obtain the tenderers total points scored out of a 100.

Please note:

- **Attachment 2** and submission of BBBEE certificate/Affidavit must be submitted in order to claim preference points
- Eskom reserves the right to negotiate with preferred bidders after a competitive bidding process or price quotations; should the tendered prices not be deemed market related.
- Preference will be given to BBBEE Level 1 to 4 suppliers, and thereafter follow the Eskom's hierarchy of supplier preference as (set out in 3.2.4) of the Eskom Procurement and Supply Chain Management Procedure 32-1034 Rev 4.

C.3 TENDER RETURNABLES

Please ensure that the tender returnables listed hereunder are submitted as per stipulated deadlines as non-compliance with mandatory tender returnables at RFQ closing deadline will result in disqualification (except where these are required for scoring /ranking purposes only).

Non-compliance with mandatory returnables due at contract/order award stage will impact award.

It is highly recommended that all tender returnables are submitted at tender closing date.

C.3.1 BASIC COMPLIANCE

Returnables	MANDATORY AT CLOSING	MANDATORY PRIOR TO AWARD	SUBMITTED. (Supplier checklist)
Offer invitation Form SBD1: Part A-D completed	YES		YES / NO
Attachment 1: Integrity Pact Declaration – Annexure A	YES		YES / NO

Attachment 2: Preference Claim Form <i>Applicable if claiming preference points. Failure to submit will result in a zero score but will not disqualify submission – Annexure J</i>	YES		YES / NO / Not applicable
Copy of Coida / Letter of Good Standing		YES	YES / NO
Copy of Tax Clearance Certificate	YES		YES / NO
Copy of valid BBBEE Certificate / Affidavit (CERTIFIED)		YES	YES / NO
SBD 4	YES		YES/NO
Are you the accredited representative in South Africa for the goods offered?		YES	YES / NO
Attach proof of authority to sign this bid, e.g. resolution of directors, etc.)		YES	YES / NO
Technical Data Sheet	MANDATORY AT CLOSING		YES / NO
Attachment 3: Eskom Standard Conditions of Tender	For your info		
Attachment 4: Eskom's General Conditions of Purchase	For your info		
Attachment 5: BBBEE Guidelines	For your info		
Attachment 6: Tender Guidelines	For your info		

C.3.1: FUNCTIONAL ANALYSIS N/A

C.3.1.1 TECHNICAL RETURNABLES

Technical Tender Returnable Evaluation	Weighting
Supply the items exactly as per the supplied Specifications. Datasheets of each item to be provided for evaluation.	100%

NOTE: The datasheet of the items are requested prior to award

PART D SCOPE

Description

SPRAYER:Q20 MULTI-PURPOSE SPRAY;300G x 20

SPRAYER: TYPE: Q20 MULTI-PURPOSE SPRAY; DIMENSIONS: 300G; CAPACITY: 300G; Q20 MULTI-PURPOSE LUBRICANT SPRAY

PAINT SCRAPER x 20

SCRAPER 50MM

EMERY ROLL TAPE x 2

PIN, TAPER: DIAMETER: MM; LENGTH: MM; MATERIAL:; P60 EMERY ROLL TAPE

EMERY ROLL TAPE x 2

P100EMERY ROLL TAPE

SET:DRILL BITS;SPEC;1MM TO 14MM MM x 20

SET: TYPE: DRILL BITS; APPLICATION:; SPECIFICATION:; QUANTITY:; COMPRISING:; SIZE RANGE: 1MM TO 14MM MM; MATERIAL:; DRILL BITS 1MM – 14MM 20 OFF (0.5MM DENOMINATIONS)

TAP SET THRD CUT:MM;SET x 2

TAP SET, THREAD CUTTING: TAP SIZE:; THREAD: MM; MATERIAL:; QUANTITY: SET; TYPE:; M6 –M16 HAND TAPS

DIE NUTS x 2

M6 – M16 DIE NUTS

HAMMER MLLT x 10

HAMMER, MALLET 800G

HAMMER:KG;FIXED RUBBER x 10

HAMMER: TYPE:: HEAD WEIGHT: KG; HEAD MATERIAL:: HANDLE: FIXED RUBBER; HAMMERS 4LBS FIXED RUBBER HANDLE

GRINDER ELEC:ANGLE;1000;11000;115 MM x 2

GRINDER, ELECTRIC: TYPE: ANGLE; POTENTIAL: 1000; SPEED: 11000; WHEEL SIZE: 115 MM; POWER: 720W; BABY GRINDER/DIAMETER-115MM/DESCRIPTION-PWS 700-115 GRINDER 700W/ FLEXIBLE AND VERSATILE/POWERFUL MOTOR FOR CUTTING TO LENGTH, GRINTING AND BRUSHINGMETAL, TILES AND CONCRETE BLOCKS/HANDLE CAN BE MOUNTED ON BOTH SIDES FOR MORE COMFORT;

SET:SLEEVES x 2

SET: COMPRISING: SLEEVES; MORSE TAPER SLEEVES SET FOR DRILLING MACHINE

RECHARGEABLE LIGHTS x 5

10W RECHARGEABLE LIGHTS

BAR:THREADED BAR;MM x 5

BAR: TYPE: THREADED BAR; DIMENSIONS: MM; MATERIAL:: WEIGHT:: APPLICATION:: M6 – M20 TREADED BAR HT

BOLT:NUTS;M6-M24;LG MM;MM;MM;COATED HT x 10

BOLT: TYPE: NUTS; DIAMETER: M6-M24; LENGTH: MM; HEAD:: GRADE:: MATERIAL:: THREAD: MM; THREAD LENGTH: MM; PROTECTIVE COATING: COATED HT; NUTS M6-M24 COATED HT

PAINT OIL:RED OXIDE;5 L;SPEC x 2

PAINT, OIL: TYPE:: COLOR: RED OXIDE; CONTAINER: 5 L; FINISH:: SPECIFICATION:: RED OXIDE 5L

BRUSH PAINT:PAINT BRUSH;WD 75 MM x 10

BRUSH, PAINT: TYPE: PAINT BRUSH; WIDTH: 75 MM; 75MM PAINT BRUSH

BRUSH PAINT:PAINT BRUSH x 10

BRUSH, PAINT: TYPE: PAINT BRUSH; MATERIAL:: SHAPE:: HANDLE:: PAINT BRUSH 50MM

PAPER ABRSV:SANDING;MM;LG MM;PAPER x 2

PAPER, ABRASIVE: TYPE: SANDING; OVERALL WIDTH: MM; LENGTH: MM; GRIT:: ABRASIVE MATERIAL:: BACKING MATERIAL: PAPER; USAGE FORM:: SAND PAPER ROLL

WHEEL ABRSV:ID MM;OD MM;FLAPPER x 30

WHEEL, ABRASIVE: GRIT:: INSIDE DIAMETER: MM; OUTSIDE DIAMETER: MM; TYPE: FLAPPER; FLAPPER WHEEL P60 S/S 115

DISC:STEEL SLIM CUTTING DISC;115 X 1 MM x 50

DISC: TYPE: STEEL SLIM CUTTING DISC; DIMENSIONS: 115 X 1 MM; MATERIAL: STEEL; 115MM X 1MM SLIM

CUTTING DISC (VALIDITY PERIOD TO BE ATLEAST 16 MONTHS)

TAILEND HOSE x 10

TAIL-END, HOSE: TYPE:; DIMENSIONS:; HOSE TAIL 15MM – ¾" BSP

CLAMP HOSE x 10

CLAMP, HOSE

COVERALLS:DISPOSABLE;L;WHITE x 10

COVERALLS, SAFETY, INDUSTRIAL: TYPE: DISPOSABLE; COMMERCIAL SIZE: L; MATERIAL: POLYETHYLENE LAMINATED; COLOR: WHITE; CLOSURE METHOD: ZIP; EXTENDED WASTE TO THE NECK; HEAD PROTECTION WITH CHIN FASTENING; SPECIAL FEATURES: BREATHABLE; SPECIFICATION: 240-160125821; STANDARD: SANS 434; EN ISO 13982:1 2004; SANS 18822; EN 14325; SUPPLY WHITE DISPSSIBLE OVERALLS

GLOVE CHEM PROTCTV:NITRILE GLOVE;LARGE x 50

GLOVE, CHEMICAL PROTECTIVE: TYPE: NITRILE GLOVE; SIZE: LARGE; MATERIAL: RESISTANCE; COLOR: N/A; SPECIFICATION: POWDER FREE FDA & C E; NITRILE GLOVES POWDER FREE FDA & CE APPROVED SIZE LARGE X 100 IN A BOX.
QUANTITY REQUIRED IS 80 BOXES

PAINT STRIPPER:PAINT;TIN;5 L x 1

PAINT STRIPPER: TYPE: PAINT; CONTAINER TYPE: TIN; CONTAINER CAPACITY: 5 L; STRIP, PAINT COVER CANOPY

CORD:O-RING;LG M;THK MM x 1

CORD: TYPE: O-RING; LENGTH: M; MATERIAL:; CONNECTION:; THICKNESS: MM; O –RING CORD 4MM

CORD:O-RING;LG 12MM M;THK MM x 1

CORD: TYPE: O-RING; LENGTH: 12MM M; MATERIAL:; CONNECTION:; THICKNESS: MM; O –RING CORD 12MM

CORD:O-RING;LG 100 M;THK MM x 1

CORD: TYPE: O-RING; LENGTH: 100 M; MATERIAL:; CONNECTION:; THICKNESS: MM; O-RING CORD 100MM

SEAL:GLUE;MM x 20

SEAL: TYPE: GLUE; DIMENSIONS: MM; MATERIAL:; APPLICATION:; O –RING GLUE

COMPOUND SEALG:SILICONE;400ML G x 20

COMPOUND, SEALING: TYPE: SILICONE; COLOR:; CONTAINER: 400ML G; MATERIAL:; SILICONE SEALER (NON CORROSIVE) 400ML TUBE

SOLVENT:DEGREASER;25 L x 4

SOLVENT: TYPE: DEGREASER; CONTAINER: 25 L; DEGREASER 25L

KNIFE:BLADES x 200

KNIFE: TYPE:BLADES; STANLEY KNIFE BLADES

BLADE SAW:HACKSAW BLADES;T/I;CS;WD x 1

BLADE, SAW: SAW TYPE: HACKSAW BLADES; BLADE MATERIAL: CS; HACKSAW BLADES 19 TOOTH

CAULKIN GUN x 10

CAULKIN GUN

DIAPHRAGM:MM;RUBBER INSERTION x 1

DIAPHRAGM: TYPE:: DIMENSIONS: MM; MATERIAL: RUBBER INSERTION; RUBBER INSERTION 3MM 5M ROLL

DIAPHRAGM:MM;RUBBER INSERTION x 1

DIAPHRAGM: TYPE:: DIMENSIONS: MM; MATERIAL: RUBBER INSERTION; RUBBER INSERTION 6MM 5M ROLL

GASKET KLINGER x 2

GASKET MATERIAL: KLINGER; SHAPE:: KLINGER GASKET (WATER AND OIL) 1MM SHEET

GASKET KLINGER x 2

GASKET MATERIAL: KLINGER; KLINGER GASKET (WATER AND OIL) 3MM SHEET

PETROLEUM JELLY WHITE;500 G x 24

TYPE: PETROLEUM JELLY WHITE; CONTAINER CAPACITY: 500 G; VASELINE PETROLEUM JELLY 500GRMS

BLADE SAW:POWER x 10

BLADE, SAW: SAW TYPE: POWER; TOOTH DESIGN:: TEETH PER INCH:: BLADE MATERIAL:: CUT MATERIAL:: POWER SAW BLADES 400X32X1,6X10T

CLEANER HND:CREAM;CAN PLASTIC 1 L;REINOL x 24

ELECTRODE WELDG:3.15 MM;E7018;5 KG x 10

ELECTRODE, WELDING: SIZE: 3.15 MM; AWS CLASS: E7018; CONTAINER: 5 KG; WELDING ELECTRODE E7018 (3.15MM)

ELECTRODE WELDG:2.5 MM;E7018;5 KG x 4

ELECTRODE, WELDING: SIZE: 2.5 MM; AWS CLASS: E7018; CONTAINER: 5 KG; WELDING ELECTRODE E7018 (2.5MM)

ELECTRODE WELDG:3.15 MM;E6013;5 KG x 4

ELECTRODE, WELDING: SIZE: 3.15 MM; AWS CLASS: E6013; CONTAINER: 5 KG; WELDING ELECTRODE 6013 (3.15MM) 5KG

ELECTRODE WELDG:2.5 MM;E6013;5 KG x 4

ELECTRODE, WELDING: SIZE: 2.5 MM; AWS CLASS: E6013; CONTAINER: 5 KG; WELDING ELECTRODE E6013 (2.5MM) 5KG

Description	Quantity	Price per unit	Total
SPRAYER:Q20 MULTI-PURPOSE SPRAY;300G	20		
BLADE WPR:LG MM;SCRAPER	20		
PIN TAPR:MM;LG MM	2		
PIN TAPR	2		
SET:DRILL BITS;SPEC;1MM TO 14MM MM	20		
TAP SET THRD CUT:MM;SET	2		
BOLT U:IN;MM;MM	2		
HAMMER MLLT	10		
HAMMER:KG;FIXED RUBBER	10		
GRINDER ELEC:ANGLE;1000;11000;115 MM	2		
SET:SLEEVES	2		
FLDLIGHT:LEAD LIGHT;220V;N/A;N/A;5W;N/A	5		
BAR:THREADED BAR;MM	5		
BOLT:NUTS;M6-M24;LG MM;MM;MM;COATED HT	10		
PAINT OIL:RED OXIDE;5 L;SPEC	2		
BRUSH PAINT:PAINT BRUSH;WD 75 MM	10		
BRUSH PAINT:PAINT BRUSH	10		
PAPER ABRSV:SANDING;MM;LG MM;PAPER	2		
WHEEL ABRSV:ID MM;OD MM;FLAPPER	30		
DISC:STEEL SLIM CUTTING DISC;115 X 1 MM	50		
TAILEND HOSE	10		
TAILEND HOSE	10		
COVERALLS:DISPOSABLE;L;WHITE	10		
GLOVE CHEM PROTCTV:NITRILE GLOVE;LARGE	50		
PAINT STRIPPER:PAINT;TIN;5 L	1		
CORD:O-RING;LG M;THK MM	1		
CORD:O-RING;LG 12MM M;THK MM	1		
CORD:O-RING;LG 100 M;THK MM	1		
SEAL:GLUE;MM	20		
COMPOUND SEALG:SILICONE;400ML G	20		
SOLVENT:DEGREASER;25 L	4		
KNIFE:BLADES	200		
BLADE SAW:HACKSAW BLADES;T/I;CS;WD	1		
GUN GLUE	10		
DIAPHRAGM:MM;RUBBER INSERTION	1		
DIAPHRAGM:MM;RUBBER INSERTION	1		
GASKET PC:MM;KLINGER	2		
GASKET PC:KLINGER	2		
CREAM BARR:PETROLEUM JELLY WHITE;500 G	24		
BLADE SAW:POWER	10		
CLEANER HND:CREAM;CAN PLASTIC 1 L;REINOL	24		
ELECTRODE WELDG:3.15 MM;E7018;5 KG	4		
ELECTRODE WELDG:2.5 MM;E7018;5 KG	4		
ELECTRODE WELDG:3.15 MM;E6013;5 KG	4		
ELECTRODE WELDG:2.5 MM;E6013;5 KG	4		

NB: DATASHEET ARE MANDATORY – DATASHEET FOR EACH ITEM TO BE SUPPLIED.

Nondumiso Thethwayo
Procurement Officer
For Eskom Peaking Generation
Distribution Customer Service Office
15 Hunters Road Ladysmith 3370
T +27(0)33 3953462
E-mail Thethwnn@eskom.co.za