
	Evaluation Criteria – Area Radio Equipment Repair (Low risk work)	Template Identifier	240-43921898	Rev	5
		Document Identifier	240-106084675	Rev	3
		Effective Date	May 2021		

1. Tenderer's / Supplier's name: Tender Ref number:

Scope of work:

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system. No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.


	Evaluation Criteria – Area Radio Equipment Repair (Low risk work)	Template Identifier	240-43921898	Rev	5
		Document Identifier	240-106084675	Rev	3
		Effective Date	May 2021		

<u>Ref</u>	<u>OHS Tender Returnable</u>	<u>Submissi</u> <u>on</u> <u>Y = Yes</u> <u>N= No</u>	<u>Comments</u>
1	Annexure B Is the acknowledgement of Eskom's OHS legal and other requirements form signed and submitted by the tenderer?		
2	OHS & COVID 19 plan (Must address the project /scope of work OHS risk(s) and aligned with the health and safety specification or requirements)		
3	Baseline OHS & COVID 19 Risk Assessment Identification, assessment, and management of OHS & COVID 19 risks related to the scope of work. The methodology used for the risk assessment must be provided together with the BRA & COVID 19 RA		
4	Valid Letter of Good Standing (COIDA or equivalent)		
5	OHS & COVID 19 policy signed by CEO The submitted policy document must comply to OHS Act Section 7		
Recommendation			Recommended /Not Recommended

OR

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system. No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Evaluation Criteria – Area Radio Equipment Repair (Low risk work)	Template Identifier	240-43921898	Rev	5
		Document Identifier	240-106084675	Rev	3
		Effective Date	May 2021		


2. PART B

Annotation: This section is only applicable to suppliers/consultants/contractors that have been certified for an auditable OHS system.

<u>Ref</u>	<u>OHS Tender Returnable</u>	<u>Submission</u> <u>Y = Yes</u> <u>N= No</u>	<u>Comments</u>
1	Annexure B Is the acknowledgement of Eskom's OHS legal and other requirements form signed and submitted by the tenderer?		
2	ISO 45001 certificate or equivalent		
3	Valid Letter of Good Standing (COIDA or equivalent)		
4	COVID 19 Requirements <ul style="list-style-type: none"> • COVID 19 Plan (Scope Specific) • COVID 19 Risk Assessment (Scope Specific) • COVID 19 Policy (Approved by HOD/CEO) • Compliance Officer appointment 		
Recommendation			Recommended /Not Recommended

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system. No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Evaluation Criteria – Area Radio Equipment Repair (Low risk work)	Template Identifier	240-43921898	Rev	5
		Document Identifier	240-106084675	Rev	3
		Effective Date	May 2021		

.....

Eskom's/Client's OHS Representative

.....

Designation

.....

Signature

.....

Date

3. Development Team

Diane Maunatlala

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system. No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.