

**ENQUIRY NO: MPKUS10357PS****Introduction**

This document has been developed to set the standard technical evaluation criteria to be used when evaluating the tender submissions. This covers the technical evaluation for the supply and delivery of PPE Accessories for Eskom and its Subsidiaries.

This document contains the evaluation criteria to be used for evaluation of PPE Accessories tender.

**Evaluation criteria**

The aim of the technical evaluation is to establish the capability of tenders to supply good quality PPE that complies with the relevant statutory requirement, local and international standards and the Eskom requirements.

Technical evaluation will be done in two phases, that is, first phase desktop evaluation and second phase warehousing and sample evaluation.

In the first phase bidders are required complete and return the PPE category document attached (annexure A) confirming the category of PPE the bidder can be able supply. If the bidder cannot supply all the products in a particular category, that category will not be evaluated in the second phase. A letter of support from the local manufacturer confirming that they will be the bidder's supplier for all designated products, which are leather and footwear for this tender. In addition bidders will be required to submit applicable standard compliance certificates (e.g. SANS, EN, CE ANSI) and test certificates (where applicable) for the products they are intending to supply.

The second phase includes visiting the tenderers premises to confirm that their products (sample evaluation) indeed complies to the Eskom specification and SABS requirements. The bidder needs to prepare each product's technical data sheet for evaluation. This phase also includes evaluation of the bidder's warehousing facilities to establish the bidder's potential to hold enough stock.

**Requirements**

Tenderers are required to return the following:

**Mandatory Requirements**

Completed annexure A. clearly stating the products they can supply, also confirmation that their products comply with the Eskom specification.

- Test and standard compliance certificates for relevant products tendered for as per PPE specification including Electrical Test Certificate for footwear.
- Product technical data sheet.

**Pre-Contractual Requirements**

Prepare samples for the products they have tendered for to be evaluated during the site visit at Kusile Project, prior to contract award.

The Eskom Technical Evaluating team will inspect the samples provided for compliance with the Eskom's PPE Specifications. If the sample does not comply to the Eskom PPE Specifications, the supplier will be disqualified.

## ANNEXURE A

NB: To completed and sent back as part of the tender documents.

Tenderer's name						
Manufacturer/Distributor						
Name of Manufacturer to be used if you are a Distributor- Designated products						
Letter of Support from the Manufacturer attached (Yes/No)						
Please indicate which products you are tendering for in the categories below by placing an (x) next to the product.						
Sub-clause of 240-44175132	DESCRIPTION	Mark with (X) for product tendering for	MANUFACTURER OR DISTRIBUTOR (M/D)	Standard and / or tests certificate available where applicable as per PPE specification (Yes/No)	Manufacturer's data sheet for the supplied sample	COMPLIANCE TO ESKOM SPECIFICATION (Yes/No)
<b>CATEGORY 1</b>						
4.1	<b>HEAD, ARM, HANDS &amp; FACE PROTECTION</b>					
4.1.1	<b>Hard Hats</b>					
4.1.2	<b>Wrap-Around Safety Over-specs</b>					
4.1.1.3	<b>Safety Vest (Short Sleeve)</b>					
4.2	<b>Hearing Protection</b>					
4.2.1	<b>Soft Ear Plugs</b>					
4.3	<b>STANDARD SPECIFICATIONS FOR FOOT &amp; BODY PROTECTION</b>					
4.3.1	<b>Safety Boots (Standard Size/Wide size)</b>					
4.4	<b>SAFETY OVERALLS</b>					
4.4.1	<b>Trousers long pants acid &amp; alkali</b>					
	Does the garment comply with the requirements of the Eskom PPE Specification 240-44175132.					
4.4.2	<b>Jackets acid &amp; alkali</b>					
	Does the garment comply with the requirements of the Eskom PPE Specification 240-44175132.					
4.4.3	<b>Specifications For Rain Protection (Rain Suits)</b>					
	Does the garment comply with the requirements of the Eskom PPE Specification 240-44175132.					

**This tender is for the whole of the scope. All items to be completed as part of the tender. Tenderers that do not complete all items as indicated above, will be deemed non-responsive.**