



## NEC3 Engineering & Construction Contract

Between **ESKOM HOLDINGS SOC Ltd**  
(Reg No. 2002/015527/30)

and **[Insert at award stage]**  
(Reg No. \_\_\_\_\_ )

for **[•]**

Contents:	No of pages
Part C1 Agreements & Contract Data	[•]
Part C2 Pricing Data	[•]
Part C3 Scope of Work	[•]
Part C4 Site Information	[•]

**CONTRACT No. [Insert at award stage]**

## C1.1 Form of Offer & Acceptance

### Offer

The Employer, identified in the Acceptance signature block, has solicited offers to enter into a contract for the procurement of:

### KENDAL TUTUKA 400KV LOOSE GUY WIRE PROJECT

The tenderer, identified in the Offer signature block, has examined the documents listed in the Tender Data and addenda thereto and by submitting this Offer has accepted the Conditions of Tender.

By the representative of the tenderer, deemed to be duly authorised, signing this part of this Form of Offer and Acceptance the tenderer offers to perform all of the obligations and liabilities of the *Contractor* under the contract including compliance with all its terms and conditions according to their true intent and meaning for an amount to be determined in accordance with the *conditions of contract* identified in the Contract Data.

Options B,	The offered total of the Prices exclusive of VAT is	R
	Value Added Tax @ 15% is	R
	The offered total of the amount due inclusive of VAT is <sup>1</sup>	R
	(in words)	

This Offer may be accepted by the Employer by signing the Acceptance part of this Form of Offer and Acceptance and returning one copy of this document including the Schedule of Deviations (if any) to the tenderer before the end of the period of validity stated in the Tender Data, or other period as agreed, whereupon the tenderer becomes the party named as the *Contractor* in the *conditions of contract* identified in the Contract Data.

Signature(s)

Name(s) \_\_\_\_\_

Capacity \_\_\_\_\_

**For the  
tenderer:** \_\_\_\_\_

(Insert name and address of organisation)

Name &  
signature of  
witness

Date

Tenderer's CIDB registration number (if applicable)

<sup>1</sup> This total is required by the *Employer* for budgeting purposes only. Actual amounts due will be assessed in terms of the *conditions of contract*.

## Acceptance

By signing this part of this Form of Offer and Acceptance, the Employer identified below accepts the tenderer's Offer. In consideration thereof, the Employer shall pay the Contractor the amount due in accordance with the *conditions of contract* identified in the Contract Data. Acceptance of the tenderer's Offer shall form an agreement between the Employer and the tenderer upon the terms and conditions contained in this agreement and in the contract that is the subject of this agreement.

The terms of the contract, are contained in:

Part C1	Agreements and Contract Data, (which includes this Form of Offer and Acceptance)
Part C2	Pricing Data
Part C3	Scope of Work: Works Information
Part C4	Site Information

and drawings and documents (or parts thereof), which may be incorporated by reference into the above listed Parts.

Deviations from and amendments to the documents listed in the Tender Data and any addenda thereto listed in the Returnable Schedules as well as any changes to the terms of the Offer agreed by the tenderer and the Employer during this process of offer and acceptance, are contained in the Schedule of Deviations attached to and forming part of this Form of Offer and Acceptance. No amendments to or deviations from said documents are valid unless contained in this Schedule.

The tenderer shall within two weeks of receiving a completed copy of this agreement, including the Schedule of Deviations (if any), contact the Employer's agent (whose details are given in the Contract Data) to arrange the delivery of any securities, bonds, guarantees, proof of insurance and any other documentation to be provided in terms of the *conditions of contract* identified in the Contract Data at, or just after, the date this agreement comes into effect. Failure to fulfil any of these obligations in accordance with those terms shall constitute a repudiation of this agreement.

Notwithstanding anything contained herein, this agreement comes into effect on the date when the tenderer receives one fully completed original copy signed between them of this document, including the Schedule of Deviations (if any).

Unless the tenderer (now *Contractor*) within five working days of the date of such receipt notifies the Employer in writing of any reason why he cannot accept the contents of this agreement, this agreement shall constitute a binding contract between the Parties.

Signature(s)

Name(s)

Capacity

**for the  
Employer**

(Insert name and address of organisation)

Name &  
signature of  
witness

Date

Note: If a tenderer wishes to submit alternative tenders, use another copy of this Form of Offer and Acceptance.

### Schedule of Deviations to be completed by the *Employer* prior to contract award

Note:

1. This part of the Offer & Acceptance would not be required if the contract has been developed by negotiation between the Parties and is not the result of a process of competitive tendering.
2. The extent of deviations from the tender documents issued by the Employer prior to the tender closing date is limited to those permitted in terms of the Conditions of Tender.
3. A tenderer's covering letter must not be included in the final contract document. Should any matter in such letter, which constitutes a deviation as aforesaid be the subject of agreement reached during the process of Offer and Acceptance, the outcome of such agreement shall be recorded here and the final draft of the contract documents shall be revised to incorporate the effect of it.

No.	Subject	Details
1	[•]	[•]
2	[•]	[•]
3	[•]	[•]
4	[•]	[•]
5	[•]	[•]
6	[•]	[•]
7	[•]	[•]

By the duly authorised representatives signing this Schedule of Deviations below, the Employer and the tenderer agree to and accept this Schedule of Deviations as the only deviations from and amendments to the documents listed in the Tender Data and any addenda thereto listed in the Tender Schedules, as well as any confirmation, clarification or changes to the terms of the Offer agreed by the tenderer and the Employer during this process of Offer and Acceptance.

It is expressly agreed that no other matter whether in writing, oral communication or implied during the period between the issue of the tender documents and the receipt by the tenderer of a completed signed copy of this Form shall have any meaning or effect in the contract between the parties arising from this Agreement.

	For the tenderer:	For the Employer
Signature	_____	_____
Name	_____	_____
Capacity	_____	_____
On behalf of	(Insert name and address of organisation) _____	(Insert name and address of organisation) _____
Name & signature of witness	_____	_____
Date	_____	_____

## Part C1: Agreements & Contract Data

<b>Contents:</b>	<b>No of pages</b>
<b>C1.1 Form of Offer and Acceptance</b>	<b>[•]</b>
[to be inserted from Returnable Documents at award stage]	
<b>C1.2a Contract Data provided by the <i>Employer</i></b>	<b>[•]</b>
<b>C1.2b Contract Data provided by the <i>Contractor</i></b>	<b>[•]</b>
[to be inserted from Returnable Documents at award stage]	
<b>C1.3 Proforma Guarantees</b>	<b>[•]</b>

## PART 2: PRICING DATA

### ECC3 Option B

Document reference	Title	No of pages
C2.1	Pricing assumptions: Option B	
C2.2	<i>The bill of quantities</i>	

## C2.1 Pricing assumptions: Option B

### 1. How work is priced and assessed for payment

Clause 11 in NEC3 Engineering and Construction Contract (ECC3) Option B states:

<b>Identified and defined terms</b>	11	
	11.2	(21) The Bill of Quantities is the <i>bill of quantities</i> as changed in accordance with this contract to accommodate implemented compensation events and for accepted quotations for acceleration.
		(28) The Price for Work Done to Date is the total of <ul style="list-style-type: none"><li>• the quantity of the work which the <i>Contractor</i> has completed for each item in the Bill of Quantities multiplied by the rate and</li><li>• a proportion of each lump sum which is the proportion of the work covered by the item which the <i>Contractor</i> has completed.</li></ul> Completed work is work without Defects which would either delay or be covered by immediately following work.
		(31) The Prices are the lump sums and the amounts obtained by multiplying the rates by the quantities for the items in the Bill of Quantities.

This confirms that Option B is a re-measurement contract and the bill comprises only items measured using quantities and rates or stated as lump sums. Value related items are not used. Time related items are items measured using rates where the rate is a unit of time.

### 2. Function of the Bill of Quantities

Clause 55.1 in Option B states, "Information in the Bill of Quantities is not Works Information or Site Information". This confirms that specifications and descriptions of the work or any constraints on how it is to be done are not included in the Bill, but in the Works Information. This is further confirmed by Clause 20.1 which states, "The *Contractor* Provides the Works in accordance with the Works Information". Hence the *Contractor* does **not** Provide the Works in accordance with the Bill of Quantities. The Bill of Quantities is only a pricing document.

### 3. Guidance before pricing and measuring

Employers preparing tenders or contract documents, and tendering contractors are advised to consult the sections dealing with the bill of quantities in the NEC3 Engineering and Construction Contract Guidance Notes before preparing the *bill of quantities* or before entering rates and lump sums into the *bill*.

There is no general provision in Option B for payment for materials on Site before incorporation into the *works*. If secondary Option X14 Advanced payment has not been used then the tendering contractor may obtain the same effect by inserting appropriate items in the method related charges where the *method of measurement* allows, or alternatively making allowance in the rates of the *bill of quantities* for the financing of Plant and Materials until they are incorporated in the *works*.

When compensation events arise, the default position is that the Bill of Quantities is not used to calculate the cost effect of the event. Defined Cost and the resulting Fee is used and Defined Cost includes all components of cost which the *Contractor* is likely to incur, including so called P & G items. Rates and lump sums from the Bill of Quantities, or from any other source, may be used instead of Defined Cost and the Fee only if the *Contractor* and *Project Manager* agree. If they are unable to agree, then Defined Cost

plus Fee is used.

#### 4. Measurement and payment

##### 4.1. Symbols

The units of measurement described in the Bill of Quantities are metric units abbreviated as follows:

Abbreviation	Unit
%	percent
h	hour
ha	hectare
kg	kilogram
kl	kilolitre
km	kilometre
km-pass	kilometre-pass
kPa	kilopascal
kW	kilowatt
l	litre
m	metre
mm	millimetre
m <sup>2</sup>	square metre
m <sup>2</sup> -pass	square metre pass
m <sup>3</sup>	cubic metre
m <sup>3</sup> -km	cubic metre-kilometre
MN	meganewton
MN.m	meganewton-metre
MPa	megapascal
No.	number
sum	Lump sum
t	tonne (1000kg)

##### 4.2. General assumptions

- 4.2.1. Unless otherwise stated, items are measured net in accordance with the drawings, and no allowance has been made in the quantities for waste.
- 4.2.2. The Prices and rates stated for each item in the Bill of Quantities shall be treated as being fully inclusive of all work, risks, liabilities, obligations, overheads, profit and everything necessary as incurred or required by the *Contractor* in carrying out or providing that item.
- 4.2.3. An item against which no Price is entered will be treated as covered by other Prices or rates in the *bill of quantities*.
- 4.2.4. The quantities contained in the Bill of Quantities may not be final and do not necessarily represent the actual amount of work to be done. The quantities of work assessed and certified for payment by the *Project Manager* at each assessment date will be used for determining payments due.
- 4.2.5. The short descriptions of the items of payment given in the *bill of quantities* are only for the purposes of identifying the items. Detail regarding the extent of the work entailed under each item is provided in the Works Information.

**4.3. Departures from the *method of measurement***

4.3.1.

**4.4. Amplification of or assumptions about measurement items**

The following is provided to assist in the interpretation of descriptions given in the *method of measurement*. In the event of any ambiguity or inconsistency between the statements in the *method of measurement* and this section, the interpretation given in this section shall be used.

4.4.1.

## C2.2 the *bill of quantities*

See attached Bill of Quantities

PART 4: SITE INFORMATION

Document reference	Title	No of pages
C4	This cover page Site Information	1
	Total number of pages	

## PART 4: SITE INFORMATION

Core clause 11.2(16) states

"Site Information is information which

- describes the Site and its surroundings and
- is in the documents which the Contract Data states it is in."

In Contract Data, reference has been made to this Part 4 of the contract for the location of Site Information.


### 1. General description

1. Kendal Tutuka tower 25 – The tower is located on an open field and access is not controlled however the Grid staff will notify the landowner of the impending works and ensure that unobstructed access is possible for the duration of the works




GPS Co-ordinates: -26.127787S, 28.914008E

2. Kendal Tutuka tower 26 – The tower is located on a maize field and access is not controlled however the Grid staff will notify the landowner of the impending works and ensure that unobstructed access is possible for the duration of the works




GPS Co-ordinates: -26.132123S, 28.913267E

3. Kendal Tutuka tower 36 – The tower is located on a maize field and access is not controlled however the Grid staff will notify the landowner of the impending works and ensure that unobstructed access is possible for the duration of the works



GPS Co-ordinates: -26.174816S, 28.905964E

4. Kendal Tutuka tower 38 – The tower is located on a maize field and access is not controlled however the Grid staff will notify the landowner of the impending works and ensure that unobstructed access is possible for the duration of the works



GPS Co-ordinates: -26.183629S, 28.904455E

## 2. Existing buildings, structures, and plant & machinery on the Site

If the works have interfaces or hook up points with existing facilities or comprise refurbishment of existing facilities, provide full details of these so that the tendering contractor can plan his design and construction to integrate with them as the Works Information requires. As built drawings of the existing facilities usually provide the necessary information; such drawings can be listed here stating where they are located for the Contractor's use.

## 3. Subsoil information

The towers are situated in farming areas and there will be lots of dust which might affect the health of the employee on site, thus special precautions should be made to accommodate this.

## 4. Hidden services

Provide details about and drawings showing hidden services and underground structures. If accurate details are not available state what assumptions are to be made by the Contractor concerning such services.

## **5. Other reports and publicly available information**

This subsection may refer to mapping, hydro-graphic data, hydrological information, shipping movements, tides and published papers or Geological Surveys that the tendering contractor may need to be able to decide his method of working and programme and prepare any designs for which he would be responsible.

## C1.2 ECC3 Contract Data

### Part one - Data provided by the *Employer*

Completion of the data in full, according to the Options chosen, is essential to create a complete contract.

Clause	Statement	Data
1	<b>General</b>	
	The <i>conditions of contract</i> are the core clauses and the clauses for main Option	
	dispute resolution Option	B: Priced contract with bill of quantities
	and secondary Options	W1: Dispute resolution procedure
		X2 Changes in the law
		X7: Delay damages
		X15: Limitation of <i>Contractor's</i> liability for design to reasonable skill and care
		X16: Retention
		X18: Limitation of liability
		Z: <i>Additional conditions of contract</i>
	of the NEC3 Engineering and Construction Contract, April 2013 (ECC3)	
10.1	The <i>Employer</i> is (Name):	Eskom Holdings SOC Ltd (reg no: 2002/015527/30), a state owned company incorporated in terms of the company laws of the Republic of South Africa
	Address	Registered office at Megawatt Park, Maxwell Drive, Sandton, Johannesburg
10.1	The <i>Project Manager</i> is: (Name)	Mahlomola Taje
	Address	Eskom Park, Witbank, 1035
	Tel	013 693 4558
	Fax	
	e-mail	<a href="mailto:tajem@eskom.co.za">tajem@eskom.co.za</a>

10.1	The <i>Supervisor</i> is: (Name)	[•]												
	Address	[•]												
	Tel No.	[•]												
	Fax No.	[•]												
	e-mail	[•]												
11.2(13)	The <i>works</i> are	The inspection and repair of the guy wires and foundations on the Kendal-Tutuka 400kV lines. Broader scope of work is provided on page 17 of this document												
11.2(14)	The following matters will be included in the Risk Register	Farm area – require access												
11.2(15)	The <i>boundaries of the site</i> are	Boundaries of the servitude of the Kendal-Tutuka 400kV line From Towers 25,26,36 & 38.												
11.2(16)	The Site Information is in	Part 4: Site Information												
11.2(19)	The Works Information is in	Part 3: Scope of Work and all documents and drawings to which it refers.												
12.2	The <i>law of the contract</i> is the law of	The Republic of South Africa												
13.1	The <i>language of this contract</i> is	English												
13.3	The <i>period for reply</i> is	one week												
2	<b>The Contractor's main responsibilities</b>	Data required by this section of the core clauses is provided by the <i>Contractor</i> in Part 2 and terms in italics used in this section are identified elsewhere in this Contract Data.												
3	<b>Time</b>													
11.2(3)	The <i>completion date</i> for the whole of the works is	31 July 2023.												
11.2(9)	The <i>key dates</i> and the <i>conditions</i> to be met are:	<table><tr><th colspan="2"><i>Condition</i> to be met</th><th><i>key date</i></th></tr><tr><td>1</td><td>Site Establishment</td><td>10 October 2022</td></tr><tr><td>2</td><td>[•]</td><td>[•]</td></tr><tr><td>3</td><td>[•]</td><td>[•]</td></tr></table>	<i>Condition</i> to be met		<i>key date</i>	1	Site Establishment	10 October 2022	2	[•]	[•]	3	[•]	[•]
<i>Condition</i> to be met		<i>key date</i>												
1	Site Establishment	10 October 2022												
2	[•]	[•]												
3	[•]	[•]												
30.1	The <i>access dates</i> are:	<table><tr><th>Part of the Site</th><th>Date</th></tr><tr><td>1</td><td>Arrange with Eskom Personnel</td><td>5 October 2022</td></tr></table>	Part of the Site	Date	1	Arrange with Eskom Personnel	5 October 2022							
Part of the Site	Date													
1	Arrange with Eskom Personnel	5 October 2022												
31.1	The <i>Contractor</i> is to submit a first programme for acceptance within	One week from the Contract Date.												
31.2	The <i>starting date</i> is	03 October 2022												
32.2	The <i>Contractor</i> submits revised													

	programmes at intervals no longer than	<b>two weeks.</b>
<b>4</b>	<b>Testing and Defects</b>	
42.2	The <i>defects date</i> is	<b>Two weeks after Completion of the whole of the works.</b>
43.2	The <i>defect correction period</i> is	<b>Four weeks</b>
<b>5</b>	<b>Payment</b>	
50.1	The <i>assessment interval</i> is	<b>Between the 25th day of each successive month.</b>
51.1	The <i>currency of this contract</i> is the	<b>South African Rand.</b>
51.4	The <i>interest rate</i> is	<p>the publicly quoted prime rate of interest (calculated on a 365 day year) charged from time to time by the Standard Bank of South Africa Limited (as certified, in the event of any dispute, by any manager of such bank, whose appointment it shall not be necessary to prove) for amounts due in Rands and</p> <p>(ii) the LIBOR rate applicable at the time for amounts due in other currencies. LIBOR is the 6 month London Interbank Offered Rate quoted under the caption "Money Rates" in The Wall Street Journal for the applicable currency or if no rate is quoted for the currency in question then the rate for United States Dollars, and if no such rate appears in The Wall Street Journal then the rate as quoted by the Reuters Monitor Money Rates Service (or such service as may replace the Reuters Monitor Money Rates Service) on the due date for the payment in question, adjusted <i>mutatis mutandis</i> every 6 months thereafter and as certified, in the event of any dispute, by any manager employed in the foreign exchange department of The Standard Bank of South Africa Limited, whose appointment it shall not be necessary to prove.</p>
<b>6</b>	<b>Compensation events</b>	
60.1(13)	<p>The place where weather is to be recorded is:</p> <p>The <i>weather measurements</i> to be recorded for each calendar month are,</p> <p>The <i>weather measurements</i> are supplied</p>	<p><b>Where the works are being executed (Witbank)</b></p> <p><b>the cumulative rainfall (mm)</b></p> <p><b>the number of days with rainfall more than 10 mm</b></p> <p><b>the number of days with minimum air temperature less than 0 degrees Celsius</b></p> <p><b>the number of days with snow lying at 09:00 hours South African Time</b></p> <p><b>and these measurements:</b></p> <p><b>Kendal Power Station/ Witbank Weather</b></p>

by

Bureau

The *weather data* are the records of past *weather measurements* for each calendar month which were recorded at:

Kendal Power Station/ Witbank Weather Bureau

and which are available from:

the South African Weather Bureau and included in Annexure A to this Contract Data provided by the *Employer*

60.1(13)	Assumed values for the ten year return <i>weather data</i> for each <i>weather measurement</i> for each calendar month are:	As stated in Annexure A to this Contract Data provided by the <i>Employer</i> .  Note: If this arrangement is used, delete the rows above for 60.1(13) and delete this note.
7	<b>Title</b>	There is no reference to Contract Data in this section of the core clauses and terms in italics used in this section are identified elsewhere in this Contract Data.
8	<b>Risks and insurance</b>	
80.1	These are additional <i>Employer's</i> risks	1. [•] 2. [•] 3. [•]
9	<b>Termination</b>	There is no reference to Contract Data in this section of the core clauses and terms in italics used in this section are identified elsewhere in this Contract Data.
10	<b>Data for main Option clause</b>	
B	<b>Priced contract with bill of quantities</b>	
60.6	The <i>method of measurement</i> is	SANS 1200 and standard system of measurements published by SANS/SAQSA and amended as stated in Part C2.1, Pricing Assumptions.
11	<b>Data for Option W1</b>	
W1.1	The <i>Adjudicator</i> is	the person selected from the ICE-SA Division (or its successor body) of the South African Institution of Civil Engineering Panel of Adjudicators by the Party intending to refer a dispute to him. (see <a href="http://www.ice-sa.org.za">www.ice-sa.org.za</a> ). If the Parties do not agree on an Adjudicator the Adjudicator will be appointed by the Arbitration Foundation of Southern Africa (AFSA).
W1.2(3)	The <i>Adjudicator nominating body</i> is:	the Chairman of ICE-SA a joint Division of the South African Institution of Civil Engineering and the London Institution of Civil Engineers. (See <a href="http://www.ice-sa.org.za">www.ice-sa.org.za</a> ) or its successor body.
W1.4(2)	The <i>tribunal</i> is:	arbitration.
W1.4(5)	The <i>arbitration procedure</i> is	the latest edition of Rules for the Conduct of

		Arbitrations published by The Association of Arbitrators (Southern Africa) or its successor body.
	The place where arbitration is to be held is	Gauteng South Africa
	The person or organisation who will choose an arbitrator	
	- if the Parties cannot agree a choice or	the Chairman for the time being or his nominee
	- if the arbitration procedure does not state who selects an arbitrator, is	of the Association of Arbitrators (Southern Africa) or its successor body.
12	Data for secondary Option clauses	
X2	Changes in the law	There is no reference to Contract Data in this Option and terms in italics are identified elsewhere in this Contract Data.
X7	Delay damages (but not if Option X5 is also used)	
X7.1	Delay damages for Completion of the whole of the <i>works</i> are	R0.1% per day up to a limit of 10% of Contract Amount
X15	Limitation of the <i>Contractor's</i> liability for his design to reasonable skill & care	There is no reference to Contract Data in this Option and terms in italics are identified elsewhere in this Contract Data.
X16	Retention (not used with Option F)	
X16.1	The <i>retention free amount</i> is	R0.00.
	The <i>retention percentage</i> is	10%
X18	Limitation of liability	
X18.1	The <i>Contractor's</i> liability to the <i>Employer</i> for indirect or consequential loss is limited to:	R0.0 (zero Rand)
X18.2	For any one event, the <i>Contractor's</i> liability to the <i>Employer</i> for loss of or damage to the <i>Employer's</i> property is limited to:	the amount of the deductibles relevant to the event
X18.3	The <i>Contractor's</i> liability for Defects due to his design which are not listed on the Defects Certificate is limited to	The greater of <ul style="list-style-type: none"><li>the total of the Prices at the Contract Date and</li><li>the amounts excluded and unrecoverable from the <i>Employer's</i> assets policy for correcting the Defect (other than the resulting physical damage which is not excluded) plus the applicable deductible as at contract date.</li></ul>
X18.4	The <i>Contractor's</i> total liability to the <i>Employer</i> for all matters arising under or in connection with this contract, other than excluded matters, is limited to:	the total of the Prices other than for the additional excluded matters.  The <i>Contractor's</i> total liability for the additional excluded matters is not limited.

		<p>The additional excluded matters are amounts for which the <i>Contractor</i> is liable under this contract for</p> <ul style="list-style-type: none"> <li>• Defects due to his design which arise before the Defects Certificate is issued,</li> <li>• Defects due to manufacture and fabrication outside the Site,</li> <li>• loss of or damage to property (other than the <i>works</i>, Plant and Materials),</li> <li>• death of or injury to a person and</li> <li>• infringement of an intellectual property right.</li> </ul>
X18.5	The <i>end of liability date</i> is	<p>(i) 7 years after the <i>defects date</i> for latent Defects and</p> <p>(ii) the date on which the liability in question prescribes in accordance with the Prescription Act No. 68 of 1969 (as amended or in terms of any replacement legislation) for any other matter.</p> <p>A latent Defect is a Defect which would not have been discovered on reasonable inspection by the <i>Employer</i> or the <i>Supervisor</i> before the <i>defects date</i>, without requiring any inspection not ordinarily carried out by the <i>Employer</i> or the <i>Supervisor</i> during that period. If the <i>Employer</i> or the <i>Supervisor</i> do undertake any inspection over and above the reasonable inspection, this does not place a greater responsibility on the <i>Employer</i> or the <i>Supervisor</i> to have discovered the Defect.</p>
Z	The <b><i>Additional conditions of contract</i></b> are	Z1 to Z15 always apply.
Z1	<b>Cession delegation and assignment</b>	
	Z1.1	The <i>Contractor</i> does not cede, delegate or assign any of its rights or obligations to any person without the written consent of the <i>Employer</i> .
	Z1.2	Notwithstanding the above, the <i>Employer</i> may on written notice to the <i>Contractor</i> cede and delegate its rights and obligations under this contract to any of its subsidiaries or any of its present divisions or operations which may be converted into separate legal entities as a result of the restructuring of the Electricity Supply Industry.
Z2	<b>Joint ventures</b>	
	Z2.1	If the <i>Contractor</i> constitutes a joint venture, consortium or other unincorporated grouping of two or more persons or organisations then these persons or organisations are deemed to be jointly and severally liable to the <i>Employer</i> for the performance of this contract.
	Z2.2	Unless already notified to the <i>Employer</i> , the persons or organisations notify the <i>Project Manager</i> within two weeks of the Contract Date of the key person who has the authority to bind the <i>Contractor</i> on their behalf.

- Z2.3 The *Contractor* does not alter the composition of the joint venture, consortium or other unincorporated grouping of two or more persons without the consent of the *Employer* having been given to the *Contractor* in writing.

**Z3 Change of Broad Based Black Economic Empowerment (B-BBEE) status**

- Z3.1 Where a change in the *Contractor's* legal status, ownership or any other change to his business composition or business dealings results in a change to the *Contractor's* B-BBEE status, the *Contractor* notifies the *Employer* within seven days of the change.
- Z3.2 The *Contractor* is required to submit an updated verification certificate and necessary supporting documentation confirming the change in his B-BBEE status to the *Project Manager* within thirty days of the notification or as otherwise instructed by the *Project Manager*.
- Z3.3 Where, as a result, the *Contractor's* B-BBEE status has decreased since the Contract Date the *Employer* may either re-negotiate this contract or alternatively, terminate the *Contractor's* obligation to Provide the Works.
- Z3.4 Failure by the *Contractor* to notify the *Employer* of a change in its B-BBEE status may constitute a reason for termination. If the *Employer* terminates in terms of this clause, the procedures on termination are P1, P2 and P3 as stated in clause 92, and the amount due is A1 and A3 as stated in clause 93.

**Z4 Confidentiality**

- Z4.1 The *Contractor* does not disclose or make any information arising from or in connection with this contract available to Others. This undertaking does not, however, apply to information which at the time of disclosure or thereafter, without default on the part of the *Contractor*, enters the public domain or to information which was already in the possession of the *Contractor* at the time of disclosure (evidenced by written records in existence at that time). Should the *Contractor* disclose information to Others in terms of clause 25.1, the *Contractor* ensures that the provisions of this clause are complied with by the recipient.
- Z4.2 If the *Contractor* is uncertain about whether any such information is confidential, it is to be regarded as such until notified otherwise by the *Project Manager*.
- Z4.3 In the event that the *Contractor* is, at any time, required by law to disclose any such information which is required to be kept confidential, the *Contractor*, to the extent permitted by law prior to disclosure, notifies the *Employer* so that an appropriate protection order and/or any other action can be taken if possible, prior to any disclosure. In the event that such protective order is not, or cannot, be obtained, then the *Contractor* may disclose that portion of the information which it is required to be disclosed by law and uses reasonable efforts to obtain assurances that confidential treatment will be afforded to the information so disclosed.
- Z4.4 The taking of images (whether photographs, video footage or otherwise) of the *works* or any portion thereof, in the course of Providing the Works and after Completion, requires the prior written consent of the *Project Manager*. All rights in and to all such images vests exclusively in the *Employer*.
- Z4.5 The *Contractor* ensures that all his subcontractors abide by the undertakings in this clause.

**Z5 Waiver and estoppel: Add to core clause 12.3:**

- Z5.1 Any extension, concession, waiver or relaxation of any action stated in this contract by the Parties, the *Project Manager*, the *Supervisor*, or the *Adjudicator* does not constitute a waiver of rights, and does not give rise to an estoppel unless the Parties agree otherwise and confirm such agreement in writing.

**Z6 Health, safety and the environment: Add to core clause 27.4**

- Z6.1 The *Contractor* undertakes to take all reasonable precautions to maintain the health and safety of persons in and about the execution of the *works*. Without limitation the *Contractor*:
- accepts that the *Employer* may appoint him as the "Principal Contractor" (as defined and provided for under the Construction Regulations 2014 (promulgated under the Occupational Health & Safety Act 85 of 1993) ("the Construction Regulations") for the Site;
  - warrants that the total of the Prices as at the Contract Date includes a sufficient amount for proper compliance with the Construction Regulations, all applicable health & safety laws and regulations and the health and safety rules, guidelines and procedures provided for in this contract and generally for the proper maintenance of health & safety in and about the execution of *works*; and
  - undertakes, in and about the execution of the *works*, to comply with the Construction Regulations and with all applicable health & safety laws and regulations and rules, guidelines and procedures otherwise provided for under this contract and ensures that his Subcontractors, employees and others under the *Contractor's* direction and control, likewise observe and comply with the foregoing.
- Z6.2 The *Contractor*, in and about the execution of the *works*, complies with all applicable environmental laws and regulations and rules, guidelines and procedures otherwise provided for under this contract and ensures that his Subcontractors, employees and others under the *Contractor's* direction and control, likewise observe and comply with the foregoing.

**Z7 Provision of a Tax Invoice and interest. Add to core clause 51**

- Z7.1 Within one week of receiving a payment certificate from the *Project Manager* in terms of core clause 51.1, the *Contractor* provides the *Employer* with a tax invoice in accordance with the *Employer's* procedures stated in the Works Information, showing the amount due for payment equal to that stated in the payment certificate.
- Z7.2 If the *Contractor* does not provide a tax invoice in the form and by the time required by this contract, the time by when the *Employer* is to make a payment is extended by a period equal in time to the delayed submission of the correct tax invoice. Interest due by the *Employer* in terms of core clause 51.2 is then calculated from the delayed date by when payment is to be made.
- Z7.3 The *Contractor* (if registered in South Africa in terms of the companies Act) is required to comply with the requirements of the Value Added Tax Act, no 89 of 1991 (as amended) and to include the *Employer's* VAT number 4740101508 on each invoice he submits for payment.

**Z8 Notifying compensation events**

- Z8.1 Delete from the last sentence in core clause 61.3, "unless the *Project Manager* should have notified the event to the *Contractor* but did not".

**Z9 Employer's limitation of liability**

- Z9.1 The *Employer's* liability to the *Contractor* for the *Contractor's* indirect or consequential loss is limited to R0.00 (zero Rand)
- Z9.2 The *Contractor's* entitlement under the indemnity in 83.1 is provided for in 60.1(14) and the *Employer's* liability under the indemnity is limited.

**Z10 Termination: Add to core clause 91.1, at the second main bullet point, fourth sub-bullet point, after the words "against it":**

Z10.1 or had a business rescue order granted against it.

**Z11 Addition to secondary Option X7 Delay damages (if applicable in this contract)**

Z11.1 If the amount due for the *Contractor's* payment of delay damages reaches the limits stated in this Contract Data for Option X7 or Options X5 and X7 used together, the *Employer* may terminate the *Contractor's* obligation to Provide the Works using the same procedures and payment on termination as those applied for reasons R1 to R15 or R18 stated in the Termination Table.

**Z12 Ethics**

For the purposes of this Z-clause, the following definitions apply:

**Affected Party** means, as the context requires, any party, irrespective of whether it is the *Contractor* or a third party, such party's employees, agents, or Subcontractors or Subcontractor's employees, or any one or more of all of these parties' relatives or friends,

**Coercive Action** means to harm or threaten to harm, directly or indirectly, an Affected Party or the property of an Affected Party, or to otherwise influence or attempt to influence an Affected Party to act unlawfully or illegally,

**Collusive Action** means where two or more parties co-operate to achieve an unlawful or illegal purpose, including to influence an Affected Party to act unlawfully or illegally,

**Committing Party** means, as the context requires, the *Contractor*, or any member thereof in the case of a joint venture, or its employees, agents, or Subcontractor or the Subcontractor's employees,

**Corrupt Action** means the offering, giving, taking, or soliciting, directly or indirectly, of a good or service to unlawfully or illegally influence the actions of an Affected Party,

**Fraudulent Action** means any unlawfully or illegally intentional act or omission that misleads, or attempts to mislead, an Affected Party, in order to obtain a financial or other benefit or to avoid an obligation or incurring an obligation,

**Obstructive Action** means a Committing Party unlawfully or illegally destroying, falsifying, altering or concealing information or making false statements to materially impede an investigation into allegations of Prohibited Action, and

**Prohibited Action** means any one or more of a Coercive Action, Collusive Action Corrupt Action, Fraudulent Action or Obstructive Action.

Z12.1 A Committing Party may not take any Prohibited Action during the course of the procurement of this contract or in execution thereof.

Z12.2 The *Employer* may terminate the *Contractor's* obligation to Provide the Services if a Committing Party has taken such Prohibited Action and the *Contractor* did not take timely and appropriate action to prevent or remedy the situation, without limiting any other rights or remedies the *Employer* has. It is not required that the Committing Party had to have been found guilty, in court or in any other similar process, of such Prohibited Action before the *Employer* can terminate the *Contractor's* obligation to Provide the Services for this reason.

Z12.3 If the *Employer* terminates the *Contractor's* obligation to Provide the Services for this reason, the amounts due on termination are those intended in core clauses 92.1 and 92.2.

Z12.4 A Committing Party co-operates fully with any investigation pursuant to alleged Prohibited Action. Where the *Employer* does not have a contractual bond with the Committing Party, the *Contractor* ensures that the Committing Party co-operates fully with an investigation.

**Z13 Insurance**

**Z 13.1 Replace core clause 84 with the following:**

**Insurance cover 84**

- 84.1** When requested by a Party, the other Party provides certificates from his insurer or broker stating that the insurances required by this contract are in force.
- 84.2** The *Contractor* provides the insurances stated in the Insurance Table A.
- 84.3** The insurances provide cover for events which are at the *Contractor's* risk from the *starting date* until the earlier of Completion and the date of the termination certificate.

**INSURANCE TABLE A**

Insurance against	Minimum amount of cover or minimum limit of indemnity
Loss of or damage to the works, Plant and Materials	<p>The replacement cost where not covered by the <i>Employer's</i> insurance</p> <p>The <i>Employer's</i> policy deductible, as at Contract Date, where covered by the <i>Employer's</i> insurance</p>
Loss of or damage to Equipment	The replacement cost
Liability for loss of or damage to property (except the works, Plant and Materials and Equipment) and liability for bodily injury to or death of a person (not an employee of the <i>Contractor</i> ) caused by activity in connection with this contract	<p><b><u>Loss of or damage to property</u></b></p> <p><u><i>Employer's</i> property</u></p> <p>The replacement cost where not covered by the <i>Employer's</i> insurance</p> <p>The <i>Employer's</i> policy deductible, as at Contract Date, where covered by the <i>Employer's</i> insurance</p> <p><u>Other property</u></p> <p>The replacement cost</p> <p><b><u>Bodily injury to or death of a person</u></b></p> <p>The amount required by applicable law</p>

Liability for death of or bodily injury to employees of the <i>Contractor</i> arising out of and in the course of their employment in connection with this contract	The amount required by the applicable law
---	---

**Z 13.2**

**Replace core clause 87 with the following:**

The *Employer* provides the insurances stated in the Insurance Table B.

**INSURANCE TABLE B**

Insurance against or name of policy	Minimum amount of cover or minimum limit of indemnity
Assets All Risk	Per the insurance policy document
Contract Works insurance	Per the insurance policy document
Environmental Liability	Per the insurance policy document
General and Public Liability	Per the insurance policy document
Transportation (Marine)	Per the insurance policy document
Motor Fleet and Mobile Plant	Per the insurance policy document
Terrorism	Per the insurance policy document
Cyber Liability	Per the insurance policy document
Nuclear Material Damage and Business Interruption	Per the insurance policy document
Nuclear Material Damage Terrorism	Per the insurance policy document

**Z14 Nuclear Liability**

- Z14.1 The *Employer* is the operator of the Koeberg Nuclear Power Station (KNPS), a nuclear installation, as designated by the National Nuclear Regulator of the Republic of South Africa, and is the holder of a nuclear licence in respect of the KNPS.
- Z14.2 The *Employer* is solely responsible for and indemnifies the *Contractor* or any other person against any and all liabilities which the *Contractor* or any person may incur arising out of or resulting from nuclear damage, as defined in Act 47 of 1999, save to the extent that any liabilities are incurred due to the unlawful intent of the *Contractor* or any other person or the presence of the *Contractor* or that person or any property of the *Contractor* or such person at or in the KNPS or on the KNPS site, without the permission of the *Employer* or of a person acting on behalf of the *Employer*.
- Z14.3 Subject to clause Z14.4 below, the *Employer* waives all rights of recourse, arising from the aforesaid, save to the extent that any claims arise or liability is incurred due or attributable to the unlawful intent of the *Contractor* or any other person, or the presence of the *Contractor* or that person or any property of the *Contractor* or such person at or in the KNPS or on the KNPS site, without the permission of the *Employer* or of a person acting on behalf of the *Employer*.
- Z14.4 The *Employer* does not waive its rights provided for in section 30 (7) of Act 47 of 1999, or any replacement section dealing with the same subject matter.

Z14.5 The protection afforded by the provisions hereof shall be in effect until the KNPS is decommissioned.

## **Z15 Asbestos**

For the purposes of this Z-clause, the following definitions apply:

<b>AAIA</b>	means approved asbestos inspection authority.
<b>ACM</b>	means asbestos containing materials.
<b>AL</b>	means action level, i.e. a level of 50% of the OEL, i.e. 0.1 regulated asbestos fibres per ml of air measured over a 4 hour period. The value at which proactive actions is required in order to control asbestos exposure to prevent exceeding the OEL.
<b>Ambient Air</b>	means breathable air in area of work with specific reference to breathing zone, which is defined to be a virtual area within a radius of approximately 30cm from the nose inlet.
<b>Compliance Monitoring</b>	means compliance sampling used to assess whether or not the personal exposure of workers to regulated asbestos fibres is in compliance with the Standard's requirements for safe processing, handling, storing, disposal and phase-out of asbestos and asbestos containing material, equipment and articles.
<b>OEL</b>	means occupational exposure limit.
<b>Parallel Measurements</b>	means measurements performed in parallel, yet separately, to existing measurements to verify validity of results.
<b>Safe Levels</b>	means airborne asbestos exposure levels conforming to the Standard's requirements for safe processing, handling, storing, disposal and phase-out of asbestos and asbestos containing material, equipment and articles.
<b>Standard</b>	means the <i>Employer's Asbestos Standard 32-303: Requirements for Safe Processing, Handling, Storing, Disposal and Phase-out of Asbestos and Asbestos Containing Material, Equipment and Articles.</i>
<b>SANAS</b>	means the South African National Accreditation System.
<b>TWA</b>	means the average exposure, within a given workplace, to airborne asbestos fibres, normalised to the baseline of a 4 hour continuous period, also applicable to short term exposures, i.e. 10-minute TWA.

Z15.1 The *Employer* ensures that the Ambient Air in the area where the *Contractor* will Provide the Services conforms to the acceptable prescribed South African standard for asbestos, as per the regulations published in GNR 155 of 10 February 2002, under the Occupational Health and Safety Act, 1993 (Act 85 of 1993) ("Asbestos Regulations"). The OEL for asbestos is 0.2 regulated asbestos fibres per millilitre of air as a 4-hour TWA, averaged over any continuous period of four hours, and the short term exposure limit of 0.6 regulated asbestos fibres per millilitre of air as a 10-minute TWA, averaged over any 10 minutes, measured in accordance with HSG248 and monitored according to HSG173 and OESSM.

Z15.2 Upon written request by the *Contractor*, the *Employer* certifies that these conditions prevail. All measurements and reporting are effected by an independent, competent, and certified occupational hygiene inspection body, i.e. a SANAS accredited and Department of Employment and Labour approved AAIA. The *Contractor* may perform Parallel Measurements and related control measures at the *Contractor's* expense. For the purposes of compliance the results generated from Parallel Measurements are evaluated only against South African statutory limits as detailed in clause Z15.1. Control measures conform to the requirements

stipulated in the AAIA-approved asbestos work plan.

- Z15.3 The *Employer* manages asbestos and ACM according to the Standard.
- Z15.4 In the event that any asbestos is identified while Providing the Services, a risk assessment is conducted and if so required, with reference to possible exposure to an airborne concentration of above the AL for asbestos, immediate control measures are implemented and relevant air monitoring conducted in order to declare the area safe.
- Z15.5 The *Contractor's* personnel are entitled to stop working and leave the contaminated area forthwith until such time that the area of concern is declared safe by either Compliance Monitoring or an AAIA approved control measure intervention, for example, per the emergency asbestos work plan, if applicable.
- Z15.6 The *Contractor* continues to Provide the Services, without additional control measures presented, on presentation of Safe Levels. The contractually agreed dates to Provide the Services, including the Completion Date, are adjusted accordingly. The contractually agreed dates are extended by the notification periods required by regulations 3 and 21 of the Asbestos Regulations, 2001.
- Z15.7 Any removal and disposal of asbestos, asbestos containing materials and waste, is done by a registered asbestos contractor, instructed by the *Employer* at the *Employer's* expense, and conducted in line with South African legislation.

**Annexure A: One-in-ten-year-return *weather data* obtained from SA Weather Bureau for [weather station]**

If any one of these *weather measurements* recorded within a calendar month, before the Completion Date for the whole of the *works* and at the place stated in this Contract Data is shown to be more adverse than the amount stated below then the *Contractor* may notify a compensation event.

	<i>Weather measurement</i>				
Month	Cumulative rainfall (mm)	Number of days with rain more than 10mm	Number of days with min air temp < 0 deg.C	Number of days with snow lying at 08:00 CAT	[Other measurements if applicable]
January	[•]	[•]	[•]	[•]	
February	[•]	[•]	[•]	[•]	
March	[•]	[•]	[•]	[•]	
April	[•]	[•]	[•]	[•]	
May	[•]	[•]	[•]	[•]	
June	[•]	[•]	[•]	[•]	
July	[•]	[•]	[•]	[•]	
August	[•]	[•]	[•]	[•]	
September	[•]	[•]	[•]	[•]	
October	[•]	[•]	[•]	[•]	
November	[•]	[•]	[•]	[•]	
December	[•]	[•]	[•]	[•]	

Only the difference between the more adverse recorded weather and the equivalent measurement given above is taken into account in assessing a compensation event.

## C1.2 Contract Data

### Part two - Data provided by the *Contractor*

**[Instructions to the contract compiler: (delete this notes before issue to tenderers with an enquiry)**  
Whenever a cell is shaded in the left hand column it denotes this data is optional. If not required select and delete the whole row, otherwise insert the required Data.]

#### Notes to a tendering contractor:

1. Please read both the NEC3 Engineering and Construction Contract (April 2013) and the relevant parts of its Guidance Notes (ECC3-GN)<sup>1</sup> in order to understand the implications of this Data which the tenderer is required to complete. An example of the completed Data is provided on pages 156 to 158 of the ECC3 (April 2013) Guidance Notes.
2. The number of the clause which requires the data is shown in the left hand column for each statement however other clauses may also use the same data
3. Where a form field like this [ ] appears, data is required to be inserted relevant to the option selected. Click on the form field **once** and type in the data. Otherwise complete by hand and in ink.

Completion of the data in full, according to Options chosen, is essential to create a complete contract.

Clause	Statement	Data
10.1	The <i>Contractor</i> is (Name): Address Tel No. Fax No.	
11.2(8)	The <i>direct fee percentage</i> is The <i>subcontracted fee percentage</i> is	% %
11.2(18)	The <i>working areas</i> are the Site and	
24.1	The <i>Contractor's</i> key persons are: 1 Name: Job: Responsibilities: Qualifications: Experience: 2 Name: Job: Responsibilities: Qualifications: Experience:	

<sup>1</sup> Available from Engineering Contract Strategies Tel 011 803 3008, Fax 011 803 3009 or see [www.ecs.co.za](http://www.ecs.co.za)

		CV's (and further key persons data including CVs) are appended to Tender Schedule entitled .		
11.2(3)	The <i>completion date</i> for the whole of the works is			
11.2(14)	The following matters will be included in the Risk Register			
11.2(19)	The Works Information for the <i>Contractor's</i> design is in:			
31.1	The programme identified in the Contract Data is			
<b>B</b>	<b>Priced contract with bill of quantities</b>			
11.2(21)	The <i>bill of quantities</i> is in	(in figures)  (in words), excluding VAT		
11.2(31)	The tendered total of the Prices is			
	<b>Data for Schedules of Cost Components</b>	Note "SCC" means Schedule of Cost Components starting on page 60, and "SSCC" means Shorter Schedule of Cost Components starting on page 63 of ECC3 (April 2013).		
<b>B</b>	<b>Priced contract with bill of quantities</b>	<b>Data for the Shorter Schedule of Cost Components</b>		
41 in SSCC	The percentage for people overheads is:	%		
21 in SSCC	The published list of Equipment is the last edition of the list published by  The percentage for adjustment for Equipment in the published list is	Minus %		
22 in SSCC	The rates of other Equipment are:	Equipment	Size or capacity	Rate
61 in SSCC	The hourly rates for Defined Cost of design outside the Working Areas are  Note: Hourly rates are estimated 'cost to company of the employee' and not selling rates.  Please insert another schedule if foreign resources may also be used	Category of employee		Hourly rate

62 in SSCC	The percentage for design overheads is	%
63 in SSCC	The categories of design employees whose travelling expenses to and from the Working Areas are included in Defined Cost are:	

Document reference	Title	No of pages
	This cover page	1
C3.1	<i>Employer's Works Information</i>	
C3.2	<i>Contractor's Works Information</i>	
	Total number of pages	

## C3.1: EMPLOYER'S WORKS INFORMATION

### Contents

When the document is complete, insert a 'Table of Contents'. To do this go to: Insert, → Reference, → Index and tables → Table of Contents. Three levels and the title (but not the subtitle) may be shown if the formats used in this template are retained.

<b>Part 3: Scope of Work .....</b>	<b>1</b>
<b>C3.1: Employer's works Information .....</b>	<b>2</b>
<b>1 Description of the works.....</b>	<b>5</b>
1.1 Executive overview.....	5
1.2 <i>Employer's</i> objectives and purpose of the <i>works</i> .....	5
1.3 Interpretation and terminology.....	6
<b>2 Management and start up. ....</b>	<b>6</b>
2.1 Management meetings.....	6
2.2 Documentation control.....	7
2.3 Health and safety risk management .....	7
2.4 Environmental constraints and management .....	7
2.5 Quality assurance requirements.....	8
2.6 Programming constraints.....	8
2.7 <i>Contractor's</i> management, supervision and key people.....	8
2.8 Invoicing and payment.....	8
2.9 Insurance provided by the <i>Employer</i> .....	9
2.10 Contract change management .....	9
2.11 Provision of bonds and guarantees .....	9
2.12 Records of Defined Cost, payments & assessments of compensation events to be kept by the <i>Contractor</i> .....	9
2.13 Training workshops and technology transfer.....	9
<b>3 Engineering and the <i>Contractor's</i> design .....</b>	<b>10</b>
3.1 <i>Employer's</i> design .....	10
3.2 Parts of the <i>works</i> which the <i>Contractor</i> is to design.....	10
3.3 Procedure for submission and acceptance of <i>Contractor's</i> design .....	10
3.4 Other requirements of the <i>Contractor's</i> design.....	10
3.5 Use of <i>Contractor's</i> design .....	10
3.6 Design of Equipment .....	10
3.7 Equipment required to be included in the <i>works</i> .....	11
3.8 As-built drawings, operating manuals and maintenance schedules.....	11
<b>4 Procurement.....</b>	<b>12</b>
4.1 People .....	12

4.1.1	Minimum requirements of people employed on the Site.....	12
4.1.2	BBBEE and preferencing scheme .....	12
4.1.3	Accelerated Shared Growth Initiative – South Africa (ASGI-SA).....	12
4.2	Subcontracting.....	12
4.2.1	Preferred subcontractors .....	12
4.2.2	Subcontract documentation, and assessment of subcontract tenders .....	12
4.2.3	Limitations on subcontracting .....	13
4.2.4	Attendance on subcontractors .....	13
4.3	Plant and Materials.....	13
4.3.1	Quality.....	13
4.3.2	Plant & Materials provided “free issue” by the <i>Employer</i> .....	13
4.3.3	<i>Contractor's</i> procurement of Plant and Materials .....	13
4.3.4	Spares and consumables .....	13
4.4	Tests and inspections before delivery .....	14
4.5	Marking Plant and Materials outside the Working Areas.....	14
4.6	<i>Contractor's</i> Equipment (including temporary works).....	14
4.7	Cataloguing requirements .....	14
<b>5</b>	<b>Construction .....</b>	<b>15</b>
5.1	Temporary works, Site services & construction constraints .....	15
5.1.1	<i>Employer's</i> Site entry and security control, permits, and Site regulations .....	15
5.1.2	Restrictions to access on Site, roads, walkways and barricades .....	15
5.1.3	People restrictions on Site; hours of work, conduct and records.....	15
5.1.4	Health and safety facilities on Site.....	15
5.1.5	Environmental controls, fauna & flora, dealing with objects of historical interest .....	15
5.1.6	Title to materials from demolition and excavation.....	15
5.1.7	Cooperating with and obtaining acceptance of Others .....	16
5.1.8	Publicity and progress photographs .....	16
5.1.9	<i>Contractor's</i> Equipment .....	16
5.1.10	Equipment provided by the <i>Employer</i> .....	16
5.1.11	Site services and facilities.....	16
5.1.12	Facilities provided by the <i>Contractor</i> .....	16
5.1.13	Existing premises, inspection of adjoining properties and checking work of Others .....	16
5.1.14	Survey control and setting out of the <i>works</i> .....	17
5.1.15	Excavations and associated water control.....	17
5.1.16	Underground services, other existing services, cable and pipe trenches and covers .....	17
5.1.17	Control of noise, dust, water and waste.....	17
5.1.18	Sequences of construction or installation .....	17
5.1.19	Giving notice of work to be covered up.....	17
5.1.20	Hook ups to existing works .....	17
5.2	Completion, testing, commissioning and correction of Defects .....	18

5.2.1	Work to be done by the Completion Date .....	18
5.2.2	Use of the <i>works</i> before Completion has been certified .....	18
5.2.3	Materials facilities and samples for tests and inspections .....	18
5.2.4	Commissioning .....	18
5.2.5	Start-up procedures required to put the <i>works</i> into operation.....	18
5.2.6	Take over procedures .....	19
5.2.7	Access given by the <i>Employer</i> for correction of Defects .....	19
5.2.8	Performance tests after Completion .....	19
5.2.9	Training and technology transfer .....	19
5.2.10	Operational maintenance after Completion .....	19
<b>6</b>	<b>Plant and Materials standards and workmanship .....</b>	<b>20</b>
6.1	Investigation, survey and Site clearance .....	20
6.2	Building works .....	20
6.3	Civil engineering and structural works.....	20
6.4	Electrical & mechanical engineering works .....	21
6.5	Process control and IT works .....	21
6.6	Other [as required].....	21
<b>7</b>	<b>List of drawings .....</b>	<b>22</b>
7.1	Drawings issued by the <i>Employer</i> .....	22
<b>C3.2</b>	<b>Contractor's Works Information.....</b>	<b>23</b>

# 1 Description of the works

## 1.1 Executive overview

The North East grid reported loose guy wires on the Kendal - Tutuka 400 kV line. Five towers were inspected to be refurbished i.e. 25, 26, 36 and 38. Guy wires are essential in providing structural support to the tower itself, the necessary tension is critical to ensure the structure is stable. Guy wires can become loose over time due to multiple reasons such as foundation movement, deterioration of the foundation link, excessive creep on the stays themselves.

## 1.2 Employer's objectives and purpose of the works

Summary of the scope of works are as follows:

- Re-tension the stays of the 520 B on the list of towers identified on the line, the re-tensioning cannot be done without the inspection and determination of the corrosion on the link plates, associated hardware and stay wires.
- Inspection of the guy anchor (Including the link plates) and restoration of the guy anchors depending on the state of corrosion. There are different remedial actions identified for the various corrosion categories, details on this action are found in the **240-86978162- Kendal -Tutuka 400 kV line loose guy wire repair report**.

### 1. Category 1 -2 corrosion

- Stabilize soil and re-compact. Stabilizing will take place by mixing cement and soil to a rate of 1:8 (1 unit of cement with 8 units of soil).
- Encase link in 25 MPa concrete and HDPE Pipe encasement.

### 2. Category 3 to- 5 corrosion

- Clean surface, sand blast, and re-coat the anchor link with a primer and two coats 99% Zinc rich paint.
- Encase link in 25 MPa concrete and HDPE Pipe encasement.

### 3. Category 6 to category 7 corrosion

- Temporary anchors are to be designed by the contractor and must be capable of resisting a guy tension of 100 kN. The temporary anchor must carry the working load of the guy during restoration, and transfer of the load takes place at the latest possible stage during refurbishment.
- Replace the foundation or splice
- Splicing will entail exposing the link, cutting the corroded section cleaning and preparing of the new galvanised link. Encase link in 25 MPa concrete and HDPE Pipe encasement
- The Contractor will have to design foundations in the case where foundations are to be replaced. The new foundations must be located at least 3m away (in the case of deadman) and clearance of the stays to the phase conductor needs to be checked.

All construction work to be done in accordance with latest TRMSCAAC.

- The hardware and stay wire shall be inspected to identify the condition in respect to the relative corrosion category. The hardware may require replacement depending on the outcomes from the inspection done by the contractor.

- Inspections of hardware assemblies and guy wires to be done upfront (Hold point). The contractor's inspection findings should incorporate images and proof of the assemblies (and guy wires) required to be changed, this information should be sent to Eskom to review.
- Soil samples and circulating current measurements will assist in determining the causes of corrosion and the correlation of these factors with corrosion levels along the line.
- The work will be done under live line conditions, only if the need arises to change the guy wires, then line outages will need to be considered. Contractor to advise the need for outages, methods used for replacement of guy wires if required and the time frames.

NB: Further information and details can be found in the **240-86978162- Kendal Tutuka 400kV loose guy wire report**.

### 1.3 Interpretation and terminology

If required include here definitions additional to those used in the *conditions of contract* which are required only for the purpose of making the Works Information easier to draft and read. Also list abbreviations used and provide a full interpretation of each one, for example:

The following abbreviations are used in this Works Information:

Abbreviation	Meaning given to the abbreviation
AFC	Approved for construction
OBL	Outside battery limits

## 2 Management and start up.

### 2.1 Management meetings

The *conditions of contract* (e.g. Clause 16.2) require and other sections of the Works Information (e.g. safety risk management) may require (mandate) that a meeting shall be held. However the intention of all NEC contracts is that the Parties and their agents use the techniques of partnering to manage the contract by holding meetings designed to pro actively and jointly manage the administration of the contract with the objective of minimising the adverse effects of risks and surprises for both Parties.

Depending on the size and complexity of the *works*, it is probably beneficial for the *Project Manager* to hold a weekly risk register meeting (Clause 16.2). This could be used to discuss safety, compensation events, subcontracting, overall co-ordination and other matters of a general nature. Separate meetings for specialist activities such as programming, engineering and design management, may also be warranted.

Describe here the general meetings and their purpose. Provide particulars of approximate times, days, location, and attendance requirements, stipulating that attendees shall have the necessary delegated authority to make decisions in respect of matters raised at such meetings.

The right to hold specialist meetings should be stated generically and in such a way that ambiguity with other parts of the Works Information is avoided.

The following text could be used as a model for this section:

Regular meetings of a general nature may be convened and chaired by the *Project Manager* as follows:

Title and purpose	Approximate time & interval	Location	Attendance by:
Risk register and compensation events	Weekly on _____ at _____		
Overall contract progress and feedback	Monthly on _____ at _____		<i>Employer, Contractor, Supervisor, and _____</i>


Meetings of a specialist nature may be convened as specified elsewhere in this Works Information or if not so specified by persons and at times and locations to suit the Parties, the nature and the progress of the *works*. Records of these meetings shall be submitted to the *Project Manager* by the person convening the meeting within five days of the meeting.

All meetings shall be recorded using minutes or a register prepared and circulated by the person who convened the meeting. Such minutes or register shall not be used for the purpose of confirming actions or instructions under the contract as these shall be done separately by the person identified in the *conditions of contract* to carry out such actions or instructions.

## 2.2 Documentation control

Specify how documentation will be identified with an alpha numeric which indicates source, recipient, communication number etc. Provide details of any particular format or other constraints; for example that all contractual communications will be in the form of properly compiled letters or forms attached to e mails and not as a message in the e mail itself. State any particular routing requirements but note from ECC who issues what to whom.

## 2.3 Health and safety risk management

In addition to the requirements of the laws governing health and safety, Eskom may have some additional requirements particular to the *works* and the Working Areas for this contract. The text below provides for these being attached as an Annexure to this Works Information. PLEASE ALSO READ CORE CLAUSE 27.4 TOGETHER WITH 27 IN THE ADDITIONAL CONDITIONS OF CONTRACT TO MAKE SURE THAT WHATEVER IS INCLUDED IN THE ANNEXURE FOLLOWS ON FROM THOSE CLAUSES.

The Divisional/Regional Safety Risk Manager or his representative having jurisdiction over the *works* must provide the relevant safety, health and environmental (SHE) criteria for incorporation into this Works Information. The SHE specification / scope must be signed off by the Divisional/Regional Safety Risk Manager or his representative confirming that the applicable safety criteria have been taken into account.

The Commodity Manager / Buyer must refer the tender to the Divisional/Regional Safety Risk Manager or his representative in order to evaluate against enquiry-specific safety criteria.

The Divisional Safety Risk Managers who will be responsible for the allocation of resources to assist P&SCM with the above processes are as follows:

- Generation: Roley McIntyre
- Transmission: Tony Patterson
- Distribution: Alex Stramrood
- Enterprises: Jace Naidoo
- Corporate: Kerseri Pather

The *Contractor* shall comply with the health and safety requirements contained in Annexure \_\_\_\_\_ to this Works Information.

## 2.4 Environmental constraints and management

Describe or cross refer to environmental constraints applicable to the *Contractor's* design and his activities on Site and how they should be managed. Include here or cross refer to an Annexure to the Works Information.

The *Contractor* shall comply with the environmental criteria and constraints stated in Annexure \_\_\_\_\_

## 2.5 Quality assurance requirements

Specify minimum requirements for the *Contractor's* Quality Plan and Work Procedures or provide the *Employer's* Quality Plan if that is to be used. Make sure witness and hold points are identified generally and describe any particular requirements for QA outside the *working areas*. Indicate how the *Contractor's* QA documentation is to be submitted for acceptance and any conditions that need to be imposed relating to acceptance. State whether ISO compliance is a condition and if so which ISO standard shall apply.

## 2.6 Programming constraints

Describe the programming system (application) to be used if it is necessary to dictate this for project coordination purposes. Read clause 31.2 first then state the work of the *Employer* and Others to be shown on the programme per 4<sup>th</sup> bullet of clause 31.2 and what additional information (if any) is to go in the programme per the last bullet of clause 31.2. Describe any particular constraints on the order and timing of the work which the *Contractor* must take into account in his programme.

## 2.7 Contractor's management, supervision and key people

State any additional constraining requirements on *Contractor's* supervision and key people that are not already stated in other sections such as for Health and Safety. This section could be used to solicit an organogramme from the *Contractor* showing his people and their lines of authority / communication. This would be essential if the *Contractor* is a Joint Venture.

## 2.8 Invoicing and payment

The Z clauses make reference to invoicing procedures stated here in this Service Information. Also include a list of information which is to be shown on an invoice.

Within one week of receiving a payment certificate from the *Project Manager* in terms of core clause 51.1, the *Contractor* provides the *Employer* with a tax invoice showing the amount due for payment equal to that stated in the *Project Manager's* payment certificate.

The *Contractor* shall address the tax invoice to Eskom Holdings SOC Ltd and include on each invoice the following information:

- Name and address of the *Contractor* and the *Project Manager*;
- The contract number and title;
- *Contractor's* VAT registration number;
- The *Employer's* VAT registration number 4740101508;
- Description of service provided for each item invoiced based on the Price List;
- Total amount invoiced excluding VAT, the VAT and the invoiced amount including VAT;
- (add other as required)

Add procedures for invoice submission and payment (e. g. electronic payment instructions)

## 2.9 Insurance provided by the *Employer*

First read ECC3 Core Clause 87.1 and then add anything necessary for the management of insurance related issues such as a cross reference to where procedures for making claims can be found. Also provide contact details for persons capable of being able to answer any insurance related queries the *Contractor* may have, as well as to whom the information required by Marine Insurance may be addressed.

## 2.10 Contract change management

This section is intended to deal with any additional requirements to the compensation event clauses in section 6 of the core clauses; such as the use of standard forms. Not the same thing as documentation control.

## 2.11 Provision of bonds and guarantees

The form in which a bond or guarantee required by the *conditions of contract* (if any) is to be provided by the *Contractor* is given in Part 1 Agreements and Contract Data, document C1.3, Sureties.

The *Employer* may withhold payment of amounts due to the *Contractor* until the bond or guarantee required in terms of this contract has been received and accepted by the person notified to the *Contractor* by the *Project Manager* to receive and accept such bond or guarantee. Such withholding of payment due to the *Contractor* does not affect the *Employer's* right to termination stated in this contract.

## 2.12 Records of Defined Cost, payments & assessments of compensation events to be kept by the *Contractor*

If Option C, D, E or F applies first read clause 52.2 and then state whether the *Contractor* is required to keep any other records. Include any other constraint which may be required in regard to format and filing of the records, and whether access for the *Project Manager* shall be provided in hard copy or electronically.

Could delete if Options A & B apply unless the *Employer* requires some form of control over the *Contractor's* record keeping.

## 2.13 Training workshops and technology transfer

Describe type and frequency of on job training workshops, as well as any obligation for technology transfer being included as part of the contract on Completion of the *works*.

### 3 Engineering and the *Contractor's* design

The content of this section will depend on whether the contract is for construction only with most of the design done by (or for) the *Employer* or whether it is a 'design and construct' contract. ECC provides for design by either Party in any proportion, which proportion done by the *Contractor* must be stated in this part of the Works Information.

#### 3.1 *Employer's* design

Either

Describe what the *Employer* has designed for the *works* when the *Contractor* is mainly doing construction only. Could even state who has done or is doing the design for the *Employer* as this will give the *Contractor* an idea of the standard he may expect.

Or

Provide the *Employer's* operating philosophy / user requirement specification (URS) / performance specification to which the *Contractor* is to comply when he is required to design the *works*.

#### 3.2 Parts of the *works* which the *Contractor* is to design

This is a mandatory requirement of core clause 21.1 and must be addressed in detail. Even when the contract is a traditional 'construction only' contract, the *Contractor* is probably still required to carry out workshop details from overall drawings provided by the *Employer* and to design temporary works.

#### 3.3 Procedure for submission and acceptance of *Contractor's* design

This is a mandatory requirement of core clause 21.2 and must be addressed. Identify the extent of detail (the particulars) of the *Contractor's* design which is to be submitted to the *Project Manager* for his acceptance. This procedure may also include a design stage activity matrix or requirements for co-operation with Others on a multi party project. State requirements for drawings to be prepared by the *Contractor*.

#### 3.4 Other requirements of the *Contractor's* design

Use this section to describe any particulars which must be taken into account by the *Contractor* in his design; for example codification (configuration management) of Plant and Materials.

#### 3.5 Use of *Contractor's* design

First read core clause 22.1 and then include here the exceptions and other purposes if applicable. If there are none this section could be deleted leaving the core clause to stand.

#### 3.6 Design of Equipment

On some complex projects requiring sophisticated temporary works, it could be in the Parties best interests that some details of the *Contractor's* design or proposed design of Equipment are shared with the *Project Manager*, not necessarily for his acceptance but as an assurance that the Equipment will be able to allow the

*Contractor* to Provides the Works efficiently and without delay. For example a tunnel boring machine, or specialised shuttering for a bridge or caisson. Draft in such a way that there is no doubt that the liability for such design and use of the Equipment remains with the *Contractor*. Clause 23.1 is always available to the *Project Manager* if this section is not used.

### **3.7 Equipment required to be included in the works**

The defined term 'Equipment' in core clause 11.2(7) makes a cross reference to the Works Information concerning any Equipment which the *Contractor* is required to include in the *works*. Complete here or if not applicable either delete the heading or retain the heading and state 'None'.

### **3.8 As-built drawings, operating manuals and maintenance schedules**

Use this section to describe these requirements. Pay particular attention to when and in what form they are required. Consideration should be given to obtaining operating manuals and maintenance schedules before Completion of the whole of the *works* when there is still considerable financial incentive for the *Contractor* to do so.

## 4 Procurement

There is a cross reference from the definition of Disallowed Cost in Options C D and E to the Works Information regarding procurement procedures. This part of the Works Information MUST include any such procedures to be able to administer this procedure. Options A & B may also require constraints on procurement procedures.

### 4.1 People

#### 4.1.1 Minimum requirements of people employed on the Site

Specify any constraints relating to people employed to Provide the Works; for example permits for foreigners, training (other than H & S), use of labour from designated areas and industrial relations.

#### 4.1.2 BBBEE and preferencing scheme

Specify constraints which *Contractor* must comply with after contract award in regard to any Broad Based Black Economic Empowerment (B-BBEE) or preferencing scheme measures.

#### 4.1.3 Accelerated Shared Growth Initiative – South Africa (ASGI-SA)

If the ASGI-SA requirements are to be included in this contract specify constraints which *Contractor* must comply with after contract award in regard to any ASGI-SA requirements. The ASGI-SA Compliance Schedule completed in the returnable tender schedules is reproduced here. If ASGI-SA does not apply, delete this paragraph.

The *Contractor* complies with and fulfils the *Contractor's* obligations in respect of the Accelerated and Shared Growth Initiative - South Africa in accordance with and as provided for in the *Contractor's* ASGI-SA Compliance Schedule stated below

[Insert the agreed ASGI-SA Compliance Schedule here]

The *Contractor* shall keep accurate records and provide the *Project Manager* with reports on the *Contractor's* actual delivery against the above stated ASGI-SA criteria. [Elaborate on access to and format of records and frequency of submission etc.]

The *Contractor's* failure to comply with his ASGI-SA obligations constitutes substantial failure on the part of the *Contractor* to comply with his obligations under this contract.

### 4.2 Subcontracting

#### 4.2.1 Preferred subcontractors

ECC does not make use of nominated subcontracting, but the *Employer* may list which subcontractors or suppliers the *Contractor* is required to enter into subcontracts with. This is usually only required where Plant and Materials need to be obtained from a particular supplier or group of suppliers in order to comply with operational standards.

#### 4.2.2 Subcontract documentation, and assessment of subcontract tenders

Specify any constraints on how the *Contractor* is to prepare subcontract documentation, whether use of the NEC system is compulsory or not (compulsory is recommended) and how subcontract tenders are to be issued, received, assessed (using a joint report?) and awarded.

#### 4.2.3 Limitations on subcontracting

The *Employer* may require that the *Contractor* must subcontract certain specialised work, or that the *Contractor* shall not subcontract more than a specified proportion of the whole of the contract.

#### 4.2.4 Attendance on subcontractors

State requirements for attendance on Subcontractors, if any

### 4.3 Plant and Materials

#### 4.3.1 Quality

Quality is usually designed in or specified in the technical specifications referred to in section 6 of this Works Information. However to cover circumstances where quality may not be prescribed, this sub-paragraph could be used as an overarching default requirement. It could also be used to deal with how repairs are carried out after a Defect has been notified; for example can the item be fixed up or must it be replaced by a new one. See also SANS 1200A, sub-paragraph 3.1

#### 4.3.2 Plant & Materials provided “free issue” by the *Employer*

State arrangements for collection by *Contractor* or delivery by others on behalf of the *Employer*, off loading, inspection, storage, care custody and control, return of unused Plant and Materials, etc. State whether any samples are to be provided by the *Employer* and if so how, where and when. Always include a statement to the effect that ‘all other Plant and Materials are to be provided by the *Contractor*’.

#### 4.3.3 *Contractor’s* procurement of Plant and Materials

Specify any constraints on how the *Contractor* is to order, codify, expedite, freight, import, transport to Site and any other requirements for delivery and storage before installation. The *Employer* may require warranties from suppliers to be in favour of the *Employer* and not just to the *Contractor* during the life of the contract. Also include requirements for vendor data which the *Employer* may need after Completion of the whole of the works. THIS IS A VERY IMPORTANT SECTION IN PROCESS PLANT AND UTILITY PROCUREMENT CONTRACTS.

#### 4.3.4 Spares and consumables

Some contracts may need to include provision for the supply of a minimum category of spares, fuel, oil or other feed stock and consumables which the *Employer* may need at or just after take over and that it is best the *Contractor* provide these initially as part of his Providing the Works.

#### 4.4 Tests and inspections before delivery

Core Clauses 40 and 41 both make reference to the Works Information regarding tests and inspections. Specify any requirements here for any tests and inspections that are to be done by the *Supervisor* or Others before delivery to the Working Areas, particularly if such tests and inspections are to be carried out by agents of the *Employer* overseas.

#### 4.5 Marking Plant and Materials outside the Working Areas

Core clauses 70.1 and 71.1 require the Works Information to state how the *Contractor* is to "mark" Plant and Materials which is outside the Working Areas if they are to be paid for before delivery to the Working Areas. Specify here how the *Contractor* is to mark the Plant and Materials.

#### 4.6 Contractor's Equipment (including temporary works).

In contracts which require the *Contractor* to procure sophisticated or highly specialised Equipment that could have a major influence on the progress of the works, the *Employer* may wish to exercise constraints or include witness and hold points during manufacture, assembly or delivery of such Equipment. Include these constraints here taking care not to imply that the *Employer* or the *Project Manager* take on any liability as a result. See also section 3.6 above relating to the design phase of the *Contractor's* Equipment.

#### 4.7 Cataloguing requirements by the Contractor

State whether cataloguing is applicable, if it is, reference the requirements for cataloguing that need to be satisfied by the *Contractor* (consult Procurement Instruction Number 1 of 2018 – Incorporating Cataloguing into the Procurement Environment, Unique Identifier 240-1289988974).

## 5 Construction

This part of the Works Information addresses constraints, facilities, services and rules applicable to the *Contractor* whilst he is doing work on the Site during the construction and maintenance phase. It does not specify the work itself as that is included in Section 6 of the Works Information.

For contracts involving civil works the approach may be to incorporate SANS1200A or SANS 2000 into the contract. Whilst many of the headings below address the same issues, the list of headings below is more comprehensive. If the headings below are used, it may be prudent to delete paragraphs 3, 4 and 5 from 1200A after checking that their requirements have been included below as necessary. A similar approach can be used in contracts involving building works where the Model Trade Preambles are incorporated. Care should be taken to avoid inconsistency or ambiguity between this part of the Works Information and standard specifications incorporated by reference.

### 5.1 Temporary works, Site services & construction constraints

#### 5.1.1 *Employer's* Site entry and security control, permits, and Site regulations

Sites such as Sasol Secunda and Koeberg Nuclear Power Station have very strict entrance requirements which tenderers need to allow for in their prices, and the *Contractor* has to comply with. State these or similar requirements here.

#### 5.1.2 Restrictions to access on Site, roads, walkways and barricades

In addition to the above there may be other restrictions once on the Site, plus rules relating to roads, walkways and the provision of barricades

#### 5.1.3 People restrictions on Site; hours of work, conduct and records

Restrictions and hours of work may apply on some Sites. It is very important that the *Contractor* keeps records of his people on Site, including those of his Subcontractors which the *Project Manager* or *Supervisor* have access to at any time. These records may be needed when assessing compensation events.

#### 5.1.4 Health and safety facilities on Site

Section 2.3 deals with contractual H & S requirements in addition to those of the OHSA Act. This section allows the *Employer* to state what measures are to be taken on Site against disease and epidemics and in emergencies. Also describe where First Aid facilities provided by the *Employer* are located and any other emergency arrangements. Do not use if already addressed in 2.3. The cross reference from Clause 27.4 applies.

#### 5.1.5 Environmental controls, fauna & flora, dealing with objects of historical interest

This sub-paragraph may not be required if these matters are dealt with in the general environmental requirements referred to in paragraph 2.4 above.

#### 5.1.6 Title to materials from demolition and excavation

Clause 73.2 states that the *Contractor* has title to materials from excavation and demolition (e. g. copper) only as stated in the Works Information. Hence state here any special arrangements regarding such title. If nothing is stated then the default position is the *Contractor* has no such title.

#### 5.1.7 Cooperating with and obtaining acceptance of Others

This sub-paragraph could be used to deal with two issues.

- 1) The cross reference from core clause 25.1 about cooperation generally as well as details about Others with whom the *Contractor* may be required to share the working areas. See clause 11.2(10) for the definition of Others.
- 2) Requirements for liaison with and acceptance from statutory authorities or land owners.

#### 5.1.8 Publicity and progress photographs

State requirements for notice boards, advertising rights, media relations, photography and progress photographs if required.

#### 5.1.9 Contractor's Equipment

This sub-paragraph is intended to address how records are to be kept of Equipment on Site including whether it is owned or hired. Include any constraints about scaffolding, rigs, heavy lifts and cranes, including removal from the Working Areas. Also silencing similar to Clause 4.1 in SANS 1200 A

#### 5.1.10 Equipment provided by the Employer

Provide details of equipment made available for use by the employer and set out conditions relating thereto.

#### 5.1.11 Site services and facilities

This is a mandatory cross reference from clause 25.2 in ECC3. State what the *Employer* will provide in the way of power, water, waste disposal, telecomms, ablutions, fire protection, lighting etc. Give hook up locations and any constraints on how the hook up is to be done. Always conclude by stating that the *Contractor* shall provide everything else necessary for Providing the Works.

#### 5.1.12 Facilities provided by the Contractor

Describe what the *Contractor* is to provide in the way of Site accommodation, laboratories, storage, vehicles and office equipment etc for the *Project Manager* and the *Supervisor*, and any restrictions or minimum requirements concerning the *Contractor's* own facilities. State requirements for facilities to be provided by the *Contractor* such as construction camps. Also state what happens to these facilities upon completion of the contract. Set out constraints, if any, as to the location by the *Contractor* of such facilities on the Site and requirements for drawings of Site facilities, as necessary.

#### 5.1.13 Existing premises, inspection of adjoining properties and checking work of Others

Details under this sub-paragraph are very contract specific and may be quite extensive in some cases. State requirements for the inspection with the owners of adjacent buildings and properties and representatives of local authorities before commencing with the *works* that have the potential to damage surrounding buildings and property. State whether *Contractor* is required to inspect the work of Others to which he is required to connect and if so by when to avoid delays to his work.

#### 5.1.14 Survey control and setting out of the *works*

Provide information on survey controls established by the *Employer*, if any, and state requirements for survey control and the setting out of the *works*.

#### 5.1.15 Excavations and associated water control

State any particular requirements for handling deep foundations and controlling water from excavations.

#### 5.1.16 Underground services, other existing services, cable and pipe trenches and covers

Describe known services making reference to drawings containing known services and state requirements for locating, marking and recording such services.  
State requirements for the treatment of existing services i.e. their termination, diversion or continued use, either temporarily or permanently, and set out the procedures relating thereto.  
State requirements, as necessary, for the use and availability of detection equipment for the location of underground services.  
State responsibility for damage to services, known and unknown, and requirements for working in close proximity to services etc.  
State requirements and reinstatement procedures for the notification and repair of damage to services and any penalties applicable to the damage of services.

#### 5.1.17 Control of noise, dust, water and waste

State requirements, if any.

#### 5.1.18 Sequences of construction or installation

Only prescribe sequences of work where absolutely necessary such as when *Contractor* has to give access to Others (without take over) and for technical reasons such as under tidal conditions and in rivers.

#### 5.1.19 Giving notice of work to be covered up

State the procedure for notifying the *Supervisor*

#### 5.1.20 Hook ups to existing works

State any constraints

## 5.2 Completion, testing, commissioning, and correction of Defects

### 5.2.1 Work to be done by the Completion Date

This is mandatory. Core clause 11.2(2) defines Completion as when the *Contractor* has done all the work which the Works Information states he is to do by the Completion Date. Rather than list all work to be done by the Completion Date, state that all work is to be done by the Completion Date except for [•]. For example:

On or before the Completion Date the *Contractor* shall have done everything required to Provide the Works except for the work listed below which may be done after the Completion Date but in any case before the dates stated. The *Project Manager* cannot certify Completion until all the work except that listed below has been done and is also free of Defects which would have, in his opinion, prevented the *Employer* from using the works and Others from doing their work.

	Item of work	To be completed by
	As built drawings of	Within                      days      after Completion
	Performance testing of the works in use as specified in paragraph                      of this Works Information.	See performance testing requirements.

### 5.2.2 Use of the works before Completion has been certified

Clause 35.2 in ECC3 provides that the *Employer* may use any part of the works before Completion has been certified but if he does so he takes over the part of the works except if the use is for a reason stated in the Works Information. State the reason here if this applies.

### 5.2.3 Materials facilities and samples for tests and inspections

State what materials facilities and samples for tests and inspections the *Contractor* and the *Employer* are to provide, per core clause 40.2.

### 5.2.4 Commissioning

Required mainly for contracts including mechanical and electrical work. Would typically refer to detailed commissioning procedure attached as an Annexure. Confirm whether commissioning is to be done before or after Completion. If after Completion, include this item of work in the list in sub-paragraph 5.2.1 above.

### 5.2.5 Start-up procedures required to put the works into operation

In order to put the works into operation the *Employer* may require the *Contractor* to either do this for him or be in attendance whilst he does it, depending on who is the responsible person. State requirements of the *Contractor* here together with any special arrangements associated with operating plant and machinery.

#### 5.2.6 Take over procedures

Take over is after or at the same time as Completion. The *Employer* may require the *Contractor* to provide assistance, security personnel on a temporary basis etc.

#### 5.2.7 Access given by the *Employer* for correction of Defects

Clause 43.4 requires that the *Project Manager* arranges for the *Employer* to allow the *Contractor* access to and use of a part of the *works* which has been taken over if needed to correct a Defect. After the *works* have been put into operation, the *Employer* may require the *Contractor* to undertake certain procedures before such access can be granted (for example barricading a motorway or in a nuclear power station). Include these here.

#### 5.2.8 Performance tests after Completion

Many design and build or turnkey projects require the *Contractor* to demonstrate that the *works* can operate as guaranteed by the *Contractor* (in *Contractor's Works Information*) or specified by the *Employer* either here or elsewhere in this *Works Information*. State here the procedures for carrying out such proving tests. These details should link up with any performance levels stated in Contract Data if secondary Option X17 in ECC3 applies.

#### 5.2.9 Training and technology transfer

Include if the *Employer* requires the *Contractor* to provide training in the use and maintenance of the *works* or any associated transfer of technology from him to the *Employer*.

#### 5.2.10 Operational maintenance after Completion

The *Employer* may require the *Contractor* before the *defects date* to perform certain duties after Completion and take over which relate to maintenance of the *works*. (Not to be confused with Defect correction) For example oil and filter changes

## 6 Plant and Materials standards and workmanship

This section of the Works Information contains all the specifications for the work which is left behind; the permanent works. It is likely to be the largest section by far and may even be compiled in volumes, e. g. Section 6 Volume 1: Civil Engineering Works. In design and construct contracts, it may be compiled in accordance with systems within the works; e. g. Section 6 Volume 4: Crushers.

Because practice varies widely between employers it is not practical in a general template such as this to deal with all arrangements. Only the discipline based section subheadings are provided below in the order the works are likely to be constructed together with some notes of a general nature.

### 6.1 Investigation, survey and Site clearance

Some contracts may require the *Contractor* to carry out further investigation of existing facilities or of the Site before commencing final design. There could be constraints on Site clearance especially in pipeline or transmission grid servitudes.

### 6.2 Building works

Reference could be made to the latest Model Trade Preambles published by the Association of South African Quantity Surveyors. However these have been developed for use with the JBCC series of contracts and an approach where description of the work is made part of the bill of quantities, which is not the case in other forms of contract. Only parts of the Model Trade Preambles could be referenced by an ECC contract, with a covering note dealing with the changes in terminology. Further changes are required depending on which parts are to be selected.

This subsection would typically comprise

- a) Particular specifications provided by the *Employer*
- b) List of standardised specifications applicable to the works and
- c) Variations to the standardised specifications

### 6.3 Civil engineering and structural works

Reference could be made to the SANS1200 series of specifications developed and published by South African National Standards. However these are now very out of date and originally developed for use with SAICE general conditions of contract for works of civil engineering which have themselves been superseded twice.

All SANS 1200 specifications are in the process of being updated to make them more compatible with a wider range of contracts, including NEC, and users should check availability of the new SANS 2000 series of specifications.

Sections 3, 4 and 5 of SANS1200A are probably already covered in section 5 of this Works Information.

This subsection would typically comprise

- a) Particular specifications provided by the *Employer*
- b) List of standardised specifications applicable to the works and
- c) Variations to the standardised specifications

If use is made of the 1200 series, users should include a covering note dealing with the changes in terminology, such as the one provided below. Further changes are required depending on which specifications in the 1200 series are selected.

#### 6.4 Electrical & mechanical engineering works

These specifications are usually project specific and developed by the *Employer* to suit his operations. Either include these specifications here, or refer to them in attached Annexure.

Check the specifications for inconsistencies in terminology and that they do not contain any provisions already dealt with in the chosen NEC *conditions of contract* or clash with them in any way.

#### 6.5 Process control and IT works

These specifications are usually project specific and developed by the *Employer* to suit his operations. Either include these specifications here, or refer to them in attached Annexure.

Check the specifications for inconsistencies in terminology and that they do not contain any provisions already dealt with in the chosen NEC *conditions of contract* or clash with them in any way.

#### 6.6 Other [as required]

## 7 List of drawings

### 7.1 Drawings issued by the *Employer*

This is the list of drawings issued by the *Employer* at or before the Contract Date and which apply to this contract.

Note: Some drawings may contain both Works Information and Site Information.

Drawing number	Revision	Title
Refer to Report	Rev 2	240-86978162- Kendal -Tutuka 400 kV line loose guy wire repair report.

## **C3.2 CONTRACTOR'S WORKS INFORMATION**

This section of the Works Information will always be contract specific depending on the nature of the *works*. It is most likely to be required for design and construct contracts where the tendering contractor will have proposed specifications and schedules for items of Plant and Materials and workmanship, which once accepted by the *Employer* prior to award of contract now become obligations of the *Contractor* per core clause 20.1.

Typical sub headings could be

- a) *Contractor's* design
- b) Plant and Materials specifications and schedules
- c) Other

This section could also be compiled as a separate file.

---