

DX0091TB Oil Spillage tender Questions and Answer

Updated **22 October 2022**

DX0091TB

The provision of Oil Spillage clean-up, involving soil remediation, clean-up of oil trays and spills on concrete area, surface water, including the disposal of Oil contaminated waste within Limlanga Cluster on an “as and when” required basis over a period of 5 years.

Closing date 26 October 2022 at 10h00am

Extended closing date: 01 November 2022 at 10am

A Non-compulsory clarification **meeting was held on 12 October at 14h00**

Microsoft Teams meeting

Join on your computer, mobile app or room device

[Click here to join the meeting](#)

It was also available on the invitation to tender document page 1.

QUESTIONS AND ANSWERS

On 05 October 2022 the tender DX0091TB was issued to close on 26 October 2022 at 10h00am for the provision of Oil Spillage clean-up, involving soil remediation, clean-up of oil trays and spills on concrete area, surface water, including the disposal of Oil contaminated waste within Limlanga Cluster on an “as and when” required basis over a period of 5 years was published on the Eskom Tender Bulletin www.eskom.co.za and National Treasury e-Tender bulletin www.etenders.gov.za

COMMERCIAL, SD&L & NEC3 QUESTIONS:

No.	Question	Response
1.	May you please confirm the below: 1. The price list in the NEC contract are proposed rates from Eskom? We only accept or not? 2. Can we apply for a extension on the tender submission for 1 week?	For question 1 you will have to accept the rates or not. For question 2 it is not possible as the new contract is required urgently. This statement was afterwards cancelled.
2.	Do we bind the tender in the below sections: Original and copy • Commercial • SHE • Quality • Environmental • SDL & I	Here is the binding requirements: 1. Commercial, fully signed NEC document and SDL&I with all the required commercial documents. 2. Technical Evaluation 3. SHE 4. Quality and 5. Environmental Please indicate the tabs on the Index where the documents are placed. An original and one exact copy of the original.

DX0091TB Oil Spillage tender Questions and Answer

No.	Question	Response
3.	<p>The email above has reference. Please note the NEC Term Service Contract document under the pricing schedule has rates already populated. May you kindly clarify if it is a mistake or how do we go about in terms of pricing.</p> <p>Your response will be highly appreciated.</p>	<p>This is a standard rate contract which means that the rates populated must be accepted or not accepted by fully completing the NEC document and signing acceptance of the rates on the rates page. Please take note of the escalation clause that will be used for CPA (Contract Price escalation) on the rates. Rates fixed for one year thereafter will be escalated with the specified indices.</p> <p>It should be noted that if a service provider is not within Mpumalanga or Limpopo Provinces that the transport cost will only be paid from the Closest CNC and not from the suppliers premises.</p>
4.	<p>Please advise what is meant by:</p> <p>Liquid chemical product 25l (in the price list) – is this for a degreaser?</p>	<p>With reference to your question.</p> <p>Yes it is the degreaser chemical liquid product that you normally use for Oil Spillage Clean-up. We cannot specify any specific brand required. As long as it is a Degreaser.</p>
5.	Extension request received for closing date.	Extended Closing date granted to 01 November 2022 at 10h00am
6.	<p>With regards to tender LP0091TB - The provision of Oil Spillage clean-up, involving soil remediation, clean-up of oil trays and spills on concrete area, surface water, including the disposal of Oil contaminated waste within Limlanga Cluster on an “as and when” required basis over a period of 5 years</p> <p>Please can you advise what was changed on tender bulletin portal last night as the documents seem to be the same?</p>	<p>Thank you for this question.</p> <p>I was browsing through to ensure that I have posted all the required documents for all the sections.</p> <p>I did not change anything. I added an Addendum folder but realized afterwards that it was duplicated.</p> <p>There will however be an important change posted on the addendum folder when it is supported and approved.</p>

TECHNICAL QUESTIONS

No.	Question	Response
1.	None received yet	
2.		
3.		

SAFETY QUESTIONS

No.	Question	Response
1.	None received yet	
2.		
3.		

DX0091TB Oil Spillage tender Questions and Answer

QUALITY QUESTIONS

No.	Question	Response
1.	None received yet	
2.		
3.		

ENVIRONMENT QUESTIONS

No.	Question	Response
1.	None received yet	
2.		
3.		

This Questions and answers document will serve as the minutes of the Clarification Meeting that was held on 12 October 2022 at 14h00pm via Microsoft teams.

The list of persons that attended is listed below:

1. Summary						
Meeting title	Oil Spillage Clarification meeting Tender no. LP					
Attended participants	12					
Start time	22/10/12, 13:45:34					
End time	22/10/12, 14:59:59					
Meeting duration	1h 14m 26s					
Average attendance	51m 4s					
2. Participants						
Name	First join	Last leave	In-meeting	Email	Participant ID (UPN)	Role
Mikovhe Thomoli	22/10/12, 13:46	22/10/12, 14:19:16	32m 40s	ThomolMV@eskom.co.z	ThomolMV@eskom.co.za	Presenter
Andrew Else	22/10/12, 13:46	22/10/12, 14:12:58	26m 21s	ElseAJ@eskom.co.za	ElseAJ@eskom.co.za	Presenter
Nomsa Mkhonza	22/10/12, 13:46	22/10/12, 14:59:59	1h 13m 20	MkhonzLN@eskom.co.z	MkhonzLN@eskom.co.za	Presenter
Tenders	22/10/12, 13:46	22/10/12, 14:59:42	1h 12m 53	tenders@spilltech.co.za	tenders@spilltech.co.za	Presenter
Tsakani Chuma	22/10/12, 13:50	22/10/12, 14:55:55	1h 5m 28s	ChumaMG@eskom.co.z	ChumaMG@eskom.co.za	Presenter
Hennie Van Der Wes	22/10/12, 13:52	22/10/12, 14:55:55	1h 2m 58s	vdWestHn@eskom.co.z	vdWestHn@eskom.co.za	Presenter
Rifumo kubayi (Gues	22/10/12, 13:53	22/10/12, 14:56:31	1h 2m 57s			Presenter
Johan Harmse	22/10/12, 14:02	22/10/12, 14:55:49	53m 9s	johan@drizit.co.za	johan@drizit.co.za	Presenter
Jonny Makhonjwa (G	22/10/12, 14:03	22/10/12, 14:56:19	52m 53s			Presenter
Londo Murafho Cons	22/10/12, 14:11	22/10/12, 14:57:38	46m 6s			Presenter
Nozipho Radebe	22/10/12, 14:12	22/10/12, 14:57:33	45m 10s	nozipho.radebe@spilltec	Nozipho.Radebe@spilltech.co.	Presenter
Kabelo Mogase	22/10/12, 14:37	22/10/12, 14:56:02	18m 54s	MogaseKP@eskom.co.z	MogaseKP@eskom.co.za	Presenter
3. In-Meeting activities						
Name	Join time	Leave time	Duration	Email	Role	
Mikovhe Thomoli	22/10/12, 13:46	22/10/12, 14:19:16	32m 40s	ThomolMV@eskom.co.z	Presenter	
Andrew Else	22/10/12, 13:46	22/10/12, 14:12:58	26m 21s	ElseAJ@eskom.co.za	Presenter	
Nomsa Mkhonza	22/10/12, 13:46	22/10/12, 14:59:59	1h 13m 20	MkhonzLN@eskom.co.z	Presenter	
Tenders	22/10/12, 13:46	22/10/12, 14:59:42	1h 12m 53	tenders@spilltech.co.za	Presenter	
Tsakani Chuma	22/10/12, 13:50	22/10/12, 14:55:55	1h 5m 28s	ChumaMG@eskom.co.z	Presenter	
Hennie Van Der Wes	22/10/12, 13:52	22/10/12, 14:55:55	1h 2m 58s	vdWestHn@eskom.co.z	Presenter	
Rifumo kubayi (Gues	22/10/12, 13:53	22/10/12, 14:56:31	1h 2m 57s		Presenter	
Johan Harmse	22/10/12, 14:02	22/10/12, 14:55:49	53m 9s	johan@drizit.co.za	Presenter	
Jonny Makhonjwa (G	22/10/12, 14:03	22/10/12, 14:56:19	52m 53s		Presenter	
Londo Murafho Cons	22/10/12, 14:11	22/10/12, 14:57:38	46m 6s		Presenter	
Nozipho Radebe	22/10/12, 14:12	22/10/12, 14:57:33	45m 10s	nozipho.radebe@spilltec	Presenter	
Kabelo Mogase	22/10/12, 14:37	22/10/12, 14:56:02	18m 54s	MogaseKP@eskom.co.z	Presenter	

DX0091TB Oil Spillage tender Questions and Answer

0:0:0.0 --> 0:0:6.930

Nomsa Mkhonza

1402 because I see that for the suppliers at the moment, we only have two.

0:0:7.590 --> 0:0:10.320

Nomsa Mkhonza

Maybe some will still log in.

0:0:12.40 --> 0:0:12.720

Nomsa Mkhonza

Thank you.

0:3:22.220 --> 0:3:27.490

Nomsa Mkhonza

OK colleagues, I just went over time. I just added two minutes.

0:7:5.280 --> 0:7:5.590

Jonny Makhonjwa (Guest)

Thanks.

0:7:3.630 --> 0:7:7.140

Nomsa Mkhonza

Yes, it is visible. I know make it a bit bigger.

0:7:11.100 --> 0:7:11.810

Andrew Else

That OK.

0:7:15.410 --> 0:7:16.150

Andrew Else

OK.

0:7:14.430 --> 0:7:16.940

Nomsa Mkhonza

Yes, yes, that's fine. Thank you.

0:7:18.150 --> 0:7:33.470

Andrew Else

Right. First of all, what is required in terms of this tender is first in section A here, it's a category four requirements. So you're gonna require a quality method statement A based on the scope of work. Please note a method statement was.

0:7:36.510 --> 0:7:46.280

Andrew Else

Provided and this is, this is what the method statement looked like that you were provided with. Please populate this method statement in terms of all the areas.

0:7:46.810 --> 0:7:54.890

Andrew Else

Uh, we have prompted you in terms of what, what do you say in various areas and the reference documents applicable to those areas?

0:7:55.650 --> 0:8:1.400

Andrew Else

Right. We move on to a 2A quality policy must be provided approved by top management.

0:8:3.360 --> 0:8:12.770

Andrew Else

I3 quality objectives as well approved by top management that those objectives can sit within the policy unless you have a separate list of objectives.

0:8:14.750 --> 0:8:34.40

Andrew Else

We move on to Section B documented information for defined roles and responsibilities and organogram. Yeah will suffice as long as that organogram depicts quality and the roles and responsibilities are evident with that in that organogram you may also provide a separate matrix in terms of the roles and responsibilities.

0:8:35.490 --> 0:8:49.910

MWP1500DX, Rock Drilling within Limlanga Cluster "as and when" required contract.

Closing date: 243 August 2022

DX0091TB Oil Spillage tender Questions and Answer

Andrew Else

Section B2. Documented information for control of externally provided processes, products and services. This is this is a procedural process in terms of how you monitor or manage your subcontractors and or suppliers.

0:8:50.610 --> 0:9:4.200

Andrew Else

Please note, if you don't, if you don't utilize subcontractors, provide us with a company letter indicating this. However, if you do use suppliers, a procedure or process must be provided. How you manage them.

0:9:6.250 --> 0:9:19.110

Andrew Else

Right then we got a contract quality plan, section C that must be completed. We would have provided you with a copy of a contract quality plan and that's a typical contract quality plan.

0:9:19.330 --> 0:9:36.840

Andrew Else

Uh, in terms of what we what we said what what you can utilize you can provide us with your own, but all the areas within the index need to be covered if if any if any area within this index is not applicable just indicate that within this document if you utilize this document.

0:9:37.530 --> 0:9:42.180

Andrew Else

OK. So that's your contract quality plan. As I say template was provided.

0:9:44.760 --> 0:9:56.0

Andrew Else

Last but not least, a form A needs to be completed and signed. You would have been provided with a form A which needs to be completed and that's your typical form ID.

0:9:56.770 --> 0:10:9.160

Andrew Else

OK, you need to complete the enquiry number, contract description and complete the bottom in terms of section E tenders quality, representative name, designation date and signature.

0:10:10.230 --> 0:10:14.380

Andrew Else

OK, that's basically it. Are there any any questions as far as the quality goes?

0:10:23.10 --> 0:10:24.130

Nomsa Mkhonza

Any questions, colleagues?

0:10:29.770 --> 0:10:30.460

Andrew Else

I can.

0:10:27.480 --> 0:10:38.190

Nomsa Mkhonza

OK, it looks like there's nothing. OK, the requirements that have been shared with us now, these are contractual requirements. This is for quality.

0:10:39.210 --> 0:10:41.30

Nomsa Mkhonza

OK, there's still some guests.

0:10:45.860 --> 0:11:15.230

Nomsa Mkhonza

This is for quality and requirements as Andrew as just sharing with us. So what happened is that once the tender has closed, will do all of the evaluations that is commissioned and the technical and then afterwards we're gonna go through to the check that is your safety, environmental and quality. So this is the second part of the evaluations that will be done. And then on this part of check.

0:11:14.650 --> 0:11:15.240

Londo Murafho Consulting Pty Ltd (Guest)

And then.

MWP1500DX, Rock Drilling within Limlanga Cluster "as and when" required contract.

Closing date: 243 August 2022

DX0091TB Oil Spillage tender Questions and Answer

0:11:15.770 --> 0:11:18.360

Nomsa Mkhonza

If I'm London, may you please?

0:11:20.240 --> 0:11:21.30

Nomsa Mkhonza

And mute.

0:11:24.730 --> 0:11:41.20

Nomsa Mkhonza

Thank you. So what is going to happen is that once we have evaluated your company and you are one of the contractors that have met the first part of the evaluation that is technical and commercial.

0:11:41.860 --> 0:12:9.490

Nomsa Mkhonza

Umm. If you have not met any SHEQ requirements, there's some documents that you did not submit them correctly. We are going to send you a letter and request you to resubmit whatever documents that are still outstanding for that and then yeah, that's when we'll finalize our assessment for the recommendation of the contract. OK, thank you. Let me just go back to the agenda item.

0:12:10.120 --> 0:12:11.910

Andrew Else

Thanks. Nomsa. Would you excuse me then?

0:12:11.860 --> 0:12:14.920

Nomsa Mkhonza

Yes, you are. Excuse. Thank you so much, Andrew.

0:12:14.300 --> 0:12:15.610

Andrew Else

Thank you very much. Bye bye.

0:12:15.710 --> 0:12:16.820

Nomsa Mkhonza

OK. Bye bye.

0:12:19.430 --> 0:12:20.700

Nomsa Mkhonza

OK. Umm.

0:12:21.880 --> 0:12:24.10

Nomsa Mkhonza

Can you see the agenda, colleagues?

0:12:28.610 --> 0:12:30.180

Hennie Van Der Westhuizen

And is this playing a nomsa?

0:12:30.690 --> 0:12:53.240

Nomsa Mkhonza

OK, it's fine. Thank you. Alright. And now we are done with quality. I'm going to request Emmy Corbet to explain the safety, health and part of this because she's also busy with some other commitments and she would like to be excused once she is done with the presentation. Thank you, mikovhe to you.

0:12:56.230 --> 0:12:57.330

Mikovhe Thomoli

Thank you, nomsa.

0:12:57.410 --> 0:12:57.800

Mikovhe Thomoli

That.

0:12:59.0 --> 0:13:0.490

Mikovhe Thomoli

Afternoon, colleagues.

0:13:1.640 --> 0:13:3.820

Mikovhe Thomoli

I will share my screen.

MWP1500DX, Rock Drilling within Limlanga Cluster "as and when" required contract.

Closing date: 243 August 2022

DX0091TB Oil Spillage tender Questions and Answer

0:13:11.160 --> 0:13:14.900

Mikovhe Thomoli

I hope is visible to everyone.

0:13:16.600 --> 0:13:17.400

Mikovhe Thomoli

Have.

0:13:16.750 --> 0:13:18.480

Nomsa Mkhonza

Yes it is. Thank you.

0:13:19.710 --> 0:13:27.90

Mikovhe Thomoli

He's played here at the safety requirement for the contract, which is oil spill cleanup.

0:13:29.130 --> 0:13:54.660

Mikovhe Thomoli

The first requirement is that you submit your baseline risk assessment, so this risk assessment will cover the risks that are associated with oil spill. Cleaning the hazards they risk and the control measures they of so remember colleagues COVID-19.

0:13:55.420 --> 0:13:56.940

Mikovhe Thomoli

Is still with us.

0:13:57.640 --> 0:14:20.260

Mikovhe Thomoli

And so we request that on your baseline risk assessment, you also include the risk of contracting COVID-19 while waking on site. And then on that 2.2, we need a procedure or methodology that you.

0:14:21.150 --> 0:14:52.230

Mikovhe Thomoli

Based your risk assessment upon so this is will be your risk assessment procedure and then the second one will be a letter of good standing and that is relevant to your business. So if you are doing oil spill, your letter of good standing might be a hazardous chemical substance or transportation of goods. But if your letter of good standing, for example, it's security.

0:14:52.310 --> 0:15:19.180

Mikovhe Thomoli

In catering, we won't accept it. It must be relevant. I'm sorry to the work that you are doing. If it's environmental services, it's a acceptable. And that line of a services. So please just make sure that you fix it. If maybe it's security services, catering and so forth. So those won't be acceptable.

0:15:20.80 --> 0:15:28.910

Mikovhe Thomoli

And the third one is your company ship policy. Please don't submit the Eskom ship policing.

0:15:29.860 --> 0:15:41.40

Mikovhe Thomoli

You must submit your own companionship policy. The Eskom policy can just be utilized as a guide. We need your company policy.

0:15:41.740 --> 0:15:50.190

Mikovhe Thomoli

And then the 4th one is the training certificates we need the first aid level 2.

0:15:50.950 --> 0:16:20.360

Mikovhe Thomoli

If firefighting certificate and then risk assessment or higher. So however you you certificate is phrased higher or risk assessment, so is those three certificate and then #5 we need a medical fitness certificate for your driver. A person will be driving your vehicles to different sites.

0:16:20.920 --> 0:16:24.200

Mikovhe Thomoli

And also the driver's license.

0:16:25.280 --> 0:16:54.900

MWP1500DX, Rock Drilling within Limlanga Cluster "as and when" required contract.

Closing date: 243 August 2022

DX0091TB Oil Spillage tender Questions and Answer

Mikovhe Thomoli

For for that. So on your medical certificate, we need two or more because we understand that the driver won't be alone, they will be a team of people that is going to site to render the service. So we need two or more, so minimum it's two medical fitness certificate and then #6 will be a substance abuse.

0:16:55.190 --> 0:17:17.360

Mikovhe Thomoli

You see, JA #7 will be your vehicle management and driver safety procedure, so this will cover the inspection and maintenance of vehicle used for the business, a driver, fitness and fatigue, a management, how are you going to manage a fatigue for your drivers?

0:17:17.850 --> 0:17:47.950

Mikovhe Thomoli

Yeah, is the render this service. So colleagues, Section B, it's a after contract award. So for now we are not gonna evaluate section B, we will only request it once you sign your contract, which is the acknowledgement of a Eskom rules and procedures and extra B. And then you incident management procedure. So these two don't stress.

0:17:48.30 --> 0:17:58.830

Mikovhe Thomoli

Too much on them now, on the tender submission. Only after signing your contract, that's where we request you to submit this to documents.

0:17:59.850 --> 0:18:3.140

Mikovhe Thomoli

So I think that is all from my side.

0:18:5.140 --> 0:18:7.390

Mikovhe Thomoli

If there any questions?

0:18:10.930 --> 0:18:16.540

Nomsa Mkhonza

Thank you Mikovhe colleagues, do you have any questions with regards to safety?

0:18:23.580 --> 0:18:31.250

Nomsa Mkhonza

There are no questions Mikovhe, thank you so much. Me Corvette and you are released from the meeting.

0:18:30.270 --> 0:18:32.680

Mikovhe Thomoli

Thank you, nomsa. Bye.

0:18:32.90 --> 0:18:34.70

Nomsa Mkhonza

OK. Bye bye.

0:18:35.540 --> 0:18:39.460

Nomsa Mkhonza

OK. Umm, let me just go back to the agenda.

0:18:46.130 --> 0:19:0.720

Nomsa Mkhonza

OK, so now we will follow the agenda. I will be presenting the commercial part and then we have the channel that will be presenting the technical part for us and.

0:19:1.740 --> 0:19:4.450

Nomsa Mkhonza

Mr Mukasey, he's not here and.

0:19:5.500 --> 0:19:10.360

Nomsa Mkhonza

OK, alright, no, it's fine. Let me just share with you colleagues.

0:19:11.740 --> 0:19:16.650

Nomsa Mkhonza

MWP1500DX, Rock Drilling within Limlanga Cluster "as and when" required contract.

Closing date: 243 August 2022

DX0091TB Oil Spillage tender Questions and Answer

I will answer this agenda and share the tender document with you.

0:19:49.110 --> 0:19:50.820

Nomsa Mkhonza

OK. Can you see?

0:19:52.920 --> 0:19:54.290

Nomsa Mkhonza

That document, colleagues.

0:19:54.870 --> 0:19:55.680

Jonny Makhonjwa (Guest)

Yes, we can.

0:19:56.70 --> 0:20:1.600

Nomsa Mkhonza

All right. Thank you. OK, this is the invitation to tender.

0:20:2.440 --> 0:20:6.250

Nomsa Mkhonza

Where you are requested is for the provision of oil spillage.

0:20:7.10 --> 0:20:14.390

Nomsa Mkhonza

Clean up that in that involves the soil remediation that clean up of oil trays and spills.

0:20:15.130 --> 0:20:37.140

Nomsa Mkhonza

On concrete area surface water, including the disposal of oil contaminated waste within the limlanga cluster limlanga it's Limpopo and Limlanga, so this contract that we want to establish is going to be over a period of five years, OK.

0:20:38.60 --> 0:21:0.450

Nomsa Mkhonza

And then, Umm, the tender will close on the 26th of October at 10:00 o'clock it will close in Limpopo that is in blue. This is our tender office in the puppet Dance Van Transfer St. The validity of this tender is going to be 12 weeks from the closing of the tender.

0:21:2.10 --> 0:21:2.600

Nomsa Mkhonza

OK.

0:21:6.850 --> 0:21:24.810

Nomsa Mkhonza

OK. Umm yeah, it indicates that documents that are attached on this tender document. So when you see the. Yes. Yes. Please look out for all those documents and it those are the documents that are important for the tender.

0:21:25.730 --> 0:21:56.560

Nomsa Mkhonza

OK, the responsible person is. I've already stated. It's Teresa, my colleague. This is her e-mail address. Should you have any queries or clarity that you like to to address? Please send the e-mail to her. Unfortunately, we are working from home and you might be able to find him on the landline, but we don't accept queries that are made on the phone as much as you can call. And maybe you are fortunate to get hold of him.

0:21:57.80 --> 0:22:10.50

Nomsa Mkhonza

She won't be able to assist you over the phone. You'll have to send the communication on e-mail. OK. This is the tender number for your inquiry. When you submit, Please ensure that you've got that tender number.

0:22:19.410 --> 0:22:29.420

Nomsa Mkhonza

OK, this is just a repetition of what I've already stated that this the tender is closing on which day and where I supposed to submit your tenders.

0:22:30.420 --> 0:22:41.560

MWP1500DX, Rock Drilling within Limlanga Cluster "as and when" required contract.

Closing date: 243 August 2022

DX0091TB Oil Spillage tender Questions and Answer

Nomsa Mkhonza

And then the most important one is that no emailed or faxed tenders will be accepted. Tenders must be hand delivered to the address that has been stated above.

0:22:42.320 --> 0:22:44.870

Nomsa Mkhonza

OK, the requirements of the tender.

0:22:45.490 --> 0:23:3.430

Nomsa Mkhonza

We need you to submit 22 tenders, which means you have your original document and then you will have the copy and that you will submit and the closing of the tender. I've already mentioned that the prices or the validity of the tender, it's a period of 12 weeks.

0:23:4.130 --> 0:23:22.230

Nomsa Mkhonza

And then the other thing that is also important for you is that that clarification on any enquiry documents, which means that if you've got any questions or queries that you need them to be clarified, you have to ensure that you send those queries.

0:23:22.350 --> 0:23:37.500

Nomsa Mkhonza

Umm, before the three working days. So within the three working day after the three working days before the deadline tender submission. So this is your deadline for submitting the queries.

0:23:39.290 --> 0:24:7.670

Nomsa Mkhonza

On three working days. So which means that the tender is closing on the 26 if the three working days is the 25, the 24th and the 23rd. So during those dates, if they are waking days, unfortunately we won't be able to address your queries at that time, OK, we don't accept any alternative tenders or proposal that you may bring to us.

0:24:8.450 --> 0:24:24.900

Nomsa Mkhonza

It's either you complete this one that we have put in and then you submitted as per the requirements. OK, the contract stem, the the contract and condition that we are using, we are using the NEC three term services short contract.

0:24:25.860 --> 0:24:26.590

Nomsa Mkhonza

OK.

0:24:28.690 --> 0:24:43.990

Nomsa Mkhonza

Umm, we don't use any points for security on this one. We are not going to read the prices out on the closing of the tender and then how are we going to are going to evaluate you.

0:24:44.670 --> 0:24:54.60

Nomsa Mkhonza

The first step that we're going to look at is basic compliance, which means on basic compliance, we look at the eligibility of the tender.

0:24:55.280 --> 0:24:59.890

Nomsa Mkhonza

The eligibility, it can be anything that includes your.

0:25:0.660 --> 0:25:5.390

Nomsa Mkhonza

Your declaration of interest where we check if there's any interest.

0:25:6.30 --> 0:25:11.340

Nomsa Mkhonza

Umm that the conflicting interest in your submission maybe.

0:25:12.210 --> 0:25:43.580

Nomsa Mkhonza

MWP1500DX, Rock Drilling within Limlanga Cluster "as and when" required contract.
Closing date: 243 August 2022

DX0091TB Oil Spillage tender Questions and Answer

You are one company and you are submitting for another company as well where you are a shareholder on both companies. Those are part of the eligibility of the tender and then the other important thing is that when you submit the tender, you submit the exact hardcopy. As I've stated that it has to be 2 exactly the same documents that you will be submitting to us because the other one, the original stays with the tender office.

0:25:44.0 --> 0:26:13.470

Nomsa Mkhonza

And as it procurement, we only work on the copy. So make sure that you submit to if you submit one and fortunately it will stay at the tender office. We won't be able to evaluate your company. Then the other important thing on basic compliance is the main data rate commercial and technical tender, returnable documents as at stipulated deadlines. So I will indicate to you as I go down for the those documents that.

0:26:13.900 --> 0:26:34.990

Nomsa Mkhonza

I'm a deterrent and then Please ensure that you complete the information where it requests you to put in your M AAA number or any proof of your registration with CSD. Because if you do not have it, you are out on the evaluation, then the next step that will follow is the functionality.

0:26:35.710 --> 0:26:56.850

Nomsa Mkhonza

Of how it's functionality and Commission, I think she made a mistake there. It's functionality and Commission and then what? We're gonna look at is what a mandatory tender returnables. So firstly we have our mandatory Commission tender returnable documents, which means when you compile your tender document, colleagues.

0:26:58.250 --> 0:27:0.430

Nomsa Mkhonza

Make sure that you look at these bullets.

0:27:1.220 --> 0:27:31.670

Nomsa Mkhonza

Firstly, you must look for the NEC, then complete it and then the other thing that I'll also request to you put an index. It makes it much better for us when we do our evaluations, put an index and states that number one is the NEC. Then we gonna look for the NEC document and state that number 2 is going to be all. This goes with the first one. Is there any C? Then we look at the the acceptance of the standard rates. OK.

0:27:31.890 --> 0:28:2.800

Nomsa Mkhonza

This tender has got the rates that we've been, they have been issued with. So what we are requesting from you is to accept the rates, but if you feel that the rates are too high, you don't want them. You can also state that no, you don't need that right. And then if you don't want those rates, unfortunately, if you don't accept them, then we are not going to continue with the evaluation of your company. So it's very crucial and important for you to look at the rates and ensure that.

0:28:2.900 --> 0:28:14.700

Nomsa Mkhonza

Maybe you you take the rates or you don't accept the rates. OK. And then we look at your declaration, you must declare your shareholding and directorship.

0:28:15.480 --> 0:28:28.990

Nomsa Mkhonza

So you must am to prove this. You must send us your certificate or your document that indicates your shareholding. The companies and Intellectual Property Commission from the CIPC.

0:28:29.760 --> 0:29:0.390

Nomsa Mkhonza

OK. And then the declaration of interest forms are attached on the tender, please complete and then you submit the proof of registration with National Treasury. I've already mentioned that you CSD and then you submit the completed and signed the SBD one forms. So these forms as you go down and

MWP1500DX, Rock Drilling within Limlanga Cluster "as and when" required contract.
Closing date: 243 August 2022

DX0091TB Oil Spillage tender Questions and Answer

they are required. These are my data all these. So this is the crucial part of the commercial. Make sure that you complete.

0:29:0.470 --> 0:29:25.950

Nomsa Mkhonza

Everything is Pettis bullet points. Then you are going to pass our test. OK, so none. Ohh sorry. Non responsive, unacceptable tenders will be disqualified and all the responsive tenders will be evaluated further. Which means that once we have assessed your company based on these bullet points then we are going to evaluate your company further.

0:29:26.660 --> 0:29:56.580

Nomsa Mkhonza

And then the next stage is the technical mandatory. So at the threshold here is 85 points. You must make sure whatever that you submit to get the score of 85 points failing to reach you are going to be eliminated to the process. We are not gonna evaluate to further and then this is the information of the technical mandata. I'm not gonna dwell on it. My colleagues are gonna will go through with you and explain the.

0:29:57.210 --> 0:30:1.150

Nomsa Mkhonza

They're they're the scoring of the technical requirements.

0:30:1.980 --> 0:30:2.610

Nomsa Mkhonza

OK.

0:30:4.460 --> 0:30:5.450

Nomsa Mkhonza

And then.

0:30:7.240 --> 0:30:36.810

Nomsa Mkhonza

Umm. The designated material. It's a it's 100% for textile, it's 100% for clothing and leather and footwear. So it's all of them. It's 100% and their undershirt documents, I think it's unnecessary DNE that are also attached for local content. I request you colleagues to ensure that you complete those documents that are very important for this tender.

0:30:37.630 --> 0:30:43.410

Nomsa Mkhonza

OK, yeah, as I've already stated functionality, the threshold is 85% out of 100.

0:30:44.180 --> 0:31:15.490

Nomsa Mkhonza

If you don't meet 85, unfortunately we can't evaluate you further and the price and preference all the OK, we're going to issue with standard rates and it's also mandatory for you to accept the rates as I've said. And then we are going to award you 80 points based on the price for all of you and then triple PPE is out of 20. So this one will vary from one company to the next. It will depend on your level.

0:31:15.890 --> 0:31:25.830

Nomsa Mkhonza

Of your BBEE status, if you are Level 3, we're gonna give you 14 points, of which it's gonna be 14 plus the 80 points. Then you'll get the scoring on this.

0:31:26.580 --> 0:31:27.170

Nomsa Mkhonza

OK.

0:31:29.270 --> 0:31:59.90

Nomsa Mkhonza

And we are actually looking at having six service providers for the entire Limpopo and for malanga. We want to establish 6 contracts on this pad. Should it happen that we have more than eight contractors or more than six that are tied up in the scoring, so will what we're gonna do if functionality is packed? It is part of evaluation process and two or more tender.

0:31:59.180 --> 0:32:29.470

MWP1500DX, Rock Drilling within Limlanga Cluster "as and when" required contract.
Closing date: 243 August 2022

DX0091TB Oil Spillage tender Questions and Answer

Nomsa Mkhonza

That's got equal total points and equal preference points for BBEE triple BE the contract must be awarded to the tender that's got the highest points for functionality. So now what's gonna happen? We're gonna look at your technical evaluations. So if you have scored 90 on technical and the others have scored 85. So which means we're gonna take the highest scoring ones, the one that has got 90 if you you I have a tie.

0:32:29.550 --> 0:32:31.350

Nomsa Mkhonza

On your, on your point.

0:32:32.30 --> 0:33:4.210

Nomsa Mkhonza

OK. And then if if two or more tender rasco and equal total number of points, the contract must be awarded to the tenderer that has got to the highest points for triple BE. So that's another option if we have two or more, then we'll look at the triple P/E and then the last one, if two or more tenderers score equal points in all respect, the award must be decided by throwing off clots. When we do the drawing of lots, we obviously involved an external party from our audit.

0:33:4.290 --> 0:33:11.210

Nomsa Mkhonza

Department. They're the one that usually assist us so that they they can ensure that the process is fair.

0:33:12.330 --> 0:33:20.60

Nomsa Mkhonza

So we don't do it on our own as a procurement. So that is the criteria that will follow. OK.

0:33:20.790 --> 0:33:21.670

Nomsa Mkhonza

And then.

0:33:28.40 --> 0:33:36.380

Nomsa Mkhonza

This is duplication of what has been stated and then she just took it from the procedure and just put it in here. I've already explained this.

0:33:38.260 --> 0:33:39.140

Nomsa Mkhonza

I'm sorry.

0:33:45.450 --> 0:33:45.810

Nomsa Mkhonza

OK.

0:33:50.910 --> 0:34:8.230

Nomsa Mkhonza

OK. And the other thing that is also important is that Eskom reserves the rights to avoid the tender to the supplier, who may not be the highest scoring or highest ranked supplier that is in line with the triple PPPFA. That is the section that we're looking at, section 21F.

0:34:9.80 --> 0:34:30.560

Nomsa Mkhonza

OK, I'm I've already mentioned the PPE and the price, the ranking of tenders I've already explained, we do not have objective criteria and we do not have reverse auction then we have contractual requirements, contractual requirements, it will include the commercial statutory documents.

0:34:31.470 --> 0:34:46.60

Nomsa Mkhonza

And the she requirements, as I've already explained, commissions they should. Terry. We're looking at your validity of your CSD. We look at the validity of your CIDP and all the other documents.

0:34:47.200 --> 0:34:50.350

Nomsa Mkhonza

No, said is not required for this, so I'm sorry.

MWP1500DX, Rock Drilling within Limlanga Cluster "as and when" required contract.
Closing date: 243 August 2022

DX0091TB Oil Spillage tender Questions and Answer

0:34:50.850 --> 0:35:4.700

Nomsa Mkhonza

And the other documents that you have been stipulated as commercial requirements, they should carry. We look at documents that we're gonna request before we award the contract. So those are the Commission.

0:35:5.730 --> 0:35:8.320

Nomsa Mkhonza

Commit contractual commercial requirements.

0:35:9.0 --> 0:35:36.100

Nomsa Mkhonza

And then we also have your quality, as Andrew has already shared with us. I've already explained to you that for SHEQ, it's your safety quality and environmental. We will give you an opportunity to resubmit. We give you 7 days as it is stated, yeah, seven working days to resubmit, if there's anything that was not met initially when we do the assessment, we also have the SDL and I.

0:35:36.820 --> 0:35:38.370

Nomsa Mkhonza

And supplier development.

0:35:40.150 --> 0:35:53.390

Nomsa Mkhonza

They are documents that are required for SDL and IOK. Yeah, they are for Commission. They are stated all the documents that will require before you can sign the contract, OK.

0:36:0.680 --> 0:36:16.170

Nomsa Mkhonza

So this is the safety requirements, as has been shared with us, it's just that we have to put it on the invitation to tender as well. The information has already been set by McCombe. I'll just go over it.

0:36:17.160 --> 0:36:17.990

Nomsa Mkhonza

And.

0:36:22.380 --> 0:36:27.70

Nomsa Mkhonza

This is the quality information it has already been shared also.

0:36:29.380 --> 0:36:33.510

Nomsa Mkhonza

And this I environmental requirements.

0:36:34.830 --> 0:36:38.10

Nomsa Mkhonza

But can you will share with us once I am done?

0:36:41.430 --> 0:36:45.860

Nomsa Mkhonza

OK, this is supplier development and localization information.

0:36:49.970 --> 0:36:51.760

Nomsa Mkhonza

This is environmental.

0:37:0.620 --> 0:37:6.810

Nomsa Mkhonza

I skills development and localization we are requesting from your company.

0:37:8.900 --> 0:37:38.430

Nomsa Mkhonza

If you can commit to this, that these are the numbers of people that you will be training. If you are successful on this contract, the waste removal artisan, we need one or spill truck driver one. So this is your development that we are requiring from you as as com and it is also obligatory. It's a requirement that 0.25% of the cumulative task task order value.

0:37:38.820 --> 0:38:4.310

MWP1500DX, Rock Drilling within Limlanga Cluster "as and when" required contract.
Closing date: 243 August 2022

DX0091TB Oil Spillage tender Questions and Answer

Nomsa Mkhonza

Is to be committed on skills development. What it means is that once you are successful in the contract, you will be getting a task order, a task order, meaning that is the work that you need to do for us. So we must ensure that 0.25 is committed on school, on skills development for each and every week that will be given to you. By the way, this contract is not.

0:38:5.610 --> 0:38:12.300

Nomsa Mkhonza

Ongoing, like every day you will be waking. It is as and when required basis OK.

0:38:13.960 --> 0:38:17.850

Nomsa Mkhonza

Alright, this is just the standard information and.

0:38:22.610 --> 0:38:42.100

Nomsa Mkhonza

OK, so I've indicated to you that the bullet points are the points that you should look at when you do your your finding or when you prepare your file for the submission. So I'm if you look at this document, this is also very important. I think you should just make it.

0:38:43.560 --> 0:38:43.940

Nomsa Mkhonza

Umm.

0:38:44.940 --> 0:38:52.140

Nomsa Mkhonza

Of click something. Now. OK, alright. I just want you to take note. It's page 21.

0:38:52.980 --> 0:39:18.290

Nomsa Mkhonza

Please take note of page 21 of 66 is going to help you to prepare your tender because if you look here it says Returnables mandatory for evaluation purposes and Jew extend the closing. The other one is returnables that are due prior to contract award. So these are the main ones that we need for the evaluation of the tender.

0:39:19.100 --> 0:39:27.210

Nomsa Mkhonza

So you must look at all this. It's documents that have already stipulated on the previous pages. These are the requirements.

0:39:27.900 --> 0:39:57.410

Nomsa Mkhonza

Please ensure that you submit all these these studies mandatory for evaluation purpose. If one of this is missing or it happens in some instances that some suppliers they submit this. Let me make an example. The 9 disclosure agreement they submit it but it is not signed. You just completed you did not sign. Please ensure your completeness of your document is in order.

0:39:57.940 --> 0:40:14.400

Nomsa Mkhonza

Otherwise you are going to be eliminated for the process and then the technical threshold. Yeah, it's also stated all the technical requirements that you have to meet. These are all all the documents that needs to be attached.

0:40:16.860 --> 0:40:31.670

Nomsa Mkhonza

Well, technically, as I said, Sakana will take you through that and SNL, we don't have a pre qualification. So these are all the documents that we need have already explained them. I'm not gonna go through them again.

0:40:33.430 --> 0:40:49.430

Nomsa Mkhonza

So if one of these documents is not signed or is not completed, if it's a document that needs to be completed, unfortunately you are out. So this our contract requirements have already explained is the whole of shake.

MWP1500DX, Rock Drilling within Limlanga Cluster "as and when" required contract.
Closing date: 243 August 2022

DX0091TB Oil Spillage tender Questions and Answer

0:40:51.40 --> 0:40:55.200

Nomsa Mkhonza

So we're not gonna do the financial analysis of the statements on this one.

0:40:56.50 --> 0:40:56.720

Nomsa Mkhonza

OK.

0:40:57.990 --> 0:41:13.870

Nomsa Mkhonza

All right. As I was indicating to you, the mandatory documents from page 21, so these are all the documents that they are talking about starting from this page is acknowledgement form. So you must complete.

0:41:14.760 --> 0:41:27.960

Nomsa Mkhonza

This documents and bring them with your tender. So if you go through all of them, it's just the completion documents that needs you to complete and submit them back to us.

0:41:28.680 --> 0:41:30.370

Nomsa Mkhonza

So it's all of this.

0:41:31.740 --> 0:41:40.260

Nomsa Mkhonza

Until the end of this invitation to tender, make sure that you complete and submit all of these documents.

0:41:41.240 --> 0:41:44.840

Nomsa Mkhonza

OK. Do you have any questions, colleagues?

0:41:53.500 --> 0:41:54.560

Nomsa Mkhonza

Any questions?

0:41:56.690 --> 0:41:57.750

Nomsa Mkhonza

How we all fine.

0:42:00.280 --> 0:42:21.870

Nomsa Mkhonza

I can't. I assume that we are fine because I don't see anyone, but it is a a simple and straightforward to tender. I don't think that you will find any complications or when you are trying to complete the documents as long as you can comply to what we are requesting and you are going to be fine, OK.

0:42:22.620 --> 0:42:25.430

Nomsa Mkhonza

Alright, colleagues, seeing that there is no question.

0:42:26.90 --> 0:42:49.80

Nomsa Mkhonza

I think Umm, if I go to the agenda I have the next person that can do the presentation is satanic, satanic. I'll hand over to you. I'm not gonna display the agenda. I'll hand over to you for the technical requirements. You might as well do the environmental once you are done with the technical. Thank you.

0:42:50.440 --> 0:42:51.320

Tsakani Chuma

Thank you, nomsa.

0:42:52.600 --> 0:42:54.730

Tsakani Chuma

A good afternoon, colleagues.

0:42:56.20 --> 0:43:00.790

Tsakani Chuma

MWP1500DX, Rock Drilling within Limlanga Cluster "as and when" required contract.
Closing date: 243 August 2022

DX0091TB Oil Spillage tender Questions and Answer

I'm gonna start with our technical requirements.

0:43:2.50 --> 0:43:6.500

Tsakani Chuma

OK. On the first one here, can we all see the screen?

0:43:8.860 --> 0:43:9.410

Jonny Makhonjwa (Guest)

Yes.

0:43:9.900 --> 0:43:10.290

Johan Harmse

Yes.

0:43:9.410 --> 0:43:10.690

Nomsa Mkhonza

Yes, we can see.

0:43:11.290 --> 0:43:40.400

Tsakani Chuma

Alright, thank you. On the 1st requirements as the previous experience in the web of a similar scope, meaning they all spill cleanup. So in this section you can put it in a tabular form or however you wish to put it. But we need to see the the project that you have completed. So we have a number one where you will get a 30 point when you have completed 30 or more relevant projects.

0:43:40.540 --> 0:43:55.650

Tsakani Chuma

Successfully and then on the second point you will get a 20 if you completed 20 relevant project of a similar scope of work and then you get 15 points for completing 15 similar.

0:43:55.880 --> 0:44:25.650

Tsakani Chuma

Ask the project or similar project so on number one you can either go ahead 30, a 20 or a 15 so it will be based on what you have submitted to get a a specific score then and then .2 we have our method statement for mediating the spillages including the chemicals and the equipment that you're going to use. So you need to tell us how you're going to do their insult and exit remediation.

0:44:25.790 --> 0:44:42.730

Tsakani Chuma

And also include the related legal requirements, the laws that are applicable for this specific type of work. You here you, you you will score 20 points if you include or the inside and the exit and also the related.

0:44:43.960 --> 0:44:45.90

Tsakani Chuma

The legislation.

0:44:46.40 --> 0:44:59.220

Tsakani Chuma

And then on point #3, we have competency training for oil spill response and clean up. That is the remediation and for example, you can submit your husband certification or related or spill clean up.

0:44:59.930 --> 0:45:11.170

Tsakani Chuma

All of the spill as a certificate, so we need the certificate of all your site supervisors in the campaign who have undergone either of the two trainings.

0:45:12.430 --> 0:45:42.700

Tsakani Chuma

Then it says score of 20 there as well and then #4 is their ways. Transporter requirements, that is we want to see your waste transporter license registration with the municipality or the Provincial Department to transport their waste. So you'll get a sport, a score of 10 if you submitted that. And copies of your vehicle vehicles authorized to transmit a ways to. So when you you include the you can.

0:45:42.780 --> 0:46:13.660

MWP1500DX, Rock Drilling within Limlanga Cluster "as and when" required contract.

Closing date: 243 August 2022

DX0091TB Oil Spillage tender Questions and Answer

Tsakani Chuma

Who did their pictures on the tender document? You take pictures of the vehicles where we can see that legislation you have there. The trim cards for the vehicles or you have their signage. Just make sure that you put the the pictures nicely that we are able to identify those things. And then 4.3, it's your training certificate for conveying dangerous goods for by route. You also get a a score of 10 here. So the threshold is 85%. If you get anything.

0:46:14.400 --> 0:46:23.440

Tsakani Chuma

Less than 85. Then we will not be able to continue with their evaluations, but that is our technical requirements.

0:46:24.360 --> 0:46:26.610

Tsakani Chuma

Straightforward to me. No questions.

0:46:29.340 --> 0:46:29.630

Tsakani Chuma

Now.

0:46:28.970 --> 0:46:29.680

Johan Harmse

I think thank you.

0:46:30.420 --> 0:46:33.590

Tsakani Chuma

OK, thank you. Alright. Let me do the.

0:46:34.800 --> 0:46:36.980

Tsakani Chuma

The the environments help.

0:46:39.620 --> 0:46:43.60

Tsakani Chuma

OK, I'm gonna stop sharing and display the environment too.

0:46:54.400 --> 0:47:3.130

Tsakani Chuma

OK, so these are our environmental requirements and environmental management system requirements.

0:47:3.670 --> 0:47:35.460

Tsakani Chuma

Uh on point number one, we need you to submit a environmental policy. A policy must be signed by a top management or CEO or manager or director of the company. It must be dated and vision controls. The policy must commit compliance to all relevant legislations or laws, pollution prevention and continual improvement. So in your environmental policy, please focus on environmental legislations, the laws and issues. Don't submit a safety related.

0:47:35.560 --> 0:48:5.510

Tsakani Chuma

And policy. So even if you have one policy in your company where it's a SHEQ policy, make sure that the environmental aspects are included in your policy and the design is dated. You're gonna get 10 points for that and then point #3 is the valid Eskom Environmental Law certificate. This one will require it before at the contract execution. So. But if you have a valid environmental law certificate, you can still submit it.

0:48:5.760 --> 0:48:25.140

Tsakani Chuma

But we understand that other companies, since we are under covered, they couldn't train but will give you an opportunity before you can start working to ensure that we train you on as comes environments, how low we don't need any other certificate from the universities we require the one from Eskom. Hence we are making it.

0:48:25.620 --> 0:48:56.650

MWP1500DX, Rock Drilling within Limlanga Cluster "as and when" required contract.
Closing date: 243 August 2022

DX0091TB Oil Spillage tender Questions and Answer

Tsakani Chuma

And appoint that even if you don't have it now, we will train. You will provide you with the date, and then you will have to attend. And although their relevant requirements or things that you need to do for for bookings and the information on your, the banking details and how much you pay. So the certificate you will need it for, for, for you to get 10 points and then point #3 is company organogram indicating the site supervisor or the site supervisors if you have more than one.

0:48:57.930 --> 0:49:25.320

Tsakani Chuma

And #4 is the environmental appointment letter, which must be signed by the person that has been appointed in the appointee. So both you must sign and it must be dated. Then on your environmental communication plan, it can be a plan. It can be a procedure. Please tell us what issues you are going to communicate, how and when. And this must be a environmental related issues.

0:49:27.380 --> 0:49:35.490

Tsakani Chuma

OK. And you will get a score of five there. And then #6 is our your emergency preparedness plan on this one?

0:49:35.650 --> 0:50:6.800

Tsakani Chuma

It uh, it can be a plan or a procedure as well. You must include the emergency contact details, so include any other environmental emergency emergencies which you can come across while working on site. So put them there. Tell us how you go, you going to manage them and include the contact details already you know you will be working in Limpopo and Boom Malanga. Just make sure that you have the emergencies in the areas where you will be.

0:50:6.900 --> 0:50:12.510

Tsakani Chuma

Waking and then #9. It's a the EMP on the EMP.

0:50:12.580 --> 0:50:43.600

Tsakani Chuma

Me. Uh, you need to make sure that all those five you tell us how you're going to act, access how, how you going to control the the access on site and then how you going to to communicate with the land owners, how you're going to manage the vegetation when you are you are busy with their remediation and water and waste management. You can also include any any other issues but those five they need to be there and then each of them will be giving you a score of five.

0:50:43.700 --> 0:50:47.500

Tsakani Chuma

A total is 65 and you need to get a 65.

0:50:49.90 --> 0:50:57.860

Tsakani Chuma

So yeah, that's the environmental requirements. I don't know if there's any questions, but yeah, there are some point straight.

0:50:58.950 --> 0:51:0.160

Tsakani Chuma

Any question, colleagues?

0:51:3.760 --> 0:51:4.230

Jonny Makhonjwa (Guest)

No.

0:51:3.930 --> 0:51:9.930

Nomsa Mkhonza

OK. Thank you. It's OK. It looks like we do not have M journey. You wanted to ask a question.

0:51:10.860 --> 0:51:11.240

Tsakani Chuma

OK.

0:51:11.470 --> 0:51:13.560

MWP1500DX, Rock Drilling within Limlanga Cluster "as and when" required contract.
Closing date: 243 August 2022

DX0091TB Oil Spillage tender Questions and Answer

Jonny Makhonjwa (Guest)

You know other don't have a question.

0:51:14.230 --> 0:51:15.530

Tsakani Chuma

Alright. Thank you, Johnny.

0:51:15.760 --> 0:51:16.240

Jonny Makhonjwa (Guest)

Thank you mam.

0:51:15.920 --> 0:51:23.590

Nomsa Mkhonza

OK. No, thank you. I'm Mr Mukasa. Welcome. Sorry, I did not see that you have connected as well.

0:51:24.310 --> 0:51:38.170

Nomsa Mkhonza

Ah, Mr Mogase, you can take us through to your supplier development, or though I've already shared the information because I could not see that you are connected. Thank you. I'll hand over to you.

0:51:39.690 --> 0:52:9.70

Kabelo Mogase

Uh, thanks, Madam Jay. Good afternoon, colleagues. Ours is just a small part. We as as as nomsa as indicated earlier on. We as as COM as proposed the skills that are relevant to the scope for you to can assist us. You know remember it's come. We are obliged to ensure that for all the contractor to conclude we need to develop skills we need to create jobs and report that to government. So with with, with with identified the four skills that are relevant to to to the scope of work.

0:52:9.890 --> 0:52:39.780

Kabelo Mogase

As a proposal from us which are going to form part of the undertaking, nothing prevents you from proposing something different. It is not a hard and fast rule that you must do that, but would appreciate you have proposing some skills that would assist us in achieving what our secular I need in terms of job creation and in terms of skills. It is. It is a contractual requirement, but once the successful tenderer has committed, it will become part of the contract.

0:52:39.860 --> 0:52:42.940

Kabelo Mogase

And you'd be expected to execute this, negotiate that.

0:52:43.570 --> 0:53:11.130

Kabelo Mogase

But it really that that, that's it from our side. It is just I said it's a contractual requirement, there is no required everybody's eligible to tender you know if you do not submit to visit Kate you do not get disqualified but you lose points so it it it's important for you to submit the purple beatification. If in in in a relevant case or an affidavit we should actually assist you accumulate more point in terms of price and preference.

0:53:12.570 --> 0:53:16.530

Kabelo Mogase

But refly that's it from our SDL side. Is there any questions?

0:53:23.960 --> 0:53:25.370

Kabelo Mogase

Any questions, colleagues?

0:53:25.600 --> 0:53:27.290

Nomsa Mkhonza

Thank you, Mr Mayor. Classic.

0:53:27.40 --> 0:53:27.490

Jonny Makhonjwa (Guest)

Most.

0:53:28.960 --> 0:53:30.960

Nomsa Mkhonza

MWP1500DX, Rock Drilling within Limlanga Cluster "as and when" required contract.
Closing date: 243 August 2022

DX0091TB Oil Spillage tender Questions and Answer

It looks like there are no questions.

0:53:32.480 --> 0:53:33.80

Nomsa Mkhonza

Umm.

0:53:31.220 --> 0:53:33.120

Kabelo Mogase

As it zonis Janice.

0:53:34.540 --> 0:53:36.310

Kabelo Mogase

Ohh, I'd thought Janice and muting.

0:53:37.710 --> 0:53:38.180

Kabelo Mogase

OK.

0:53:39.540 --> 0:53:44.770

Nomsa Mkhonza

No, there are no questions. OK, I'm colleagues in summer class.

0:53:49.40 --> 0:53:49.340

Nomsa Mkhonza

Yes.

0:53:41.560 --> 0:53:50.500

Kabelo Mogase

Yeah, I will attach will attach the undertaking with with the proposal that are there and then send it out to expect that the tenant. Thank you, ma'am.

0:53:52.410 --> 0:54:24.500

Nomsa Mkhonza

Thank you. Thank you. I'm I'm colleagues. I hope that you have understood what is it that is required of you when you are completing this tender. Just go through the documents as we're just explaining it's it's very straightforward and they just go through them all of them. And I think you will be able to get it right because I'm this looks very simple to me. I don't know from your side but you are the experts in this.

0:54:24.580 --> 0:54:54.430

Nomsa Mkhonza

And I documental type of works, so I hope that you will get it right, OK, colleagues, without wasting a waste of any time. The time now is 1455. I am attending the meeting. Thank you so much for all of you and for colleagues that Eskom for your participation. Thank you so much. And I wish you the best for the suppliers that are with us today. And if you have any further queries as you are going through the documents.

0:54:54.900 --> 0:55:5.480

Nomsa Mkhonza

Please communicate with Teresa through the e-mail and she will respond. She will respond to you guys. Thank you so much. Have a lovely afternoon. Goodbye.

0:55:6.40 --> 0:55:7.30

Johan Harmse

Thank you. Goodnight.

0:55:7.200 --> 0:55:8.90

Jonny Makhonjwa (Guest)

You have a.

0:55:10.130 --> 0:55:11.100

Hennie Van Der Westhuizen

Thank you. Bye bye.

0:55:11.660 --> 0:55:12.640

Tsakani Chuma

Things fine.

MWP1500DX, Rock Drilling within Limlanga Cluster "as and when" required contract.
Closing date: 243 August 2022

DX0091TB Oil Spillage tender Questions and Answer

0:55:12.860 --> 0:55:13.490

Nomsa Mkhonza

Yeah.

0:55:19.610 --> 0:55:21.190

Nomsa Mkhonza

Thanks, Mr Hesse.