

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

Dear Valued Supplier,

Eskom Holdings SOC Ltd ("Eskom") hereby invites you to submit a quote on the following goods/works/services as stated below under **point number 5.**

Please note the following rules with respect to the OLT system (Informal Tendering)

- Please ensure that the email subject line only contains the **OLT2050127** Enquiry number as per heading and no other information. Do not add any text to the subject line. Do not add any space in between the prefix and the enquiry number.
- Ensure that the enquiry number is stipulated in the subject line on all e-mails if multiple emails are sent
- Ensure that you receive a confirmation email after submitting your documentation. Please follow up immediately via the email address of the respective buyer if you did not receive this.
- Maximum attachment size per email is 10MB. It is the supplier's obligation to ensure that the attachments per email do not exceed this limit.
- Please note closing date and time on the RFQ. Your submission will not be evaluated if it is received after the closing date and time of the RFQ.
- All tender returnables/documentation must be submitted to Informaltendering@eskom.co.za only.
E-mails to any other address (except for clarifications) will not be accepted.
Failure to comply with these rules will result in your tender being disqualified.
- Requests for Clarifications must be sent in writing to the respective buyer at katlegochoche@eskom.co.za and not to Informaltendering@eskom.co.za.
All requests for clarifications and responses must be in writing. Eskom will respond to requests for clarification received within one (1) – two (2) working days before the tender closing deadline, depending on the enquiry duration and complexity.

Note:

- Tenderer to complete sections 5, 6 & 7 and to submit it together with the tender returnables stated in section 3, to Informaltendering@eskom.co.za
Due to varying requirements, slight changes could be included in each RFQ document, and suppliers are therefore required to read through the document carefully whenever invited to tender.
- ALL Suppliers are required to be registered (except foreign suppliers) on the National Treasury Central Supplier Database (CSD) as at tender response stage and the respective CSD number must be provided with all quotes together with the Eskom vendor registration number. responses that do not comply with the CSD requirement will be regarded as non-responsive(except foreign suppliers)

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		


For CSD registration: Please register at <https://secure.csd.gov.za/>

- All Suppliers (including Foreign suppliers) are required to complete SBD 1-Invitation to Bid and submit this annexure at tender closing deadline. Local suppliers are required to be tax compliant and must submit CSD Number/ Efiling pin number/ copy of tax clearance certificate as evidence of their tax compliance status.
- Foreign suppliers (even those with no footprint in RSA) are in addition required to answer Part B (3) which is part of the afore-mentioned SBD 1. Should the said Foreign suppliers answer “yes” to any of the questions [Part B (3)]; they are required to be tax compliant and must therefore submit their Efiling pin number or copy of tax clearance certificate which will be verified by Eskom.
- All suppliers are required to refer to www.eskom.co.za for the Supplier Integrity Pact that must be downloaded and read. The Integrity Declaration form (attached hereto) and the SBD 4-Bidders Declaration form (attached hereto) are mandatory tender returnables at RFQ closing deadline.
- Specify line prices at lines where prices are submitted and indicate no quote at lines where no price is submitted.
- Where “designated sectors” are applicable, ensure that the relevant annexures and declarations are submitted by the RFQ deadline, or the submission will be regarded as non-responsive and disqualified.
- It is a requirement to return full specifications with your quotation eg. drawings, dimensions, manufacturer's name, etc (if this is applicable to the RFQ). Where there is a deviation, suppliers are also required to fully complete and submit the deviation schedule /form at RFQ closing deadline. Please ensure that the SAP No, Drawing No, Revision No and Manufacturer is stated on the form. Where there are deviations, but the deviation schedule has not been fully completed and returned at RFQ closing deadline, your offer will be disqualified.
- Eskom Standard Conditions of Tender applies to this tender.

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

To		Date	
Eskom Vendor Registration Number		National Treasury Central Supplier Database (CSD) Number	
SARS eFiling Pin number		B-BBEE level	
Attention		Tel No	
E-mail address			
RFQ No	OLT2050127	Closing date	09 November 2022 Closing time At (South African Standard Time) 23:00pm
Validity period of offers	90 days <i>Please be advised that NO late offers will be considered and all offers must be sent to informaltendering@eskom.co.za</i>		
Eskom contact person	Katlego Choche	Tel No	051 404 2646
E-mail address	katlegochoche@eskom.co.za		

ANNEXURES

- Integrity Pact Declaration
- SBD 4 - Bidders Declaration
- SBD-6.2- Certificate for Local Production and Content and Annexures C,D,E (applicable where there are designated sectors / materials only)
- SBD 1- Invitation to Bid
- CPA Requirements for Local Goods/Services (South African) or CPA (IG) for Foreign Goods / Services (where applicable)
- Technical Deviation Schedule
- SBD 6.1-Preference Claim Form
- Eskom Standard Conditions of Tender

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

- Eskom's General Conditions of Purchase

1. CONDITIONS OF PURCHASE

Eskom General Conditions of Purchase (as attached) will apply.

2. EVALUATION CRITERIA

For transactions above R30 000 up to R50M (inclusive of VAT) Price and B-BBEE Preferential Point Scoring will be based on the 80/20 allocation aligned to the PPPFA Regulations 2017;

For transactions less than R30 000 (inclusive of VAT); the Preferential Point Scoring is not mandatory and only Price may be used (or state any other criteria to be used).

Mandatory requirement: Local Production and content

The Textiles, Clothing, Leather and Footwear sector is designated for local production and content.

The designation constitutes sub-sectors from the following Standardised Industry Classifications (SIC) Codes:

31291 –Manufacture of textiles, clothing,, leather goods and other textiles

31292 – Fashion clothing, textiles and footwear manufacture design.

Designated sectors requirements:

Material	Threshold
Manufacture of textiles, clothing,, leather goods and other textiles	100%
Fashion clothing, textiles and footwear manufacture design.	100%

Bidding condition:

- Only locally produced or locally manufactured from local material or input will be considered;
- If the raw material or input to be used for a specific item is not available locally, bidders should obtain written authorization from the DTIC should there be a need to import such raw material or input; and
- A copy of the authorisation letter must be submitted together with the tender document at the closing date and time of the tender. For further information, bidders/tenderers may contact the Clothing, Textile, Footwear and Leather unit within the DTIC at telephone 012 394 3717/1390.

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

Note:

Eskom reserves the right to negotiate with preferred bidders after a competitive bidding process or price quotations; should the tendered prices not be deemed market-related. Upon evaluation of tenders received, Eskom may negotiate or conclude orders with one or more suppliers.

A contract may be awarded to a tenderer that did not score the highest points only in accordance with Section 2(1) (f) of the PPPFA Act 5 of 2000. If Eskom intends to apply objective criteria in terms of Section 2 (1) (f), Eskom must stipulate the applicable objective criteria in the tender documents. Functionality and any element of the B-BBEE scorecard may not be used as objective criteria.

3. TENDER RETURNABLES

Please ensure that the tender returnables listed hereunder are submitted as per stipulated deadlines as non-compliance with mandatory tender returnables at RFQ closing deadline will result in disqualification (except where these are required for scoring /ranking purposes only). Non-compliance with mandatory returnables due at contract/order award stage will impact award.

- Integrity Pact Declaration **(at RFQ closing deadline)**
- SBD 4 - Bidders Declaration **(at RFQ closing deadline)**
- SBD 6.2- Certificate for Local Production and Content and Annexures C,D, E **(at RFQ closing deadline)** Applicable where there are designated sectors/materials only.
- SBD 1- Invitation to Bid **(at RFQ closing deadline)** Applicable for all suppliers
- CPA Requirements for Local Goods/Services (South African) or CPA (IG) for Foreign Goods/Services **(at tender closing deadline)** Where applicable.
- Technical Deviation schedule **(at RFQ closing deadline)**. This must be fully completed and submitted **only** where there are deviations. If there are deviations, but the deviation schedule has not been fully completed and submitted by RFQ closing deadline, your offer will be disqualified.
- SBD 6.1- Preference Points Claim Form **(at RFQ closing deadline)** Applicable for all
- Copy of valid current SARS certificate **(at contract/order award)** Applicable for Foreign suppliers who are required to be tax compliant but have not submitted a CSD/eFiling Pin number.
- *** Certified copy of a Valid original B-BBEE certificate (at RFQ closing deadline)**
- List of Directors/Shareholding **(at RFQ closing deadline)**
- Letter of Good Standing (COIDA) **(at contract/order award)**

***Note:**

Where there is failure on the part of the supplier to submit a Certified copy of a Valid original B-BBEE certificate by stipulated deadline for purposes of evaluation and scoring, the tender submission will not be deemed non-responsive and disqualified exclusively for this reason, but will automatically score zero on B-BBEE for purposes

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

of scoring and ranking (if otherwise deemed to be responsive and acceptable in all other aspects).

However, if these Certified copy of a Valid original B-BBEE certificate /affidavits etc are required as evidence to show compliance with pre-qualification criteria; and they are not provided at RFQ tender closing deadline; then the tender will be disqualified.

4. DELIVERY DETAILS

Procurement Practitioner to complete:

Delivery address	Eskom Store, Kimberley RDC 5430 Boshoff Road, Blanckenbergvlei Kimberley 8300	Delivery date	19 December 2022
Attention		Tel no	

5. DETAILED LIST OF ITEMS REQUIRED


*Procurement Practitioner to populate item details below. Tenderer to insert the prices.
Insert more lines if needed.*

Item no.	Stock no.	Description	Quantity	Unit Price	Total price	VAT
1.	<u>Sap:</u> <u>0552719</u>	HELMET, SAFETY: TYPE: HEIGHT THREE POINT; SIZE: 530-630 MM; MATERIAL: PLASTIC MOLDED; COLOR: WHITE; SPECIFICATION: SANS 1397:2003; SPECIAL FEATURES: SHORT PEAK; ALL HARD HATS MUST BE IN ACCORDANCE WITH SANS 1397:2003 AND ESKOM SPECIFICATION; SUPPLIED WITH A BLACK ADJUSTABLE THREE POINT CHIN STRAP; MINIMUM HARD HAT ELECTRICAL INSULATION: 440 VAC; WITH A SHORTER PEAK AND A LIMITED SIDE BRIM; ITEM TO BE	17			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		MARKED WITH SABS MARK OF APPROVAL; APPROVED ESKOM LOGO AND A ZERO HARM SLOGAN MUST BE POSITIONED ACCORDING TO THE ESKOM SPECIFICATION AND BE INLINE WITH THE CORPORATE IDENTITY PROCEDURE; WHITE REFLECTIVE AND BLUE LETTERS EUROP ASSIST EMERGENCY NO 086 123 7566 MUST BE DISPLAYED ON THE BACK OF THE HELMETS				
2.	<u>Sap: 0552721</u>	STICKER: TYPE: SAFETY HELMET; COLOR: WHITE REFLECTIVE AND BLUE LETTERS; DESIGNATION: EUROP ASSIST EMERGENCY NO 086 123 7566; MATERIAL: VINYL; SHAPE: RECTANGLE; SIZE ACCORDING TO THE ESKOM SPECIFICATION; MUST BE DURABLE AND WATERPROOF WITH A GUARANTEE OF 7 YEARS AND NOT EASY REMOVABLEVENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	19			
3.	<u>Sap: 0552722</u>	STRAP: TYPE: THREE-POINT CHIN BLACK; MATERIAL: POLYVINYL WEBBING; SPECIFICATION: SANS	19			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		1397:2003; USED WITH ESKOM APPROVED SAFETY HELMET; WITH LOCK IN CLIP TYPE CONNECTORS AND A WEAK LINK TO ALLOW TEARING WHEN REQUIRED; COLOUR: BLACK; ALL CHIN STRAPS MUST BE IN ACCORDANCE WITH SANS 1397:2003 AND ESKOM SPECIFICATION; TEST CERTIFICATE TO BE SUPPLIED WITH EACH DELIVERY				
4.	<u>Sap:</u> <u>0565828</u>	VISOR: TYPE: SUN BRIM FOR SAFETY HAT; DIMENSIONS: ID 740 X OD 430 MM; MATERIAL: D59 WOVEN COTTON; COLOR: BLUE NAVY; SHAPE OF BRIM TO BE OVAL AND SHALL COMPLY TO THE FOLLOWING FRONT BACK AND NECK PROTECTOR ATTACH TO BOTTOM OF BRIM MATERIAL TYPE D59 FLAME RETARDANT PRE-SHRUNK 100 % WOVEN COTTON FABRIC IN ACCORDANCE WITH SANS 1387-4; SUN BRIM SHALL HAVE A REINFORCED STIFFENED BROAD BRIM OF AT LEAST 90 MM BRIM MALGREY CHIP BOARD MATERIAL 600 TO 800GSM; INSIDE DIAMETER 740MM (FRONT TO BACK 240MM AND SIDE TO SIDE 200MM) OUTSIDE FRONT TO BACK 430MM AND FROM SIDE TO SIDE 380MM;	20			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		STITCHING SHALL COMPLY WITH SANS 10101 AND THREADS WITH SANS 1362; INSERT FOR HARD HAT FRONT PEAK FLAP CENTRE 130MM AND SIDE FITTED TO OTHER BRIM INSERT FOR HARD HAT REAR SECTION CENTRE 130MM AND SIDES FITTED TO OTHER BRIM; NECK PROTECTOR AT BACK CENTRE 230MM LONG AND SIDES FITTED HALF WAY TO OUTER SUN BRIM PROTECTOR; VELCRO 40 X 25MM ATTACH ON LEFT SIDE OF BRIM AND REAR INSERT OF FLAP FOR STABILITY; UNIQUE IDENTIFIER 240-44175132				
5	<u>Sap:</u> <u>0222349</u>	HAT: TYPE: SOFT BUSH; SIZE: S; 56; COLOR: BLUE NAVY; MATERIAL: COTTON 100 PCT, SANS 1387-4 D59, WOVEN PRE SHRUNK; THE ESKOM LOGO SHALL BE EMBROIDERED ON THE FRONT OF THE HAT AND THE ZERO HARM IDENTIFICATION SHALL BE EMBROIDERED ON THE REAR OF THE HAT AND SHALL BE IN ACCORDANCE WITH ESKOM'S CORPORATE IDENTITY; SOFT HATS SHALL HAVE A REINFORCED STIFFENED BROAD BRIM OF AT LEAST 80 MM; STITCHING SHALL	15			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		COMPLY WITH SANS 10101; THE THREAD SHALL COMPLY WITH SANS 1362; ALL GARMENTS MUST BEAR THE S.A.B.S. MARK OF APPROVAL; FULL WASHING INSTRUCTIONS; SIZE AND TRACEABILITY SHALL BE MARKED WITH SANS 432 INDELIBLE MARKING INK FOR TEXTILE FABRICS ON HAT; UNIQUE IDENTIFIER 240-44175132				
6	<u>Sap:</u> <u>0222351</u>	HAT: TYPE: SOFT BUSH; SIZE: M; 57; COLOR: BLUE NAVY; MATERIAL: COTTON 100 PCT, SANS 1387-4 D59, WOVEN PRE SHRUNK; THE ESKOM LOGO SHALL BE EMBROIDERED ON THE FRONT OF THE HAT AND THE ZERO HARM IDENTIFICATION SHALL BE EMBROIDERED ON THE REAR OF THE HAT AND SHALL BE IN ACCORDANCE WITH ESKOM'S CORPORATE IDENTITY; SOFT HATS SHALL HAVE A REINFORCED STIFFENED BROAD BRIM OF AT LEAST 80 MM; STITCHING SHALL COMPLY WITH SANS 10101; THE THREAD SHALL COMPLY WITH SANS 1362; ALL GARMENTS MUST BEAR THE S.A.B.S. MARK OF APPROVAL; FULL WASHING INSTRUCTIONS;	37			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.


	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		SIZE AND TRACEABILITY SHALL BE MARKED WITH SANS 432 INDELIBLE MARKING INK FOR TEXTILE FABRICS ON HAT; UNIQUE IDENTIFIER 240-44175132				
7	<u>Sap: 0222352</u>	HAT: TYPE: SOFT BUSH; SIZE: L; 58; COLOR: BLUE NAVY; MATERIAL: COTTON 100 PCT, SANS 1387-4 D59, WOVEN PRE SHRUNK; THE ESKOM LOGO SHALL BE EMBROIDERED ON THE FRONT OF THE HAT AND THE ZERO HARM IDENTIFICATION SHALL BE EMBROIDERED ON THE REAR OF THE HAT AND SHALL BE IN ACCORDANCE WITH ESKOM'S CORPORATE IDENTITY; SOFT HATS SHALL HAVE A REINFORCED STIFFENED BROAD BRIM OF AT LEAST 80 MM; STITCHING SHALL COMPLY WITH SANS 10101; THE THREAD SHALL COMPLY WITH SANS 1362; ALL GARMENTS MUST BEAR THE S.A.B.S. MARK OF APPROVAL; FULL WASHING INSTRUCTIONS; SIZE AND TRACEABILITY SHALL BE MARKED WITH SANS 432 INDELIBLE MARKING INK FOR TEXTILE FABRICS ON HAT; UNIQUE IDENTIFIER 240-44175132	22			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.


	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

8	<u>Sap:</u> <u>0222353</u>	HAT: TYPE: SOFT BUSH; SIZE: XL; 59; COLOR: BLUE NAVY; MATERIAL: COTTON 100 PCT, SANS 1387-4 D59, WOVEN PRE SHRUNK; THE ESKOM LOGO SHALL BE EMBROIDERED ON THE FRONT OF THE HAT AND THE ZERO HARM IDENTIFICATION SHALL BE EMBROIDERED ON THE REAR OF THE HAT AND SHALL BE IN ACCORDANCE WITH ESKOM'S CORPORATE IDENTITY; SOFT HATS SHALL HAVE A REINFORCED STIFFENED BROAD BRIM OF AT LEAST 80 MM; STITCHING SHALL COMPLY WITH SANS 10101; THE THREAD SHALL COMPLY WITH SANS 1362; ALL GARMENTS MUST BEAR THE S.A.B.S. MARK OF APPROVAL; FULL WASHING INSTRUCTIONS; SIZE AND TRACEABILITY SHALL BE MARKED WITH SANS 432 INDELIBLE MARKING INK FOR TEXTILE FABRICS ON HAT; UNIQUE IDENTIFIER 240- 44175132	2			
9	<u>Sap:</u> <u>0147555</u>	SPECTACLE, SAFETY: TYPE: VISITORS; LENS COLOR: CLEAR; LENS SIZE: STD; TEMPLE	1			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		SIZE: FIXED; SIDE SHIELDS: SEMI DROP; FRAME COLOUR CLEAR; LENS TINT CLEAR; LENS COATING UNCOATED; BROW PROTECTION BOTH WITH SIDE SHIELD AND VENTS; NOSE BRIDGE NON SLIP; COMPLY TO EN-166 AND ANSI Z87.1; UNIQUE IDENTIFIER 240-44175132				
10	<u>Sap: 0220008</u>	GOGGLES, INDUSTRIAL: TYPE: DUST/MIST; LENS COLOR: CLEAR; LENS TYPE: ANTI FOG/SCRATCH; FRAME MATERIAL: PLASTIC; IMPACT SPLASH DUST AND MIST RESISTANT; MOLDED LENS AND ANTI-FOG COATING TO ANSI D3 D4; FRAME COLOUR SMOKE; LENS COATING ANTI FOG ANTI SCRATCH; TEMPLE STYLE WIDER ADJUSTABLE FABRIC STRAP WITH D SLIDES COMPLY TO ANSI Z87.1 EN 166; UNIQUE IDENTIFIER 240-44175132	15			
11	<u>Sap: 0041024</u>	SPECTACLE, SAFETY: TYPE: PROTECTIVE; LENS COLOR: AMBER; LENS SIZE: STD; TEMPLE SIZE: ADJUSTABLE; SIDE SHIELDS: VENTILATED; WRAP AROUND BALLISTIC PROTECTION HARS INDUSTRIAL ENVIROMENTS; FRAME COLOUR BLACK VENTED;	1			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.


	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		LENS COATING HARD COAT; LENS TINT AMBER; TEMPLE STYLE DROP WITH ADJUSTABLE LENGTHS; SOFT SELF-FITTING RUBBER NOSE BRIDGE; TEMPLE TO ADJUST TO 4 DIFFERENT LENGTHS; SUPERCOAT PROTECTION WITH ANTI-FOG, ANTI SCRATCH, ANTI-STATIC AND UV PROTECTION 99% ULTRAVIOLET PROTECTION; COMPLY TO ANSI Z87.1; MEET TRAFIC SIGNAL COLOR RECOGNITION REQUIREMENTS OF ANSI Z80.3-1996; EN-166; BALLISTIC RATED TO MIL PRF-31013 REQUIREMENT OF 360 FEET PER SECOND; UNIQUE IDENTIFIER 240-44175132				
12	<u>Sap: 0041004</u>	SPECTACLE, SAFETY: TYPE: INDOOR/OUTDOOR; LENS COLOR: VARIABLE; LENS SIZE: STD; TEMPLE SIZE: ADJUSTABLE; SIDE SHIELDS: VENTILATED; REFERENCE NO: DV-326B-C-AF; WRAP AROUND BALLISTIC PROTECTION HARS INDUSTRIAL ENVIROMENTS; FRAME COLOUR BLACK VENTED; LENS TINT INDOOR/OUTDOOR; LENS COATING HARDCOAT; TEMPLE STYLE DROP WITH ADJUSTABLE LENGTHS; SOFT SELF-FITTING RUBBER NOSE	14			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		BRIDGE; TEMPLE TO ADJUST TO 4 DIFFERENT LENGTHS; SUPERCOAT PROTECTION WITH ANTI-FOG; ANTI SCRATCH; ANTI-STATIC AND UV PROTECTION 100% ULTRAVIOLET PROTECTION; COMPLY TO ANSI Z87.1; MEET TRAFIC SIGNAL COLOR RECOGNITION REQUIREMENTS OF ANSI Z80.3-1996; EN-166; BALLISTIC RATED TO MIL PRF-31013 REQUIREMENT OF 360 FEET PER SECOND; UNIQUE IDENTIFIER 240-44175132				
13	<u>Sap:</u> <u>0566174</u>	CASE: TYPE: EYEWEAR; DIMENSIONS: WD 100 X LG 170 X HT 90 MM; MATERIAL: NYLON; COLOR: BLACK; FOAM PADDED; ZIPPER CLOSURE; WITH BELT CLIP; TO FIT ALL SPECTACLE; UNIQUE IDENTIFIER 240-44175132	1			
14	<u>Sap:</u> <u>0566179</u>	BAG: TYPE: EYEWEAR; DIMENSIONS: WD 250 X LG 110 X HT 9 CM; COLOR: BLACK; MATERIAL: MICROFIBER; DESIGNATION: GOGGLES; EARMUFFS; UNIT PACKAGE QUANTITY: 1; OVERSIZE MICROFIBER EYEWEAR BAG WITH DRAWSTRING; UNIQUE IDENTIFIER 240-44175132	1			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.


	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

15	<u>Sap:</u> <u>0683916</u>	SHOES, SAFETY: SIZE: 7; TOE CONSTRUCTION TYPE: STEEL CAP; COLOR: BROWN; STYLE: JIM GREEN MONSTER; TREAD SURFACE TYPE: HEAT/OIL RESISTANCE LIGHTWEIGHT NEOPRENE; MATERIAL: LEATHER; FASTENING METHOD: LACE; SPECIFICATION: ESKOM DSP34-323; MAT SANS1167; STD 34-232; GENDER: MALE; 2.2-2.5MM LEATHER, WATERPROOF; EXTRA THICK ANKLE PADDING FOR EXCELLENT SUPPORT, COMFORT, AND PROTECTION	1			
16	<u>Sap:</u> <u>0222359</u>	SHIELD, SAFETY EQUIPMENT: TYPE: FACE PROTECTOR LV; DIMENSIONS: WD 205 X LG 310 X THK 1 MM; COLOR: CLEAR; MATERIAL: POLYCARBONATE; FOR LV (LOW VOLTAGE) SWITCHING; PROTECTION AGAINST ELECTRICAL BURNS AND FLASHES; UNIVERSAL FITTING ADJUSTABLE; TEST/CERT; IDENTIFICATION AND SPECIFICATION REQUIREMENTS; ANTIFOG COATING; PROTECTION BAG; COMPLY WITH CATEGORY 1 OF NFPA70E-2000 MIN ATPV PERFORMANCE 5 CAL/CM2; UNIQUE IDENTIFIER 240-44175132	15			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.


	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

17	<u>Sap: 0041050</u>	PROTECTOR, HEARING: TYPE: EARPLUG; MATERIAL: POLYMER NON ALLERGENIC; NOISE REDUCTION RATING: 92- 102 DB; SPECIFICATION: 240- 44175132; EARPLUG RE- USABLE CORDED WOVEN NYLON WITH CARRYING CASE AND CHAIN CONTOURED 4 FLANGE ULTRA-SOFT POLYMER DESIGN; UNIVERSAL SIZE SELF CONTOUR TO FIT ANY EAR CANAL; NON ALLERGENIC POLYMER MATERIAL; 25 NNR ANSI AND 26 SNR CE PROTECTION LEVEL 92-102DB	10			
18	<u>Sap: 0147538</u>	PROTECTOR, HEARING: TYPE: EARPLUG; MATERIAL: PU FOAM; NOISE REDUCTION RATING: 96-106 DB; SPECIFICATION: 240- 44175132; UNI-FIT DISPOSABLE FOAM EARPLUG; SOFT TAPERED SLOW EXPANDING POLYURETHANE FOAM; TAPERED WITH LONGER THINNER TIP; CORDED PVC CORD COLOUR ORANGE 32 NRR ANSI 37 SNR CE PROTECTION LEVEL 96-106 DB	21			
19	<u>Sap: 0041168</u>	PROTECTOR, HEARING: TYPE: EARMUFF; EARCUP FORM: CUSHIONS;	8			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		SPECIFICATION: 240-44575132; EARMUFF HIGH PERFORMANCE SMART FOLD OUT DESIGN DI-ELECTRIC CONSTRUCTION; MULTI POSITION USE WITHOUT SUPPORT; SELF-ALIGNING SUSPENSION; SOFT PLIABLE SUPER SEAL EAR CUSHIONS FOR LONG LASTING AND RESISTANT AGAINST BODY OIL AND SWEAT COLOUR BLACK/RED COMPLY TO CE SNR30 NRR28				
20	<u>Sap: 0222529</u>	COVERALL: TYPE: ARTISAN BOILER SUIT; SIZE: 77 CM; MATERIAL: COTTON 100 PCT, D59 WOVEN PRE SHRUNK; SPECIFICATION: UNIQUE IDENTIFIER 240-44175132; THE FRONTS SHALL BE SHIRT-STYLE OPEN FRONTS WITH A COLLAR; THE BACK BE CUT IN ONE PIECE AND SHALL BE JOINED TO THE TROUSER SECTION BY MEANS OF A SEAM AT WAIST LEVEL; THE WAISTLINE SHALL REQUIRE ELASTICIZED FROM SIDE SEAM TO SIDE SEAM; THE COLLAR SHAPE SHALL BE SUCH AS TO BE ACCEPTABLE; THE WIDTH AT THE CENTRE BACK SHALL BE AT LEAST 80 MM AND THE STEPS SHALL BE OF WIDTH AT LEAST 35 MM; SLEEVES SET-IN	4			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		<p>SLEEVES SHALL BE OF ONE-PIECE CONSTRUCTION AND BE FITTED WITH A CUFF AT THE BOTTOM END; CUFFS PLAIN WITH A DOUBLE FOLDED TURNED-IN HEM OF AT LEAST 15 MM; THE FRONT FASTENING AT BOTTOM OF THE OPENING SHALL BE SECURELY BAR-TACKED; ALL RAW EDGES SHALL BE TURNED IN AND STITCHED; FLY FRONT SHALL FASTEN WITH A SLIDE FASTENER AS PER SANS 1822 FIGURE 4 TWO WAY FASTENER TYPE A; THE SLIDE FASTENER SHALL BE SECURED WITH TWO ROWS OF STITCHING ON EACH STRINGER; THE FRONT EDGES SHALL OVERLAP AT LEAST 35 MM AND THE FACING SHALL BE GROWN ON; POCKETS THE FINISHED WIDTH AND DEPTH OF A POCKET SHALL BE MEASURED FROM EDGE TO EDGE ON THE OUTSIDE OF THE POCKET WITH PENCIL POCKET; POCKET MOUTHS SHALL BE FINISHED WITH A HEM THAT IS DEEP ENOUGH TO ACCOMMODATE THE ATTACHMENT OF A FASTENING; AND SHALL BE ADEQUATELY SECURED (SEE 4.5.14) BREAST; HIP POCKETS: SHALL BE PATCH POCKETS; WITH ROUNDED BLUNTED CORNERS; THE SIDE AND BOTTOM EDGES OF A</p>				
--	--	--	--	--	--	--

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		POCKET SHALL BE TURNED IN AT LEAST 10 MM AND STITCHED DOWN WITH TWO ROWS OF STITCHING OF AT LEAST 2 MM AND A MAXIMUM 10 MM RESPECTIVELY; THE MOUTH OF THE POCKET SHALL BE HEMMED AT EACH END OF THE POCKET MOUTH AND SHALL BE SECURELY BAR-TACKED; THE BREAST POCKET SHALL BE POSITIONED ABOVE THE SCYE LEVEL IN ACCORDANCE WITH ACCEPTABLE PATTERNMAKING PRACTICE; THE HIP POCKET SHALL BE POSITIONED APPROPRIATELY FROM THE SIDE SEAM IN ACCORDANCE WITH ACCEPTABLE PATTERNMAKING PRACTICE AND AT LEAST 60 MM FROM THE WAIST SEAM; SIDE POCKETS SHALL HAVE A SLANTED MOUTH OPENING OF MINIMUM FINISHED LENGTH 180 MM AND SHALL HAVE AN INSIDE PATCH POCKET OF OUTER MATERIAL; PENCIL POCKET SHALL FORM PART OF THE BREAST POCKET AND OF WIDTH AT LEAST 40 MM AND THE FULL DEPTH OF THE BREAST POCKET; AND SHALL BE POSITIONED AT THE CENTRE FRONT END OF BREAST POCKET; THE PENCIL POCKET				
--	--	---	--	--	--	--

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		SHALL BE FORMED BY A ROW OF VERTICAL STITCHING FROM THE FRONT EDGE; POCKET FLAPS SHALL BE MITRED; FLAPS SHALL BE LINED WITH OUTER MATERIAL AND SHALL FASTEN IN THE CENTRE WITH A BUTTON AND BUTTONHOLE; ALL FLAPS SHALL BE OF DEPTH AT LEAST 50 MM; AND A MITRED FLAP SHALL TAPER TO AT LEAST 30 MM AT THE ENDS; A FLAP SHALL BE OF SUCH WIDTH AS TO OVERLAP THE POCKET AT EACH SIDE AND SHALL BE POSITIONED AT LEAST 10 MM ABOVE THE POCKET MOUTH AND SECURELY TACKED AT EACH END; BUTTONHOLES SHALL BE LARGE ENOUGH TO NEATLY ACCOMMODATE THE BUTTONS AND SHALL BE AS FOLLOWS: IF FOUR-HOLE PLASTICS BUTTONS ARE USED; A SHIRT TYPE BUTTONHOLE MAY BE USED; THE BOTTOMS OF THE LEGS SHALL HAVE A PLAIN DOUBLE FOLDED HEM OF AT LEAST 15 MM; POCKET HEMS WITHOUT A FASTENER: SHALL BE STITCHED DOWN OF WIDTH AT LEAST 10 MM				
21	<u>Sap:</u> <u>0222530</u>	COVERALL: TYPE: ARTISAN BOILER SUIT; SIZE: 82 CM; MATERIAL: COTTON 100 PCT, D59 WOVEN PRE	6			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		SHRUNK; SPECIFICATION: UNIQUE IDENTIFIER 240-44175132; THE FRONTS SHALL BE SHIRT-STYLE OPEN FRONTS WITH A COLLAR; THE BACK BE CUT IN ONE PIECE AND SHALL BE JOINED TO THE TROUSER SECTION BY MEANS OF A SEAM AT WAIST LEVEL; THE WAISTLINE SHALL REQUIRE ELASTICIZED FROM SIDE SEAM TO SIDE SEAM; THE COLLAR SHAPE SHALL BE SUCH AS TO BE ACCEPTABLE; THE WIDTH AT THE CENTRE BACK SHALL BE AT LEAST 80 MM AND THE STEPS SHALL BE OF WIDTH AT LEAST 35 MM; SLEEVES SET-IN SLEEVES SHALL BE OF ONE-PIECE CONSTRUCTION AND BE FITTED WITH A CUFF AT THE BOTTOM END; CUFFS PLAIN WITH A DOUBLE FOLDED TURNED-IN HEM OF AT LEAST 15 MM; THE FRONT FASTENING AT BOTTOM OF THE OPENING SHALL BE SECURELY BAR-TACKED; ALL RAW EDGES SHALL BE TURNED IN AND STITCHED; FLY FRONT SHALL FASTEN WITH A SLIDE FASTENER AS PER SANS 1822 FIGURE 4 TWO WAY FASTENER TYPE A; THE SLIDE FASTENER SHALL BE SECURED WITH TWO ROWS OF STITCHING ON EACH STRINGER; THE				
--	--	---	--	--	--	--

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		<p>FRONT EDGES SHALL OVERLAP AT LEAST 35 MM AND THE FACING SHALL BE GROWN ON; POCKETS THE FINISHED WIDTH AND DEPTH OF A POCKET SHALL BE MEASURED FROM EDGE TO EDGE ON THE OUTSIDE OF THE POCKET WITH PENCIL POCKET; POCKET MOUTHS SHALL BE FINISHED WITH A HEM THAT IS DEEP ENOUGH TO ACCOMMODATE THE ATTACHMENT OF A FASTENING; AND SHALL BE ADEQUATELY SECURED (SEE 4.5.14) BREAST; HIP POCKETS: SHALL BE PATCH POCKETS; WITH ROUNDED BLUNTED CORNERS; THE SIDE AND BOTTOM EDGES OF A POCKET SHALL BE TURNED IN AT LEAST 10 MM AND STITCHED DOWN WITH TWO ROWS OF STITCHING OF AT LEAST 2 MM AND A MAXIMUM 10 MM RESPECTIVELY; THE MOUTH OF THE POCKET SHALL BE HEMMED AT EACH END OF THE POCKET MOUTH AND SHALL BE SECURELY BAR-TACKED; THE BREAST POCKET SHALL BE POSITIONED ABOVE THE SCYE LEVEL IN ACCORDANCE WITH ACCEPTABLE PATTERNMAKING PRACTICE; THE HIP POCKET SHALL BE POSITIONED APPROPRIATELY FROM</p>				
--	--	---	--	--	--	--

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		<p>THE SIDE SEAM IN ACCORDANCE WITH ACCEPTABLE PATTERNMAKING PRACTICE AND AT LEAST 60 MM FROM THE WAIST SEAM; SIDE POCKETS SHALL HAVE A SLANTED MOUTH OPENING OF MINIMUM FINISHED LENGTH 180 MM AND SHALL HAVE AN INSIDE PATCH POCKET OF OUTER MATERIAL; PENCIL POCKET SHALL FORM PART OF THE BREAST POCKET AND OF WIDTH AT LEAST 40 MM AND THE FULL DEPTH OF THE BREAST POCKET; AND SHALL BE POSITIONED AT THE CENTRE FRONT END OF BREAST POCKET; THE PENCIL POCKET SHALL BE FORMED BY A ROW OF VERTICAL STITCHING FROM THE FRONT EDGE; POCKET FLAPS SHALL BE MITRED; FLAPS SHALL BE LINED WITH OUTER MATERIAL AND SHALL FASTEN IN THE CENTRE WITH A BUTTON AND BUTTONHOLE; ALL FLAPS SHALL BE OF DEPTH AT LEAST 50 MM; AND A MITRED FLAP SHALL TAPER TO AT LEAST 30 MM AT THE ENDS; A FLAP SHALL BE OF SUCH WIDTH AS TO OVERLAP THE POCKET AT EACH SIDE AND SHALL BE POSITIONED AT LEAST 10 MM ABOVE THE POCKET MOUTH AND</p>				
--	--	---	--	--	--	--

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		SECURELY TACKED AT EACH END; BUTTONHOLES SHALL BE LARGE ENOUGH TO NEATLY ACCOMMODATE THE BUTTONS AND SHALL BE AS FOLLOWS: IF FOUR-HOLE PLASTICS BUTTONS ARE USED; A SHIRT TYPE BUTTONHOLE MAY BE USED; THE BOTTOMS OF THE LEGS SHALL HAVE A PLAIN DOUBLE FOLDED HEM OF AT LEAST 15 MM; POCKET HEMS WITHOUT A FASTENER: SHALL BE STITCHED DOWN OF WIDTH AT LEAST 10 MM				
22	<u>Sap:</u> <u>0222531</u>	COVERALL: TYPE: ARTISAN BOILER SUIT; SIZE: 87 CM; MATERIAL: COTTON 100 PCT, D59 WOVEN PRE SHRUNK; SPECIFICATION: UNIQUE IDENTIFIER 240-44175132; THE FRONTS SHALL BE SHIRT-STYLE OPEN FRONTS WITH A COLLAR; THE BACK BE CUT IN ONE PIECE AND SHALL BE JOINED TO THE TROUSER SECTION BY MEANS OF A SEAM AT WAIST LEVEL; THE WAISTLINE SHALL REQUIRE ELASTICIZED FROM SIDE SEAM TO SIDE SEAM; THE COLLAR SHAPE SHALL BE SUCH AS TO BE ACCEPTABLE; THE WIDTH AT THE CENTRE BACK SHALL BE AT LEAST 80 MM AND THE STEPS SHALL BE OF WIDTH AT LEAST 35 MM;	10			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		<p>SLEEVES SET-IN SLEEVES SHALL BE OF ONE-PIECE CONSTRUCTION AND BE FITTED WITH A CUFF AT THE BOTTOM END; CUFFS PLAIN WITH A DOUBLE FOLDED TURNED-IN HEM OF AT LEAST 15 MM; THE FRONT FASTENING AT BOTTOM OF THE OPENING SHALL BE SECURELY BAR-TACKED; ALL RAW EDGES SHALL BE TURNED IN AND STITCHED; FLY FRONT SHALL FASTEN WITH A SLIDE FASTENER AS PER SANS 1822 FIGURE 4 TWO WAY FASTENER TYPE A; THE SLIDE FASTENER SHALL BE SECURED WITH TWO ROWS OF STITCHING ON EACH STRINGER; THE FRONT EDGES SHALL OVERLAP AT LEAST 35 MM AND THE FACING SHALL BE GROWN ON; POCKETS THE FINISHED WIDTH AND DEPTH OF A POCKET SHALL BE MEASURED FROM EDGE TO EDGE ON THE OUTSIDE OF THE POCKET WITH PENCIL POCKET; POCKET MOUTHS SHALL BE FINISHED WITH A HEM THAT IS DEEP ENOUGH TO ACCOMMODATE THE ATTACHMENT OF A FASTENING; AND SHALL BE ADEQUATELY SECURED (SEE 4.5.14) BREAST; HIP POCKETS: SHALL BE PATCH POCKETS; WITH ROUNDED BLUNTED CORNERS; THE SIDE AND</p>				
--	--	---	--	--	--	--

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		<p>BOTTOM EDGES OF A POCKET SHALL BE TURNED IN AT LEAST 10 MM AND STITCHED DOWN WITH TWO ROWS OF STITCHING OF AT LEAST 2 MM AND A MAXIMUM 10 MM RESPECTIVELY; THE MOUTH OF THE POCKET SHALL BE HEMMED AT EACH END OF THE POCKET MOUTH AND SHALL BE SECURELY BAR-TACKED; THE BREAST POCKET SHALL BE POSITIONED ABOVE THE SCYE LEVEL IN ACCORDANCE WITH ACCEPTABLE PATTERNMAKING PRACTICE; THE HIP POCKET SHALL BE POSITIONED APPROPRIATELY FROM THE SIDE SEAM IN ACCORDANCE WITH ACCEPTABLE PATTERNMAKING PRACTICE AND AT LEAST 60 MM FROM THE WAIST SEAM; SIDE POCKETS SHALL HAVE A SLANTED MOUTH OPENING OF MINIMUM FINISHED LENGTH 180 MM AND SHALL HAVE AN INSIDE PATCH POCKET OF OUTER MATERIAL; PENCIL POCKET SHALL FORM PART OF THE BREAST POCKET AND OF WIDTH AT LEAST 40 MM AND THE FULL DEPTH OF THE BREAST POCKET; AND SHALL BE POSITIONED AT THE CENTRE FRONT END OF BREAST POCKET;</p>				
--	--	--	--	--	--	--

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		THE PENCIL POCKET SHALL BE FORMED BY A ROW OF VERTICAL STITCHING FROM THE FRONT EDGE; POCKET FLAPS SHALL BE MITRED; FLAPS SHALL BE LINED WITH OUTER MATERIAL AND SHALL FASTEN IN THE CENTRE WITH A BUTTON AND BUTTONHOLE; ALL FLAPS SHALL BE OF DEPTH AT LEAST 50 MM; AND A MITRED FLAP SHALL TAPER TO AT LEAST 30 MM AT THE ENDS; A FLAP SHALL BE OF SUCH WIDTH AS TO OVERLAP THE POCKET AT EACH SIDE AND SHALL BE POSITIONED AT LEAST 10 MM ABOVE THE POCKET MOUTH AND SECURELY TACKED AT EACH END; BUTTONHOLES SHALL BE LARGE ENOUGH TO NEATLY ACCOMMODATE THE BUTTONS AND SHALL BE AS FOLLOWS: IF FOUR-HOLE PLASTICS BUTTONS ARE USED; A SHIRT TYPE BUTTONHOLE MAY BE USED; THE BOTTOMS OF THE LEGS SHALL HAVE A PLAIN DOUBLE FOLDED HEM OF AT LEAST 15 MM; POCKET HEMS WITHOUT A FASTENER: SHALL BE STITCHED DOWN OF WIDTH AT LEAST 10 MM				
23	<u>Sap:</u> <u>0222533</u>	COVERALL: TYPE: ARTISAN BOILER SUIT; SIZE: 92 CM;	7			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		<p>MATERIAL: COTTON 100 PCT, D59 WOVEN PRE SHRUNK; SPECIFICATION: UNIQUE IDENTIFIER 240-44175132; THE FRONTS SHALL BE SHIRT-STYLE OPEN FRONTS WITH A COLLAR; THE BACK BE CUT IN ONE PIECE AND SHALL BE JOINED TO THE TROUSER SECTION BY MEANS OF A SEAM AT WAIST LEVEL; THE WAISTLINE SHALL REQUIRE ELASTICIZED FROM SIDE SEAM TO SIDE SEAM; THE COLLAR SHAPE SHALL BE SUCH AS TO BE ACCEPTABLE; THE WIDTH AT THE CENTRE BACK SHALL BE AT LEAST 80 MM AND THE STEPS SHALL BE OF WIDTH AT LEAST 35 MM; SLEEVES SET-IN SLEEVES SHALL BE OF ONE-PIECE CONSTRUCTION AND BE FITTED WITH A CUFF AT THE BOTTOM END; CUFFS PLAIN WITH A DOUBLE FOLDED TURNED-IN HEM OF AT LEAST 15 MM; THE FRONT FASTENING AT BOTTOM OF THE OPENING SHALL BE SECURELY BAR-TACKED; ALL RAW EDGES SHALL BE TURNED IN AND</p>				
--	--	--	--	--	--	--

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		<p>STITCHED; FLY FRONT SHALL FASTEN WITH A SLIDE FASTENER AS PER SANS 1822 FIGURE 4 TWO WAY FASTENER TYPE A; THE SLIDE FASTENER SHALL BE SECURED WITH TWO ROWS OF STITCHING ON EACH STRINGER; THE FRONT EDGES SHALL OVERLAP AT LEAST 35 MM AND THE FACING SHALL BE GROWN ON; POCKETS THE FINISHED WIDTH AND DEPTH OF A POCKET SHALL BE MEASURED FROM EDGE TO EDGE ON THE OUTSIDE OF THE POCKET WITH PENCIL POCKET; POCKET MOUTHS SHALL BE FINISHED WITH A HEM THAT IS DEEP ENOUGH TO ACCOMMODATE THE ATTACHMENT OF A FASTENING; AND SHALL BE ADEQUATELY SECURED (SEE 4.5.14) BREAST; HIP POCKETS: SHALL BE PATCH POCKETS; WITH ROUNDED BLUNTED CORNERS; THE SIDE AND BOTTOM EDGES OF A POCKET SHALL BE TURNED IN AT LEAST 10 MM AND STITCHED DOWN WITH TWO ROWS OF STITCHING OF AT LEAST 2 MM AND A MAXIMUM 10 MM RESPECTIVELY; THE</p>				
--	--	---	--	--	--	--

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		<p> MOUTH OF THE POCKET SHALL BE HEMMED AT EACH END OF THE POCKET MOUTH AND SHALL BE SECURELY BAR-TACKED; THE BREAST POCKET SHALL BE POSITIONED ABOVE THE SCYE LEVEL IN ACCORDANCE WITH ACCEPTABLE PATTERNMAKING PRACTICE; THE HIP POCKET SHALL BE POSITIONED APPROPRIATELY FROM THE SIDE SEAM IN ACCORDANCE WITH ACCEPTABLE PATTERNMAKING PRACTICE AND AT LEAST 60 MM FROM THE WAIST SEAM; SIDE POCKETS SHALL HAVE A SLANTED MOUTH OPENING OF MINIMUM FINISHED LENGTH 180 MM AND SHALL HAVE AN INSIDE PATCH POCKET OF OUTER MATERIAL; PENCIL POCKET SHALL FORM PART OF THE BREAST POCKET AND OF WIDTH AT LEAST 40 MM AND THE FULL DEPTH OF THE BREAST POCKET; AND SHALL BE POSITIONED AT THE CENTRE FRONT END OF BREAST POCKET; THE PENCIL POCKET </p>				
--	--	---	--	--	--	--

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		SHALL BE FORMED BY A ROW OF VERTICAL STITCHING FROM THE FRONT EDGE; POCKET FLAPS SHALL BE MITRED; FLAPS SHALL BE LINED WITH OUTER MATERIAL AND SHALL FASTEN IN THE CENTRE WITH A BUTTON AND BUTTONHOLE; ALL FLAPS SHALL BE OF DEPTH AT LEAST 50 MM; AND A MITRED FLAP SHALL TAPER TO AT LEAST 30 MM AT THE ENDS; A FLAP SHALL BE OF SUCH WIDTH AS TO OVERLAP THE POCKET AT EACH SIDE AND SHALL BE POSITIONED AT LEAST 10 MM ABOVE THE POCKET MOUTH AND SECURELY TACKED AT EACH END; BUTTONHOLES SHALL BE LARGE ENOUGH TO NEATLY ACCOMMODATE THE BUTTONS AND SHALL BE AS FOLLOWS: IF FOUR-HOLE PLASTICS BUTTONS ARE USED; A SHIRT TYPE BUTTONHOLE MAY BE USED; THE BOTTOMS OF THE LEGS SHALL HAVE A PLAIN DOUBLE FOLDED HEM OF AT LEAST 15 MM; POCKET HEMS WITHOUT A FASTENER: SHALL BE				
--	--	--	--	--	--	--

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		STITCHED DOWN OF WIDTH AT LEAST 10 MM				
24	<u>Sap:</u> <u>0222534</u>	COVERALL: TYPE: ARTISAN BOILER SUIT; SIZE: 97 CM; MATERIAL: COTTON 100 PCT, D59 WOVEN PRE SHRUNK; SPECIFICATION: UNIQUE IDENTIFIER 240- 44175132; THE FRONTS SHALL BE SHIRT-STYLE OPEN FRONTS WITH A COLLAR; THE BACK BE CUT IN ONE PIECE AND SHALL BE JOINED TO THE TROUSER SECTION BY MEANS OF A SEAM AT WAIST LEVEL; THE WAISTLINE SHALL REQUIRE ELASTICIZED FROM SIDE SEAM TO SIDE SEAM; THE COLLAR SHAPE SHALL BE SUCH AS TO BE ACCEPTABLE; THE WIDTH AT THE CENTRE BACK SHALL BE AT LEAST 80 MM AND THE STEPS SHALL BE OF WIDTH AT LEAST 35 MM; SLEEVES SET-IN SLEEVES SHALL BE OF ONE-PIECE CONSTRUCTION AND BE FITTED WITH A CUFF AT THE BOTTOM END; CUFFS PLAIN WITH A DOUBLE FOLDED TURNED-IN HEM OF AT LEAST 15 MM; THE FRONT FASTENING	3			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		<p>AT BOTTOM OF THE OPENING SHALL BE SECURELY BAR-TACKED; ALL RAW EDGES SHALL BE TURNED IN AND STITCHED; FLY FRONT SHALL FASTEN WITH A SLIDE FASTENER AS PER SANS 1822 FIGURE 4 TWO WAY FASTENER TYPE A; THE SLIDE FASTENER SHALL BE SECURED WITH TWO ROWS OF STITCHING ON EACH STRINGER; THE FRONT EDGES SHALL OVERLAP AT LEAST 35 MM AND THE FACING SHALL BE GROWN ON; POCKETS THE FINISHED WIDTH AND DEPTH OF A POCKET SHALL BE MEASURED FROM EDGE TO EDGE ON THE OUTSIDE OF THE POCKET WITH PENCIL POCKET; POCKET MOUTHS SHALL BE FINISHED WITH A HEM THAT IS DEEP ENOUGH TO ACCOMMODATE THE ATTACHMENT OF A FASTENING; AND SHALL BE ADEQUATELY SECURED (SEE 4.5.14) BREAST; HIP POCKETS: SHALL BE PATCH POCKETS; WITH ROUNDED BLUNTED CORNERS; THE SIDE AND BOTTOM EDGES OF A POCKET SHALL BE TURNED IN AT LEAST 10</p>				
--	--	--	--	--	--	--

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		MM AND STITCHED DOWN WITH TWO ROWS OF STITCHING OF AT LEAST 2 MM AND A MAXIMUM 10 MM RESPECTIVELY; THE MOUTH OF THE POCKET SHALL BE HEMMED AT EACH END OF THE POCKET MOUTH AND SHALL BE SECURELY BAR-TACKED; THE BREAST POCKET SHALL BE POSITIONED ABOVE THE SCYE LEVEL IN ACCORDANCE WITH ACCEPTABLE PATTERNMAKING PRACTICE; THE HIP POCKET SHALL BE POSITIONED APPROPRIATELY FROM THE SIDE SEAM IN ACCORDANCE WITH ACCEPTABLE PATTERNMAKING PRACTICE AND AT LEAST 60 MM FROM THE WAIST SEAM; SIDE POCKETS SHALL HAVE A SLANTED MOUTH OPENING OF MINIMUM FINISHED LENGTH 180 MM AND SHALL HAVE AN INSIDE PATCH POCKET OF OUTER MATERIAL; PENCIL POCKET SHALL FORM PART OF THE BREAST POCKET AND OF WIDTH AT LEAST 40 MM AND THE FULL DEPTH OF THE				
--	--	---	--	--	--	--

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		<p>BREAST POCKET; AND SHALL BE POSITIONED AT THE CENTRE FRONT END OF BREAST POCKET; THE PENCIL POCKET SHALL BE FORMED BY A ROW OF VERTICAL STITCHING FROM THE FRONT EDGE; POCKET FLAPS SHALL BE MITRED; FLAPS SHALL BE LINED WITH OUTER MATERIAL AND SHALL FASTEN IN THE CENTRE WITH A BUTTON AND BUTTONHOLE; ALL FLAPS SHALL BE OF DEPTH AT LEAST 50 MM; AND A MITRED FLAP SHALL TAPER TO AT LEAST 30 MM AT THE ENDS; A FLAP SHALL BE OF SUCH WIDTH AS TO OVERLAP THE POCKET AT EACH SIDE AND SHALL BE POSITIONED AT LEAST 10 MM ABOVE THE POCKET MOUTH AND SECURELY TACKED AT EACH END; BUTTONHOLES SHALL BE LARGE ENOUGH TO NEATLY ACCOMMODATE THE BUTTONS AND SHALL BE AS FOLLOWS: IF FOUR-HOLE PLASTICS BUTTONS ARE USED; A SHIRT TYPE BUTTONHOLE MAY BE USED; THE BOTTOMS OF THE LEGS SHALL HAVE A PLAIN</p>				
--	--	--	--	--	--	--

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		DOUBLE FOLDED HEM OF AT LEAST 15 MM; POCKET HEMS WITHOUT A FASTENER: SHALL BE STITCHED DOWN OF WIDTH AT LEAST 10 MM				
25	<u>Sap: 0566588</u>	COVERALL: TYPE: ARTISAN BOILER SUIT; SIZE: 102 CM; MATERIAL: COTTON 100 PCT, D59 WOVEN PRE SHRUNK; SPECIFICATION: UNIQUE IDENTIFIER 240-44175132; THE FRONTS SHALL BE SHIRT-STYLE OPEN FRONTS WITH A COLLAR; THE BACK BE CUT IN ONE PIECE AND SHALL BE JOINED TO THE TROUSER SECTION BY MEANS OF A SEAM AT WAIST LEVEL; THE WAISTLINE SHALL REQUIRE ELASTICIZED FROM SIDE SEAM TO SIDE SEAM; THE COLLAR SHAPE SHALL BE SUCH AS TO BE ACCEPTABLE; THE WIDTH AT THE CENTRE BACK SHALL BE AT LEAST 80 MM AND THE STEPS SHALL BE OF WIDTH AT LEAST 35 MM; SLEEVES SET-IN SLEEVES SHALL BE OF ONE-PIECE CONSTRUCTION AND BE FITTED WITH A CUFF AT THE BOTTOM END; CUFFS PLAIN WITH A DOUBLE FOLDED TURNED-IN HEM OF AT LEAST 15 MM; THE FRONT FASTENING AT BOTTOM OF THE	3			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		<p>OPENING SHALL BE SECURELY BAR-TACKED; ALL RAW EDGES SHALL BE TURNED IN AND STITCHED; FLY FRONT SHALL FASTEN WITH A SLIDE FASTENER AS PER SANS 1822 FIGURE 4 TWO WAY FASTENER TYPE A; THE SLIDE FASTENER SHALL BE SECURED WITH TWO ROWS OF STITCHING ON EACH STRINGER; THE FRONT EDGES SHALL OVERLAP AT LEAST 35 MM AND THE FACING SHALL BE GROWN ON; POCKETS THE FINISHED WIDTH AND DEPTH OF A POCKET SHALL BE MEASURED FROM EDGE TO EDGE ON THE OUTSIDE OF THE POCKET WITH PENCIL POCKET; POCKET MOUTHS SHALL BE FINISHED WITH A HEM THAT IS DEEP ENOUGH TO ACCOMMODATE THE ATTACHMENT OF A FASTENING; AND SHALL BE ADEQUATELY SECURED (SEE 4.5.14) BREAST; HIP POCKETS: SHALL BE PATCH POCKETS; WITH ROUNDED BLUNTED CORNERS; THE SIDE AND BOTTOM EDGES OF A POCKET SHALL BE TURNED IN AT LEAST 10 MM AND STITCHED DOWN WITH TWO ROWS OF STITCHING OF AT LEAST 2 MM AND A MAXIMUM 10 MM RESPECTIVELY; THE MOUTH OF THE POCKET SHALL BE HEMMED AT EACH END OF THE</p>				
--	--	---	--	--	--	--

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		POCKET MOUTH AND SHALL BE SECURELY BAR-TACKED; THE BREAST POCKET SHALL BE POSITIONED ABOVE THE SCYE LEVEL IN ACCORDANCE WITH ACCEPTABLE PATTERNMAKING PRACTICE; THE HIP POCKET SHALL BE POSITIONED APPROPRIATELY FROM THE SIDE SEAM IN ACCORDANCE WITH ACCEPTABLE PATTERNMAKING PRACTICE AND AT LEAST 60 MM FROM THE WAIST SEAM; SIDE POCKETS SHALL HAVE A SLANTED MOUTH OPENING OF MINIMUM FINISHED LENGTH 180 MM AND SHALL HAVE AN INSIDE PATCH POCKET OF OUTER MATERIAL; PENCIL POCKET SHALL FORM PART OF THE BREAST POCKET AND OF WIDTH AT LEAST 40 MM AND THE FULL DEPTH OF THE BREAST POCKET; AND SHALL BE POSITIONED AT THE CENTRE FRONT END OF BREAST POCKET; THE PENCIL POCKET SHALL BE FORMED BY A ROW OF VERTICAL STITCHING FROM THE FRONT EDGE; POCKET FLAPS SHALL BE MITRED; FLAPS SHALL BE LINED WITH OUTER MATERIAL AND SHALL FASTEN IN THE CENTRE WITH A BUTTON AND				
--	--	---	--	--	--	--

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		BUTTONHOLE; ALL FLAPS SHALL BE OF DEPTH AT LEAST 50 MM; AND A MITRED FLAP SHALL TAPER TO AT LEAST 30 MM AT THE ENDS; A FLAP SHALL BE OF SUCH WIDTH AS TO OVERLAP THE POCKET AT EACH SIDE AND SHALL BE POSITIONED AT LEAST 10 MM ABOVE THE POCKET MOUTH AND SECURELY TACKED AT EACH END; BUTTONHOLES SHALL BE LARGE ENOUGH TO NEATLY ACCOMMODATE THE BUTTONS AND SHALL BE AS FOLLOWS: IF FOUR-HOLE PLASTICS BUTTONS ARE USED; A SHIRT TYPE BUTTONHOLE MAY BE USED; THE BOTTOMS OF THE LEGS SHALL HAVE A PLAIN DOUBLE FOLDED HEM OF AT LEAST 15 MM; POCKET HEMS WITHOUT A FASTENER: SHALL BE STITCHED DOWN OF WIDTH AT LEAST 10 MM				
26	<u>Sap:</u> <u>0566593</u>	COVERALL: TYPE: ARTISAN BOILER SUIT; SIZE: 127 CM; MATERIAL: COTTON 100 PCT, D59 WOVEN PRE SHRUNK; SPECIFICATION: UNIQUE IDENTIFIER 240-44175132; THE FRONTS SHALL BE SHIRT-STYLE OPEN FRONTS WITH A COLLAR; THE BACK BE CUT IN ONE PIECE AND	1			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		<p>SHALL BE JOINED TO THE TROUSER SECTION BY MEANS OF A SEAM AT WAIST LEVEL; THE WAISTLINE SHALL REQUIRE ELASTICIZED FROM SIDE SEAM TO SIDE SEAM; THE COLLAR SHAPE SHALL BE SUCH AS TO BE ACCEPTABLE; THE WIDTH AT THE CENTRE BACK SHALL BE AT LEAST 80 MM AND THE STEPS SHALL BE OF WIDTH AT LEAST 35 MM; SLEEVES SET-IN SLEEVES SHALL BE OF ONE-PIECE CONSTRUCTION AND BE FITTED WITH A CUFF AT THE BOTTOM END; CUFFS PLAIN WITH A DOUBLE FOLDED TURNED-IN HEM OF AT LEAST 15 MM; THE FRONT FASTENING AT BOTTOM OF THE OPENING SHALL BE SECURELY BAR-TACKED; ALL RAW EDGES SHALL BE TURNED IN AND STITCHED; FLY FRONT SHALL FASTEN WITH A SLIDE FASTENER AS PER SANS 1822 FIGURE 4 TWO WAY FASTENER TYPE A; THE SLIDE FASTENER SHALL BE SECURED WITH TWO ROWS OF STITCHING ON EACH STRINGER; THE FRONT EDGES SHALL</p>				
--	--	--	--	--	--	--

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		OVERLAP AT LEAST 35 MM AND THE FACING SHALL BE GROWN ON; POCKETS THE FINISHED WIDTH AND DEPTH OF A POCKET SHALL BE MEASURED FROM EDGE TO EDGE ON THE OUTSIDE OF THE POCKET WITH PENCIL POCKET; POCKET MOUTHS SHALL BE FINISHED WITH A HEM THAT IS DEEP ENOUGH TO ACCOMMODATE THE ATTACHMENT OF A FASTENING; AND SHALL BE ADEQUATELY SECURED (SEE 4.5.14) BREAST; HIP POCKETS: SHALL BE PATCH POCKETS; WITH ROUNDED BLUNTED CORNERS; THE SIDE AND BOTTOM EDGES OF A POCKET SHALL BE TURNED IN AT LEAST 10 MM AND STITCHED DOWN WITH TWO ROWS OF STITCHING OF AT LEAST 2 MM AND A MAXIMUM 10 MM RESPECTIVELY; THE MOUTH OF THE POCKET SHALL BE HEMMED AT EACH END OF THE POCKET MOUTH AND SHALL BE SECURELY BAR-TACKED; THE BREAST POCKET SHALL BE POSITIONED ABOVE THE SCYE LEVEL IN ACCORDANCE WITH				
--	--	---	--	--	--	--

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.


	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		ACCEPTABLE PATTERNMAKING PRACTICE; THE HIP POCKET SHALL BE POSITIONED APPROPRIATELY FROM THE SIDE SEAM IN ACCORDANCE WITH ACCEPTABLE PATTERNMAKING PRACTICE AND AT LEAST 60 MM FROM THE WAIST SEAM; SIDE POCKETS SHALL HAVE A SLANTED MOUTH OPENING OF MINIMUM FINISHED LENGTH 180 MM AND SHALL HAVE AN INSIDE PATCH POCKET OF OUTER MATERIAL; PENCIL POCKET SHALL FORM PART OF THE BREAST POCKET AND OF WIDTH AT LEAST 40 MM AND THE FULL DEPTH OF THE BREAST POCKET; AND SHALL BE POSITIONED AT THE CENTRE FRONT END OF BREAST POCKET; THE PENCIL POCKET SHALL BE FORMED BY A ROW OF VERTICAL STITCHING FROM THE FRONT EDGE; POCKET FLAPS SHALL BE MITRED; FLAPS SHALL BE LINED WITH OUTER MATERIAL AND SHALL FASTEN IN THE CENTRE WITH A BUTTON AND				
--	--	---	--	--	--	--

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		BUTTONHOLE; ALL FLAPS SHALL BE OF DEPTH AT LEAST 50 MM; AND A MITRED FLAP SHALL TAPER TO AT LEAST 30 MM AT THE ENDS; A FLAP SHALL BE OF SUCH WIDTH AS TO OVERLAP THE POCKET AT EACH SIDE AND SHALL BE POSITIONED AT LEAST 10 MM ABOVE THE POCKET MOUTH AND SECURELY TACKED AT EACH END; BUTTONHOLES SHALL BE LARGE ENOUGH TO NEATLY ACCOMMODATE THE BUTTONS AND SHALL BE AS FOLLOWS: IF FOUR-HOLE PLASTICS BUTTONS ARE USED; A SHIRT TYPE BUTTONHOLE MAY BE USED; THE BOTTOMS OF THE LEGS SHALL HAVE A PLAIN DOUBLE FOLDED HEM OF AT LEAST 15 MM; POCKET HEMS WITHOUT A FASTENER: SHALL BE STITCHED DOWN OF WIDTH AT LEAST 10 MM				
27	<u>Sap:</u> <u>0222467</u>	TROUSERS: TYPE: MEN LONG; SIZE: 77 CM; COLOR: BLUE NAVY; MATERIAL: COTTON, D59; SPECIFICATION: 240-44175132; PANTONE 19 - 3920; MINIMUM STANDARD SPECIFICATIONS FOR TROUSER AS PER SANS	10			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		434 (DRG.15289DA) FOR WORK WEAR SUITS (TWO PIECE) TYPE D59 FLAME RETARDANT; STANDARD SPEC: STITCHING SANS10101; ZIP FASTENER SANS1822 (NON-CONDUCTIVE MATERIAL); THREAD SANS1362; POCKETS TWO ON BACK TWO SWING AND ONE PATCH POCKET; ZERO HARM IDENTIFICATION ON THE LEFT BACK POCKET AND THE ESKOM LOGO ON RIGHT BACK POCKET EMBROIDERED IDENTIFICATION INDELIBLE MNFRS; TRADEMARK; SIZE/CLEANING/LAUNDRY INSTRUCTIONS/SABS MARK OF APPROVAL ON ALL RELEVANT ITEMS AS PER UNIQUE IDENTIFIER 240-44175132				
28	<u>Sap: 0222468</u>	TROUSERS: TYPE: MEN LONG; SIZE: 82 CM; COLOR: BLUE NAVY; MATERIAL: COTTON, D59; SPECIFICATION: 240-44175132; PANTONE 19 - 3920; MINIMUM STANDARD SPECIFICATIONS FOR TROUSER AS PER SANS 434 (DRG.15289DA) FOR WORK WEAR SUITS (TWO PIECE) TYPE D59 FLAME RETARDANT; STANDARD SPEC: STITCHING SANS10101; ZIP FASTENER SANS1822 (NON-CONDUCTIVE MATERIAL); THREAD	31			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		SANS1362; POCKETS TWO ON BACK TWO SWING AND ONE PATCH POCKET; ZERO HARM IDENTIFICATION ON THE LEFT BACK POCKET AND THE ESKOM LOGO ON RIGHT BACK POCKET EMBROIDERED IDENTIFICATION INDELIBLE MNFRS; TRADEMARK; SIZE/CLEANING/LAUNDRY INSTRUCTIONS/SABS MARK OF APPROVAL ON ALL RELEVANT ITEMS AS PER UNIQUE IDENTIFIER 240-44175132				
29	<u>Sap 0222469</u>	TROUSERS: TYPE: MEN LONG; SIZE: 87 CM; COLOR: BLUE NAVY; MATERIAL: COTTON, D59; SPECIFICATION: 240-44175132; PANTONE 19 - 3920; MINIMUM STANDARD SPECIFICATIONS FOR TROUSER AS PER SANS 434 (DRG.15289DA) FOR WORK WEAR SUITS (TWO PIECE) TYPE D59 FLAME RETARDANT; STANDARD SPEC: STITCHING SANS10101; ZIP FASTENER SANS1822 (NON-CONDUCTIVE MATERIAL); THREAD SANS1362; POCKETS TWO ON BACK TWO SWING AND ONE PATCH POCKET; ZERO HARM IDENTIFICATION ON THE LEFT BACK POCKET AND THE ESKOM LOGO ON RIGHT BACK POCKET EMBROIDERED	33			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.


	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		IDENTIFICATION INDELIBLE MNFRS; TRADEMARK; SIZE/CLEANING/LAUNDRY INSTRUCTIONS/SABS MARK OFAPPROVAL ON ALL RELEVANT ITEMS AS PER UNIQUE IDENTIFIER 240-44175132				
30	<u>Sap:</u> <u>0222470</u>	TROUSERS: TYPE: MEN LONG; SIZE: 92 CM; COLOR: BLUE NAVY; MATERIAL: COTTON, D59; SPECIFICATION: 240-44175132; PANTONE 19 - 3920; MINIMUM STANDARD SPECIFICATIONS FOR TROUSER AS PER SANS 434 (DRG.15289DA) FOR WORK WEAR SUITS (TWO PIECE) TYPE D59 FLAME RETARDANT; STANDARD SPEC: STITCHING SANS10101; ZIP FASTENER SANS1822 (NON-CONDUCTIVE MATERIAL); THREAD SANS1362; POCKETS TWO ON BACK TWO SWING AND ONE PATCH POCKET; ZERO HARM IDENTIFICATION ON THE LEFT BACK POCKET AND THE ESKOM LOGO ON RIGHT BACK POCKET EMBROIDERED IDENTIFICATION INDELIBLE MNFRS; TRADEMARK; SIZE/CLEANING/LAUNDRY INSTRUCTIONS/SABS MARK OFAPPROVAL ON ALL RELEVANT ITEMS AS PER UNIQUE IDENTIFIER 240-44175132	30			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

31	<u>Sap:</u> <u>0222471</u>	TROUSERS: TYPE: MEN LONG; SIZE: 97 CM; COLOR: BLUE NAVY; MATERIAL: COTTON, D59; SPECIFICATION: 240-44175132; PANTONE 19 - 3920; MINIMUM STANDARD SPECIFICATIONS FOR TROUSER AS PER SANS 434 (DRG.15289DA) FOR WORK WEAR SUITS (TWO PIECE) TYPE D59 FLAME RETARDANT; STANDARD SPEC: STITCHING SANS10101; ZIP FASTENER SANS1822 (NON-CONDUCTIVE MATERIAL); THREAD SANS1362; POCKETS TWO ON BACK TWO SWING AND ONE PATCH POCKET; ZERO HARM IDENTIFICATION ON THE LEFT BACK POCKET AND THE ESKOM LOGO ON RIGHT BACK POCKET EMBROIDERED IDENTIFICATION INDELIBLE MNFRS; TRADEMARK; SIZE/CLEANING/LAUNDRY INSTRUCTIONS/SABS MARK OFAPPROVAL ON ALL RELEVANT ITEMS AS PER UNIQUE IDENTIFIER 240-44175132	19			
32	<u>Sap:</u> <u>0222472</u>	TROUSERS: TYPE: MEN LONG; SIZE: 102 CM; COLOR: BLUE NAVY; MATERIAL: COTTON, D59; SPECIFICATION:	9			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		240-44175132; PANTONE 19 - 3920; MINIMUM STANDARD SPECIFICATIONS FOR TROUSER AS PER SANS 434 (DRG.15289DA) FOR WORK WEAR SUITS (TWO PIECE) TYPE D59 FLAME RETARDANT; STANDARD SPEC: STITCHING SANS10101; ZIP FASTENER SANS1822 (NON-CONDUCTIVE MATERIAL); THREAD SANS1362; POCKETS TWO ON BACK TWO SWING AND ONE PATCH POCKET; ZERO HARM IDENTIFICATION ON THE LEFT BACK POCKET AND THE ESKOM LOGO ON RIGHT BACK POCKET EMBROIDERED IDENTIFICATION INDELIBLE MNFRS; TRADEMARK; SIZE/CLEANING/LAUNDRY INSTRUCTIONS/SABS MARK OFAPPROVAL ON ALL RELEVANT ITEMS AS PER UNIQUE IDENTIFIER 240-44175132				
33	<u>Sap:</u> <u>0222499</u>	TROUSERS: TYPE: LADIES LONG; SIZE: 26; 67; COLOR: BLUE NAVY; MATERIAL: COTTON, D59; SPECIFICATION: 240-44175132; FLAME RETARDANT SANS 1423-1 PRE-SHRUNK 100% SOFT WOVEN COTTON FABRIC IN ACCORDANCE WITH SANS 1387-4; PANTONE REFERENCE 19-3920; THE SIZE SHALL COMPLY	2			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		<p>WITH THE SIZE SPECIFICATION IN ANNEX A; LONG PANTS SHALL HAVE REVERSE PLEATS; THE PANTS SHALL HAVE A WAISTBAND WHICH SHALL BE ELASTICATED RUCHED AT THE BACK WITH A ZIP FRONT AND ONE BUTTON ON THE FRONT OF THE WAISTBAND AND A PLAIN BOTTOM; THE WAISTBAND SHALL BE 38-40 MM IN WIDTH; THE PANTS SHALL HAVE 2 SIDE POCKETS; THE STITCHING SHALL COMPLY WITH SANS 10101 AND THREADS TO SANS 1362; THE ZIP FASTENER SHALL COMPLY WITH SANS 1822 STYLE A FIGURE 3 AND BE OF A NON-CONDUCTIVE MATERIAL; REFLECTIVE STRIPS TO BE FITTED ON BOTH LEGS ABOVE THE KNEES; ZERO HARM IDENTIFICATION ON THE LEFT BACK POCKET AND THE ESKOM LOGO SHALL BE EMBROIDERED ON THE RIGHT BACK POCKET IN ACCORDANCE WITH ESKOM'S CORPORATE IDENTITY</p>				
34	<u>Sap:</u> <u>0566481</u>	<p>JACKET, UTILITY: TYPE: OPERATING; SIZE: 77 CM; MATERIAL: COTTON 100 PCT, SANS 1387-4 D59, SOFT WOVEN PRE SHRUNK, FLAME RETARDANT; COLOR: BLUE SANS CKS129-</p>	6			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.


	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		179C-2006; POCKET TYPE: CHEST 1; SIDE 2; GARMENT CLOSING METHOD: ZIP SANS 1822; SPECIFICATION: UNIQUE IDENTIFIER 240-44175132; THE JACKET SHALL HAVE A COLLAR; THE FRONT SHALL BE AN OPEN TYPE WITH FASTENINGS; THE JACKET BOTTOM SHALL HAVE A PLAIN HEM; WITHOUT SIDE VENTS; POCKETS SHALL BE AS REQUIRED (SEE ANNEX A) AND WITHOUT FLAPS; FOR BOTTOM POCKETS; SLEEVES SHALL BE ONE- PIECE LONG AND SET- IN; FRONT EDGES SHALL HAVE GROWN-ON FACINGS OF WIDTH AT LEAST 45 MM AND THE INSIDE EDGES NEATLY FINISHED; EACH FRONT PANEL SHALL NOT HAVE A YOKE AND BE AS FOLLOWS: A) SLIDE FASTENER FRONTS: THE FRONTS SHALL FASTEN WITH A SLIDE FASTENER THAT EXTENDS TO AT LEAST 90 MM ABOVE THE BOTTOM HEM; SLIDE FASTENER IS CONCEALED AND STITCHED DOWN; SLIDE FASTENERS SHALL BE SECURED TO THE FRONTS WITH TWO ROWS OF STITCHING ALONG EACH STRINGER; THE BACK SHALL BE PLAIN (NO CENTRE BACK SEAM); SLEEVES SHALL BE OF THE ONE-PIECE; THE END OF SLEEVE				
--	--	--	--	--	--	--

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		<p>SHALL HAVE A PLAIN CUFF OF WIDTH AT LEAST 15 MM; POCKETS SHALL BE PATCH POCKETS OF OUTER MATERIAL AND SHALL HAVE ROUND BLUNTED CORNERS; POCKET MOUTH HEMS SHALL BE OF FINISHED WIDTH 10 MM OR 20 MM (SEE 4.5.14); BREAST AND SIDE POCKETS SHALL BE OF FINISHED MEASUREMENT AS GIVEN IN TABLE 6; THE BREAST POCKET SHALL BE POSITIONED ABOVE THE SCYE LEVEL IN ACCORDANCE WITH ACCEPTABLE PATTERNMAKING AND GARMENT CONSTRUCTION PRACTICE; POCKET FLAPS A BREAST POCKET FLAP SHALL BE MITRED; LINED WITH OUTER MATERIAL AND FASTEN IN THE CENTRE WITH A BUTTON AND BUTTONHOLE; A FLAP SHALL BE OF DEPTH AT LEAST 50 MM AT THE MITRED POINT AND TAPER TO AT LEAST 30 MM AT THE ENDS; A FLAP SHALL BE OF SUCH LENGTH AS TO OVERLAP THE POCKET WIDTH; SHALL BE POSITIONED AT LEAST 10 MM ABOVE THE POCKET MOUTH AND SHALL BE SECURELY TACKED AT EACH END; THE BOTTOM OF A JACKET SHALL BE FINISHED WITH A PLAIN</p>				
--	--	--	--	--	--	--

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		HEM; THE BOTTOM OF A JACKET SHALL HAVE A DOUBLE FOLDED HEM OF FINISHED WIDTH AT LEAST 15 MM				
35	<u>Sap:</u> <u>0566482</u>	JACKET, UTILITY: TYPE: OPERATING; SIZE: 82 CM; MATERIAL: COTTON 100 PCT, SANS 1387-4 D59, SOFT WOVEN PRE SHRUNK, FLAME RETARDANT; COLOR: BLUE SANS CKS129-179C-2006; POCKET TYPE: CHEST 1; SIDE 2; GARMENT CLOSING METHOD: ZIP SANS 1822; SPECIFICATION: UNIQUE IDENTIFIER 240-44175132; THE JACKET SHALL HAVE A COLLAR; THE FRONT SHALL BE AN OPEN TYPE WITH FASTENINGS; THE JACKET BOTTOM SHALL HAVE A PLAIN HEM; WITHOUT SIDE VENTS; POCKETS SHALL BE AS REQUIRED (SEE ANNEX A) AND WITHOUT FLAPS; FOR BOTTOM POCKETS; SLEEVES SHALL BE ONE-PIECE LONG AND SET-IN; FRONT EDGES SHALL HAVE GROWN-ON FACINGS OF WIDTH AT LEAST 45 MM AND THE INSIDE EDGES NEATLY FINISHED; EACH FRONT PANEL SHALL NOT HAVE A YOKE AND BE AS FOLLOWS: A) SLIDE FASTENER FRONTS: THE FRONTS SHALL FASTEN WITH A SLIDE FASTENER	13			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		<p>THAT EXTENDS TO AT LEAST 90 MM ABOVE THE BOTTOM HEM; SLIDE FASTENER IS CONCEALED AND STITCHED DOWN; SLIDE FASTENERS SHALL BE SECURED TO THE FRONTS WITH TWO ROWS OF STITCHING ALONG EACH STRINGER; THE BACK SHALL BE PLAIN (NO CENTRE BACK SEAM); SLEEVES SHALL BE OF THE ONE-PIECE; THE END OF SLEEVE SHALL HAVE A PLAIN CUFF OF WIDTH AT LEAST 15 MM; POCKETS SHALL BE PATCH POCKETS OF OUTER MATERIAL AND SHALL HAVE ROUND BLUNTED CORNERS; POCKET MOUTH HEMS SHALL BE OF FINISHED WIDTH 10 MM OR 20 MM (SEE 4.5.14); BREAST AND SIDE POCKETS SHALL BE OF FINISHED MEASUREMENT AS GIVEN IN TABLE 6; THE BREAST POCKET SHALL BE POSITIONED ABOVE THE SCYE LEVEL IN ACCORDANCE WITH ACCEPTABLE PATTERNMAKING AND GARMENT CONSTRUCTION PRACTICE; POCKET FLAPS A BREAST POCKET FLAP SHALL BE MITRED; LINED WITH OUTER MATERIAL AND FASTEN IN THE CENTRE WITH A BUTTON AND BUTTONHOLE; A FLAP SHALL BE OF DEPTH AT</p>				
--	--	---	--	--	--	--

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		<p>LEAST 50 MM AT THE MITRED POINT AND TAPER TO AT LEAST 30 MM AT THE ENDS; A FLAP SHALL BE OF SUCH LENGTH AS TO OVERLAP THE POCKET WIDTH; SHALL BE POSITIONED AT LEAST 10 MM ABOVE THE POCKET MOUTH AND SHALL BE SECURELY TACKED AT EACH END; THE BOTTOM OF A JACKET SHALL BE FINISHED WITH A PLAIN HEM; THE BOTTOM OF A JACKET SHALL HAVE A DOUBLE FOLDED HEM OF FINISHED WIDTH AT LEAST 15 MM</p>				
36	<u>Sap:</u> <u>0222535</u>	<p>JACKET, UTILITY: TYPE: OPERATING; SIZE: 87 CM; MATERIAL: COTTON 100 PCT, SANS 1387-4 D59, SOFT WOVEN PRE SHRUNK, FLAME RETARDANT; COLOR: BLUE SANS CKS129-179C-2006; POCKET TYPE: (1) CHEST, (2) SIDE; GARMENT CLOSING METHOD: ZIP SANS 1822; SPECIFICATION: UNIQUE IDENTIFIER 240-44175132; THE JACKET SHALL HAVE A COLLAR; THE FRONT SHALL BE AN OPEN TYPE WITH FASTENINGS; THE JACKET BOTTOM SHALL HAVE A PLAIN HEM; WITHOUT SIDE VENTS; POCKETS SHALL BE AS REQUIRED (SEE ANNEX A) AND WITHOUT FLAPS;</p>	17			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		<p>FOR BOTTOM POCKETS; SLEEVES SHALL BE ONE-PIECE LONG AND SET-IN; FRONT EDGES SHALL HAVE GROWN-ON FACINGS OF WIDTH AT LEAST 45 MM AND THE INSIDE EDGES NEATLY FINISHED; EACH FRONT PANEL SHALL NOT HAVE A YOKE AND BE AS FOLLOWS: A) SLIDE FASTENER FRONTS: THE FRONTS SHALL FASTEN WITH A SLIDE FASTENER THAT EXTENDS TO AT LEAST 90 MM ABOVE THE BOTTOM HEM; SLIDE FASTENER IS CONCEALED AND STITCHED DOWN; SLIDE FASTENERS SHALL BE SECURED TO THE FRONTS WITH TWO ROWS OF STITCHING ALONG EACH STRINGER; THE BACK SHALL BE PLAIN (NO CENTRE BACK SEAM); SLEEVES SHALL BE OF THE ONE-PIECE; THE END OF SLEEVE SHALL HAVE A PLAIN CUFF OF WIDTH AT LEAST 15 MM; POCKETS SHALL BE PATCH POCKETS OF OUTER MATERIAL AND SHALL HAVE ROUND BLUNTED CORNERS; POCKET MOUTH HEMS SHALL BE OF FINISHED WIDTH 10 MM OR 20 MM (SEE 4.5.14); BREAST AND SIDE POCKETS SHALL BE OF FINISHED MEASUREMENT AS GIVEN IN TABLE 6; THE BREAST POCKET SHALL</p>				
--	--	---	--	--	--	--

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		BE POSITIONED ABOVE THE SCYE LEVEL IN ACCORDANCE WITH ACCEPTABLE PATTERNMAKING AND GARMENT CONSTRUCTION PRACTICE; POCKET FLAPS A BREAST POCKET FLAP SHALL BE MITRED; LINED WITH OUTER MATERIAL AND FASTEN IN THE CENTRE WITH A BUTTON AND BUTTONHOLE; A FLAP SHALL BE OF DEPTH AT LEAST 50 MM AT THE MITRED POINT AND TAPER TO AT LEAST 30 MM AT THE ENDS; A FLAP SHALL BE OF SUCH LENGTH AS TO OVERLAP THE POCKET WIDTH; SHALL BE POSITIONED AT LEAST 10 MM ABOVE THE POCKET MOUTH AND SHALL BE SECURELY TACKED AT EACH END; THE BOTTOM OF A JACKET SHALL BE FINISHED WITH A PLAIN HEM; THE BOTTOM OF A JACKET SHALL HAVE A DOUBLE FOLDED HEM OF FINISHED WIDTH AT LEAST 15 MM				
37	<u>Sap:</u> <u>0566544</u>	JACKET, UTILITY: TYPE: OPERATING; SIZE: 92 CM; MATERIAL: COTTON 100 PCT, SANS 1387-4 D59, SOFT WOVEN PRE SHRUNK, FLAME RETARDANT; COLOR: BLUE SANS CKS129-179C-2006; POCKET TYPE: CHEST 1; SIDE	15			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		<p>2; GARMENT CLOSING METHOD: ZIP SANS 1822; SPECIFICATION: UNIQUE IDENTIFIER 240-44175132; THE JACKET SHALL HAVE A COLLAR; THE FRONT SHALL BE AN OPEN TYPE WITH FASTENINGS; THE JACKET BOTTOM SHALL HAVE A PLAIN HEM; WITHOUT SIDE VENTS; POCKETS SHALL BE AS REQUIRED (SEE ANNEX A) AND WITHOUT FLAPS; FOR BOTTOM POCKETS; SLEEVES SHALL BE ONE-PIECE LONG AND SET-IN; FRONT EDGES SHALL HAVE GROWN-ON FACINGS OF WIDTH AT LEAST 45 MM AND THE INSIDE EDGES NEATLY FINISHED; EACH FRONT PANEL SHALL NOT HAVE A YOKE AND BE AS FOLLOWS: A) SLIDE FASTENER FRONTS: THE FRONTS SHALL FASTEN WITH A SLIDE FASTENER THAT EXTENDS TO AT LEAST 90 MM ABOVE THE BOTTOM HEM; SLIDE FASTENER IS CONCEALED AND STITCHED DOWN; SLIDE FASTENERS SHALL BE SECURED TO THE FRONTS WITH TWO ROWS OF STITCHING ALONG EACH STRINGER; THE BACK SHALL BE PLAIN (NO CENTRE BACK SEAM); SLEEVES SHALL BE OF THE ONE-PIECE; THE END OF SLEEVE SHALL HAVE A PLAIN CUFF OF WIDTH AT</p>				
--	--	---	--	--	--	--

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.


	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		<p>LEAST 15 MM; POCKETS SHALL BE PATCH POCKETS OF OUTER MATERIAL AND SHALL HAVE ROUND BLUNTED CORNERS; POCKET MOUTH HEMS SHALL BE OF FINISHED WIDTH 10 MM OR 20 MM (SEE 4.5.14); BREAST AND SIDE POCKETS SHALL BE OF FINISHED MEASUREMENT AS GIVEN IN TABLE 6; THE BREAST POCKET SHALL BE POSITIONED ABOVE THE SCYE LEVEL IN ACCORDANCE WITH ACCEPTABLE PATTERNMAKING AND GARMENT CONSTRUCTION PRACTICE; POCKET FLAPS A BREAST POCKET FLAP SHALL BE MITRED; LINED WITH OUTER MATERIAL AND FASTEN IN THE CENTRE WITH A BUTTON AND BUTTONHOLE; A FLAP SHALL BE OF DEPTH AT LEAST 50 MM AT THE MITRED POINT AND TAPER TO AT LEAST 30 MM AT THE ENDS; A FLAP SHALL BE OF SUCH LENGTH AS TO OVERLAP THE POCKET WIDTH; SHALL BE POSITIONED AT LEAST 10 MM ABOVE THE POCKET MOUTH AND SHALL BE SECURELY TACKED AT EACH END; THE BOTTOM OF A JACKET SHALL BE FINISHED WITH A PLAIN HEM; THE BOTTOM OF A JACKET SHALL HAVE A</p>				
--	--	---	--	--	--	--

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		DOUBLE FOLDED HEM OF FINISHED WIDTH AT LEAST 15 MM				
38	<u>Sap:</u> <u>0222536</u>	JACKET, UTILITY: TYPE: OPERATING; SIZE: 97 CM; MATERIAL: COTTON 100 PCT, SANS 1387-4 D59, SOFT WOVEN PRE SHRUNK, FLAME RETARDANT; COLOR: BLUE SANS CKS129-179C-2006; POCKET TYPE: (1) CHEST, (2) SIDE; GARMENT CLOSING METHOD: ZIP SANS 1822; SPECIFICATION: UNIQUE IDENTIFIER 240-44175132; THE JACKET SHALL HAVE A COLLAR; THE FRONT SHALL BE AN OPEN TYPE WITH FASTENINGS; THE JACKET BOTTOM SHALL HAVE A PLAIN HEM; WITHOUT SIDE VENTS; POCKETS SHALL BE AS REQUIRED (SEE ANNEX A) AND WITHOUT FLAPS; FOR BOTTOM POCKETS; SLEEVES SHALL BE ONE-PIECE LONG AND SET-IN; FRONT EDGES SHALL HAVE GROWN-ON FACINGS OF WIDTH AT LEAST 45 MM AND THE INSIDE EDGES NEATLY FINISHED; EACH FRONT PANEL SHALL NOT HAVE A YOKE AND BE AS FOLLOWS: A) SLIDE FASTENER FRONTS: THE FRONTS SHALL FASTEN WITH A SLIDE FASTENER THAT EXTENDS TO AT LEAST 90 MM ABOVE THE	5			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		<p>BOTTOM HEM; SLIDE FASTENER IS CONCEALED AND STITCHED DOWN; SLIDE FASTENERS SHALL BE SECURED TO THE FRONTS WITH TWO ROWS OF STITCHING ALONG EACH STRINGER; THE BACK SHALL BE PLAIN (NO CENTRE BACK SEAM); SLEEVES SHALL BE OF THE ONE-PIECE; THE END OF SLEEVE SHALL HAVE A PLAIN CUFF OF WIDTH AT LEAST 15 MM; POCKETS SHALL BE PATCH POCKETS OF OUTER MATERIAL AND SHALL HAVE ROUND BLUNTED CORNERS; POCKET MOUTH HEMS SHALL BE OF FINISHED WIDTH 10 MM OR 20 MM (SEE 4.5.14); BREAST AND SIDE POCKETS SHALL BE OF FINISHED MEASUREMENT AS GIVEN IN TABLE 6; THE BREAST POCKET SHALL BE POSITIONED ABOVE THE SCYE LEVEL IN ACCORDANCE WITH ACCEPTABLE PATTERNMAKING AND GARMENT CONSTRUCTION PRACTICE; POCKET FLAPS A BREAST POCKET FLAP SHALL BE MITRED; LINED WITH OUTER MATERIAL AND FASTEN IN THE CENTRE WITH A BUTTON AND BUTTONHOLE; A FLAP SHALL BE OF DEPTH AT LEAST 50 MM AT THE MITRED POINT AND</p>				
--	--	--	--	--	--	--

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		TAPER TO AT LEAST 30 MM AT THE ENDS; A FLAP SHALL BE OF SUCH LENGTH AS TO OVERLAP THE POCKET WIDTH; SHALL BE POSITIONED AT LEAST 10 MM ABOVE THE POCKET MOUTH AND SHALL BE SECURELY TACKED AT EACH END; THE BOTTOM OF A JACKET SHALL BE FINISHED WITH A PLAIN HEM; THE BOTTOM OF A JACKET SHALL HAVE A DOUBLE FOLDED HEM OF FINISHED WIDTH AT LEAST 15 MM				
39	<u>Sap:</u> <u>0566494</u>	JACKET, UTILITY: TYPE: OPERATING; SIZE: 102 CM; MATERIAL: COTTON 100 PCT, SANS 1387-4 D59, SOFT WOVEN PRE SHRUNK, FLAME RETARDANT; COLOR: BLUE SANS CKS129-179C-2006; POCKET TYPE: CHEST 1; SIDE 2; GARMENT CLOSING METHOD: ZIP SANS 1822; SPECIFICATION: UNIQUE IDENTIFIER 240-44175132; THE JACKET SHALL HAVE A COLLAR; THE FRONT SHALL BE AN OPEN TYPE WITH FASTENINGS; THE JACKET BOTTOM SHALL HAVE A PLAIN HEM; WITHOUT SIDE VENTS; POCKETS SHALL BE AS REQUIRED (SEE ANNEX A) AND WITHOUT FLAPS; FOR BOTTOM POCKETS; SLEEVES SHALL BE ONE-	17			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		PIECE LONG AND SET- IN; FRONT EDGES SHALL HAVE GROWN-ON FACINGS OF WIDTH AT LEAST 45 MM AND THE INSIDE EDGES NEATLY FINISHED; EACH FRONT PANEL SHALL NOT HAVE A YOKE AND BE AS FOLLOWS: A) SLIDE FASTENER FRONTS: THE FRONTS SHALL FASTEN WITH A SLIDE FASTENER THAT EXTENDS TO AT LEAST 90 MM ABOVE THE BOTTOM HEM; SLIDE FASTENER IS CONCEALED AND STITCHED DOWN; SLIDE FASTENERS SHALL BE SECURED TO THE FRONTS WITH TWO ROWS OF STITCHING ALONG EACH STRINGER; THE BACK SHALL BE PLAIN (NO CENTRE BACK SEAM); SLEEVES SHALL BE OF THE ONE-PIECE; THE END OF SLEEVE SHALL HAVE A PLAIN CUFF OF WIDTH AT LEAST 15 MM; POCKETS SHALL BE PATCH POCKETS OF OUTER MATERIAL AND SHALL HAVE ROUND BLUNTED CORNERS; POCKET MOUTH HEMS SHALL BE OF FINISHED WIDTH 10 MM OR 20 MM (SEE 4.5.14); BREAST AND SIDE POCKETS SHALL BE OF FINISHED MEASUREMENT AS GIVEN IN TABLE 6; THE BREAST POCKET SHALL BE POSITIONED ABOVE THE SCYE LEVEL IN				
--	--	--	--	--	--	--

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		<p>ACCORDANCE WITH ACCEPTABLE PATTERNMAKING AND GARMENT CONSTRUCTION PRACTICE; POCKET FLAPS A BREAST POCKET FLAP SHALL BE MITRED; LINED WITH OUTER MATERIAL AND FASTEN IN THE CENTRE WITH A BUTTON AND BUTTONHOLE; A FLAP SHALL BE OF DEPTH AT LEAST 50 MM AT THE MITRED POINT AND TAPER TO AT LEAST 30 MM AT THE ENDS; A FLAP SHALL BE OF SUCH LENGTH AS TO OVERLAP THE POCKET WIDTH; SHALL BE POSITIONED AT LEAST 10 MM ABOVE THE POCKET MOUTH AND SHALL BE SECURELY TACKED AT EACH END; THE BOTTOM OF A JACKET SHALL BE FINISHED WITH A PLAIN HEM; THE BOTTOM OF A JACKET SHALL HAVE A DOUBLE FOLDED HEM OF FINISHED WIDTH AT LEAST 15 MM</p>				
40	<p>Sap: <u>0222537</u></p>	<p>JACKET, UTILITY: TYPE: OPERATING; SIZE: 107 CM; MATERIAL: COTTON 100 PCT, SANS 1387-4 D59, SOFT WOVEN PRE SHRUNK, FLAME RETARDANT; COLOR: BLUE SANS CKS129-179C-2006; POCKET TYPE: (1) CHEST, (2) SIDE; GARMENT CLOSING METHOD: ZIP SANS</p>	13			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		1822; SPECIFICATION: UNIQUE IDENTIFIER 240-44175132; THE JACKET SHALL HAVE A COLLAR; THE FRONT SHALL BE AN OPEN TYPE WITH FASTENINGS; THE JACKET BOTTOM SHALL HAVE A PLAIN HEM; WITHOUT SIDE VENTS; POCKETS SHALL BE AS REQUIRED (SEE ANNEX A) AND WITHOUT FLAPS; FOR BOTTOM POCKETS; SLEEVES SHALL BE ONE- PIECE LONG AND SET- IN; FRONT EDGES SHALL HAVE GROWN-ON FACINGS OF WIDTH AT LEAST 45 MM AND THE INSIDE EDGES NEATLY FINISHED; EACH FRONT PANEL SHALL NOT HAVE A YOKE AND BE AS FOLLOWS: A) SLIDE FASTENER FRONTS: THE FRONTS SHALL FASTEN WITH A SLIDE FASTENER THAT EXTENDS TO AT LEAST 90 MM ABOVE THE BOTTOM HEM; SLIDE FASTENER IS CONCEALED AND STITCHED DOWN; SLIDE FASTENERS SHALL BE SECURED TO THE FRONTS WITH TWO ROWS OF STITCHING ALONG EACH STRINGER; THE BACK SHALL BE PLAIN (NO CENTRE BACK SEAM); SLEEVES SHALL BE OF THE ONE-PIECE; THE END OF SLEEVE SHALL HAVE A PLAIN CUFF OF WIDTH AT LEAST 15 MM; POCKETS SHALL BE PATCH				
--	--	--	--	--	--	--

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		POCKETS OF OUTER MATERIAL AND SHALL HAVE ROUND BLUNTED CORNERS; POCKET MOUTH HEMS SHALL BE OF FINISHED WIDTH 10 MM OR 20 MM (SEE 4.5.14); BREAST AND SIDE POCKETS SHALL BE OF FINISHED MEASUREMENT AS GIVEN IN TABLE 6; THE BREAST POCKET SHALL BE POSITIONED ABOVE THE SCYE LEVEL IN ACCORDANCE WITH ACCEPTABLE PATTERNMAKING AND GARMENT CONSTRUCTION PRACTICE; POCKET FLAPS A BREAST POCKET FLAP SHALL BE MITRED; LINED WITH OUTER MATERIAL AND FASTEN IN THE CENTRE WITH A BUTTON AND BUTTONHOLE; A FLAP SHALL BE OF DEPTH AT LEAST 50 MM AT THE MITRED POINT AND TAPER TO AT LEAST 30 MM AT THE ENDS; A FLAP SHALL BE OF SUCH LENGTH AS TO OVERLAP THE POCKET WIDTH; SHALL BE POSITIONED AT LEAST 10 MM ABOVE THE POCKET MOUTH AND SHALL BE SECURELY TACKED AT EACH END; THE BOTTOM OF A JACKET SHALL BE FINISHED WITH A PLAIN HEM; THE BOTTOM OF A JACKET SHALL HAVE A DOUBLE FOLDED HEM OF				
--	--	---	--	--	--	--

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.


	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		FINISHED WIDTH AT LEAST 15 MM				
41	<u>Sap:</u> <u>0566503</u>	JACKET, UTILITY: TYPE: OPERATING; SIZE: 112 CM; MATERIAL: COTTON 100 PCT, SANS 1387-4 D59, SOFT WOVEN PRE SHRUNK, FLAME RETARDANT; COLOR: BLUE SANS CKS129- 179C-2006; POCKET TYPE: CHEST 1; SIDE 2; GARMENT CLOSING METHOD: ZIP SANS 1822; SPECIFICATION: UNIQUE IDENTIFIER 240-44175132; THE JACKET SHALL HAVE A COLLAR; THE FRONT SHALL BE AN OPEN TYPE WITH FASTENINGS; THE JACKET BOTTOM SHALL HAVE A PLAIN HEM; WITHOUT SIDE VENTS; POCKETS SHALL BE AS REQUIRED (SEE ANNEX A) AND WITHOUT FLAPS; FOR BOTTOM POCKETS; SLEEVES SHALL BE ONE- PIECE LONG AND SET- IN; FRONT EDGES SHALL HAVE GROWN-ON FACINGS OF WIDTH AT LEAST 45 MM AND THE INSIDE EDGES NEATLY FINISHED; EACH FRONT PANEL SHALL NOT HAVE A YOKE AND BE AS FOLLOWS: A) SLIDE FASTENER FRONTS: THE FRONTS SHALL FASTEN WITH A SLIDE FASTENER THAT EXTENDS TO AT LEAST 90 MM ABOVE THE	6			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.


	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		<p>BOTTOM HEM; SLIDE FASTENER IS CONCEALED AND STITCHED DOWN; SLIDE FASTENERS SHALL BE SECURED TO THE FRONTS WITH TWO ROWS OF STITCHING ALONG EACH STRINGER; THE BACK SHALL BE PLAIN (NO CENTRE BACK SEAM); SLEEVES SHALL BE OF THE ONE-PIECE; THE END OF SLEEVE SHALL HAVE A PLAIN CUFF OF WIDTH AT LEAST 15 MM; POCKETS SHALL BE PATCH POCKETS OF OUTER MATERIAL AND SHALL HAVE ROUND BLUNTED CORNERS; POCKET MOUTH HEMS SHALL BE OF FINISHED WIDTH 10 MM OR 20 MM (SEE 4.5.14); BREAST AND SIDE POCKETS SHALL BE OF FINISHED MEASUREMENT AS GIVEN IN TABLE 6; THE BREAST POCKET SHALL BE POSITIONED ABOVE THE SCYE LEVEL IN ACCORDANCE WITH ACCEPTABLE PATTERNMAKING AND GARMENT CONSTRUCTION PRACTICE; POCKET FLAPS A BREAST POCKET FLAP SHALL BE MITRED; LINED WITH OUTER MATERIAL AND FASTEN IN THE CENTRE WITH A BUTTON AND BUTTONHOLE; A FLAP SHALL BE OF DEPTH AT LEAST 50 MM AT THE MITRED POINT AND</p>				
--	--	--	--	--	--	--

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		TAPER TO AT LEAST 30 MM AT THE ENDS; A FLAP SHALL BE OF SUCH LENGTH AS TO OVERLAP THE POCKET WIDTH; SHALL BE POSITIONED AT LEAST 10 MM ABOVE THE POCKET MOUTH AND SHALL BE SECURELY TACKED AT EACH END; THE BOTTOM OF A JACKET SHALL BE FINISHED WITH A PLAIN HEM; THE BOTTOM OF A JACKET SHALL HAVE A DOUBLE FOLDED HEM OF FINISHED WIDTH AT LEAST 15 MM				
42	<u>Sap:</u> <u>0222538</u>	JACKET, UTILITY: TYPE: OPERATING; SIZE: 117 CM; MATERIAL: COTTON 100 PCT, SANS 1387-4 D59, SOFT WOVEN PRE SHRUNK, FLAME RETARDANT; COLOR: BLUE SANS CKS129-179C-2006; POCKET TYPE: (1) CHEST, (2) SIDE; GARMENT CLOSING METHOD: ZIP SANS 1822; SPECIFICATION: UNIQUE IDENTIFIER 240-44175132; THE JACKET SHALL HAVE A COLLAR; THE FRONT SHALL BE AN OPEN TYPE WITH FASTENINGS; THE JACKET BOTTOM SHALL HAVE A PLAIN HEM; WITHOUT SIDE VENTS; POCKETS SHALL BE AS REQUIRED (SEE ANNEX A) AND WITHOUT FLAPS; FOR BOTTOM POCKETS; SLEEVES SHALL BE ONE-	2			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		PIECE LONG AND SET- IN; FRONT EDGES SHALL HAVE GROWN-ON FACINGS OF WIDTH AT LEAST 45 MM AND THE INSIDE EDGES NEATLY FINISHED; EACH FRONT PANEL SHALL NOT HAVE A YOKE AND BE AS FOLLOWS: A) SLIDE FASTENER FRONTS: THE FRONTS SHALL FASTEN WITH A SLIDE FASTENER THAT EXTENDS TO AT LEAST 90 MM ABOVE THE BOTTOM HEM; SLIDE FASTENER IS CONCEALED AND STITCHED DOWN; SLIDE FASTENERS SHALL BE SECURED TO THE FRONTS WITH TWO ROWS OF STITCHING ALONG EACH STRINGER; THE BACK SHALL BE PLAIN (NO CENTRE BACK SEAM); SLEEVES SHALL BE OF THE ONE-PIECE; THE END OF SLEEVE SHALL HAVE A PLAIN CUFF OF WIDTH AT LEAST 15 MM; POCKETS SHALL BE PATCH POCKETS OF OUTER MATERIAL AND SHALL HAVE ROUND BLUNTED CORNERS; POCKET MOUTH HEMS SHALL BE OF FINISHED WIDTH 10 MM OR 20 MM (SEE 4.5.14); BREAST AND SIDE POCKETS SHALL BE OF FINISHED MEASUREMENT AS GIVEN IN TABLE 6; THE BREAST POCKET SHALL BE POSITIONED ABOVE THE SCYE LEVEL IN				
--	--	--	--	--	--	--

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		<p>ACCORDANCE WITH ACCEPTABLE PATTERNMAKING AND GARMENT CONSTRUCTION PRACTICE; POCKET FLAPS A BREAST POCKET FLAP SHALL BE MITRED; LINED WITH OUTER MATERIAL AND FASTEN IN THE CENTRE WITH A BUTTON AND BUTTONHOLE; A FLAP SHALL BE OF DEPTH AT LEAST 50 MM AT THE MITRED POINT AND TAPER TO AT LEAST 30 MM AT THE ENDS; A FLAP SHALL BE OF SUCH LENGTH AS TO OVERLAP THE POCKET WIDTH; SHALL BE POSITIONED AT LEAST 10 MM ABOVE THE POCKET MOUTH AND SHALL BE SECURELY TACKED AT EACH END; THE BOTTOM OF A JACKET SHALL BE FINISHED WITH A PLAIN HEM; THE BOTTOM OF A JACKET SHALL HAVE A DOUBLE FOLDED HEM OF FINISHED WIDTH AT LEAST 15 MM</p>				
43	<u>Sap:</u> <u>0222539</u>	<p>JACKET, UTILITY: TYPE: OPERATING; SIZE: 122 CM; MATERIAL: COTTON 100 PCT, SANS 1387-4 D59, SOFT WOVEN PRE SHRUNK, FLAME RETARDANT; COLOR: BLUE SANS CKS129-179C-2006; POCKET TYPE: (1) CHEST, (2) SIDE; GARMENT CLOSING METHOD: ZIP SANS</p>	2			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		1822; SPECIFICATION: UNIQUE IDENTIFIER 240-44175132; THE JACKET SHALL HAVE A COLLAR; THE FRONT SHALL BE AN OPEN TYPE WITH FASTENINGS; THE JACKET BOTTOM SHALL HAVE A PLAIN HEM; WITHOUT SIDE VENTS; POCKETS SHALL BE AS REQUIRED (SEE ANNEX A) AND WITHOUT FLAPS; FOR BOTTOM POCKETS; SLEEVES SHALL BE ONE- PIECE LONG AND SET- IN; FRONT EDGES SHALL HAVE GROWN-ON FACINGS OF WIDTH AT LEAST 45 MM AND THE INSIDE EDGES NEATLY FINISHED; EACH FRONT PANEL SHALL NOT HAVE A YOKE AND BE AS FOLLOWS: A) SLIDE FASTENER FRONTS: THE FRONTS SHALL FASTEN WITH A SLIDE FASTENER THAT EXTENDS TO AT LEAST 90 MM ABOVE THE BOTTOM HEM; SLIDE FASTENER IS CONCEALED AND STITCHED DOWN; SLIDE FASTENERS SHALL BE SECURED TO THE FRONTS WITH TWO ROWS OF STITCHING ALONG EACH STRINGER; THE BACK SHALL BE PLAIN (NO CENTRE BACK SEAM); SLEEVES SHALL BE OF THE ONE-PIECE; THE END OF SLEEVE SHALL HAVE A PLAIN CUFF OF WIDTH AT LEAST 15 MM; POCKETS SHALL BE PATCH				
--	--	--	--	--	--	--

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		POCKETS OF OUTER MATERIAL AND SHALL HAVE ROUND BLUNTED CORNERS; POCKET MOUTH HEMS SHALL BE OF FINISHED WIDTH 10 MM OR 20 MM (SEE 4.5.14); BREAST AND SIDE POCKETS SHALL BE OF FINISHED MEASUREMENT AS GIVEN IN TABLE 6; THE BREAST POCKET SHALL BE POSITIONED ABOVE THE SCYE LEVEL IN ACCORDANCE WITH ACCEPTABLE PATTERNMAKING AND GARMENT CONSTRUCTION PRACTICE; POCKET FLAPS A BREAST POCKET FLAP SHALL BE MITRED; LINED WITH OUTER MATERIAL AND FASTEN IN THE CENTRE WITH A BUTTON AND BUTTONHOLE; A FLAP SHALL BE OF DEPTH AT LEAST 50 MM AT THE MITRED POINT AND TAPER TO AT LEAST 30 MM AT THE ENDS; A FLAP SHALL BE OF SUCH LENGTH AS TO OVERLAP THE POCKET WIDTH; SHALL BE POSITIONED AT LEAST 10 MM ABOVE THE POCKET MOUTH AND SHALL BE SECURELY TACKED AT EACH END; THE BOTTOM OF A JACKET SHALL BE FINISHED WITH A PLAIN HEM; THE BOTTOM OF A JACKET SHALL HAVE A DOUBLE FOLDED HEM OF				
--	--	---	--	--	--	--

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		FINISHED WIDTH AT LEAST 15 MM				
44	<u>Sap:</u> <u>0566511</u>	JACKET, UTILITY: TYPE: OPERATING; SIZE: 127 CM; MATERIAL: COTTON 100 PCT, SANS 1387-4 D59, SOFT WOVEN PRE SHRUNK, FLAME RETARDANT; COLOR: BLUE SANS CKS129- 179C-2006; POCKET TYPE: CHEST 1; SIDE 2; GARMENT CLOSING METHOD: ZIP SANS 1822; SPECIFICATION: UNIQUE IDENTIFIER 240-44175132; THE JACKET SHALL HAVE A COLLAR; THE FRONT SHALL BE AN OPEN TYPE WITH FASTENINGS; THE JACKET BOTTOM SHALL HAVE A PLAIN HEM; WITHOUT SIDE VENTS; POCKETS SHALL BE AS REQUIRED (SEE ANNEX A) AND WITHOUT FLAPS; FOR BOTTOM POCKETS; SLEEVES SHALL BE ONE- PIECE LONG AND SET- IN; FRONT EDGES SHALL HAVE GROWN-ON FACINGS OF WIDTH AT LEAST 45 MM AND THE INSIDE EDGES NEATLY FINISHED; EACH FRONT PANEL SHALL NOT HAVE A YOKE AND BE AS FOLLOWS: A) SLIDE FASTENER FRONTS: THE FRONTS SHALL FASTEN WITH A SLIDE FASTENER THAT EXTENDS TO AT LEAST 90 MM ABOVE THE	2			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.


	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		<p>BOTTOM HEM; SLIDE FASTENER IS CONCEALED AND STITCHED DOWN; SLIDE FASTENERS SHALL BE SECURED TO THE FRONTS WITH TWO ROWS OF STITCHING ALONG EACH STRINGER; THE BACK SHALL BE PLAIN (NO CENTRE BACK SEAM); SLEEVES SHALL BE OF THE ONE-PIECE; THE END OF SLEEVE SHALL HAVE A PLAIN CUFF OF WIDTH AT LEAST 15 MM; POCKETS SHALL BE PATCH POCKETS OF OUTER MATERIAL AND SHALL HAVE ROUND BLUNTED CORNERS; POCKET MOUTH HEMS SHALL BE OF FINISHED WIDTH 10 MM OR 20 MM (SEE 4.5.14); BREAST AND SIDE POCKETS SHALL BE OF FINISHED MEASUREMENT AS GIVEN IN TABLE 6; THE BREAST POCKET SHALL BE POSITIONED ABOVE THE SCYE LEVEL IN ACCORDANCE WITH ACCEPTABLE PATTERNMAKING AND GARMENT CONSTRUCTION PRACTICE; POCKET FLAPS A BREAST POCKET FLAP SHALL BE MITRED; LINED WITH OUTER MATERIAL AND FASTEN IN THE CENTRE WITH A BUTTON AND BUTTONHOLE; A FLAP SHALL BE OF DEPTH AT LEAST 50 MM AT THE MITRED POINT AND</p>				
--	--	--	--	--	--	--

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		TAPER TO AT LEAST 30 MM AT THE ENDS; A FLAP SHALL BE OF SUCH LENGTH AS TO OVERLAP THE POCKET WIDTH; SHALL BE POSITIONED AT LEAST 10 MM ABOVE THE POCKET MOUTH AND SHALL BE SECURELY TACKED AT EACH END; THE BOTTOM OF A JACKET SHALL BE FINISHED WITH A PLAIN HEM; THE BOTTOM OF A JACKET SHALL HAVE A DOUBLE FOLDED HEM OF FINISHED WIDTH AT LEAST 15 MM				
45	<u>Sap:</u> <u>0222553</u>	JACKET, UTILITY: TYPE: THERMAL; SIZE: S; 34; 87; MATERIAL: COTTON, D59, FLAME RETARDANT; COLOR: BLUE PANTO 19-3920; SPECIFICATION: UNIQUE IDENTIFIER 240-44175132; INSULATED WITH PRE-SHRUNK HOLLOW FIBRE OR A NON-FLAMMABLE MATERIAL; WITH THE OUTER COVERING MADE OF PRE-SHRUNK 100 % WOVEN COTTON FABRIC IN ACCORDANCE WITH SANS 1387-4; MATERIAL TYPE D59, AND FLAME RETARDANT; JACKET LENGTH: TO REACH BELOW THE BUTTOCKS; POCKETS: ONE CHEST POCKET SHALL BE BELLOWS TYPE - 15CM DEEP AND 14CM WIDE; 4 SIDE POCKETS; POCKETS TO HAVE FLAPS WITH	10			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		CUT-OFF EDGES THAT CAN BE FASTENED BY MEANS OF NON- CONDUCTIVE BUTTONS; THE SIDE POCKET SHALL BE THE BELLOWS TYPE WITH A SIDE ENTRY INTO ANOTHER SEPARATE POCKET AND SHALL BE 22CM DEEP AND 21CM WIDE; JACKETS SHALL HAVE NON-CONDUCTIVE PRESS STUDS DOWN THE FRONT ON A DOUBLE PANEL STRIP; AS WELL AS A NON-CONDUCTIVE ZIP; THE SLEEVE CUFFS SHALL HAVE TWO NON- CONDUCTIVE PRESS STUDS AT THE END OF THE SLEEVE SO THAT THE SIZE CAN BE ADJUSTED; IDENTIFICATION: INDELIBLE MNFRS TRADEMARK; REF NO. AND CLEANING INSTRUCTIONS INSIDE COLLAR ON JACKETS AND SABS MARK OF APPROVAL ON ALL RELAVANT ITEMS; REFER TO UNIQUE IDENTIFIER 240-44175132				
46	<u>Sap:</u> <u>0222554</u>	JACKET, UTILITY: TYPE: THERMAL; SIZE: M; 38; 97; MATERIAL: COTTON, D59, FLAME RETARDANT; COLOR: BLUE PANTO 19-3920; SPECIFICATION: UNIQUE IDENTIFIER 240- 44175132; INSULATED WITH PRE-SHRUNK HOLLOW FIBRE OR A NON-FLAMMABLE	24			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		<p>MATERIAL; WITH THE OUTER COVERING MADE OF PRE-SHRUNK 100 % WOVEN COTTON FABRIC IN ACCORDANCE WITH SANS 1387-4; MATERIAL TYPE D59 AND FLAME RETARDANT; JACKET LENGTH TO REACH BELOW THE BUTTOCKS; POCKETS ONE CHEST POCKET SHALL BE BELLOWS TYPE - 15CM DEEP AND 14CM WIDE; 4 SIDE POCKETS; POCKETS TO HAVE FLAPS WITH CUT-OFF EDGES THAT CAN BE FASTENED BY MEANS OF NON-CONDUCTIVE BUTTONS; THE SIDE POCKET SHALL BE THE BELLOWS TYPE WITH A SIDE ENTRY INTO ANOTHER SEPARATE POCKET AND SHALL BE 22CM DEEP AND 21CM WIDE; JACKETS SHALL HAVE NON-CONDUCTIVE PRESS STUDS DOWN THE FRONT ON A DOUBLE PANEL STRIP AS WELL AS A NON-CONDUCTIVE ZIP; THE SLEEVE CUFFS SHALL HAVE TWO NON-CONDUCTIVE PRESS STUDS AT THE END OF THE SLEEVE SO THAT THE SIZE CAN BE ADJUSTED;</p> <p>IDENTIFICATION: INDELIBLE MNFRS TRADEMARK REF NO. AND CLEANING INSTRUCTIONS INSIDE COLLAR ON JACKETS AND SABS MARK OF APPROVAL ON ALL RELAVANT ITEMS; REFER</p>				
--	--	---	--	--	--	--

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		TO UNIQUE IDENTIFIER 240-44175132				
47	<u>Sap:</u> <u>0222555</u>	JACKET, UTILITY: TYPE: THERMAL; SIZE: L; 42; 107; MATERIAL: COTTON, D59, FLAME RETARDANT; COLOR: BLUE PANTO 19-3920; SPECIFICATION: UNIQUE IDENTIFIER 240- 44175132; INSULATED WITH PRE-SHRUNK HOLLOW FIBRE OR A NON-FLAMMABLE MATERIAL; WITH THE OUTER COVERING MADE OF PRE-SHRUNK 100 % WOVEN COTTON FABRIC IN ACCORDANCE WITH SANS 1387-4; MATERIAL TYPE D59 AND FLAME RETARDANT; JACKET LENGTH TO REACH BELOW THE BUTTOCKS; POCKETS ONE CHEST POCKET SHALL BE BELLOWS TYPE - 15CM DEEP AND 14CM WIDE; 4 SIDE POCKETS; POCKETS TO HAVE FLAPS WITH CUT-OFF EDGES THAT CAN BE FASTENED BY MEANS OF NON- CONDUCTIVE BUTTONS; THE SIDE POCKET SHALL BE THE BELLOWS TYPE WITH A SIDE ENTRY INTO ANOTHER SEPARATE POCKET AND SHALL BE 22CM DEEP AND 21CM WIDE; JACKETS SHALL HAVE NON-CONDUCTIVE PRESS STUDS DOWN THE FRONT ON A DOUBLE PANEL STRIP AS WELL AS A NON-CONDUCTIVE	15			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		ZIP; THE SLEEVE CUFFS SHALL HAVE TWO NON-CONDUCTIVE PRESS STUDS AT THE END OF THE SLEEVE SO THAT THE SIZE CAN BE ADJUSTED; IDENTIFICATION: INDELIBLE MNFRS TRADEMARK REF NO. AND CLEANING INSTRUCTIONS INSIDE COLLAR ON JACKETS AND SABS MARK OF APPROVAL ON ALL RELAVANT ITEMS; REFER TO UNIQUE IDENTIFIER 240-44175132				
48	<u>Sap:</u> <u>0222556</u>	JACKET, UTILITY: TYPE: THERMAL; SIZE: XL; 46; 117; MATERIAL: COTTON, D59, FLAME RETARDANT; COLOR: BLUE PANTO 19-3920; SPECIFICATION: UNIQUE IDENTIFIER 240-44175132; INSULATED WITH PRE-SHRUNK HOLLOW FIBRE OR A NON-FLAMMABLE MATERIAL; WITH THE OUTER COVERING MADE OF PRE-SHRUNK 100 % WOVEN COTTON FABRIC IN ACCORDANCE WITH SANS 1387-4; MATERIAL TYPE D59 AND FLAME RETARDANT; JACKET LENGTH TO REACH BELOW THE BUTTOCKS; POCKETS ONE CHEST POCKET SHALL BE BELLOWS TYPE - 15CM DEEP AND 14CM WIDE; 4 SIDE POCKETS; POCKETS TO HAVE FLAPS WITH CUT-OFF EDGES THAT CAN BE FASTENED	19			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		BY MEANS OF NON-CONDUCTIVE BUTTONS; THE SIDE POCKET SHALL BE THE BELLOWS TYPE WITH A SIDE ENTRY INTO ANOTHER SEPARATE POCKET AND SHALL BE 22CM DEEP AND 21CM WIDE; JACKETS SHALL HAVE NON-CONDUCTIVE PRESS STUDS DOWN THE FRONT ON A DOUBLE PANEL STRIP AS WELL AS A NON-CONDUCTIVE ZIP; THE SLEEVE CUFFS SHALL HAVE TWO NON-CONDUCTIVE PRESS STUDS AT THE END OF THE SLEEVE SO THAT THE SIZE CAN BE ADJUSTED; IDENTIFICATION: INDELIBLE MNFRS TRADEMARK REF NO. AND CLEANING INSTRUCTIONS INSIDE COLLAR ON JACKETS AND SABS MARK OF APPROVAL ON ALL RELAVANT ITEMS; REFER TO UNIQUE IDENTIFIER 240-44175132				
49	<u>Sap:</u> <u>0222558</u>	JACKET, UTILITY: TYPE: THERMAL; SIZE: XXL; 48; 122; MATERIAL: COTTON, D59, FLAME RETARDANT; COLOR: BLUE PANTO 19-3920; SPECIFICATION: UNIQUE IDENTIFIER 240-44175132; INSULATED WITH PRE-SHRUNK HOLLOW FIBRE OR A NON-FLAMMABLE MATERIAL; WITH THE OUTER COVERING MADE OF PRE-SHRUNK 100 %	9			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		<p>WOVEN COTTON FABRIC IN ACCORDANCE WITH SANS 1387-4; MATERIAL TYPE D59 AND FLAME RETARDANT; JACKET LENGTH TO REACH BELOW THE BUTTOCKS; POCKETS ONE CHEST POCKET SHALL BE BELLOWS TYPE - 15CM DEEP AND 14CM WIDE; 4 SIDE POCKETS; POCKETS TO HAVE FLAPS WITH CUT-OFF EDGES THAT CAN BE FASTENED BY MEANS OF NON-CONDUCTIVE BUTTONS; THE SIDE POCKET SHALL BE THE BELLOWS TYPE WITH A SIDE ENTRY INTO ANOTHER SEPARATE POCKET AND SHALL BE 22CM DEEP AND 21CM WIDE; JACKETS SHALL HAVE NON-CONDUCTIVE PRESS STUDS DOWN THE FRONT ON A DOUBLE PANEL STRIP AS WELL AS A NON-CONDUCTIVE ZIP; THE SLEEVE CUFFS SHALL HAVE TWO NON-CONDUCTIVE PRESS STUDS AT THE END OF THE SLEEVE SO THAT THE SIZE CAN BE ADJUSTED; IDENTIFICATION: INDELIBLE MNFRS TRADEMARK REF NO. AND CLEANING INSTRUCTIONS INSIDE COLLAR ON JACKETS AND SABS MARK OF APPROVAL ON ALL RELAVANT ITEMS; REFER TO UNIQUE IDENTIFIER 240-44175132</p>				
--	--	---	--	--	--	--

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.


	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

50	<u>Sap:</u> <u>0160660</u>	COAT, DUST: TYPE: GENERAL PURPOSE; SIZE: 97 CM; MATERIAL: COTTON; COLOR: BLUE NAVY PANTONE 19-3920; SPECIFICATION: 240- 44175132; MATERIAL: PRE-SHRUNK 100 % WOVEN COTTON FABRIC IN ACCORDANCE WITH SANS 1387-4; MATERIAL TYPE D59 AND FLAME RETARDANT; LENGTH 3/4; POCKET: FRONT BUTTONS; TWO FRONT POCKETS; SLIT AT BACK; BUTTONS ACCEPTABLE FOUR-HOLE; DYED PLASTICS BUTTONS COMPLY WITH SANS 1457 COATS SHALL FASTEN WITH BUTTON AND BUTTONHOLE AND SHALL BE EQUIDISTANTLY SPACED; BUTTONS SECURED TO POSITIONS CORRESPONDING TO BUTTONHOLES; THE PENCIL POCKET SHALL FORM PART OF THE BREAST POCKET AND OF WIDTH AT LEAST 40 MM AND THE FULL DEPTH OF THE BREAST POCKET AND SHALL BE POSITIONED AT THE CENTRE FRONT END OF BREAST POCKET; THE PENCIL POCKET SHALL BE FORMED BY A ROW OF VERTICAL STITCHING FROM THE FRONT EDGE; THE BACK SHALL HAVE A SEAM DOWN THE CENTRE WITH A VENT IN THE LOWER PART OF THE SEAM; THE	2			
----	-------------------------------	--	---	--	--	--

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		<p>VENT SHALL HAVE AN OVERLAP OF 40 MM AND SHALL BE SECURELY TACKED AND BAR-TACKED AT THE TOP; A HANGER LOOP OF OUTER DOUBLE FOLDED MATERIAL OF FINISHED LENGTH AT LEAST 70 MM AND OF FINISHED WIDTH AT LEAST 10 MM; SHALL BE SECURELY SEWN IN WITH THE COLLAR AT THE BACK NECK ON THE INSIDE; THE BOTTOM OF THE COATS AND THE LOWER EDGE OF PLAIN SLEEVE CUFFS SHALL HAVE HEMS OF FINISHED WIDTH AT LEAST 15 MM; POCKET MOUTHS SHALL HAVE HEMS OF FINISHED WIDTH AT LEAST 20 MM; EACH GARMENT SHALL HAVE A LABEL SECURELY ATTACHED AT THE CENTRE BACK NECK BELOW THE COLLAR SEAM ON THE INSIDE OF THE GARMENT; THE LABEL SHALL PROVIDE THE FOLLOWING INFORMATION PRINTED IN LEGIBLE AND INDELIBLE BLOCK LETTERS OF HEIGHT AT LEAST 3 MM; MANUFACTURER'S NAME OR TRADEMARK; CHEST SIZE SANS 434:2011 EDITION 5 22; YEAR OF MANUFACTURE; VAT REGISTRATION NUMBER; COUNTRY OF ORIGIN; ITEM TO BEAR SABS MARK OF APPROVAL REFERENCE SANS</p>				
--	--	---	--	--	--	--

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		434:2011 FIGURE 3 COATS				
51	<u>Sap:</u> <u>0222367</u>	SHIRT: TYPE: MEN L/SLEEVE; SIZE: 36 CM; MATERIAL: COTTON; COLOR: GRAY; MATERIAL ZERO FLAME T006 SATIN WEAVE 100% COTTON TREATED WITH A FLAME RETARDANT FINISH THAT COMPLIES WITH SANS 1432-1; SHIRTS TO COMPLY WITH REQUIREMENTS AND SIZES REFERRED TO ANNEX A; BUTTON FRONT WITH YOKE AND TWO BREAST POCKETS AND FLAPS TO BUTTON CLOSURE; THE POCKETS SHALL BE 16 CM DEEP AND 14 CM WIDE; POCKETS AND FLAPS SHALL HAVE CUT EDGES WITH A PEN DIVISION; FRONT POCKET SHALL BE FASTENED BY NON- CONDUCTIVE BUTTONS; COLLAR SHALL BE A STANDARD SHIRT COLLAR; SHIRT SHALL HAVE AN INVERTED PLEAT WITH HANGER LOOP AND YOKE AT BACK; LONG-SLEEVED SHIRTS SHALL HAVE A CUFF- 65 MM WIDE SET IN LONG SLEEVE WITH TWO KNIFE PLEATS SEPARATE THE CUFF WITH BUTTON CLOSURE OF NON-CONDUCTIVE BUTTONS; SLEEVE OPENING BOUND WITH BINDING; ZERO HARM	18			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		IDENTIFICATION ON THE RIGHT SLEEVE; ESKOM LOGO EMBROIDERED IN ACCORDANCE WITH ESKOM'S CORPORATE IDENTITY ON LEFT TOP POCKET THE FRONT BUTTONS SHALL BE SEWN ONTO A STRENGTHENED FRONT AND SHALL BE NON-CONDUCTIVE; SEAMS SHOULDER; SLEEVE AND BACK YOKE POSTED; SIDE SEAM AND UNDER ARM SAFETY STITCH; HEMS FINISHED 10MM; STITCHING SHALL COMPLY TO SANS 10101 AND THREADS TO SANS 1362; UNIQUE IDENTIFIER 240-44175132				
52	<u>Sap:</u> <u>0222370</u>	SHIRT: TYPE: MEN L/SLEEVE; SIZE: 37 CM; MATERIAL: COTTON; COLOR: GRAY; MATERIAL ZERO FLAME T006 SATIN WEAVE 100% COTTON TREATED WITH A FLAME RETARDANT FINISH THAT COMPLIES WITH SANS 1432-1; SHIRTS TO COMPLY WITH REQUIREMENTS AND SIZES REFERRED TO ANNEX A; BUTTON FRONT WITH YOKE AND TWO BREAST POCKETS AND FLAPS TO BUTTON CLOSURE; THE POCKETS SHALL BE 16 CM DEEP AND 14 CM WIDE; POCKETS AND FLAPS SHALL HAVE CUT EDGES WITH A PEN DIVISION; FRONT POCKET SHALL BE	16			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		FASTENED BY NON-CONDUCTIVE BUTTONS; COLLAR SHALL BE A STANDARD SHIRT COLLAR; SHIRT SHALL HAVE AN INVERTED PLEAT WITH HANGER LOOP AND YOKE AT BACK; LONG-SLEEVED SHIRTS SHALL HAVE A CUFF- 65 MM WIDE SET IN LONG SLEEVE WITH TWO KNIFE PLEATS SEPARATE THE CUFF WITH BUTTON CLOSURE OF NON-CONDUCTIVE BUTTONS; SLEEVE OPENING BOUND WITH BINDING; ZERO HARM IDENTIFICATION ON THE RIGHT SLEEVE; ESKOM LOGO EMBROIDERED IN ACCORDANCE WITH ESKOM'S CORPORATE IDENTITY ON LEFT TOP POCKET THE FRONT BUTTONS SHALL BE SEWN ONTO A STRENGTHENED FRONT AND SHALL BE NON-CONDUCTIVE; SEAMS SHOULDER; SLEEVE AND BACK YOKE POSTED; SIDE SEAM AND UNDER ARM SAFETY STITCH; HEMS FINISHED 10MM; STITCHING SHALL COMPLY TO SANS 10101 AND THREADS TO SANS 1362; UNIQUE IDENTIFIER 240-44175132				
53	<u>Sap:</u> <u>0222371</u>	SHIRT: TYPE: MEN L/SLEEVE; SIZE: 38 CM; MATERIAL: COTTON; COLOR: GRAY; MATERIAL ZERO FLAME T006 SATIN	18			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		WEAVE 100% COTTON TREATED WITH A FLAME RETARDANT FINISH THAT COMPLIES WITH SANS 1432-1; SHIRTS TO COMPLY WITH REQUIREMENTS AND SIZES REFERRED TO ANNEX A; BUTTON FRONT WITH YOKE AND TWO BREAST POCKETS AND FLAPS TO BUTTON CLOSURE; THE POCKETS SHALL BE 16 CM DEEP AND 14 CM WIDE; POCKETS AND FLAPS SHALL HAVE CUT EDGES WITH A PEN DIVISION; FRONT POCKET SHALL BE FASTENED BY NON- CONDUCTIVE BUTTONS; COLLAR SHALL BE A STANDARD SHIRT COLLAR; SHIRT SHALL HAVE AN INVERTED PLEAT WITH HANGER LOOP AND YOKE AT BACK; LONG-SLEEVED SHIRTS SHALL HAVE A CUFF- 65 MM WIDE SET IN LONG SLEEVE WITH TWO KNIFE PLEATS SEPARATE THE CUFF WITH BUTTON CLOSURE OF NON-CONDUCTIVE BUTTONS; SLEEVE OPENING BOUND WITH BINDING; ZERO HARM IDENTIFICATION ON THE RIGHT SLEEVE; ESKOM LOGO EMBROIDERED IN ACCORDANCE WITH ESKOM'S CORPORATE IDENTITY ON LEFT TOP POCKET THE FRONT BUTTONS SHALL BE SEWN ONTO A STRENGTHENED				
--	--	---	--	--	--	--

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		FRONT AND SHALL BE NON-CONDUCTIVE; SEAMS SHOULDER; SLEEVE AND BACK YOKE POSTED; SIDE SEAM AND UNDER ARM SAFETY STITCH; HEMS FINISHED 10MM; STITCHING SHALL COMPLY TO SANS 10101 AND THREADS TO SANS 1362; UNIQUE IDENTIFIER 240-44175132				
54	<u>Sap:</u> <u>0222372</u>	SHIRT: TYPE: MEN L/SLEEVE; SIZE: 39 CM; MATERIAL: COTTON; COLOR: GRAY; MATERIAL ZERO FLAME T006 SATIN WEAVE 100% COTTON TREATED WITH A FLAME RETARDANT FINISH THAT COMPLIES WITH SANS 1432-1; SHIRTS TO COMPLY WITH REQUIREMENTS AND SIZES REFERRED TO ANNEX A; BUTTON FRONT WITH YOKE AND TWO BREAST POCKETS AND FLAPS TO BUTTON CLOSURE; THE POCKETS SHALL BE 16 CM DEEP AND 14 CM WIDE; POCKETS AND FLAPS SHALL HAVE CUT EDGES WITH A PEN DIVISION; FRONT POCKET SHALL BE FASTENED BY NON-CONDUCTIVE BUTTONS; COLLAR SHALL BE A STANDARD SHIRT COLLAR; SHIRT SHALL HAVE AN INVERTED PLEAT WITH HANGER LOOP AND YOKE AT BACK; LONG-SLEEVED	19			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		SHIRTS SHALL HAVE A CUFF- 65 MM WIDE SET IN LONG SLEEVE WITH TWO KNIFE PLEATS SEPARATE THE CUFF WITH BUTTON CLOSURE OF NON-CONDUCTIVE BUTTONS; SLEEVE OPENING BOUND WITH BINDING; ZERO HARM IDENTIFICATION ON THE RIGHT SLEEVE; ESKOM LOGO EMBROIDERED IN ACCORDANCE WITH ESKOM'S CORPORATE IDENTITY ON LEFT TOP POCKET THE FRONT BUTTONS SHALL BE SEWN ONTO A STRENGTHENED FRONT AND SHALL BE NON-CONDUCTIVE; SEAMS SHOULDER; SLEEVE AND BACK YOKE POSTED; SIDE SEAM AND UNDER ARM SAFETY STITCH; HEMS FINISHED 10MM; STITCHING SHALL COMPLY TO SANS 10101 AND THREADS TO SANS 1362; UNIQUE IDENTIFIER 240-44175132				
55	<u>Sap:</u> <u>0222374</u>	SHIRT: TYPE: MEN L/SLEEVE; SIZE: 40 CM; MATERIAL: COTTON; COLOR: GRAY; MATERIAL ZERO FLAME T006 SATIN WEAVE 100% COTTON TREATED WITH A FLAME RETARDANT FINISH THAT COMPLIES WITH SANS 1432-1; SHIRTS TO COMPLY WITH REQUIREMENTS AND SIZES REFERRED TO ANNEX A; BUTTON FRONT	26			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.


	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		<p>WITH YOKE AND TWO BREAST POCKETS AND FLAPS TO BUTTON CLOSURE; THE POCKETS SHALL BE 16 CM DEEP AND 14 CM WIDE; POCKETS AND FLAPS SHALL HAVE CUT EDGES WITH A PEN DIVISION; FRONT POCKET SHALL BE FASTENED BY NON-CONDUCTIVE BUTTONS; COLLAR SHALL BE A STANDARD SHIRT COLLAR; SHIRT SHALL HAVE AN INVERTED PLEAT WITH HANGER LOOP AND YOKE AT BACK; LONG-SLEEVED SHIRTS SHALL HAVE A CUFF- 65 MM WIDE SET IN LONG SLEEVE WITH TWO KNIFE PLEATS SEPARATE THE CUFF WITH BUTTON CLOSURE OF NON-CONDUCTIVE BUTTONS; SLEEVE OPENING BOUND WITH BINDING; ZERO HARM IDENTIFICATION ON THE RIGHT SLEEVE; ESKOM LOGO EMBROIDERED IN ACCORDANCE WITH ESKOM'S CORPORATE IDENTITY ON LEFT TOP POCKET THE FRONT BUTTONS SHALL BE SEWN ONTO A STRENGTHENED FRONT AND SHALL BE NON-CONDUCTIVE; SEAMS SHOULDER; SLEEVE AND BACK YOKE POSTED; SIDE SEAM AND UNDER ARM SAFETY STITCH; HEMS FINISHED 10MM; STITCHING SHALL COMPLY TO SANS 10101</p>				
--	--	--	--	--	--	--

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		AND THREADS TO SANS 1362; UNIQUE IDENTIFIER 240-4417532				
56	<u>Sap: 0222375</u>	SHIRT: TYPE: MEN L/SLEEVE; SIZE: 41 CM; MATERIAL: COTTON; COLOR: GRAY; MATERIAL ZERO FLAME T006 SATIN WEAVE 100% COTTON TREATED WITH A FLAME RETARDANT FINISH THAT COMPLIES WITH SANS 1432-1; SHIRTS TO COMPLY WITH REQUIREMENTS AND SIZES REFERRED TO ANNEX A; BUTTON FRONT WITH YOKE AND TWO BREAST POCKETS AND FLAPS TO BUTTON CLOSURE; THE POCKETS SHALL BE 16 CM DEEP AND 14 CM WIDE; POCKETS AND FLAPS SHALL HAVE CUT EDGES WITH A PEN DIVISION; FRONT POCKET SHALL BE FASTENED BY NON-CONDUCTIVE BUTTONS; COLLAR SHALL BE A STANDARD SHIRT COLLAR; SHIRT SHALL HAVE AN INVERTED PLEAT WITH HANGER LOOP AND YOKE AT BACK; LONG-SLEEVED SHIRTS SHALL HAVE A CUFF- 65 MM WIDE SET IN LONG SLEEVE WITH TWO KNIFE PLEATS SEPARATE THE CUFF WITH BUTTON CLOSURE OF NON-CONDUCTIVE BUTTONS; SLEEVE OPENING BOUND WITH	5			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		BINDING; ZERO HARM IDENTIFICATION ON THE RIGHT SLEEVE; ESKOM LOGO EMBROIDERED IN ACCORDANCE WITH ESKOM'S CORPORATE IDENTITY ON LEFT TOP POCKET THE FRONT BUTTONS SHALL BE SEWN ONTO A STRENGTHENED FRONT AND SHALL BE NON-CONDUCTIVE; SEAMS SHOULDER; SLEEVE AND BACK YOKE POSTED; SIDE SEAM AND UNDER ARM SAFETY STITCH; HEMS FINISHED 10MM; STITCHING SHALL COMPLY TO SANS 10101 AND THREADS TO SANS 1362; UNIQUE IDENTIFIER 240-44175132				
57	<u>Sap:</u> <u>0222376</u>	SHIRT: TYPE: MEN L/SLEEVE; SIZE: 42 CM; MATERIAL: COTTON; COLOR: GRAY; MATERIAL ZERO FLAME T006 SATIN WEAVE 100% COTTON TREATED WITH A FLAME RETARDANT FINISH THAT COMPLIES WITH SANS 1432-1; SHIRTS TO COMPLY WITH REQUIREMENTS AND SIZES REFERRED TO ANNEX A; BUTTON FRONT WITH YOKE AND TWO BREAST POCKETS AND FLAPS TO BUTTON CLOSURE; THE POCKETS SHALL BE 16 CM DEEP AND 14 CM WIDE; POCKETS AND FLAPS SHALL HAVE CUT EDGES WITH A PEN DIVISION;	15			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		FRONT POCKET SHALL BE FASTENED BY NON-CONDUCTIVE BUTTONS; COLLAR SHALL BE A STANDARD SHIRT COLLAR; SHIRT SHALL HAVE AN INVERTED PLEAT WITH HANGER LOOP AND YOKE AT BACK; LONG-SLEEVED SHIRTS SHALL HAVE A CUFF- 65 MM WIDE SET IN LONG SLEEVE WITH TWO KNIFE PLEATS SEPARATE THE CUFF WITH BUTTON CLOSURE OF NON-CONDUCTIVE BUTTONS; SLEEVE OPENING BOUND WITH BINDING; ZERO HARM IDENTIFICATION ON THE RIGHT SLEEVE; ESKOM LOGO EMBROIDERED IN ACCORDANCE WITH ESKOM'S CORPORATE IDENTITY ON LEFT TOP POCKET THE FRONT BUTTONS SHALL BE SEWN ONTO A STRENGTHENED FRONT AND SHALL BE NON-CONDUCTIVE; SEAMS SHOULDER; SLEEVE AND BACK YOKE POSTED; SIDE SEAM AND UNDER ARM SAFETY STITCH; HEMS FINISHED 10MM; STITCHING SHALL COMPLY TO SANS 10101 AND THREADS TO SANS 1362; UNIQUE IDENTIFIER 240-44175132				
58	<u>Sap:</u> <u>0222377</u>	SHIRT: TYPE: MEN L/SLEEVE; SIZE: 43 CM; MATERIAL: COTTON; COLOR: GRAY; MATERIAL	9			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		<p>ZERO FLAME T006 SATIN WEAVE 100% COTTON TREATED WITH A FLAME RETARDANT FINISH THAT COMPLIES WITH SANS 1432-1; SHIRTS TO COMPLY WITH REQUIREMENTS AND SIZES REFERRED TO ANNEX A; BUTTON FRONT WITH YOKE AND TWO BREAST POCKETS AND FLAPS TO BUTTON CLOSURE; THE POCKETS SHALL BE 16 CM DEEP AND 14 CM WIDE; POCKETS AND FLAPS SHALL HAVE CUT EDGES WITH A PEN DIVISION; FRONT POCKET SHALL BE FASTENED BY NON-CONDUCTIVE BUTTONS; COLLAR SHALL BE A STANDARD SHIRT COLLAR; SHIRT SHALL HAVE AN INVERTED PLEAT WITH HANGER LOOP AND YOKE AT BACK; LONG-SLEEVED SHIRTS SHALL HAVE A CUFF- 65 MM WIDE SET IN LONG SLEEVE WITH TWO KNIFE PLEATS SEPARATE THE CUFF WITH BUTTON CLOSURE OF NON-CONDUCTIVE BUTTONS; SLEEVE OPENING BOUND WITH BINDING; ZERO HARM IDENTIFICATION ON THE RIGHT SLEEVE; ESKOM LOGO EMBROIDERED IN ACCORDANCE WITH ESKOM'S CORPORATE IDENTITY ON LEFT TOP POCKET THE FRONT BUTTONS SHALL BE SEWN</p>				
--	--	---	--	--	--	--

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		ONTO A STRENGTHENED FRONT AND SHALL BE NON-CONDUCTIVE; SEAMS SHOULDER; SLEEVE AND BACK YOKE POSTED; SIDE SEAM AND UNDER ARM SAFETY STITCH; HEMS FINISHED 10MM; STITCHING SHALL COMPLY TO SANS 10101 AND THREADS TO SANS 1362; UNIQUE IDENTIFIER 240-44175132				
59	<u>Sap:</u> <u>0222378</u>	SHIRT: TYPE: MEN L/SLEEVE; SIZE: 44 CM; MATERIAL: COTTON; COLOR: GRAY; MATERIAL ZERO FLAME T006 SATIN WEAVE 100% COTTON TREATED WITH A FLAME RETARDANT FINISH THAT COMPLIES WITH SANS 1432-1; SHIRTS TO COMPLY WITH REQUIREMENTS AND SIZES REFERRED TO ANNEX A; BUTTON FRONT WITH YOKE AND TWO BREAST POCKETS AND FLAPS TO BUTTON CLOSURE; THE POCKETS SHALL BE 16 CM DEEP AND 14 CM WIDE; POCKETS AND FLAPS SHALL HAVE CUT EDGES WITH A PEN DIVISION; FRONT POCKET SHALL BE FASTENED BY NON-CONDUCTIVE BUTTONS; COLLAR SHALL BE A STANDARD SHIRT COLLAR; SHIRT SHALL HAVE AN INVERTED PLEAT WITH HANGER LOOP AND YOKE AT	10			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		BACK; LONG-SLEEVED SHIRTS SHALL HAVE A CUFF- 65 MM WIDE SET IN LONG SLEEVE WITH TWO KNIFE PLEATS SEPARATE THE CUFF WITH BUTTON CLOSURE OF NON-CONDUCTIVE BUTTONS; SLEEVE OPENING BOUND WITH BINDING; ZERO HARM IDENTIFICATION ON THE RIGHT SLEEVE; ESKOM LOGO EMBROIDERED IN ACCORDANCE WITH ESKOM'S CORPORATE IDENTITY ON LEFT TOP POCKET THE FRONT BUTTONS SHALL BE SEWN ONTO A STRENGTHENED FRONT AND SHALL BE NON-CONDUCTIVE; SEAMS SHOULDER; SLEEVE AND BACK YOKE POSTED; SIDE SEAM AND UNDER ARM SAFETY STITCH; HEMS FINISHED 10MM; STITCHING SHALL COMPLY TO SANS 10101 AND THREADS TO SANS 1362; UNIQUE IDENTIFIER 240-44175132				
60	<u>Sap:</u> <u>0222379</u>	SHIRT: TYPE: MEN L/SLEEVE; SIZE: 45 CM; MATERIAL: COTTON; COLOR: GRAY; MATERIAL ZERO FLAME T006 SATIN WEAVE 100% COTTON TREATED WITH A FLAME RETARDANT FINISH THAT COMPLIES WITH SANS 1432-1; SHIRTS TO COMPLY WITH REQUIREMENTS AND SIZES REFERRED TO	5			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.


	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		<p>ANNEX A; BUTTON FRONT WITH YOKE AND TWO BREAST POCKETS AND FLAPS TO BUTTON CLOSURE; THE POCKETS SHALL BE 16 CM DEEP AND 14 CM WIDE; POCKETS AND FLAPS SHALL HAVE CUT EDGES WITH A PEN DIVISION; FRONT POCKET SHALL BE FASTENED BY NON-CONDUCTIVE BUTTONS; COLLAR SHALL BE A STANDARD SHIRT COLLAR; SHIRT SHALL HAVE AN INVERTED PLEAT WITH HANGER LOOP AND YOKE AT BACK; LONG-SLEEVED SHIRTS SHALL HAVE A CUFF- 65 MM WIDE SET IN LONG SLEEVE WITH TWO KNIFE PLEATS SEPARATE THE CUFF WITH BUTTON CLOSURE OF NON-CONDUCTIVE BUTTONS; SLEEVE OPENING BOUND WITH BINDING; ZERO HARM IDENTIFICATION ON THE RIGHT SLEEVE; ESKOM LOGO EMBROIDERED IN ACCORDANCE WITH ESKOM'S CORPORATE IDENTITY ON LEFT TOP POCKET THE FRONT BUTTONS SHALL BE SEWN ONTO A STRENGTHENED FRONT AND SHALL BE NON-CONDUCTIVE; SEAMS SHOULDER; SLEEVE AND BACK YOKE POSTED; SIDE SEAM AND UNDER ARM SAFETY STITCH; HEMS FINISHED 10MM; STITCHING SHALL</p>				
--	--	---	--	--	--	--

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.


	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		COMPLY TO SANS 10101 AND THREADS TO SANS 1362; UNIQUE IDENTIFIER 240-44175132				
61	<u>Sap:</u> <u>0222384</u>	SHIRT: TYPE: MEN S/SLEEVE; SIZE: 36 CM; MATERIAL: COTTON; COLOR: GRAY; MATERIAL ZERO FLAME T006 SATIN WEAVE 100% COTTON TREATED WITH A FLAME RETARDANT FINISH THAT COMPLIES WITH SANS 1432-1; SHIRTS TO COMPLY WITH REQUIREMENTS AND SIZES REFERRED TO ANNEX A; BUTTON FRONT WITH YOKE AND TWO BREAST POCKETS AND FLAPS TO BUTTON CLOSURE; THE POCKETS SHALL BE 16 CM DEEP AND 14 CM WIDE; POCKETS AND FLAPS SHALL HAVE CUT EDGES WITH A PEN DIVISION; FRONT POCKET SHALL BE FASTENED BY NON-CONDUCTIVE BUTTONS; COLLAR SHALL BE A STANDARD SHIRT COLLAR; SHIRT SHALL HAVE AN INVERTED PLEAT WITH HANGER LOOP AND YOKE AT BACK; SLEEVE OPENING BOUND WITH BINDING; ZERO HARM IDENTIFICATION ON THE RIGHT SLEEVE, ESKOM LOGO EMBROIDERED IN ACCORDANCE WITH ESKOM'S CORPORATE IDENTITY ON LEFT TOP	18			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		POCKET THE FRONT BUTTONS SHALL BE SEWN ONTO A STRENGTHENED FRONT AND SHALL BE NON-CONDUCTIVE; SEAMS SHOULDER, SLEEVE AND BACK YOKE POSTED; SIDE SEAM AND UNDER ARM SAFETY STITCH; HEMS FINISHED 10MM; STITCHING SHALL COMPLY TO SANS 10101 AND THREADS TO SANS 1362; UNIQUE IDENTIFIER 240-44175132				
62	<u>Sap:</u> <u>0222386</u>	SHIRT: TYPE: MEN S/SLEEVE; SIZE: 37 CM; MATERIAL: COTTON; COLOR: GRAY; MATERIAL ZERO FLAME T006 SATIN WEAVE 100% COTTON TREATED WITH A FLAME RETARDANT FINISH THAT COMPLIES WITH SANS 1432-1; SHIRTS TO COMPLY WITH REQUIREMENTS AND SIZES REFERRED TO ANNEX A; BUTTON FRONT WITH YOKE AND TWO BREAST POCKETS AND FLAPS TO BUTTON CLOSURE; THE POCKETS SHALL BE 16 CM DEEP AND 14 CM WIDE; POCKETS AND FLAPS SHALL HAVE CUT EDGES WITH A PEN DIVISION; FRONT POCKET SHALL BE FASTENED BY NON-CONDUCTIVE BUTTONS; COLLAR SHALL BE A STANDARD SHIRT COLLAR; SHIRT SHALL HAVE AN INVERTED	13			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		PLEAT WITH HANGER LOOP AND YOKE AT BACK; SLEEVE OPENING BOUND WITH BINDING; ZERO HARM IDENTIFICATION ON THE RIGHT SLEEVE, ESKOM LOGO EMBROIDERED IN ACCORDANCE WITH ESKOM'S CORPORATE IDENTITY ON LEFT TOP POCKET THE FRONT BUTTONS SHALL BE SEWN ONTO A STRENGTHENED FRONT AND SHALL BE NON-CONDUCTIVE; SEAMS SHOULDER, SLEEVE AND BACK YOKE POSTED; SIDE SEAM AND UNDER ARM SAFETY STITCH; HEMS FINISHED 10MM; STITCHING SHALL COMPLY TO SANS 10101 AND THREADS TO SANS 1362; UNIQUE IDENTIFIER 240-44175132				
63	<u>Sap: 0222387</u>	SHIRT: TYPE: MEN S/SLEEVE; SIZE: 38 CM; MATERIAL: COTTON; COLOR: GRAY; MATERIAL ZERO FLAME T006 SATIN WEAVE 100% COTTON TREATED WITH A FLAME RETARDANT FINISH THAT COMPLIES WITH SANS 1432-1; SHIRTS TO COMPLY WITH REQUIREMENTS AND SIZES REFERRED TO ANNEX A; BUTTON FRONT WITH YOKE AND TWO BREAST POCKETS AND FLAPS TO BUTTON CLOSURE; THE POCKETS SHALL BE 16 CM DEEP	17			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		<p>AND 14 CM WIDE; POCKETS AND FLAPS SHALL HAVE CUT EDGES WITH A PEN DIVISION; FRONT POCKET SHALL BE FASTENED BY NON- CONDUCTIVE BUTTONS; COLLAR SHALL BE A STANDARD SHIRT COLLAR; SHIRT SHALL HAVE AN INVERTED PLEAT WITH HANGER LOOP AND YOKE AT BACK; SLEEVE OPENING BOUND WITH BINDING; ZERO HARM IDENTIFICATION ON THE RIGHT SLEEVE, ESKOM LOGO EMBROIDERED IN ACCORDANCE WITH ESKOM'S CORPORATE IDENTITY ON LEFT TOP POCKET THE FRONT BUTTONS SHALL BE SEWN ONTO A STRENGTHENED FRONT AND SHALL BE NON-CONDUCTIVE; SEAMS SHOULDER, SLEEVE AND BACK YOKE POSTED; SIDE SEAM AND UNDER ARM SAFETY STITCH; HEMS FINISHED 10MM; STITCHING SHALL COMPLY TO SANS 10101 AND THREADS TO SANS 1362; UNIQUE IDENTIFIER 240- 44175132</p>				
64	<u>Sap:</u> <u>0222389</u>	<p>SHIRT: TYPE: MEN S/SLEEVE; SIZE: 39 CM; MATERIAL: COTTON; COLOR: GRAY; MATERIAL ZERO FLAME T006 SATIN WEAVE 100% COTTON TREATED WITH A FLAME RETARDANT FINISH THAT</p>	13			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		COMPLIES WITH SANS 1432-1; SHIRTS TO COMPLY WITH REQUIREMENTS AND SIZES REFERRED TO ANNEX A; BUTTON FRONT WITH YOKE AND TWO BREAST POCKETS AND FLAPS TO BUTTON CLOSURE; THE POCKETS SHALL BE 16 CM DEEP AND 14 CM WIDE; POCKETS AND FLAPS SHALL HAVE CUT EDGES WITH A PEN DIVISION; FRONT POCKET SHALL BE FASTENED BY NON-CONDUCTIVE BUTTONS; COLLAR SHALL BE A STANDARD SHIRT COLLAR; SHIRT SHALL HAVE AN INVERTED PLEAT WITH HANGER LOOP AND YOKE AT BACK; SLEEVE OPENING BOUND WITH BINDING; ZERO HARM IDENTIFICATION ON THE RIGHT SLEEVE, ESKOM LOGO EMBROIDERED IN ACCORDANCE WITH ESKOM'S CORPORATE IDENTITY ON LEFT TOP POCKET THE FRONT BUTTONS SHALL BE SEWN ONTO A STRENGTHENED FRONT AND SHALL BE NON-CONDUCTIVE; SEAMS SHOULDER, SLEEVE AND BACK YOKE POSTED; SIDE SEAM AND UNDER ARM SAFETY STITCH; HEMS FINISHED 10MM; STITCHING SHALL COMPLY TO SANS 10101 AND THREADS TO SANS 1362; UNIQUE				
--	--	--	--	--	--	--

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		IDENTIFIER 240-44175132				
65	<u>Sap:0222390</u>	SHIRT: TYPE: MEN S/SLEEVE; SIZE: 40 CM; MATERIAL: COTTON; COLOR: GRAY; MATERIAL ZERO FLAME T006 SATIN WEAVE 100% COTTON TREATED WITH A FLAME RETARDANT FINISH THAT COMPLIES WITH SANS 1432-1; SHIRTS TO COMPLY WITH REQUIREMENTS AND SIZES REFERRED TO ANNEX A; BUTTON FRONT WITH YOKE AND TWO BREAST POCKETS AND FLAPS TO BUTTON CLOSURE; THE POCKETS SHALL BE 16 CM DEEP AND 14 CM WIDE; POCKETS AND FLAPS SHALL HAVE CUT EDGES WITH A PEN DIVISION; FRONT POCKET SHALL BE FASTENED BY NON- CONDUCTIVE BUTTONS; COLLAR SHALL BE A STANDARD SHIRT COLLAR; SHIRT SHALL HAVE AN INVERTED PLEAT WITH HANGER LOOP AND YOKE AT BACK; SLEEVE OPENING BOUND WITH BINDING; ZERO HARM IDENTIFICATION ON THE RIGHT SLEEVE, ESKOM LOGO EMBROIDERED IN ACCORDANCE WITH ESKOM'S CORPORATE IDENTITY ON LEFT TOP POCKET THE FRONT BUTTONS SHALL BE SEWN	23			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.


	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		ONTO A STRENGTHENED FRONT AND SHALL BE NON-CONDUCTIVE; SEAMS SHOULDER, SLEEVE AND BACK YOKE POSTED; SIDE SEAM AND UNDER ARM SAFETY STITCH; HEMS FINISHED 10MM; STITCHING SHALL COMPLY TO SANS 10101 AND THREADS TO SANS 1362; UNIQUE IDENTIFIER 240-44175132				
66	<u>Sap:</u> <u>0222391</u>	SHIRT: TYPE: MEN S/SLEEVE; SIZE: 41 CM; MATERIAL: COTTON; COLOR: GRAY; MATERIAL ZERO FLAME T006 SATIN WEAVE 100% COTTON TREATED WITH A FLAME RETARDANT FINISH THAT COMPLIES WITH SANS 1432-1; SHIRTS TO COMPLY WITH REQUIREMENTS AND SIZES REFERRED TO ANNEX A; BUTTON FRONT WITH YOKE AND TWO BREAST POCKETS AND FLAPS TO BUTTON CLOSURE; THE POCKETS SHALL BE 16 CM DEEP AND 14 CM WIDE; POCKETS AND FLAPS SHALL HAVE CUT EDGES WITH A PEN DIVISION; FRONT POCKET SHALL BE FASTENED BY NON-CONDUCTIVE BUTTONS; COLLAR SHALL BE A	7			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		STANDARD SHIRT COLLAR; SHIRT SHALL HAVE AN INVERTED PLEAT WITH HANGER LOOP AND YOKE AT BACK; SLEEVE OPENING BOUND WITH BINDING; ZERO HARM IDENTIFICATION ON THE RIGHT SLEEVE, ESKOM LOGO EMBROIDERED IN ACCORDANCE WITH ESKOM'S CORPORATE IDENTITY ON LEFT TOP POCKET THE FRONT BUTTONS SHALL BE SEWN ONTO A STRENGTHENED FRONT AND SHALL BE NON-CONDUCTIVE; SEAMS SHOULDER, SLEEVE AND BACK YOKE POSTED; SIDE SEAM AND UNDER ARM SAFETY STITCH; HEMS FINISHED 10MM; STITCHING SHALL COMPLY TO SANS 10101 AND THREADS TO SANS 1362; UNIQUE IDENTIFIER 240-44175132				
67	<u>Sap:</u> <u>0222392</u>	SHIRT: TYPE: MEN S/SLEEVE; SIZE: 42 CM; MATERIAL: COTTON; COLOR: GRAY; MATERIAL ZERO FLAME T006 SATIN WEAVE 100% COTTON TREATED WITH A FLAME RETARDANT FINISH THAT COMPLIES WITH SANS 1432-1; SHIRTS TO	18			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.


	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		<p>COMPLY WITH REQUIREMENTS AND SIZES REFERRED TO ANNEX A; BUTTON FRONT WITH YOKE AND TWO BREAST POCKETS AND FLAPS TO BUTTON CLOSURE; THE POCKETS SHALL BE 16 CM DEEP AND 14 CM WIDE; POCKETS AND FLAPS SHALL HAVE CUT EDGES WITH A PEN DIVISION; FRONT POCKET SHALL BE FASTENED BY NON-CONDUCTIVE BUTTONS; COLLAR SHALL BE A STANDARD SHIRT COLLAR; SHIRT SHALL HAVE AN INVERTED PLEAT WITH HANGER LOOP AND YOKE AT BACK; SLEEVE OPENING BOUND WITH BINDING; ZERO HARM IDENTIFICATION ON THE RIGHT SLEEVE, ESKOM LOGO EMBROIDERED IN ACCORDANCE WITH ESKOM'S CORPORATE IDENTITY ON LEFT TOP POCKET THE FRONT BUTTONS SHALL BE SEWN ONTO A STRENGTHENED FRONT AND SHALL BE NON-CONDUCTIVE; SEAMS SHOULDER, SLEEVE AND BACK YOKE POSTED; SIDE SEAM AND UNDER ARM SAFETY STITCH; HEMS FINISHED 10MM; STITCHING SHALL COMPLY TO SANS 10101 AND THREADS TO SANS 1362; UNIQUE IDENTIFIER 240-44175132</p>				
--	--	--	--	--	--	--

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

68	<u>Sap:</u> 0222393	SHIRT: TYPE: MEN S/SLEEVE; SIZE: 43 CM; MATERIAL: COTTON; COLOR: GRAY; MATERIAL ZERO FLAME T006 SATIN WEAVE 100% COTTON TREATED WITH A FLAME RETARDANT FINISH THAT COMPLIES WITH SANS 1432-1; SHIRTS TO COMPLY WITH REQUIREMENTS AND SIZES REFERRED TO ANNEX A; BUTTON FRONT WITH YOKE AND TWO BREAST POCKETS AND FLAPS TO BUTTON CLOSURE; THE POCKETS SHALL BE 16 CM DEEP AND 14 CM WIDE; POCKETS AND FLAPS SHALL HAVE CUT EDGES WITH A PEN DIVISION; FRONT POCKET SHALL BE FASTENED BY NON- CONDUCTIVE BUTTONS; COLLAR SHALL BE A STANDARD SHIRT COLLAR; SHIRT SHALL HAVE AN INVERTED PLEAT WITH HANGER LOOP AND YOKE AT BACK; SLEEVE OPENING BOUND WITH BINDING; ZERO HARM IDENTIFICATION ON THE RIGHT SLEEVE, ESKOM LOGO EMBROIDERED IN ACCORDANCE WITH ESKOM'S CORPORATE IDENTITY ON LEFT TOP POCKET THE FRONT BUTTONS SHALL BE SEWN ONTO A STRENGTHENED FRONT AND SHALL BE NON-CONDUCTIVE; SEAMS SHOULDER, SLEEVE AND	10			
----	------------------------	---	----	--	--	--

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		BACK YOKE POSTED; SIDE SEAM AND UNDER ARM SAFETY STITCH; HEMS FINISHED 10MM; STITCHING SHALL COMPLY TO SANS 10101 AND THREADS TO SANS 1362; UNIQUE IDENTIFIER 240- 44175132				
69	<u>Sap: 0222401</u>	SHIRT, WOMAN: SLEEVE TYPE: LONG; SIZE: 77 CM; COLOR: GRAY; TYPE: FLAME RETARDANT; MATERIAL: COTTON; ALL SHIRTS SHALL BE MADE OF ZERO FLAME T006 SATIN WEAVE 100% COTTON FABRIC TREATED WITH A FLAME RETARDANT FINISH THAT COMPLIES WITH SANS 1423-1; THE SHIRT SIZES SHALL COMPLY TO ANNEX A; THE FRONT OF THE LONG SLEEVED SHIRTS SHALL BE BUTTON DOWN PLAIN COLLAR WITH BUST AND WAIST DARTS; TWO BREAST POCKETS SHALL BE 14CM DEEP AND 14.5 CM WIDE; THE POCKETS AND FLAPS SHALL HAVE CUT EDGES; THE POCKET SHALL BE FASTENED BY MEANS OF NON- CONDUCTIVE BUTTONS; ZERO HARM IDENTIFICATION ON THE RIGHT SLEEVE; ESKOM LOGO EMBROIDERED IN ACCORDANCE WITH ESKOM'S CORPORATE IDENTITY ON LEFT TOP POCKET; THE COLLAR	2			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		SHALL BE A STANDARD SHIRT COLLAR; LONG-SLEEVED SHIRTS SHALL HAVE A CUFF 65 MM WIDE; THE SHIRT SHALL BE CORPORATE SAND STONE; PANTONE 8004 C; THE FRONT BUTTONS SHALL BE SEWN ONTO A STRENGTHENED FRONT AND THE BUTTONS SHALL BE NON-CONDUCTIVE; THE BUTTON HOLES SHALL BE 1.2 CM SHIRT TYPE BUTTON HOLES; THE HEM SHALL BE PLAIN FINISHED AND SHALL BE 1.5 CM IN WIDTH; THE STITCHING SHALL COMPLY WITH SANS 10101; THE THREAD USED SHALL COMPLY WITH SANS 1362; UNIQUE IDENTIFIER 240-44175132				
70	<u>Sap: 0222561</u>	RAINWEAR: TYPE: 2 PIECE SUIT; SIZE: S; MATERIAL: POLYESTER 100 PCT PLAIN WEAVE, 180 GM/2 MIN; COLOR: BLUE NAVY; MATERIAL: MINIMUM 180 GRAMS PER M/3 FACE SIDE 100% POLYESTER; PLAIN WEAVE WITH 170 THREADS PER M/3 INCH WITH WATER RESISTANT COATING; UNDER SIDE LAMINATED WITH PVC COATING; SEAMS STRENGTH 50KPA; CONVERTS TO 50KNM/2; LINING 80% POLYESTER 20% COTTON; SIZE TO SANS 434 SIZE CHART	11			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		ANNEX E FOR RAIN WEAR; JACKET SHALL HAVE A NYLON SPIRAL ZIP WITH CLOSED FLY FRONT SECURED BY NON-CONDUCTIVE PRESS-STUDS; COMPLY WITH SANS 1822 TYPE 5; HOOD ATTACHED TO THE JACKET; JACKET TO COVER THE BUTTOCKS; FALSE ELASTIC SLEEVE AT THE END MADE OF SOFTER MATERIAL; PANTS SHALL HAVE SIDE SLITS AND ELASTIC WAIST; REFLECTIVE STRIPS TO BE FITTED ON BOTH SLEEVES ON THE UPPER ARM, AND BOTH LEGS ABOVE THE KNEES; ZERO HARM IDENTIFICATION ON THE RIGHT SIDE OF THE SLEEVE AND THE ESKOM LOGO SHALL BE SILK-SCREENED IN ACCORDANCE WITH ESKOM'S CORPORATE IDENTITY ON THE FRONT AND BACK; INDELIBLE MNFRS TRADEMARK; SIZE; CLEANING INSTRUCTIONS ON JACKET AND TROUSER WITH SABS MARK OF APPROVAL; UNIQUE IDENTIFIER 240-44175132				
71	<u>Sap:</u> <u>0225676</u>	RAINWEAR: TYPE: 2 PIECE SUIT; SIZE: M; MATERIAL: POLYESTER 100 PCT PLAIN WEAVE, 180 GM/2 MIN; COLOR: BLUE NAVY; MATERIAL: MINIMUM 180 GRAMS PER	18			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.


	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		M/3 FACE SIDE 100% POLYESTER; PLAIN WEAVE WITH 170 THREADS PER M/3 INCH WITH WATER RESISTANT COATING; UNDER SIDE LAMINATED WITH PVC COATING; SEAMS STRENGTH 50KPA; CONVERTS TO 50KNM/2; LINING 80% POLYESTER 20% COTTON; SIZE TO SANS 434 SIZE CHART ANNEX E FOR RAIN WEAR; JACKET SHALL HAVE A NYLON SPIRAL ZIP WITH CLOSED FLY FRONT SECURED BY NON-CONDUCTIVE PRESS-STUDS; COMPLY WITH SANS 1822 TYPE 5; HOOD ATTACHED TO THE JACKET; JACKET TO COVER THE BUTTOCKS; FALSE ELASTIC SLEEVE AT THE END MADE OF SOFTER MATERIAL; PANTS SHALL HAVE SIDE SLITS AND ELASTIC WAIST; REFLECTIVE STRIPS TO BE FITTED ON BOTH SLEEVES ON THE UPPER ARM, AND BOTH LEGS ABOVE THE KNEES; ZERO HARM IDENTIFICATION ON THE RIGHT SIDE OF THE SLEEVE AND THE ESKOM LOGO SHALL BE SILK-SCREENED IN ACCORDANCE WITH ESKOM'S CORPORATE IDENTITY ON THE FRONT AND BACK; INDELIBLE MNFRS TRADEMARK; SIZE; CLEANING INSTRUCTIONS ON				
--	--	--	--	--	--	--

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		JACKET AND TROUSER WITH SABS MARK OF APPROVAL; UNIQUE IDENTIFIER 240-44175132				
72	<u>Sap:</u> <u>0222566</u>	RAINWEAR: TYPE: 2 PIECE SUIT; SIZE: L; MATERIAL: POLYESTER 100 PCT PLAIN WEAVE, 180 GM/2 MIN; COLOR: BLUE NAVY; MATERIAL: MINIMUM 180 GRAMS PER M/3 FACE SIDE 100% POLYESTER; PLAIN WEAVE WITH 170 THREADS PER M/3 INCH WITH WATER RESISTANT COATING; UNDER SIDE LAMINATED WITH PVC COATING; SEAMS STRENGTH 50KPA; CONVERTS TO 50KNM/2; LINING 80% POLYESTER 20% COTTON; SIZE TO SANS 434 SIZE CHART ANNEX E FOR RAIN WEAR; JACKET SHALL HAVE A NYLON SPIRAL ZIP WITH CLOSED FLY FRONT SECURED BY NON- CONDUCTIVE PRESS- STUDS; COMPLY WITH SANS 1822 TYPE 5; HOOD ATTACHED TO THE JACKET; JACKET TO COVER THE BUTTOCKS; FALSE ELASTIC SLEEVE AT THE END MADE OF SOFTER MATERIAL; PANTS SHALL HAVE SIDE SLITS AND ELASTIC WAIST; REFLECTIVE STRIPS TO BE FITTED ON BOTH SLEEVES ON THE UPPER ARM, AND BOTH LEGS ABOVE THE	18			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		KNEES; ZERO HARM IDENTIFICATION ON THE RIGHT SIDE OF THE SLEEVE AND THE ESKOM LOGO SHALL BE SILK-SCREENED IN ACCORDANCE WITH ESKOM'S CORPORATE IDENTITY ON THE FRONT AND BACK; INDELIBLE MNFRS TRADEMARK; SIZE; CLEANING INSTRUCTIONS ON JACKET AND TROUSER WITH SABS MARK OF APPROVAL; UNIQUE IDENTIFIER 240-44175132				
73	<u>Sap:</u> <u>0222567</u>	RAINWEAR: TYPE: 2 PIECE SUIT; SIZE: XL; MATERIAL: POLYESTER 100 PCT PLAIN WEAVE, 180 GM/2 MIN; COLOR: BLUE NAVY; MATERIAL: MINIMUM 180 GRAMS PER M/3 FACE SIDE 100% POLYESTER; PLAIN WEAVE WITH 170 THREADS PER M/3 INCH WITH WATER RESISTANT COATING; UNDER SIDE LAMINATED WITH PVC COATING; SEAMS STRENGTH 50KPA; CONVERTS TO 50KNM/2; LINING 80% POLYESTER 20% COTTON; SIZE TO SANS 434 SIZE CHART ANNEX E FOR RAIN WEAR; JACKET SHALL HAVE A NYLON SPIRAL ZIP WITH CLOSED FLY FRONT SECURED BY NON-CONDUCTIVE PRESS-STUDS; COMPLY WITH SANS 1822 TYPE 5;	13			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.


	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		HOOD ATTACHED TO THE JACKET; JACKET TO COVER THE BUTTOCKS; FALSE ELASTIC SLEEVE AT THE END MADE OF SOFTER MATERIAL; PANTS SHALL HAVE SIDE SLITS AND ELASTIC WAIST; REFLECTIVE STRIPS TO BE FITTED ON BOTH SLEEVES ON THE UPPER ARM, AND BOTH LEGS ABOVE THE KNEES; ZERO HARM IDENTIFICATION ON THE RIGHT SIDE OF THE SLEEVE AND THE ESKOM LOGO SHALL BE SILK-SCREENED IN ACCORDANCE WITH ESKOM'S CORPORATE IDENTITY ON THE FRONT AND BACK; INDELIBLE MNFRS TRADEMARK; SIZE; CLEANING INSTRUCTIONS ON JACKET AND TROUSER WITH SABS MARK OF APPROVAL; UNIQUE IDENTIFIER 240-4417				
74	<u>Sap: 0222568</u>	RAINWEAR: TYPE: 2 PIECE SUIT; SIZE: 2XL; MATERIAL: POLYESTER 100 PCT PLAIN WEAVE, 180 GM/2 MIN; COLOR: BLUE NAVY; MATERIAL: MINIMUM 180 GRAMS PER M/3 FACE SIDE 100% POLYESTER; PLAIN WEAVE WITH 170 THREADS PER M/3 INCH WITH WATER RESISTANT COATING; UNDER SIDE LAMINATED WITH PVC COATING; SEAMS	9			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.


	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		<p>STRENGTH 50KPA; CONVERTS TO 50KNM/2; LINING 80% POLYESTER 20% COTTON; SIZE TO SANS 434 SIZE CHART ANNEX E FOR RAIN WEAR; JACKET SHALL HAVE A NYLON SPIRAL ZIP WITH CLOSED FLY FRONT SECURED BY NON- CONDUCTIVE PRESS- STUDS; COMPLY WITH SANS 1822 TYPE 5; HOOD ATTACHED TO THE JACKET; JACKET TO COVER THE BUTTOCKS; FALSE ELASTIC SLEEVE AT THE END MADE OF SOFTER MATERIAL; PANTS SHALL HAVE SIDE SLITS AND ELASTIC WAIST; REFLECTIVE STRIPS TO BE FITTED ON BOTH SLEEVES ON THE UPPER ARM, AND BOTH LEGS ABOVE THE KNEES; ZERO HARM IDENTIFICATION ON THE RIGHT SIDE OF THE SLEEVE AND THE ESKOM LOGO SHALL BE SILK- SCREENED IN ACCORDANCE WITH ESKOM'S CORPORATE IDENTITY ON THE FRONT AND BACK; INDELIBLE MNFERS TRADEMARK; SIZE; CLEANING INSTRUCTIONS ON JACKET AND TROUSER WITH SABS MARK OF APPROVAL; UNIQUE IDENTIFIER 240-4417</p>				
--	--	--	--	--	--	--

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

75	<u>Sap:</u> <u>0222581</u>	BOOTS, SAFETY: SIZE: 4; TOE CONSTRUCTION TYPE: STRD; STL OR CARBON FIBER; COLOR: BLACK/BROWN; MATERIAL: UPPER LEATHER FULL GRAIN; STYLE: 34-232; TREAD SURFACE TYPE: SOLE RUBBER; OIL/PETROL SLIP RESISTANCE; FASTENING METHOD: LACE; SPECIFICATION: UNIQUE IDENTIFIER 240-44175132; STANDARD BOOTS TO COMPLY WITH SAFETY BOOTS ELECTRICAL TESTING SPECIFICATION 34-232; THE BOOTS TO BE DARK BROWN; WHERE IT IS NOT POSSIBLE TO OBTAIN BROWN THEN BLACK WILL BE THE ONLY ALTERNATIVE AND THE LACES SHALL MATCH THE RELEVANT BOOT COLOUR; ONLY LOCALLY PRODUCED OR MANUFACTURED TEXTILES LEATHER AND FOOTWEAR FROM LOCAL RAW MATERIAL OR INPUT WILL BE CONSIDERED; ITEM TO BE MARKED WITH SABS SANS 20345:2008 MARK OF APPROVAL; WITH PENETRATION-RESISTANT INSERT	2			
76	<u>Sap:</u> <u>0222583</u>	BOOTS, SAFETY: SIZE: 6; TOE CONSTRUCTION TYPE: STRD; STL OR CARBON FIBER; COLOR: BLACK/BROWN; MATERIAL: UPPER	4			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		LEATHER FULL GRAIN; STYLE: 34-232; TREAD SURFACE TYPE: SOLE RUBBER; OIL/PETROL SLIP RESISTANCE; FASTENING METHOD: LACE; SPECIFICATION: UNIQUE IDENTIFIER 240-44175132; STANDARD BOOTS TO COMPLY WITH SAFETY BOOTS ELECTRICAL TESTING SPECIFICATION 34-232; THE BOOTS TO BE DARK BROWN; WHERE IT IS NOT POSSIBLE TO OBTAIN BROWN THEN BLACK WILL BE THE ONLY ALTERNATIVE AND THE LACES SHALL MATCH THE RELEVANT BOOT COLOUR; ONLY LOCALLY PRODUCED OR MANUFACTURED TEXTILES LEATHER AND FOOTWEAR FROM LOCAL RAW MATERIAL OR INPUT WILL BE CONSIDERED; ITEM TO BE MARKED WITH SABS SANS 20345:2008 MARK OF APPROVAL; WITH PENETRATION-RESISTANT INSERT				
77	<u>Sap:</u> <u>0222584</u>	BOOTS, SAFETY: SIZE: 7; TOE CONSTRUCTION TYPE: STRD; STL OR CARBON FIBER; COLOR: BLACK/BROWN; MATERIAL: UPPER LEATHER FULL GRAIN; STYLE: 34-232; TREAD SURFACE TYPE: SOLE RUBBER; OIL/PETROL SLIP RESISTANCE; FASTENING METHOD:	9			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		LACE; SPECIFICATION: UNIQUE IDENTIFIER 240-44175132; STANDARD BOOTS TO COMPLY WITH SAFETY BOOTS ELECTRICAL TESTING SPECIFICATION 34-232; THE BOOTS TO BE DARK BROWN; WHERE IT IS NOT POSSIBLE TO OBTAIN BROWN THEN BLACK WILL BE THE ONLY ALTERNATIVE AND THE LACES SHALL MATCH THE RELEVANT BOOT COLOUR; ONLY LOCALLY PRODUCED OR MANUFACTURED TEXTILES LEATHER AND FOOTWEAR FROM LOCAL RAW MATERIAL OR INPUT WILL BE CONSIDERED; ITEM TO BE MARKED WITH SABS SANS 20345:2008 MARK OF APPROVAL; WITH PENETRATION-RESISTANT INSERT				
78	<u>Sap:0222585</u>	BOOTS, SAFETY: SIZE: 8; TOE CONSTRUCTION TYPE: STRD; STL OR CARBON FIBER; COLOR: BLACK/BROWN; MATERIAL: UPPER LEATHER FULL GRAIN; STYLE: 34-232; TREAD SURFACE TYPE: SOLE RUBBER; OIL/PETROL SLIP RESISTANCE; FASTENING METHOD: LACE; SPECIFICATION: UNIQUE IDENTIFIER 240-44175132; STANDARD BOOTS TO COMPLY WITH SAFETY BOOTS ELECTRICAL	8			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		TESTING SPECIFICATION 34-232; THE BOOTS TO BE DARK BROWN; WHERE IT IS NOT POSSIBLE TO OBTAIN BROWN THEN BLACK WILL BE THE ONLY ALTERNATIVE AND THE LACES SHALL MATCH THE RELEVANT BOOT COLOUR; ONLY LOCALLY PRODUCED OR MANUFACTURED TEXTILES LEATHER AND FOOTWEAR FROM LOCAL RAW MATERIAL OR INPUT WILL BE CONSIDERED; ITEM TO BE MARKED WITH SABS SANS 20345:2008 MARK OF APPROVAL; WITH PENETRATION-RESISTANT INSERT				
79	<u>Sap:</u> <u>0222586</u>	BOOTS, SAFETY: SIZE: 9; TOE CONSTRUCTION TYPE: STRD; STL OR CARBON FIBER; COLOR: BLACK/BROWN; MATERIAL: UPPER LEATHER FULL GRAIN; STYLE: 34-232; TREAD SURFACE TYPE: SOLE RUBBER; OIL/PETROL SLIP RESISTANCE; FASTENING METHOD: LACE; SPECIFICATION: UNIQUE IDENTIFIER 240-44175132; STANDARD BOOTS TO COMPLY WITH SAFETY BOOTS ELECTRICAL TESTING SPECIFICATION 34-232; THE BOOTS TO BE DARK BROWN; WHERE IT IS NOT POSSIBLE TO OBTAIN BROWN THEN BLACK WILL BE THE	9			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		ONLY ALTERNATIVE AND THE LACES SHALL MATCH THE RELEVANT BOOT COLOUR; ONLY LOCALLY PRODUCED OR MANUFACTURED TEXTILES LEATHER AND FOOTWEAR FROM LOCAL RAW MATERIAL OR INPUT WILL BE CONSIDERED; ITEM TO BE MARKED WITH SABS SANS 20345:2008 MARK OF APPROVAL; WITH PENETRATION-RESISTANT INSERT				
80	<u>Sap:</u> <u>0222587</u>	BOOTS, SAFETY: SIZE: 10; TOE CONSTRUCTION TYPE: STRD; STL OR CARBON FIBER; COLOR: BLACK/BROWN; MATERIAL: UPPER LEATHER FULL GRAIN; STYLE: 34-232; TREAD SURFACE TYPE: SOLE RUBBER; OIL/PETROL SLIP RESISTANCE; FASTENING METHOD: LACE; SPECIFICATION: UNIQUE IDENTIFIER 240-44175132; STANDARD BOOTS TO COMPLY WITH SAFETY BOOTS ELECTRICAL TESTING SPECIFICATION 34-232; THE BOOTS TO BE DARK BROWN; WHERE IT IS NOT POSSIBLE TO OBTAIN BROWN THEN BLACK WILL BE THE ONLY ALTERNATIVE AND THE LACES SHALL MATCH THE RELEVANT BOOT COLOUR; ONLY LOCALLY PRODUCED OR MANUFACTURED TEXTILES	6			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.


	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		LEATHER AND FOOTWEAR FROM LOCAL RAW MATERIAL OR INPUT WILL BE CONSIDERED; ITEM TO BE MARKED WITH SABS SANS 20345:2008 MARK OF APPROVAL; WITH PENETRATION-RESISTANT INSERT				
81	<u>Sap: 0222574</u>	BOOTS, SAFETY: SIZE: 6; TOE CONSTRUCTION TYPE: STL OR CARBON FIBER, WIDE FIT; COLOR: BLACK/BROWN; MATERIAL: UPPER LEATHER FULL GRAIN; STYLE: 34-232; TREAD SURFACE TYPE: SOLE RUBBER; OIL/PETROL SLIP RESISTANCE; FASTENING METHOD: LACE; SPECIFICATION: UNIQUE IDENTIFIER 240-44175132; WIDE BOOTS TO COMPLY WITH SAFETY BOOTS ELECTRICAL TESTING SPECIFICATION 34-232; THE BOOTS TO BE DARK BROWN; WHERE IT IS NOT POSSIBLE TO OBTAIN BROWN THEN BLACK WILL BE THE ONLY ALTERNATIVE AND THE LACES SHALL MATCH THE RELEVANT BOOT COLOUR; ONLY LOCALLY PRODUCED OR MANUFACTURED TEXTILES LEATHER AND FOOTWEAR FROM LOCAL RAW MATERIAL OR INPUT WILL BE CONSIDERED; ITEM TO BE MARKED WITH SABS SANS	2			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.


	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		20345:2008 MARK OF APPROVAL; WITH PENETRATION-RESISTANT INSERT				
82	<u>Sap:</u> <u>0222575</u>	BOOTS, SAFETY: SIZE: 7; TOE CONSTRUCTION TYPE: STL OR CARBON FIBER, WIDE FIT; COLOR: BLACK/BROWN; MATERIAL: UPPER LEATHER FULL GRAIN; STYLE: 34-232; TREAD SURFACE TYPE: SOLE RUBBER; OIL/PETROL SLIP RESISTANCE; FASTENING METHOD: LACE; SPECIFICATION: UNIQUE IDENTIFIER 240-44175132; WIDE BOOTS TO COMPLY WITH SAFETY BOOTS ELECTRICAL TESTING SPECIFICATION 34-232; THE BOOTS TO BE DARK BROWN; WHERE IT IS NOT POSSIBLE TO OBTAIN BROWN THEN BLACK WILL BE THE ONLY ALTERNATIVE AND THE LACES SHALL MATCH THE RELEVANT BOOT COLOUR; ONLY LOCALLY PRODUCED OR MANUFACTURED TEXTILES LEATHER AND FOOTWEAR FROM LOCAL RAW MATERIAL OR INPUT WILL BE CONSIDERED; ITEM TO BE MARKED WITH SABS SANS 20345:2008 MARK OF APPROVAL; WITH PENETRATION-RESISTANT INSERT	4			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

83	<u>Sap: 0222576</u>	BOOTS, SAFETY: SIZE: 8; TOE CONSTRUCTION TYPE: STL OR CARBON FIBER, WIDE FIT; COLOR: BLACK/BROWN; MATERIAL: UPPER LEATHER FULL GRAIN; STYLE: 34-232; TREAD SURFACE TYPE: SOLE RUBBER; OIL/PETROL SLIP RESISTANCE; FASTENING METHOD: LACE; SPECIFICATION: UNIQUE IDENTIFIER 240-44175132; WIDE BOOTS TO COMPLY WITH SAFETY BOOTS ELECTRICAL TESTING SPECIFICATION 34-232; THE BOOTS TO BE DARK BROWN; WHERE IT IS NOT POSSIBLE TO OBTAIN BROWN THEN BLACK WILL BE THE ONLY ALTERNATIVE AND THE LACES SHALL MATCH THE RELEVANT BOOT COLOUR; ONLY LOCALLY PRODUCED OR MANUFACTURED TEXTILES LEATHER AND FOOTWEAR FROM LOCAL RAW MATERIAL OR INPUT WILL BE CONSIDERED; ITEM TO BE MARKED WITH SABS SANS 20345:2008 MARK OF APPROVAL; WITH PENETRATION-RESISTANT INSERT	4			
84	<u>Sap: 0222577</u>	BOOTS, SAFETY: SIZE: 9; TOE CONSTRUCTION TYPE: STL OR CARBON FIBER, WIDE FIT; COLOR: BLACK/BROWN; MATERIAL: UPPER	2			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		LEATHER FULL GRAIN; STYLE: 34-232; TREAD SURFACE TYPE: SOLE RUBBER; OIL/PETROL SLIP RESISTANCE; FASTENING METHOD: LACE; SPECIFICATION: UNIQUE IDENTIFIER 240-44175132; WIDE BOOTS TO COMPLY WITH SAFETY BOOTS ELECTRICAL TESTING SPECIFICATION 34-232; THE BOOTS TO BE DARK BROWN; WHERE IT IS NOT POSSIBLE TO OBTAIN BROWN THEN BLACK WILL BE THE ONLY ALTERNATIVE AND THE LACES SHALL MATCH THE RELEVANT BOOT COLOUR; ONLY LOCALLY PRODUCED OR MANUFACTURED TEXTILES LEATHER AND FOOTWEAR FROM LOCAL RAW MATERIAL OR INPUT WILL BE CONSIDERED; ITEM TO BE MARKED WITH SABS SANS 20345:2008 MARK OF APPROVAL; WITH PENETRATION-RESISTANT INSERT				
85	<u>Sap:</u> <u>0222578</u>	BOOTS, SAFETY: SIZE: 10; TOE CONSTRUCTION TYPE: STL OR CARBON FIBER, WIDE FIT; COLOR: BLACK/BROWN; MATERIAL: UPPER LEATHER FULL GRAIN; STYLE: 34-232; TREAD SURFACE TYPE: SOLE RUBBER; OIL/PETROL SLIP RESISTANCE; FASTENING METHOD:	2			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		LACE; SPECIFICATION: UNIQUE IDENTIFIER 240-44175132; WIDE BOOTS TO COMPLY WITH SAFETY BOOTS ELECTRICAL TESTING SPECIFICATION 34-232; THE BOOTS TO BE DARK BROWN; WHERE IT IS NOT POSSIBLE TO OBTAIN BROWN THEN BLACK WILL BE THE ONLY ALTERNATIVE AND THE LACES SHALL MATCH THE RELEVANT BOOT COLOUR; ONLY LOCALLY PRODUCED OR MANUFACTURED TEXTILES LEATHER AND FOOTWEAR FROM LOCAL RAW MATERIAL OR INPUT WILL BE CONSIDERED; ITEM TO BE MARKED WITH SABS SANS 20345:2008 MARK OF APPROVAL; WITH PENETRATION-RESISTANT INSERT				
86	<u>Sap:</u> <u>0235903</u>	SHOES, SAFETY: SIZE: 6; TOE CONSTRUCTION TYPE: STRD; STL OR CARBON FIBER; COLOR: BLACK/BROWN; STYLE: 34-232; TREAD SURFACE TYPE: SOLE RUBBER; OIL/PETROL SLIP RESISTANCE; MATERIAL: UPPER LEATHER FULL GRAIN; FASTENING METHOD: LACE; SPECIFICATION: UNIQUE IDENTIFIER 240- 44175132; STANDARD SHOES TO COMPLY WITH SAFETY SHOES ELECTRICAL TESTING	4			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		SPECIFICATION 34-232; THE SHOES TO BE DARK BROWN; WHERE IT IS NOT POSSIBLE TO OBTAIN BROWN THEN BLACK WILL BE THE ONLY ALTERNATIVE AND THE LACES SHALL MATCH THE RELEVANT SHOE COLOUR; ONLY LOCALLY PRODUCED OR MANUFACTURED TEXTILES LEATHER AND FOOTWEAR FROM LOCAL RAW MATERIAL OR INPUT WILL BE CONSIDERED; ITEM TO BE MARKED WITH SABS SANS 20345:2008 MARK OF APPROVAL; WITH PENETRATION-RESISTANT INSERT				
87	<u>Sap:</u> <u>0235904</u>	SHOES, SAFETY: SIZE: 7; TOE CONSTRUCTION TYPE: STRD; STL OR CARBON FIBER; COLOR: BLACK/BROWN; STYLE: 34-232; TREAD SURFACE TYPE: SOLE RUBBER; OIL/PETROL SLIP RESISTANCE; MATERIAL: UPPER LEATHER FULL GRAIN; FASTENING METHOD: LACE; SPECIFICATION: UNIQUE IDENTIFIER 240-44175132; STANDARD SHOES TO COMPLY WITH SAFETY SHOES ELECTRICAL TESTING SPECIFICATION 34-232; THE SHOES TO BE DARK BROWN; WHERE IT IS NOT POSSIBLE TO OBTAIN BROWN THEN BLACK WILL BE THE	5			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		ONLY ALTERNATIVE AND THE LACES SHALL MATCH THE RELEVANT SHOE COLOUR; ONLY LOCALLY PRODUCED OR MANUFACTURED TEXTILES LEATHER AND FOOTWEAR FROM LOCAL RAW MATERIAL OR INPUT WILL BE CONSIDERED; ITEM TO BE MARKED WITH SABS SANS 20345:2008 MARK OF APPROVAL; WITH PENETRATION-RESISTANT INSERT				
88	<u>Sap:</u> <u>0235905</u>	SHOES, SAFETY: SIZE: 8; TOE CONSTRUCTION TYPE: STRD; STL OR CARBON FIBER; COLOR: BLACK/BROWN; STYLE: 34-232; TREAD SURFACE TYPE: SOLE RUBBER; OIL/PETROL SLIP RESISTANCE; MATERIAL: UPPER LEATHER FULL GRAIN; FASTENING METHOD: LACE; SPECIFICATION: UNIQUE IDENTIFIER 240-44175132; STANDARD SHOES TO COMPLY WITH SAFETY SHOES ELECTRICAL TESTING SPECIFICATION 34-232; THE SHOES TO BE DARK BROWN; WHERE IT IS NOT POSSIBLE TO OBTAIN BROWN THEN BLACK WILL BE THE ONLY ALTERNATIVE AND THE LACES SHALL MATCH THE RELEVANT SHOE COLOUR; ONLY LOCALLY PRODUCED OR MANUFACTURED TEXTILES	4			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		LEATHER AND FOOTWEAR FROM LOCAL RAW MATERIAL OR INPUT WILL BE CONSIDERED; ITEM TO BE MARKED WITH SABS SANS 20345:2008 MARK OF APPROVAL; WITH PENETRATION-RESISTANT INSERT				
89	<u>Sap:</u> <u>0235906</u>	SHOES, SAFETY: SIZE: 9; TOE CONSTRUCTION TYPE: STRD; STL OR CARBON FIBER; COLOR: BLACK/BROWN; STYLE: 34-232; TREAD SURFACE TYPE: SOLE RUBBER; OIL/PETROL SLIP RESISTANCE; MATERIAL: UPPER LEATHER FULL GRAIN; FASTENING METHOD: LACE; SPECIFICATION: UNIQUE IDENTIFIER 240-44175132; STANDARD SHOES TO COMPLY WITH SAFETY SHOES ELECTRICAL TESTING SPECIFICATION 34-232; THE SHOES TO BE DARK BROWN; WHERE IT IS NOT POSSIBLE TO OBTAIN BROWN THEN BLACK WILL BE THE ONLY ALTERNATIVE AND THE LACES SHALL MATCH THE RELEVANT SHOE COLOUR; ONLY LOCALLY PRODUCED OR MANUFACTURED TEXTILES LEATHER AND FOOTWEAR FROM LOCAL RAW MATERIAL OR INPUT WILL BE CONSIDERED; ITEM TO BE MARKED WITH SABS SANS	4			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		20345:2008 MARK OF APPROVAL; WITH PENETRATION-RESISTANT INSERT				
90	<u>Sap: 0235907</u>	SHOES, SAFETY: SIZE: 10; TOE CONSTRUCTION TYPE: STRD; STL OR CARBON FIBER; COLOR: BLACK/BROWN; STYLE: 34-232; TREAD SURFACE TYPE: SOLE RUBBER; OIL/PETROL SLIP RESISTANCE; MATERIAL: UPPER LEATHER FULL GRAIN; FASTENING METHOD: LACE; SPECIFICATION: UNIQUE IDENTIFIER 240-44175132; STANDARD SHOES TO COMPLY WITH SAFETY SHOES ELECTRICAL TESTING SPECIFICATION 34-232; THE SHOES TO BE DARK BROWN; WHERE IT IS NOT POSSIBLE TO OBTAIN BROWN THEN BLACK WILL BE THE ONLY ALTERNATIVE AND THE LACES SHALL MATCH THE RELEVANT SHOE COLOUR; ONLY LOCALLY PRODUCED OR MANUFACTURED TEXTILES LEATHER AND FOOTWEAR FROM LOCAL RAW MATERIAL OR INPUT WILL BE CONSIDERED; ITEM TO BE MARKED WITH SABS SANS 20345:2008 MARK OF APPROVAL; WITH PENETRATION-RESISTANT INSERT	6			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.


	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

91	<u>Sap:</u> <u>0235897</u>	SHOES, SAFETY: SIZE: 9; TOE CONSTRUCTION TYPE: STL OR CARBON FIBER, WIDE FIT; COLOR: BLACK/BROWN; STYLE: 34-232; TREAD SURFACE TYPE: SOLE RUBBER; OIL/PETROL SLIP RESISTANCE; MATERIAL: UPPER LEATHER FULL GRAIN; FASTENING METHOD: LACE; SPECIFICATION: UNIQUE IDENTIFIER 240-44175132; WIDE; SHOES TO COMPLY WITH SAFETY SHOES ELECTRICAL TESTING SPECIFICATION 34-232; THE SHOES TO BE DARK BROWN; WHERE IT IS NOT POSSIBLE TO OBTAIN BROWN THEN BLACK WILL BE THE ONLY ALTERNATIVE AND THE LACES SHALL MATCH THE RELEVANT SHOE COLOUR; ONLY LOCALLY PRODUCED OR MANUFACTURED TEXTILES LEATHER AND FOOTWEAR FROM LOCAL RAW MATERIAL OR INPUT WILL BE CONSIDERED; ITEM TO BE MARKED WITH SABS SANS 20345:2008 MARK OF APPROVAL; WITH PENETRATION-RESISTANT INSERT	2			
92	<u>Sap:</u> <u>0185204</u>	PROTECTOR: TYPE: SHOE; DIMENSIONS: LG 320 X HT 250 MM; MATERIAL: LEATHER COWHIDE; SPECIFICATION: UNIQUE	1			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.


	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		IDENTIFIER 240-44157132; REFERENCE NO: CSP, UNK; WITH SELF GRIP BACK FASTENER, UNDER STRAP				
93	<u>Sap: 0017014</u>	GUMBOOTS, SAFETY: TOE CAP: STL; SIZE: 7; STYLE: KNEE HEIGHT; COLOR: BLACK; MATERIAL: RUBBER; TREAD TYPE: RUBBER MOLDED; SPECIFICATION: UNIQUE IDENTIFIER 240-44175132; SIZE 255; LOW ABRASION; MATERIAL FULL VULCANISED RUBBER; ACID AND OIL RESISTANT; NON SLIP SOLE; WATERPROOF CONSTRUCTION; BEARING SABS MARK OF APPROVAL	1			
94	<u>Sap: 0017015</u>	GUMBOOTS, SAFETY: TOE CAP: STL; SIZE: 8; STYLE: KNEE HEIGHT; COLOR: BLACK; MATERIAL: RUBBER; TREAD TYPE: RUBBER MOLDED; SPECIFICATION: UNIQUE IDENTIFIER 240-44175132; SIZE 262; LOW ABRASION; MATERIAL FULL VULCANISED RUBBER; ACID AND OIL RESISTANT; NON SLIP SOLE; WATERPROOF CONSTRUCTION; TO SABS 20345	1			
95	<u>Sap: 0160593</u>	WADER: TYPE: FISHERMANS; SIZE: 7; MATERIAL: PVC; COLOR: GREEN OLIVE;	1			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.


	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		WATERPROOF; CONSIST OF TROUSERS AND ATTACHED BOOTS; UNIQUE IDENTIFIER 240-44175132				
96	<u>Sap: 0239825</u>	SOCKS: TYPE: ANKLE LENGTH; SIZE: S TO M; MATERIAL: COTTON; COLOR: BLUE NAVY; SPECIFICATION: 240-44175132; NON-CONDUCTIVE; ANTI-STATIC; ANTI-BACTERIAL; MATERIAL SOCKS SHALL BE MADE FROM 72% COTTON, 26% POLY; 2% SILVER FIBRE 1	25			
97	<u>Sap: 0239827</u>	SOCKS: TYPE: ANKLE LENGTH; SIZE: L; XL; MATERIAL: COTTON; COLOR: BLUE NAVY; SPECIFICATION: 240-44175132; NON-CONDUCTIVE; ANTI-STATIC; ANTI-BACTERIAL; MATERIAL SOCKS SHALL BE MADE FROM 72% COTTON, 26% POLY; 2% SILVER FIBRE 1	58			
98	<u>Sap: 0239829</u>	SOCKS: TYPE: CALF LG; SIZE: S TO M; MATERIAL: COTTON; COLOR: BLUE NAVY; SPECIFICATION: 240-44175132; NON-CONDUCTIVE; ANTI-STATIC; ANTI-BACTERIAL; MATERIAL SOCKS SHALL BE MADE FROM 72% COTTON, 26% POLY; 2% SILVER FIBRE 1	47			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

99	<u>Sap:</u> <u>0239830</u>	SOCKS: TYPE: CALF LG; SIZE: L; XL; MATERIAL: COTTON; COLOR: BLUE NAVY; SPECIFICATION: 240-44175132; NON-CONDUCTIVE; ANTI-STATIC; ANTI-BACTERIAL; MATERIAL SOCKS SHALL BE MADE FROM 72% COTTON, 26% POLY; 2% SILVER FIBRE 1	32			
100	<u>Sap:</u> <u>0565317</u>	GLOVE, WELDER: GARMENT SIZE: L; LENGTH: 16 IN; MATERIAL: LEATHER COWHIDE; COLOR: RED; CUFF TYPE: PLAIN; SPECIFICATION: EN407; UNIQUE IDENTIFIER 240-44175132; TYPE: PIM; PHYSICAL PROPERTIES: WITH DOUBLE APRON; COTTON AND FOAM LINING AND KEVLAR YAM; TEMPERATURE: CAN WITHSTAND HEAT UP TO 500 DEGREES CELSIUS; MECHANICAL ABRASION EN LEVEL 2; TEAR EN LEVEL 4; HEAT BURNING BEHAVIOUR EN LEVEL 4; CONNECTIVE HEAT EN LEVEL 4; MOLTEN METAL DROPS EN LEVEL 4; COLD TABLE FOR GENERAL APPLICATION; USES HIGH HEAT WELDING AND FURNACE WORK; NOT SUITABLE FOR ANY CHEMICALS	2			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

101	<u>Sap:</u> <u>0565318</u>	GLOVE, WELDER: GARMENT SIZE: XL; LENGTH: 16 IN; MATERIAL: LEATHER COWHIDE; COLOR: RED; CUFF TYPE: PLAIN; SPECIFICATION: EN407; UNIQUE IDENTIFIER 240-44175132; TYPE: PIM; PHYSICAL PROPERTIES: WITH DOUBLE APRON; COTTON AND FOAM LINING AND KEVLAR YAM; TEMPERATURE: CAN WITHSTAND HEAT UP TO 500 DEGREES CELSIUS; MECHANICAL ABRASION EN LEVEL 2; TEAR EN LEVEL 4; HEAT BURNING BEHAVIOUR EN LEVEL 4; CONNECTIVE HEAT EN LEVEL 4; MOLTEN METAL DROPS EN LEVEL 4; COLD TABLE FOR GENERAL APPLICATION; USES HIGH HEAT WELDING AND FURNACE WORK; NOT SUITABLE FOR ANY CHEMICALS	2			
102	<u>Sap:</u> <u>0555016</u>	GLOVE: TYPE: CUT RESISTANT; SIZE: 7; LENGTH: 25 CM; CUFF LENGTH: 50 MM; MATERIAL: MICROFOAM NITRILE; COLOR: GREY/BLACK/WHITE; CUFF: ELASTICATED; SPECIFICATION: EN388- 4331; UNIQUE IDENTIFIER 240- 44175132; SPECIAL FEATURES: CUT LEVEL 3; MANUF P/N: 34-450; LIGHTWEIGHT; PALM COATED; LINER:	20			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.


	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		BLACK/WHITE; PALM: 1.2 MM; MICRO-FOAM NITRILE COATED GLOVE; REINFORCEMENT BETWEEN THUMB AND FOREFINGER; APPLICATIONS: MAINTENANCE				
103	<u>Sap: 0555014</u>	GLOVE: TYPE: CUT RESISTANT; SIZE: 8 (M); LENGTH: 25 CM; CUFF LENGTH: 50 MM; MATERIAL: MICROFOAM NITRILE; COLOR: GREY/BLACK/WHITE; CUFF: ELASTICATED; SPECIFICATION: EN388-4331; UNIQUE IDENTIFIER 240-44175132; SPECIAL FEATURES: CUT LEVEL 3; MANUF P/N: 34-450; LIGHTWEIGHT; PALM COATED; LINER: BLACK/WHITE; PALM: 1.2 MM; MICRO-FOAM NITRILE COATED GLOVE; REINFORCEMENT BETWEEN THUMB AND FOREFINGER; APPLICATIONS: MAINTENANCE	24			
104	<u>Sap: 0555019</u>	GLOVE: TYPE: CUT RESISTANT; SIZE: 9; LENGTH: 25 CM; CUFF LENGTH: 50 MM; MATERIAL: MICROFOAM NITRILE; COLOR: GREY/BLACK/WHITE; CUFF: ELASTICATED; SPECIFICATION: EN388-4331; UNIQUE IDENTIFIER 240-44175132; SPECIAL FEATURES: CUT LEVEL 3; MANUF P/N: 34-450; LIGHTWEIGHT; PALM	39			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.


	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		COATED; LINER: BLACK/WHITE; PALM: 1.2 MM; MICRO-FOAM NITRILE COATED GLOVE; REINFORCEMENT BETWEEN THUMB AND FOREFINGER; APPLICATIONS: MAINTENANCE				
105	<u>Sap:</u> <u>0555020</u>	GLOVE: TYPE: CUT RESISTANT; SIZE: 10; LENGTH: 25 CM; CUFF LENGTH: 50 MM; MATERIAL: MICROFOAM NITRILE; COLOR: GREY/BLACK/WHITE; CUFF: ELASTICATED; SPECIFICATION: EN388- 4331; UNIQUE IDENTIFIER 240- 44175132; SPECIAL FEATURES: CUT LEVEL 3; MANUF P/N: 34-450; LIGHTWEIGHT; PALM COATED; LINER: BLACK/WHITE; PALM: 1.2 MM; MICRO-FOAM NITRILE COATED GLOVE; REINFORCEMENT BETWEEN THUMB AND FOREFINGER; APPLICATIONS: MAINTENANCE	30			
106	<u>Sap:</u> <u>0565284</u>	GLOVE: TYPE: GENERAL HANDLING; SIZE: 7; LENGTH: 25 CM; CUFF LENGTH: 50 MM; MATERIAL: MICROFOAM NITRILE; COLOR: BLACK/DARK GREY; CUFF: ELASTICATED; SPECIFICATION: EN388- 4131; UNIQUE IDENTIFIER 240- 44175132; MANUF P/N: 34-876	3			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

107	<u>Sap:</u> <u>0565285</u>	GLOVE: TYPE: GENERAL HANDLING; SIZE: 8; LENGTH: 25 CM; CUFF LENGTH: 50 MM; MATERIAL: MICROFOAM NITRILE; COLOR: BLACK/DARK GREY; CUFF: ELASTICATED; SPECIFICATION: EN388-4131; UNIQUE IDENTIFIER 240-44175132; MANUF P/N: 34-876	14			
108	<u>Sap:</u> <u>0565286</u>	GLOVE: TYPE: GENERAL HANDLING; SIZE: 9; LENGTH: 25 CM; CUFF LENGTH: 50 MM; MATERIAL: MICROFOAM NITRILE; COLOR: BLACK/DARK GREY; CUFF: ELASTICATED; SPECIFICATION: EN388-4131; UNIQUE IDENTIFIER 240-44175132; MANUF P/N: 34-876	12			
109	<u>Sap:</u> <u>0565287</u>	GLOVE: TYPE: GENERAL HANDLING; SIZE: 10; LENGTH: 25 CM; CUFF LENGTH: 50 MM; MATERIAL: MICROFOAM NITRILE; COLOR: BLACK/DARK GREY; CUFF: ELASTICATED; SPECIFICATION: EN388-4131; UNIQUE IDENTIFIER 240-44175132; MANUF P/N: 34-876	2			
110	<u>Sap:</u> <u>0244600</u>	GLOVE, ELECTRICAL: POTENTIAL: 1000 V; SIZE: 8; LENGTH: 350 MM; MATERIAL: INHERENTLY ARC RATED,	9			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.


	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		NOT CHEMICALLY TREATED TO ACHIEVE ARC RATING; COMPLY WITH ARC PPE; COLOR: GREY; CUFF: CLUTE; TYPE: ARC FLASH; CLASS: 2				
111	<u>Sap: 0244601</u>	GLOVE, ELECTRICAL: POTENTIAL: 1000 V; SIZE: 9; LENGTH: 350 MM; MATERIAL: INHERENTLY ARC RATED, NOT CHEMICALLY TREATED TO ACHIEVE ARC RATING; COMPLY WITH ARC PPE; COLOR: GREY; CUFF: CLUTE; TYPE: ARC FLASH; CLASS: 2; COMPLY WITH ARC PPE SPECIFICATIONS 240-70044736	4			
112	<u>Sap: 0565282</u>	GLOVE, CHEMICAL PROTECTIVE: TYPE: ACID RESISTANT; SIZE: 9; LENGTH: 300 MM; MATERIAL: BUTYL PLUS R0.3; COLOR: BLACK; CUFF TYPE: ROLLED END; CUFF LENGTH: 150 MM; SPECIFICATION: EN388/EN374: 2003; UNIQUE IDENTIFIER 240-44175132	2			
113	<u>Sap: 0239866</u>	VEST, HIGH VISIBILITY: TYPE: EVACUATION; SIZE: M; MATERIAL: NYLON; COLOR: WHITE CLOUD G80 NCS0704G28Y; GARMENT CLOSING METHOD: ZIP FASTENER WHICH SHALL COMPLY WITH SANS 1822 AND BE	3			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.


	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		<p>OF A NON CONDUCTIVE MATERIAL; USAGE DESIGN: FIG A3 ANEX A SANS 50471; REFLECTOR MARKING: REFER FIG A3; POCKET TYPE: LEFT TOP; EVACUATION CO-ORDINATOR TO BE SILK SCREENED AT BACK; LABEL HOLDER WITH CLEAR PLASTIC WINDOW TO BE STITCHED ON LEFT TOP; ESKOM LOGO ABOVE LEFT HAND POCKET; ABOVE SHALL COMPLY TO SANS 50471 FOR HIGH VISIBILITY WARNING CLOTHING FOR PROFESSIONAL USE; VESTS/BIBS DESIGN SHALL COMPLY AS PER SANS 50471 ANNEXURE A FIGURE A3; RELECTIVE TAPE (RETRO REFLECTIVE MATERIAL) SHALL COMPLY WITH SANS 50471 AND SHALL BE A MINIMUM OF 50MM IN WIDTH AND COLOUR REQUIREMENTS FOR BACKGROUND AND COMBINED PERFORMANCE MATERIAL AS PER TABLE 2 AS PER SANS 50471; TEST/CERT, IDENTIFICATION AND SPECIFICATION REQUIREMENTS: MATERIAL SPEC: SANS 50471 AND FIGURE A3 ANNEXURE A; COLOUR SPEC: SANS 50471 TABLE 2 (FOR COLOUR REQUIREMENTS); UNIQUE IDENTIFIER 240-44175132; IDENTIFICATION:</p>				
--	--	--	--	--	--	--

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		INDELIBLE MNFRS. TRADEMARK AND SIZE ON ALL ITEMS				
114	<u>Sap:</u> <u>0239867</u>	VEST, HIGH VISIBILITY: TYPE: EVACUATION; SIZE: L; MATERIAL: NYLON; COLOR: WHITE CLOUD G80 NCS0704G28Y; GARMENT CLOSING METHOD: ZIP FASTENER WHICH SHALL COMPLY WITH SANS 1822 AND BE OF A NON CONDUCTIVE MATERIAL; USAGE DESIGN: FIG A3 ANEX A SANS 50471; REFLECTOR MARKING: REFER FIG A3; POCKET TYPE: LEFT TOP; EVACUATION CO- ORDINATOR TO BE SILK SCREENED AT BACK; LABEL HOLDER WITH CLEAR PLASTIC WINDOW TO BE STITCHED ON LEFT TOP; ESKOM LOGO ABOVE LEFT HAND POCKET; ABOVE SHALL COMPLY TO SANS 50471 FOR HIGH VISIBILITY WARNING CLOTHING FOR PROFESSIONAL USE; VESTS/BIBS DESIGN SHALL COMPLY AS PER SANS 50471 ANNEXURE A FIGURE A3; RELECTIVE TAPE (RETRO REFLECTIVE MATERIAL) SHALL COMPLY WITH SANS 50471 AND SHALL BE A MINIMUM OF 50MM IN WIDTH AND COLOUR REQUIREMENTS FOR BACKGROUND AND COMBINED PERFORMANCE MATERIAL AS PER TABLE	1			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		2 AS PER SANS 50471; TEST/CERT, IDENTIFICATION AND SPECIFICATION REQUIREMENTS: MATERIAL SPEC: SANS 50471 AND FIGURE A3 ANNEXURE A; COLOUR SPEC: SANS 50471 TABLE 2 (FOR COLOUR REQUIREMENTS); UNIQUE IDENTIFIER 240- 44175132; IDENTIFICATION: INDELIBLE MNFRS. TRADEMARK AND SIZE ON ALL ITEMS				
115	<u>Sap:</u> <u>0565627</u>	VEST, HIGH VISIBILITY: TYPE: FIRST AID; SIZE: S; MATERIAL: NYLON; COLOR: EMERALD GREEN E14 NCS-3745-B99G; GARMENT CLOSING METHOD: ZIP FASTENER WHICH SHALL COMPLY WITH SANS 1822 AND BE OF A NON CONDUCTIVE MATERIAL; USAGE DESIGN: FIG A3 ANEX A SANS 50471; REFLECTOR MARKING: REFER FIG A3; POCKET TYPE: LEFT TOP; FIRST AID CO- ORDINATOR TO BE SILK SCREENED AT BACK; LABEL HOLDER WITH CLEAR PLASTIC WINDOW TO BE STITCHED ON LEFT TOP; ESKOM LOGO ABOVE LEFT HAND POCKET; ABOVE SHALL COMPLY TO SANS 50471 FOR HIGH VISIBILITY WARNING CLOTHING FOR PROFESSIONAL USE;	2			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		<p>VESTS/BIBS DESIGN SHALL COMPLY AS PER SANS 50471 ANNEXURE A FIGURE A3; RELECTIVE TAPE (RETRO REFLECTIVE MATERIAL) SHALL COMPLY WITH SANS 50471 AND SHALL BE A MINIMUM OF 50MM IN WIDTH AND COLOUR REQUIREMENTS FOR BACKGROUND AND COMBINED PERFORMANCE MATERIAL AS PER TABLE 2 AS PER SANS 50471; TEST/CERT, IDENTIFICATION AND SPECIFICATION REQUIREMENTS: MATERIAL SPEC: SANS 50471 AND FIGURE A3 ANNEXURE A; COLOUR SPEC: SANS 50471 TABLE 2 (FOR COLOUR REQUIREMENTS); UNIQUE IDENTIFIER 240-44175132; IDENTIFICATION: INDELIBLE MNFRS. TRADEMARK AND SIZE ON ALL ITEMS</p>				
116	<u>Sap:</u> <u>0565628</u>	<p>VEST, HIGH VISIBILITY: TYPE: FIRST AID; SIZE: M; MATERIAL: NYLON; COLOR: EMERALD GREEN E14 NCS-3745-B99G; GARMENT CLOSING METHOD: ZIP FASTENER WHICH SHALL COMPLY WITH SANS 1822 AND BE OF A NON CONDUCTIVE MATERIAL; USAGE DESIGN: FIG A3 ANEX A SANS 50471; REFLECTOR MARKING: REFER FIG</p>	2			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		<p>A3; POCKET TYPE: LEFT TOP; FIRST AID CO-ORDINATOR TO BE SILK SCREENED AT BACK; LABEL HOLDER WITH CLEAR PLASTIC WINDOW TO BE STITCHED ON LEFT TOP; ESKOM LOGO ABOVE LEFT HAND POCKET; ABOVE SHALL COMPLY TO SANS 50471 FOR HIGH VISIBILITY WARNING CLOTHING FOR PROFESSIONAL USE; VESTS/BIBS DESIGN SHALL COMPLY AS PER SANS 50471 ANNEXURE A FIGURE A3; RELECTIVE TAPE (RETRO REFLECTIVE MATERIAL) SHALL COMPLY WITH SANS 50471 AND SHALL BE A MINIMUM OF 50MM IN WIDTH AND COLOUR REQUIREMENTS FOR BACKGROUND AND COMBINED PERFORMANCE MATERIAL AS PER TABLE 2 AS PER SANS 50471; TEST/CERT, IDENTIFICATION AND SPECIFICATION REQUIREMENTS: MATERIAL SPEC: SANS 50471 AND FIGURE A3 ANNEXURE A; COLOUR SPEC: SANS 50471 TABLE 2 (FOR COLOUR REQUIREMENTS); UNIQUE IDENTIFIER 240-44175132; IDENTIFICATION: INDELIBLE MNFRS. TRADEMARK AND SIZE ON ALL ITEMS</p>				
--	--	---	--	--	--	--

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

117	<u>Sap:</u> <u>0565635</u>	VEST, HIGH VISIBILITY: TYPE: FIRST AID; SIZE: L; MATERIAL: NYLON; COLOR: EMERALD GREEN E14 NCS-3745-B99G; GARMENT CLOSING METHOD: ZIP FASTENER WHICH SHALL COMPLY WITH SANS 1822 AND BE OF A NON CONDUCTIVE MATERIAL; USAGE DESIGN: FIG A3 ANEX A SANS 50471; REFLECTOR MARKING: REFER FIG A3; POCKET TYPE: LEFT TOP; FIRST AID CO- ORDINATOR TO BE SILK SCREENED AT BACK; LABEL HOLDER WITH CLEAR PLASTIC WINDOW TO BE STITCHED ON LEFT TOP; ESKOM LOGO ABOVE LEFT HAND POCKET; ABOVE SHALL COMPLY TO SANS 50471 FOR HIGH VISIBILITY WARNING CLOTHING FOR PROFESSIONAL USE; VESTS/BIBS DESIGN SHALL COMPLY AS PER SANS 50471 ANNEXURE A FIGURE A3; RELECTIVE TAPE (RETRO REFLECTIVE MATERIAL) SHALL COMPLY WITH SANS 50471 AND SHALL BE A MINIMUM OF 50MM IN WIDTH AND COLOUR REQUIREMENTS FOR BACKGROUND AND COMBINED PERFORMANCE MATERIAL AS PER TABLE 2 AS PER SANS 50471; TEST/CERT, IDENTIFICATION AND SPECIFICATION	2			
-----	-------------------------------	--	---	--	--	--

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		REQUIREMENTS: MATERIAL SPEC: SANS 50471 AND FIGURE A3 ANNEXURE A; COLOUR SPEC: SANS 50471 TABLE 2 (FOR COLOUR REQUIREMENTS); UNIQUE IDENTIFIER 240-44175132; IDENTIFICATION: INDELIBLE MNFRS. TRADEMARK AND SIZE ON ALL ITEMS				
118	<u>Sap:</u> <u>0565611</u>	VEST, HIGH VISIBILITY: TYPE: FIRE PROTECTION; SIZE: S; MATERIAL: NYLON; COLOR: SIGNAL RED A11 NCS-1678-Y86R; GARMENT CLOSING METHOD: ZIP FASTENER WHICH SHALL COMPLY WITH SANS 1822 AND BE OF A NON CONDUCTIVE MATERIAL; USAGE DESIGN: FIG A3 ANEX A SANS 50471; REFLECTOR MARKING: REFER FIG A3; POCKET TYPE: LEFT TOP; FIRE PROTECTION CO-ORDINATOR TO BE SILK SCREENED AT BACK; LABEL HOLDER WITH CLEAR PLASTIC WINDOW TO BE STITCHED ON LEFT TOP; ESKOM LOGO ABOVE LEFT HAND POCKET; ABOVE SHALL COMPLY TO SANS 50471 FOR HIGH VISIBILITY WARNING CLOTHING FOR PROFESSIONAL USE; VESTS/BIBS DESIGN SHALL COMPLY AS PER SANS 50471 ANNEXURE A FIGURE A3; RELECTIVE	2			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.


	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		TAPE (RETRO REFLECTIVE MATERIAL) SHALL COMPLY WITH SANS 50471 AND SHALL BE A MINIMUM OF 50MM IN WIDTH AND COLOUR REQUIREMENTS FOR BACKGROUND AND COMBINED PERFORMANCE MATERIAL AS PER TABLE 2 AS PER SANS 50471; TEST/CERT, IDENTIFICATION AND SPECIFICATION REQUIREMENTS: MATERIAL SPEC: SANS 50471 AND FIGURE A3 ANNEXURE A; COLOUR SPEC: SANS 50471 TABLE 2 (FOR COLOUR REQUIREMENTS); UNIQUE IDENTIFIER 240-44175132; IDENTIFICATION: INDELIBLE MNFRS. TRADEMARK AND SIZE ON ALL ITEMS				
119	<u>Sap: 0565613</u>	VEST, HIGH VISIBILITY: TYPE: FIRE PROTECTION; SIZE: L; MATERIAL: NYLON; COLOR: SIGNAL RED A11 NCS-1678-Y86R; GARMENT CLOSING METHOD: ZIP FASTENER WHICH SHALL COMPLY WITH SANS 1822 AND BE OF A NON CONDUCTIVE MATERIAL; USAGE DESIGN: FIG A3 ANEX A SANS 50471; REFLECTOR MARKING: REFER FIG A3; POCKET TYPE: LEFT TOP; FIRE PROTECTION CO-ORDINATOR TO BE SILK SCREENED AT	1			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		BACK; LABEL HOLDER WITH CLEAR PLASTIC WINDOW TO BE STITCHED ON LEFT TOP; ESKOM LOGO ABOVE LEFT HAND POCKET; ABOVE SHALL COMPLY TO SANS 50471 FOR HIGH VISIBILITY WARNING CLOTHING FOR PROFESSIONAL USE; VESTS/BIBS DESIGN SHALL COMPLY AS PER SANS 50471 ANNEXURE A FIGURE A3; RELECTIVE TAPE (RETRO REFLECTIVE MATERIAL) SHALL COMPLY WITH SANS 50471 AND SHALL BE A MINIMUM OF 50MM IN WIDTH AND COLOUR REQUIREMENTS FOR BACKGROUND AND COMBINED PERFORMANCE MATERIAL AS PER TABLE 2 AS PER SANS 50471; TEST/CERT, IDENTIFICATION AND SPECIFICATION REQUIREMENTS: MATERIAL SPEC: SANS 50471 AND FIGURE A3 ANNEXURE A; COLOUR SPEC: SANS 50471 TABLE 2 (FOR COLOUR REQUIREMENTS); UNIQUE IDENTIFIER 240-44175132; IDENTIFICATION: INDELIBLE MNFRS. TRADEMARK AND SIZE ON ALL ITEMS				
120	<u>Sap: 0565547</u>	VEST, HIGH VISIBILITY: TYPE: EMPLOYEE AT WORK; SIZE: M; MATERIAL: NYLON; COLOR: ORANGE	18			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		<p>LIGHT B26 NCS-1673-Y48R; GARMENT CLOSING METHOD: ZIP FASTENER WHICH SHALL COMPLY WITH SANS 1822 AND BE OF A NON CONDUCTIVE MATERIAL; USAGE DESIGN: FIG A4 ANEX A SANS 50471; REFLECTOR MARKING: REFER FIG A4; POCKET TYPE: LEFT TOP; EMPLOYEE AT WORK TO BE SILK SCREENED AT BACK; LABEL HOLDER WITH CLEAR PLASTIC WINDOW TO BE STITCHED ON LEFT TOP; ESKOM LOGO ABOVE LEFT HAND POCKET; ABOVE SHALL COMPLY TO SANS 50471 FOR HIGH VISIBILITY WARNING CLOTHING FOR PROFESSIONAL USE; VESTS/BIBS DESIGN SHALL COMPLY AS PER SANS 50471 ANNEXURE A FIGURE A4; RELECTIVE TAPE (RETRO REFLECTIVE MATERIAL) SHALL COMPLY WITH SANS 50471 AND SHALL BE A MINIMUM OF 50MM IN WIDTH AND COLOUR REQUIREMENTS FOR BACKGROUND AND COMBINED PERFORMANCE MATERIAL AS PER TABLE 2 AS PER SANS 50471; TEST/CERT, IDENTIFICATION AND SPECIFICATION REQUIREMENTS: MATERIAL SPEC: SANS 50471 AND FIGURE A4 ANNEXURE A; COLOUR SPEC: SANS 50471 TABLE 2 (FOR COLOUR</p>				
--	--	---	--	--	--	--

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		REQUIREMENTS); UNIQUE IDENTIFIER 240-44175132; IDENTIFICATION: INDELIBLE MNFRS. TRADEMARK AND SIZE ON ALL ITEMS				
121	<u>Sap: 0565548</u>	VEST, HIGH VISIBILITY: TYPE: EMPLOYEE AT WORK; SIZE: L; MATERIAL: NYLON; COLOR: ORANGE LIGHT B26 NCS-1673-Y48R; GARMENT CLOSING METHOD: ZIP FASTENER WHICH SHALL COMPLY WITH SANS 1822 AND BE OF A NON CONDUCTIVE MATERIAL; USAGE DESIGN: FIG A4 ANEX A SANS 50471; REFLECTOR MARKING: REFER FIG A4; POCKET TYPE: LEFT TOP; EMPLOYEE AT WORK TO BE SILK SCREENED AT BACK; LABEL HOLDER WITH CLEAR PLASTIC WINDOW TO BE STITCHED ON LEFT TOP; ESKOM LOGO ABOVE LEFT HAND POCKET; ABOVE SHALL COMPLY TO SANS 50471 FOR HIGH VISIBILITY WARNING CLOTHING FOR PROFESSIONAL USE; VESTS/BIBS DESIGN SHALL COMPLY AS PER SANS 50471 ANNEXURE A FIGURE A4; RELECTIVE TAPE (RETRO REFLECTIVE MATERIAL) SHALL COMPLY WITH SANS 50471 AND SHALL BE A MINIMUM OF 50MM IN WIDTH AND COLOUR REQUIREMENTS FOR	16			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		BACKGROUND AND COMBINED PERFORMANCE MATERIAL AS PER TABLE 2 AS PER SANS 50471; TEST/CERT, IDENTIFICATION AND SPECIFICATION REQUIREMENTS: MATERIAL SPEC: SANS 50471 AND FIGURE A4 ANNEXURE A; COLOUR SPEC: SANS 50471 TABLE 2 (FOR COLOUR REQUIREMENTS); UNIQUE IDENTIFIER 240-44175132; IDENTIFICATION: INDELIBLE MNFRS. TRADEMARK AND SIZE ON ALL ITEMS				
122	<u>Sap: 0565549</u>	VEST, HIGH VISIBILITY: TYPE: EMPLOYEE AT WORK; SIZE: XL; MATERIAL: NYLON; COLOR: ORANGE LIGHT B26 NCS-1673-Y48R; GARMENT CLOSING METHOD: ZIP FASTENER WHICH SHALL COMPLY WITH SANS 1822 AND BE OF A NON CONDUCTIVE MATERIAL; USAGE DESIGN: FIG A4 ANEX A SANS 50471; REFLECTOR MARKING: REFER FIG A4; POCKET TYPE: LEFT TOP; EMPLOYEE AT WORK TO BE SILK SCREENED AT BACK; LABEL HOLDER WITH CLEAR PLASTIC WINDOW TO BE STITCHED ON LEFT TOP; ESKOM LOGO ABOVE LEFT HAND POCKET; ABOVE SHALL COMPLY TO SANS 50471 FOR HIGH VISIBILITY	9			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		WARNING CLOTHING FOR PROFESSIONAL USE; VESTS/BIBS DESIGN SHALL COMPLY AS PER SANS 50471 ANNEXURE A FIGURE A4; RELECTIVE TAPE (RETRO REFLECTIVE MATERIAL) SHALL COMPLY WITH SANS 50471 AND SHALL BE A MINIMUM OF 50MM IN WIDTH AND COLOUR REQUIREMENTS FOR BACKGROUND AND COMBINED PERFORMANCE MATERIAL AS PER TABLE 2 AS PER SANS 50471; TEST/CERT, IDENTIFICATION AND SPECIFICATION REQUIREMENTS: MATERIAL SPEC: SANS 50471 AND FIGURE A4 ANNEXURE A; COLOUR SPEC: SANS 50471 TABLE 2 (FOR COLOUR REQUIREMENTS); UNIQUE IDENTIFIER 240-44175132; IDENTIFICATION: INDELIBLE MNFRS. TRADEMARK AND SIZE ON ALL ITEMS				
123	<u>Sap: 0565511</u>	VEST, HIGH VISIBILITY: TYPE: TRANSPORT; SIZE: S; MATERIAL: NYLON; COLOR: ICE BLUE F76 NCS-0809-B66G; GARMENT CLOSING METHOD: ZIP FASTENER WHICH SHALL COMPLY WITH SANS 1822 AND BE OF A NON CONDUCTIVE MATERIAL; USAGE DESIGN: FIG A3 ANEX A SANS 50471; REFLECTOR MARKING: REFER FIG A3; POCKET TYPE: LEFT	2			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		TOP; TRANSPORT CO-ORDINATOR TO BE SILK SCREENED AT BACK; LABEL HOLDER WITH CLEAR PLASTIC WINDOW TO BE STITCHED ON LEFT TOP; ESKOM LOGO ABOVE LEFT HAND POCKET; ABOVE SHALL COMPLY TO SANS 50471 FOR HIGH VISIBILITY WARNING CLOTHING FOR PROFESSIONAL USE; VESTS/BIBS DESIGN SHALL COMPLY AS PER SANS 50471 ANNEXURE A FIGURE A3; RELECTIVE TAPE (RETRO REFLECTIVE MATERIAL) SHALL COMPLY WITH SANS 50471 AND SHALL BE A MINIMUM OF 50MM IN WIDTH AND COLOUR REQUIREMENTS FOR BACKGROUND AND COMBINED PERFORMANCE MATERIAL AS PER TABLE 2 AS PER SANS 50471; TEST/CERT, IDENTIFICATION AND SPECIFICATION REQUIREMENTS: MATERIAL SPEC: SANS 50471 AND FIGURE A3 ANNEXURE A; COLOUR SPEC: SANS 50471 TABLE 2 (FOR COLOUR REQUIREMENTS); UNIQUE IDENTIFIER 240-44175132; IDENTIFICATION: INDELIBLE MNFRS. TRADEMARK AND SIZE ON ALL ITEMS				
124	<u>Sap: 0239877</u>	SUIT: TYPE: FREEZER; SIZE: XL; MATERIAL: COTTON, D59; COLOR: BLUE NAVY; SPECIFICATION: 240-44175132; OUTER FABRIC: 100% COTTON SOFT WOVEN FABRIC IN ACCORDANCE WITH SANS 1387-4; TYPE D59 FLAME	1			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.


	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		RETARDANT; INSULATING LAYER: 135GSM POLYESTER; LINING: 100% COTTON; UN-DYED; TREATED FOR FLAME RETARDANCY; TEST/CERT IDENTIFICATION AND SPECIFICATION REQUIREMENTS; THE JACKETS SHALL HAVE NON-CONDUCTIVE PRESS-STUDS DOWN THE FRONT ON A DOUBLE PANEL STRIP AS WELL AS A NON-CONDUCTIVE ZIP COMPLYING WITH SANS 1822; TO BE INTACT FRONT AND BACK; THE ZERO HARM IDENTIFICATION SHALL BE EMBROIDERED ON THE RIGHT UPPER ARM AND THE ESKOM LOGO SHALL BE EMBROIDERED IN ACCORDANCE WITH ESKOM'S CORPORATE IDENTITY ON THE FRONT TOP POCKET; IDENTIFICATION: INDELIBLE MNFRS; TRADEMARK AND SIZE ON ALL ITEMS; UNIQUE IDENTIFIER: 240-44175132				
125	<u>Sap: 0222603</u>	SUNSCREEN: TYPE: SUNBLOCK; PHYSICAL FORM: CREAM; SUN PROTECTION FACTOR: UV SPF 40+; CONTAINER TYPE: TUBE; CONTAINER CAPACITY: 150 ML; COLOR: WHITE; SPECIFICATION: 240-44175132; SPECIAL FEATURES: WATER RESISTANT; MOISTURISER; SUNSCREEN PRODUCTS SHALL BE IN ACCORDANCE WITH SANS 1557; THIS CODE SPECIFIES REQUIREMENTS FOR SUNSCREEN PRODUCTS SUITABLE FOR TROPICAL USE	45			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.


	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		FOR THE PROTECTION OF HUMAN SKIN AGAINST THE ADVERSE EFFECTS OF SOLAR UV RAYS; THE PRODUCT SHALL BE FREE FROM PALPABLE PARTICLES; THE PRODUCT SHALL NOT CONTAIN ANY SUBSTANCES PROHIBITED IN TERMS OF THE CURRENT FOODSTUFF; COSMETICS AND DISINFECTANT ACT; THE MAXIMUM CONCENTRATION OF THE UV FILTERS IN THE SUNSCREEN PRODUCT SHALL NOT EXCEED THAT APPROVED BY THE DEPARTMENT OF HEALTH				
126	<u>Sap: 0566142</u>	REPELLENT: TYPE: INSECT; FORM: GEL STICK; CONTAINER: 30 ML; TRADE NAME: TABARD; ODOUR PERFUMED; COLOUR OPAQUE; TRANSLUCENT LIGHT GREEN; PH 8.9 TO 9.0; SOLUBILITY MISCIBLE IN WATER; STORAGE BELOW 25 DEG C; STORAGE AWAY FROM SUNLIGHT; CONFORMS TO MEDICINES CONTROL COUNSEL (MCC) OF SOUTH AFRICA; ACT 101 OF 1965 REGISTRATION NO: L686; UNIQUE IDENTIFIER 240-44175132	38			
127	<u>Sap: 0566182</u>	REPELLENT: TYPE: INSECTICIDE FABRIC; FORM: AEROSOL; CONTAINER: CAN 250 ML; TRADE NAME: BAYTICOL; INSECTICIDE FABRIC SPRAY THAT KILLS TICKS AND PREVENT TICK BITES IN HUMANS; COMPOSITION FLUMENTHRIN (PYRETHROID) 2G/KG; USED AS A FABRIC SPRAY TO PREVENT TICK	52			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		BITES; FLAMMABLE; SUPPLY WITH MSDS; REG NO: L5203 ACT NO: 36 OF 1947; NAMIBIAN REG NO: N-AR 0005; UNIQUE IDENTIFIER 240-44175132				
128	<u>Sap: 0187784</u>	CREAM, BARRIER: TYPE: SKIN PROTECTION; CONTAINER TYPE: TUB; CONTAINER CAPACITY: 500 ML; WHITE SMOOTH; NON GREASY OIL IN WATER EMULSION WITH A LIGHT FRAGRANCE; HIGH QUALITY COSMETIC GRADE; OIL IN WATER SILICONE FREE EMULSION INCLUDING COLLAGEN ALLANTOIN AND MF MOISTURISING AGENTS AS SKIN CARE AGENTS; PHYSICAL STATE CREAM; MISCIBILITY IN WATER COMPLETE; ALL THE INDIVIDUAL ORGANIC COMPONENTS OF THE PRODUCT MUST BE BIODEGRADABLE AND ANTICIPATED THAT WHEN USED AT THE RECOMMENDED DILUTION THE PRODUCT MUST NOT BE HARMFUL TO THE ENVIRONMENT; PACKAGING: 500 ML TUBS WITH DISPENSING PUMP; UNIQUE IDENTIFIER 240-44175132	1			
129	<u>Sap: 0187785</u>	CREAM, BARRIER: TYPE: SKIN PROTECTION; CONTAINER TYPE: TUB; CONTAINER CAPACITY: 500 ML; WHITE OIL IN WATER EMULSION; ODOURLESS; CONTAINING WAXES; OILS; ZINC OXIDE AND SKIN CARE AGENTS; SILICONE FREE; SKIN CARE AGENTS INCLUDE ALLANTOIN AND	3			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.


	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		HYDRO MF MOISTURISING AGENT; HIGHLY EFFECTIVE BARRIER COATING AGAINST PETROL; DIESELIN; THINNERS; PARAFFIN; TURPS; DUST AND POWDERS; MISCIBILITY IN WATER COMPLETE; BIODEGRADABLE: ALL THE INDIVIDUAL ORGANIC COMPONENTS OF THE PRODUCT MUST BE BIODEGRADABLE AND ANTICIPATED THAT WHEN USED AT THE RECOMMENDED DILUTION THE PRODUCT MUST NOT BE HARMFUL TO THE ENVIRONMENT; PACKAGING: 500 ML TUBS WITH DISPENSING PUMP; UNIQUE IDENTIFIER 240-44175132				
130	<u>Sap:0187787</u>	CREAM, EMOLLIENT: TYPE: FOOT CARE; PACKAGE TYPE: TUB; PACKAGE WEIGHT: 500 ML; SUPPL P/N: NO.4; COSMETIC GRADE INGREDIENTS BLENDED TO REFRESH TIRED FEET; REDUCE EXCESSIVE PERSPIRATION; AND PREVENT UNPLEASANT FOOT ODOURS; REDUCE COMMON IRRITATION OF ATHLETE'S FOOT AND SIMILAR FOOT AFFLICTIONS; INCLUSION OF WITCH HAZEL FOR SOOTHING ACTION; CHLORHEXIDINE COMPONENT TO OFFERS A BROAD ANTIBACTERIAL SPECTRUM; COMPOSITION OIL IN WATER EMULSION; OFF WHITE IN COLOUR; SILICONE FREE; MIXTURE OF OILS AND WAXES; WITCH HAZEL	8			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.


	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		CHLORHEXIDINE AND CAMPHOR; ALL THE INDIVIDUAL ORGANIC COMPONENTS OF THE PRODUCT MUST BE BIODEGRADABLE AND ANTICIPATED THAT WHEN USED AT THE RECOMMENDED DILUTION THE PRODUCT MUST NOT BE HARMFUL TO THE ENVIRONMENT; STORAGE 1 YEAR STORED AT ROOM TEMPERATURE; KEEP LID CLOSED; PACKAGING 500 ML TUBS WITH DISPENSING PUMP; UNIQUE IDENTIFIER 240-44175132				
131	<u>Sap: 0566738</u>	MASK, RESPIRATOR: DESIGN FORM: HALF DISPOSABLE; USAGE DESIGN: DUST/MIST/BIO AGENTS; SIZE: ADJUSTABLE; COLOR: WHITE; MANUF P/N: 5261FFP2 NR D; REFERENCE NO: 1005600; DISPOSABLE PARTICULATE MASK WITH VALVE FOR PROTECTION AGAINST SOLID AND NON-VOLATILE LIQUID PARTICLES ONLY; EN 149:2001+A1 2009 FFP2 NR D CE 0086; PROTECTION FACTOR 10 X WEL MATERIAL THAT HAS LOW BREATHING RESISTANCE WITH EFFECTIVE PROTECTION AGAINST: SUBMICRON PARTICLES; FINE DUSTS; NON-VOLATILE LIQUID MISTS AND BIOLOGICAL AGENTS; UNIQUE IDENTIFIER 240-44175132	1			
132	<u>Sap: 0172065</u>	BAG, DUFFEL: COLOR: BLUE NAVY; MATERIAL: PVC CANVAS; DIMENSIONS: DIA 300 X LG 600 MM; SPECIFICATION: UNIQUE	14			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		IDENTIFIER 240-44175132; KIT MATERIAL: HARD WEARING WITH DRAW STRING CLOSURE A LABEL HOLDER WITH CLEAR PLASTIC WINDOW TO BE STITCHED ON ONE SIDE OF TOG BAG ESKOM LOGO SHALL APPEAR IN WHITE SILKSCREEN PRINTING AND THE ZERO HARM IDENTIFICATION SHALL BE SILKSCREEN PRINTED ON THE BAG AND SHALL BE IN ACCORDANCE WITH ESKOM'S CORPORATE IDENTITY TEST/CERT IDENTIFICATION AND SPECIFICATION REQUIREMENTS: IDENTIFICATION: INDELIBLE MNFRS TRADEMARK AND PART/REF NO ON ITEMS; UNIQUE IDENTIFIER: 240-44175132 VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER.				
133	<u>Sap:0696392</u>	PROTECTOR: TYPE: SNAKE GAITER; DIMENSIONS: CALF 21-1/2 INCH; MATERIAL: 1000 DENIER NYLON WATER RESISTANT AND POLYURETHANE COATING; RATING: UNISEX ADULT; RIPTECH BUCKLE, SNAKE AND PUNCTURE PROOF	2			
134	<u>Sap: 0670736</u>	BOOTS, SAFETY: SIZE: 8; TOE CONSTRUCTION TYPE: NO STEEL CAP; COLOR: BROWN; MATERIAL: LEATHER; STYLE: GLOVING; TREAD SURFACE TYPE: NON SLIP; FASTENING METHOD: LACE; JIM GREEN GLOVING BOOT	2			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

135	<u>Sap: 0683916</u>	SHOES, SAFETY: SIZE: 7; TOE CONSTRUCTION TYPE: STEEL CAP; COLOR: BROWN; STYLE: JIM GREEN MONSTER; TREAD SURFACE TYPE: HEAT/OIL RESISTANCE LIGHTWEIGHT NEOPRENE; MATERIAL: LEATHER; FASTENING METHOD: LACE; SPECIFICATION: ESKOM DSP34-323; MAT SANS1167; STD 34-232; GENDER: MALE; 2.2-2.5MM LEATHER, WATERPROOF; EXTRA THICK ANKLE PADDING FOR EXCELLENT SUPPORT, COMFORT, AND PROTECTION	1			
136	<u>Sap:0239866</u>	VEST, HIGH VISIBILITY: TYPE: EVACUATION; SIZE: M; MATERIAL: NYLON; COLOR: WHITE CLOUD G80 NCS0704G28Y; GARMENT CLOSING METHOD: ZIP FASTENER WHICH SHALL COMPLY WITH SANS 1822 AND BE OF A NON CONDUCTIVE MATERIAL; USAGE DESIGN: FIG A3 ANEX A SANS 50471; REFLECTOR MARKING: REFER FIG A3; POCKET TYPE: LEFT TOP; EVACUATION CO-ORDINATOR TO BE SILK SCREENED AT BACK; LABEL HOLDER WITH CLEAR PLASTIC WINDOW TO BE STITCHED ON LEFT TOP; ESKOM LOGO ABOVE LEFT HAND POCKET; ABOVE SHALL COMPLY TO SANS 50471 FOR HIGH VISIBILITY WARNING CLOTHING FOR PROFESSIONAL USE;	1			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		VESTS/BIBS DESIGN SHALL COMPLY AS PER SANS 50471 ANNEXURE A FIGURE A3; RELECTIVE TAPE (RETRO REFLECTIVE MATERIAL) SHALL COMPLY WITH SANS 50471 AND SHALL BE A MINIMUM OF 50MM IN WIDTH AND COLOUR REQUIREMENTS FOR BACKGROUND AND COMBINED PERFORMANCE MATERIAL AS PER TABLE 2 AS PER SANS 50471; TEST/CERT, IDENTIFICATION AND SPECIFICATION REQUIREMENTS: MATERIAL SPEC: SANS 50471 AND FIGURE A3 ANNEXURE A; COLOUR SPEC: SANS 50471 TABLE 2 (FOR COLOUR REQUIREMENTS); UNIQUE IDENTIFIER 240-44175132; IDENTIFICATION: INDELIBLE MNFRS. TRADEMARK AND SIZE ON ALL ITEMS				
137	<u>Sap 0565505</u>	VEST, HIGH VISIBILITY: TYPE: TRANSPORT; SIZE: L; MATERIAL: NYLON; COLOR: ICE BLUE F76 NCS-0809-B66G; GARMENT CLOSING METHOD: ZIP FASTENER WHICH SHALL COMPLY WITH SANS 1822 AND BE OF A NON CONDUCTIVE MATERIAL; USAGE DESIGN: FIG A3 ANEX A SANS 50471; REFLECTOR MARKING: REFER FIG A3; POCKET TYPE: LEFT	1			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		TOP; TRANSPORT CO-ORDINATOR TO BE SILK SCREENED AT BACK; LABEL HOLDER WITH CLEAR PLASTIC WINDOW TO BE STITCHED ON LEFT TOP; ESKOM LOGO ABOVE LEFT HAND POCKET; ABOVE SHALL COMPLY TO SANS 50471 FOR HIGH VISIBILITY WARNING CLOTHING FOR PROFESSIONAL USE; VESTS/BIBS DESIGN SHALL COMPLY AS PER SANS 50471 ANNEXURE A FIGURE A3; RELECTIVE TAPE (RETRO REFLECTIVE MATERIAL) SHALL COMPLY WITH SANS 50471 AND SHALL BE A MINIMUM OF 50MM IN WIDTH AND COLOUR REQUIREMENTS FOR BACKGROUND AND COMBINED PERFORMANCE MATERIAL AS PER TABLE 2 AS PER SANS 50471; TEST/CERT, IDENTIFICATION AND SPECIFICATION REQUIREMENTS: MATERIAL SPEC: SANS 50471 AND FIGURE A3 ANNEXURE A; COLOUR SPEC: SANS 50471 TABLE 2 (FOR COLOUR REQUIREMENTS); UNIQUE IDENTIFIER 240-44175132; IDENTIFICATION: INDELIBLE MNFRS. TRADEMARK AND SIZE ON ALL ITEMS				
--	--	--	--	--	--	--

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.


	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

138	<u>Sap 0565547</u>	<p>VEST, HIGH VISIBILITY: TYPE: EMPLOYEE AT WORK; SIZE: M; MATERIAL: NYLON; COLOR: ORANGE LIGHT B26 NCS-1673- Y48R; GARMENT CLOSING METHOD: ZIP FASTENER WHICH SHALL COMPLY WITH SANS 1822 AND BE OF A NON CONDUCTIVE MATERIAL; USAGE DESIGN: FIG A4 ANEX A SANS 50471; REFLECTOR MARKING: REFER FIG A4; POCKET TYPE: LEFT TOP; EMPLOYEE AT WORK TO BE SILK SCREENED AT BACK; LABEL HOLDER WITH CLEAR PLASTIC WINDOW TO BE STITCHED ON LEFT TOP; ESKOM LOGO ABOVE LEFT HAND POCKET; ABOVE SHALL COMPLY TO SANS 50471 FOR HIGH VISIBILITY WARNING CLOTHING FOR PROFESSIONAL USE; VESTS/BIBS DESIGN SHALL COMPLY AS PER SANS 50471 ANNEXURE A FIGURE A4; RELECTIVE TAPE (RETRO REFLECTIVE MATERIAL) SHALL COMPLY WITH SANS 50471 AND SHALL BE A MINIMUM OF 50MM IN WIDTH AND COLOUR REQUIREMENTS FOR BACKGROUND AND COMBINED PERFORMANCE MATERIAL AS PER TABLE 2 AS PER SANS 50471; TEST/CERT, IDENTIFICATION AND SPECIFICATION REQUIREMENTS:</p>	5			
-----	--------------------	---	---	--	--	--

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		MATERIAL SPEC: SANS 50471 AND FIGURE A4 ANNEXURE A; COLOUR SPEC: SANS 50471 TABLE 2 (FOR COLOUR REQUIREMENTS); UNIQUE IDENTIFIER 240-44175132; IDENTIFICATION: INDELIBLE MNFRS. TRADEMARK AND SIZE ON ALL ITEMS				
139	<u>Sap 0565628</u>	VEST, HIGH VISIBILITY: TYPE: FIRST AID; SIZE: M; MATERIAL: NYLON; COLOR: EMERALD GREEN E14 NCS-3745-B99G; GARMENT CLOSING METHOD: ZIP FASTENER WHICH SHALL COMPLY WITH SANS 1822 AND BE OF A NON CONDUCTIVE MATERIAL; USAGE DESIGN: FIG A3 ANEX A SANS 50471; REFLECTOR MARKING: REFER FIG A3; POCKET TYPE: LEFT TOP; FIRST AID CO-ORDINATOR TO BE SILK SCREENED AT BACK; LABEL HOLDER WITH CLEAR PLASTIC WINDOW TO BE STITCHED ON LEFT TOP; ESKOM LOGO ABOVE LEFT HAND POCKET; ABOVE SHALL COMPLY TO SANS 50471 FOR HIGH VISIBILITY WARNING CLOTHING FOR PROFESSIONAL USE; VESTS/BIBS DESIGN SHALL COMPLY AS PER SANS 50471 ANNEXURE A FIGURE A3; RELECTIVE TAPE (RETRO REFLECTIVE MATERIAL)	1			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		SHALL COMPLY WITH SANS 50471 AND SHALL BE A MINIMUM OF 50MM IN WIDTH AND COLOUR REQUIREMENTS FOR BACKGROUND AND COMBINED PERFORMANCE MATERIAL AS PER TABLE 2 AS PER SANS 50471; TEST/CERT, IDENTIFICATION AND SPECIFICATION REQUIREMENTS: MATERIAL SPEC: SANS 50471 AND FIGURE A3 ANNEXURE A; COLOUR SPEC: SANS 50471 TABLE 2 (FOR COLOUR REQUIREMENTS); UNIQUE IDENTIFIER 240-44175132; IDENTIFICATION: INDELIBLE MNFRS. TRADEMARK AND SIZE ON ALL ITEMS				
140	<u>Sap 0237954</u>	VEST, HIGH VISIBILITY: TYPE: EMPLOYEE AT WORK; SIZE: S; MATERIAL: NYLON; COLOR: ORANGE LIGHT B26 NCS-1673-Y48R; GARMENT CLOSING METHOD: ZIP FASTENER WHICH SHALL COMPLY WITH SANS 1822 AND BE OF A NON CONDUCTIVE MATERIAL; USAGE DESIGN: FIG A4 ANEX A SANS 50471; REFLECTOR MARKING: REFER FIG A4; POCKET TYPE: LEFT TOP; EMPLOYEE AT WORK TO BE SILK SCREENED AT BACK; LABEL HOLDER WITH CLEAR PLASTIC WINDOW TO BE STITCHED ON LEFT TOP; ESKOM	2			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		LOGO ABOVE LEFT HAND POCKET; ABOVE SHALL COMPLY TO SANS 50471 FOR HIGH VISIBILITY WARNING CLOTHING FOR PROFESSIONAL USE; VESTS/BIBS DESIGN SHALL COMPLY AS PER SANS 50471 ANNEXURE A FIGURE A4; RELECTIVE TAPE (RETRO REFLECTIVE MATERIAL) SHALL COMPLY WITH SANS 50471 AND SHALL BE A MINIMUM OF 50MM IN WIDTH AND COLOUR REQUIREMENTS FOR BACKGROUND AND COMBINED PERFORMANCE MATERIAL AS PER TABLE 2 AS PER SANS 50471; TEST/CERT, IDENTIFICATION AND SPECIFICATION REQUIREMENTS: MATERIAL SPEC: SANS 50471 AND FIGURE A4 ANNEXURE A; COLOUR SPEC: SANS 50471 TABLE 2 (FOR COLOUR REQUIREMENTS); UNIQUE IDENTIFIER 240-44175132; IDENTIFICATION: INDELIBLE MNFRS. TRADEMARK AND SIZE ON ALL ITEMS				
141	<u>Sap 0565548</u>	VEST, HIGH VISIBILITY: TYPE: EMPLOYEE AT WORK; SIZE: L; MATERIAL: NYLON; COLOR: ORANGE LIGHT B26 NCS-1673-Y48R; GARMENT CLOSING METHOD: ZIP FASTENER WHICH SHALL COMPLY WITH SANS 1822 AND BE	3			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		<p>OF A NON CONDUCTIVE MATERIAL; USAGE DESIGN: FIG A4 ANEX A SANS 50471; REFLECTOR MARKING: REFER FIG A4; POCKET TYPE: LEFT TOP; EMPLOYEE AT WORK TO BE SILK SCREENED AT BACK; LABEL HOLDER WITH CLEAR PLASTIC WINDOW TO BE STITCHED ON LEFT TOP; ESKOM LOGO ABOVE LEFT HAND POCKET; ABOVE SHALL COMPLY TO SANS 50471 FOR HIGH VISIBILITY WARNING CLOTHING FOR PROFESSIONAL USE; VESTS/BIBS DESIGN SHALL COMPLY AS PER SANS 50471 ANNEXURE A FIGURE A4; RELECTIVE TAPE (RETRO REFLECTIVE MATERIAL) SHALL COMPLY WITH SANS 50471 AND SHALL BE A MINIMUM OF 50MM IN WIDTH AND COLOUR REQUIREMENTS FOR BACKGROUND AND COMBINED PERFORMANCE MATERIAL AS PER TABLE 2 AS PER SANS 50471; TEST/CERT, IDENTIFICATION AND SPECIFICATION REQUIREMENTS: MATERIAL SPEC: SANS 50471 AND FIGURE A4 ANNEXURE A; COLOUR SPEC: SANS 50471 TABLE 2 (FOR COLOUR REQUIREMENTS); UNIQUE IDENTIFIER 240-44175132; IDENTIFICATION: INDELIBLE MNFRS.</p>				
--	--	--	--	--	--	--

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		TRADEMARK AND SIZE ON ALL ITEMS				
142	<u>Sap 0565549</u>	VEST, HIGH VISIBILITY: TYPE: EMPLOYEE AT WORK; SIZE: XL; MATERIAL: NYLON; COLOR: ORANGE LIGHT B26 NCS-1673- Y48R; GARMENT CLOSING METHOD: ZIP FASTENER WHICH SHALL COMPLY WITH SANS 1822 AND BE OF A NON CONDUCTIVE MATERIAL; USAGE DESIGN: FIG A4 ANEX A SANS 50471; REFLECTOR MARKING: REFER FIG A4; POCKET TYPE: LEFT TOP; EMPLOYEE AT WORK TO BE SILK SCREENED AT BACK; LABEL HOLDER WITH CLEAR PLASTIC WINDOW TO BE STITCHED ON LEFT TOP; ESKOM LOGO ABOVE LEFT HAND POCKET; ABOVE SHALL COMPLY TO SANS 50471 FOR HIGH VISIBILITY WARNING CLOTHING FOR PROFESSIONAL USE; VESTS/BIBS DESIGN SHALL COMPLY AS PER SANS 50471 ANNEXURE A FIGURE A4; RELECTIVE TAPE (RETRO REFLECTIVE MATERIAL) SHALL COMPLY WITH SANS 50471 AND SHALL BE A MINIMUM OF 50MM IN WIDTH AND COLOUR REQUIREMENTS FOR BACKGROUND AND COMBINED PERFORMANCE MATERIAL AS PER TABLE 2 AS PER SANS 50471;	3			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		TEST/CERT, IDENTIFICATION AND SPECIFICATION REQUIREMENTS: MATERIAL SPEC: SANS 50471 AND FIGURE A4 ANNEXURE A; COLOUR SPEC: SANS 50471 TABLE 2 (FOR COLOUR REQUIREMENTS); UNIQUE IDENTIFIER 240-44175132; IDENTIFICATION: INDELIBLE MNFRS. TRADEMARK AND SIZE ON ALL ITEMS				
143	<u>Sap 0565550</u>	VEST, HIGH VISIBILITY: TYPE: EMPLOYEE AT WORK; SIZE: 2XL; MATERIAL: NYLON; COLOR: ORANGE LIGHT B26 NCS-1673-Y48R; GARMENT CLOSING METHOD: ZIP FASTENER WHICH SHALL COMPLY WITH SANS 1822 AND BE OF A NON CONDUCTIVE MATERIAL; USAGE DESIGN: FIG A4 ANEX A SANS 50471; REFLECTOR MARKING: REFER FIG A4; POCKET TYPE: LEFT TOP; EMPLOYEE AT WORK TO BE SILK SCREENED AT BACK; LABEL HOLDER WITH CLEAR PLASTIC WINDOW TO BE STITCHED ON LEFT TOP; ESKOM LOGO ABOVE LEFT HAND POCKET; ABOVE SHALL COMPLY TO SANS 50471 FOR HIGH VISIBILITY WARNING CLOTHING FOR PROFESSIONAL USE; VESTS/BIBS DESIGN SHALL COMPLY AS PER SANS 50471 ANNEXURE A	2			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		FIGURE A4; RELECTIVE TAPE (RETRO REFLECTIVE MATERIAL) SHALL COMPLY WITH SANS 50471 AND SHALL BE A MINIMUM OF 50MM IN WIDTH AND COLOUR REQUIREMENTS FOR BACKGROUND AND COMBINED PERFORMANCE MATERIAL AS PER TABLE 2 AS PER SANS 50471; TEST/CERT, IDENTIFICATION AND SPECIFICATION REQUIREMENTS: MATERIAL SPEC: SANS 50471 AND FIGURE A4 ANNEXURE A; COLOUR SPEC: SANS 50471 TABLE 2 (FOR COLOUR REQUIREMENTS); UNIQUE IDENTIFIER 240-44175132; IDENTIFICATION: INDELIBLE MNFRS. TRADEMARK AND SIZE ON ALL ITEMS				
144	<u>Sap 0565611</u>	VEST, HIGH VISIBILITY: TYPE: FIRE PROTECTION; SIZE: S; MATERIAL: NYLON; COLOR: SIGNAL RED A11 NCS-1678-Y86R; GARMENT CLOSING METHOD: ZIP FASTENER WHICH SHALL COMPLY WITH SANS 1822 AND BE OF A NON CONDUCTIVE MATERIAL; USAGE DESIGN: FIG A3 ANEX A SANS 50471; REFLECTOR MARKING: REFER FIG A3; POCKET TYPE: LEFT TOP; FIRE PROTECTION CO-ORDINATOR TO BE SILK SCREENED AT	1			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.


	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		BACK; LABEL HOLDER WITH CLEAR PLASTIC WINDOW TO BE STITCHED ON LEFT TOP; ESKOM LOGO ABOVE LEFT HAND POCKET; ABOVE SHALL COMPLY TO SANS 50471 FOR HIGH VISIBILITY WARNING CLOTHING FOR PROFESSIONAL USE; VESTS/BIBS DESIGN SHALL COMPLY AS PER SANS 50471 ANNEXURE A FIGURE A3; RELECTIVE TAPE (RETRO REFLECTIVE MATERIAL) SHALL COMPLY WITH SANS 50471 AND SHALL BE A MINIMUM OF 50MM IN WIDTH AND COLOUR REQUIREMENTS FOR BACKGROUND AND COMBINED PERFORMANCE MATERIAL AS PER TABLE 2 AS PER SANS 50471; TEST/CERT, IDENTIFICATION AND SPECIFICATION REQUIREMENTS: MATERIAL SPEC: SANS 50471 AND FIGURE A3 ANNEXURE A; COLOUR SPEC: SANS 50471 TABLE 2 (FOR COLOUR REQUIREMENTS); UNIQUE IDENTIFIER 240-44175132; IDENTIFICATION: INDELIBLE MNFRS. TRADEMARK AND SIZE ON ALL ITEMS				
145	<u>Sap 0565540</u>	VEST, HIGH VISIBILITY: TYPE: MANAGEMENT; SIZE: 2XL; MATERIAL: NYLON; COLOR: GOLDEN YELLOW B49 NCS-1178-Y14R;	1			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		<p>GARMENT CLOSING METHOD: ZIP FASTENER WHICH SHALL COMPLY WITH SANS 1822 AND BE OF A NON CONDUCTIVE MATERIAL; USAGE DESIGN: FIG A3 ANEX A SANS 50471; REFLECTOR MARKING: REFER FIG A3; POCKET TYPE: LEFT TOP; MANAGEMENT; AUDITORS; OBSERVERS; SECURITY TO BE SILK SCREENED AT BACK; LABEL HOLDER WITH CLEAR PLASTIC WINDOW TO BE STITCHED ON LEFT TOP; ESKOM LOGO ABOVE LEFT HAND POCKET; ABOVE SHALL COMPLY TO SANS 50471 FOR HIGH VISIBILITY WARNING CLOTHING FOR PROFESSIONAL USE; VESTS/BIBS DESIGN SHALL COMPLY AS PER SANS 50471 ANNEXURE A FIGURE A3; RELECTIVE TAPE (RETRO REFLECTIVE MATERIAL) SHALL COMPLY WITH SANS 50471 AND SHALL BE A MINIMUM OF 50MM IN WIDTH AND COLOUR REQUIREMENTS FOR BACKGROUND AND COMBINED PERFORMANCE MATERIAL AS PER TABLE 2 AS PER SANS 50471; TEST/CERT, IDENTIFICATION AND SPECIFICATION REQUIREMENTS: MATERIAL SPEC: SANS 50471 AND FIGURE A3 ANNEXURE A; COLOUR SPEC: SANS 50471</p>				
--	--	---	--	--	--	--

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		TABLE 2 (FOR COLOUR REQUIREMENTS); UNIQUE IDENTIFIER 240-44175132; IDENTIFICATION: INDELIBLE MNFRS. TRADEMARK AND SIZE ON ALL ITEMS				
146	<u>Sap 0222567</u>	RAINWEAR: TYPE: 2 PIECE SUIT; SIZE: XL; MATERIAL: POLYESTER 100 PCT PLAIN WEAVE, 180 GM/2 MIN; COLOR: BLUE NAVY; MATERIAL: MINIMUM 180 GRAMS PER M/3 FACE SIDE 100% POLYESTER; PLAIN WEAVE WITH 170 THREADS PER M/3 INCH WITH WATER RESISTANT COATING; UNDER SIDE LAMINATED WITH PVC COATING; SEAMS STRENGTH 50KPA; CONVERTS TO 50KNM/2; LINING 80% POLYESTER 20% COTTON; SIZE TO SANS 434 SIZE CHART ANNEX E FOR RAIN WEAR; JACKET SHALL HAVE A NYLON SPIRAL ZIP WITH CLOSED FLY FRONT SECURED BY NON-CONDUCTIVE PRESS-STUDS; COMPLY WITH SANS 1822 TYPE 5; HOOD ATTACHED TO THE JACKET; JACKET TO COVER THE BUTTOCKS; FALSE ELASTIC SLEEVE AT THE END MADE OF SOFTER MATERIAL; PANTS SHALL HAVE SIDE SLITS AND ELASTIC WAIST; REFLECTIVE STRIPS TO BE FITTED ON BOTH SLEEVES ON	3			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		THE UPPER ARM, AND BOTH LEGS ABOVE THE KNEES; ZERO HARM IDENTIFICATION ON THE RIGHT SIDE OF THE SLEEVE AND THE ESKOM LOGO SHALL BE SILK-SCREENED IN ACCORDANCE WITH ESKOM'S CORPORATE IDENTITY ON THE FRONT AND BACK; INDELIBLE MNFRS TRADEMARK; SIZE; CLEANING INSTRUCTIONS ON JACKET AND TROUSER WITH SABS MARK OF APPROVAL; UNIQUE IDENTIFIER 240-44175132				
147	<u>Sap 0222566</u>	RAINWEAR: TYPE: 2 PIECE SUIT; SIZE: L; MATERIAL: POLYESTER 100 PCT PLAIN WEAVE, 180 GM/2 MIN; COLOR: BLUE NAVY; MATERIAL: MINIMUM 180 GRAMS PER M/3 FACE SIDE 100% POLYESTER; PLAIN WEAVE WITH 170 THREADS PER M/3 INCH WITH WATER RESISTANT COATING; UNDER SIDE LAMINATED WITH PVC COATING; SEAMS STRENGTH 50KPA; CONVERTS TO 50KNM/2; LINING 80% POLYESTER 20% COTTON; SIZE TO SANS 434 SIZE CHART ANNEX E FOR RAIN WEAR; JACKET SHALL HAVE A NYLON SPIRAL ZIP WITH CLOSED FLY FRONT SECURED BY NON-CONDUCTIVE PRESS-STUDS; COMPLY WITH	1			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.


	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		<p>SANS 1822 TYPE 5; HOOD ATTACHED TO THE JACKET; JACKET TO COVER THE BUTTOCKS; FALSE ELASTIC SLEEVE AT THE END MADE OF SOFTER MATERIAL; PANTS SHALL HAVE SIDE SLITS AND ELASTIC WAIST; REFLECTIVE STRIPS TO BE FITTED ON BOTH SLEEVES ON THE UPPER ARM, AND BOTH LEGS ABOVE THE KNEES; ZERO HARM IDENTIFICATION ON THE RIGHT SIDE OF THE SLEEVE AND THE ESKOM LOGO SHALL BE SILK- SCREENED IN ACCORDANCE WITH ESKOM'S CORPORATE IDENTITY ON THE FRONT AND BACK; INDELIBLE MNFRS TRADEMARK; SIZE; CLEANING INSTRUCTIONS ON JACKET AND TROUSER WITH SABS MARK OF APPROVAL; UNIQUE IDENTIFIER 240- 44175132</p>				
148	<u>Sap 0222558</u>	<p>JACKET, UTILITY: TYPE: THERMAL; SIZE: XXL; 48; 122; MATERIAL: COTTON, D59, FLAME RETARDANT; COLOR: BLUE PANTO 19- 3920; SPECIFICATION: UNIQUE IDENTIFIER 240-44175132; INSULATED WITH PRE- SHRUNK HOLLOW FIBRE OR A NON-FLAMMABLE MATERIAL; WITH THE OUTER COVERING MADE OF PRE-SHRUNK 100 %</p>	1			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		<p>WOVEN COTTON FABRIC IN ACCORDANCE WITH SANS 1387-4; MATERIAL TYPE D59 AND FLAME RETARDANT; JACKET LENGTH TO REACH BELOW THE BUTTOCKS; POCKETS ONE CHEST POCKET SHALL BE BELLOWS TYPE - 15CM DEEP AND 14CM WIDE; 4 SIDE POCKETS; POCKETS TO HAVE FLAPS WITH CUT-OFF EDGES THAT CAN BE FASTENED BY MEANS OF NON-CONDUCTIVE BUTTONS; THE SIDE POCKET SHALL BE THE BELLOWS TYPE WITH A SIDE ENTRY INTO ANOTHER SEPARATE POCKET AND SHALL BE 22CM DEEP AND 21CM WIDE; JACKETS SHALL HAVE NON-CONDUCTIVE PRESS STUDS DOWN THE FRONT ON A DOUBLE PANEL STRIP AS WELL AS A NON-CONDUCTIVE ZIP; THE SLEEVE CUFFS SHALL HAVE TWO NON-CONDUCTIVE PRESS STUDS AT THE END OF THE SLEEVE SO THAT THE SIZE CAN BE ADJUSTED; IDENTIFICATION: INDELIBLE MNFRS TRADEMARK REF NO. AND CLEANING INSTRUCTIONS INSIDE COLLAR ON JACKETS AND SABS MARK OF APPROVAL ON ALL RELAVANT ITEMS; REFER TO UNIQUE IDENTIFIER 240-44175132</p>				
--	--	---	--	--	--	--

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

149	<u>Sap0222351</u>	HAT: TYPE: SOFT BUSH; SIZE: M; 57; COLOR: BLUE NAVY; MATERIAL: COTTON 100 PCT, SANS 1387-4 D59, WOVEN PRE SHRUNK; THE ESKOM LOGO SHALL BE EMBROIDERED ON THE FRONT OF THE HAT AND THE ZERO HARM IDENTIFICATION SHALL BE EMBROIDERED ON THE REAR OF THE HAT AND SHALL BE IN ACCORDANCE WITH ESKOM'S CORPORATE IDENTITY; SOFT HATS SHALL HAVE A REINFORCED STIFFENED BROAD BRIM OF AT LEAST 80 MM; STITCHING SHALL COMPLY WITH SANS 10101; THE THREAD SHALL COMPLY WITH SANS 1362; ALL GARMENTS MUST BEAR THE S.A.B.S. MARK OF APPROVAL; FULL WASHING INSTRUCTIONS; SIZE AND TRACEABILITY SHALL BE MARKED WITH SANS 432 INDELIBLE MARKING INK FOR TEXTILE FABRICS ON HAT; UNIQUE IDENTIFIER 240- 44175132	10			
150	<u>Sap 0222352</u>	HAT: TYPE: SOFT BUSH; SIZE: L; 58; COLOR: BLUE NAVY; MATERIAL: COTTON 100 PCT, SANS 1387-4 D59, WOVEN PRE SHRUNK; THE ESKOM LOGO SHALL BE EMBROIDERED ON THE FRONT OF THE HAT AND	7			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		THE ZERO HARM IDENTIFICATION SHALL BE EMBROIDERED ON THE REAR OF THE HAT AND SHALL BE IN ACCORDANCE WITH ESKOM'S CORPORATE IDENTITY; SOFT HATS SHALL HAVE A REINFORCED STIFFENED BROAD BRIM OF AT LEAST 80 MM; STITCHING SHALL COMPLY WITH SANS 10101; THE THREAD SHALL COMPLY WITH SANS 1362; ALL GARMENTS MUST BEAR THE S.A.B.S. MARK OF APPROVAL; FULL WASHING INSTRUCTIONS; SIZE AND TRACEABILITY SHALL BE MARKED WITH SANS 432 INDELIBLE MARKING INK FOR TEXTILE FABRICS ON HAT; UNIQUE IDENTIFIER 240-44175132				
151	<u>Sap 0222467</u>	TROUSERS: TYPE: MEN LONG; SIZE: 77 CM; COLOR: BLUE NAVY; MATERIAL: COTTON, D59; SPECIFICATION: 240-44175132; PANTONE 19 - 3920; MINIMUM STANDARD SPECIFICATIONS FOR TROUSER AS PER SANS 434 (DRG.15289DA) FOR WORK WEAR SUITS (TWO PIECE) TYPE D59 FLAME RETARDANT; STANDARD SPEC: STITCHING SANS10101; ZIP FASTENER SANS1822 (NON-CONDUCTIVE	12			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.


	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		MATERIAL); THREAD SANS1362; POCKETS TWO ON BACK TWO SWING AND ONE PATCH POCKET; ZERO HARM IDENTIFICATION ON THE LEFT BACK POCKET AND THE ESKOM LOGO ON RIGHT BACK POCKET EMBROIDERED IDENTIFICATION INDELIBLE MNFRS; TRADEMARK; SIZE/CLEANING/LAUNDRY INSTRUCTIONS/SABS MARK OFAPPROVAL ON ALL RELEVANT ITEMS AS PER UNIQUE IDENTIFIER 240-44175132				
152	<u>Sap 0222468</u>	TROUSERS: TYPE: MEN LONG; SIZE: 82 CM; COLOR: BLUE NAVY; MATERIAL: COTTON, D59; SPECIFICATION: 240-44175132; PANTONE 19 - 3920; MINIMUM STANDARD SPECIFICATIONS FOR TROUSER AS PER SANS 434 (DRG.15289DA) FOR WORK WEAR SUITS (TWO PIECE) TYPE D59 FLAME RETARDANT; STANDARD SPEC: STITCHING SANS10101; ZIP FASTENER SANS1822 (NON-CONDUCTIVE MATERIAL); THREAD SANS1362; POCKETS TWO ON BACK TWO SWING AND ONE PATCH POCKET; ZERO HARM IDENTIFICATION ON THE LEFT BACK POCKET AND THE ESKOM LOGO ON RIGHT BACK POCKET EMBROIDERED	15			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		IDENTIFICATION INDELIBLE MNFRS; TRADEMARK; SIZE/CLEANING/LAUNDRY INSTRUCTIONS/SABS MARK OF APPROVAL ON ALL RELEVANT ITEMS AS PER UNIQUE IDENTIFIER 240-44175132				
153	<u>Sap 0222469</u>	TROUSERS: TYPE: MEN LONG; SIZE: 87 CM; COLOR: BLUE NAVY; MATERIAL: COTTON, D59; SPECIFICATION: 240-44175132; PANTONE 19 - 3920; MINIMUM STANDARD SPECIFICATIONS FOR TROUSER AS PER SANS 434 (DRG.15289DA) FOR WORK WEAR SUITS (TWO PIECE) TYPE D59 FLAME RETARDANT; STANDARD SPEC: STITCHING SANS10101; ZIP FASTENER SANS1822 (NON-CONDUCTIVE MATERIAL); THREAD SANS1362; POCKETS TWO ON BACK TWO SWING AND ONE PATCH POCKET; ZERO HARM IDENTIFICATION ON THE LEFT BACK POCKET AND THE ESKOM LOGO ON RIGHT BACK POCKET EMBROIDERED IDENTIFICATION INDELIBLE MNFRS; TRADEMARK; SIZE/CLEANING/LAUNDRY INSTRUCTIONS/SABS MARK OF APPROVAL ON ALL RELEVANT ITEMS AS PER UNIQUE IDENTIFIER 240-44175132	15			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

153	<u>Sap 0222470</u>	TROUSERS: TYPE: MEN LONG; SIZE: 92 CM; COLOR: BLUE NAVY; MATERIAL: COTTON, D59; SPECIFICATION: 240-44175132; PANTONE 19 - 3920; MINIMUM STANDARD SPECIFICATIONS FOR TROUSER AS PER SANS 434 (DRG.15289DA) FOR WORK WEAR SUITS (TWO PIECE) TYPE D59 FLAME RETARDANT; STANDARD SPEC: STITCHING SANS10101; ZIP FASTENER SANS1822 (NON-CONDUCTIVE MATERIAL); THREAD SANS1362; POCKETS TWO ON BACK TWO SWING AND ONE PATCH POCKET; ZERO HARM IDENTIFICATION ON THE LEFT BACK POCKET AND THE ESKOM LOGO ON RIGHT BACK POCKET EMBROIDERED IDENTIFICATION INDELIBLE MNFRS; TRADEMARK; SIZE/CLEANING/LAUNDRY INSTRUCTIONS/SABS MARK OFAPPROVAL ON ALL RELEVANT ITEMS AS PER UNIQUE IDENTIFIER 240-44175132	5			
154	<u>Sap 0222472</u>	TROUSERS: TYPE: MEN LONG; SIZE: 102 CM; COLOR: BLUE NAVY; MATERIAL: COTTON, D59; SPECIFICATION: 240-44175132; PANTONE 19 - 3920; MINIMUM STANDARD SPECIFICATIONS FOR TROUSER AS PER SANS	15			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		434 (DRG.15289DA) FOR WORK WEAR SUITS (TWO PIECE) TYPE D59 FLAME RETARDANT; STANDARD SPEC: STITCHING SANS10101; ZIP FASTENER SANS1822 (NON-CONDUCTIVE MATERIAL); THREAD SANS1362; POCKETS TWO ON BACK TWO SWING AND ONE PATCH POCKET; ZERO HARM IDENTIFICATION ON THE LEFT BACK POCKET AND THE ESKOM LOGO ON RIGHT BACK POCKET EMBROIDERED IDENTIFICATION INDELIBLE MNFRS; TRADEMARK; SIZE/CLEANING/LAUNDRY INSTRUCTIONS/SABS MARK OF APPROVAL ON ALL RELEVANT ITEMS AS PER UNIQUE IDENTIFIER 240-44175132				
155	<u>Sap 0222476</u>	TROUSERS: TYPE: MEN LONG; SIZE: 117 CM; COLOR: BLUE NAVY; MATERIAL: COTTON, D59; SPECIFICATION: 240-44175132; PANTONE 19 - 3920; MINIMUM STANDARD SPECIFICATIONS FOR TROUSER AS PER SANS 434 (DRG.15289DA) FOR WORK WEAR SUITS (TWO PIECE) TYPE D59 FLAME RETARDANT; STANDARD SPEC: STITCHING SANS10101; ZIP FASTENER SANS1822 (NON-CONDUCTIVE MATERIAL); THREAD SANS1362; POCKETS TWO	3			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		ON BACK TWO SWING AND ONE PATCH POCKET; ZERO HARM IDENTIFICATION ON THE LEFT BACK POCKET AND THE ESKOM LOGO ON RIGHT BACK POCKET EMBROIDERED IDENTIFICATION INDELIBLE MNFRS; TRADEMARK; SIZE/CLEANING/LAUNDRY INSTRUCTIONS/SABS MARK OF APPROVAL ON ALL RELEVANT ITEMS AS PER UNIQUE IDENTIFIER 240-44175132				
156	<u>Sap 0222477</u>	TROUSERS: TYPE: MEN LONG; SIZE: 122 CM; COLOR: BLUE NAVY; MATERIAL: COTTON, D59; SPECIFICATION: 240-44175132; PANTONE 19 - 3920; MINIMUM STANDARD SPECIFICATIONS FOR TROUSER AS PER SANS 434 (DRG.15289DA) FOR WORK WEAR SUITS (TWO PIECE) TYPE D59 FLAME RETARDANT; STANDARD SPEC: STITCHING SANS10101; ZIP FASTENER SANS1822 (NON-CONDUCTIVE MATERIAL); THREAD SANS1362; POCKETS TWO ON BACK TWO SWING AND ONE PATCH POCKET; ZERO HARM IDENTIFICATION ON THE LEFT BACK POCKET AND THE ESKOM LOGO ON RIGHT BACK POCKET EMBROIDERED IDENTIFICATION INDELIBLE MNFRS;	2			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		TRADEMARK; SIZE/CLEANING/LAUNDRY INSTRUCTIONS/SABS MARK OF APPROVAL ON ALL RELEVANT ITEMS AS PER UNIQUE IDENTIFIER 240-44175132				
157	<u>Sap0222371</u>	SHIRT: TYPE: MEN L/SLEEVE; SIZE: 38 CM; MATERIAL: COTTON; COLOR: GRAY; MATERIAL ZERO FLAME T006 SATIN WEAVE 100% COTTON TREATED WITH A FLAME RETARDANT FINISH THAT COMPLIES WITH SANS 1432-1; SHIRTS TO COMPLY WITH REQUIREMENTS AND SIZES REFERRED TO ANNEX A; BUTTON FRONT WITH YOKE AND TWO BREAST POCKETS AND FLAPS TO BUTTON CLOSURE; THE POCKETS SHALL BE 16 CM DEEP AND 14 CM WIDE; POCKETS AND FLAPS SHALL HAVE CUT EDGES WITH A PEN DIVISION; FRONT POCKET SHALL BE FASTENED BY NON- CONDUCTIVE BUTTONS; COLLAR SHALL BE A STANDARD SHIRT COLLAR; SHIRT SHALL HAVE AN INVERTED PLEAT WITH HANGER LOOP AND YOKE AT BACK; LONG-SLEEVED SHIRTS SHALL HAVE A CUFF- 65 MM WIDE SET IN LONG SLEEVE WITH TWO KNIFE PLEATS SEPARATE THE CUFF WITH BUTTON CLOSURE OF NON-CONDUCTIVE	10			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		BUTTONS; SLEEVE OPENING BOUND WITH BINDING; ZERO HARM IDENTIFICATION ON THE RIGHT SLEEVE; ESKOM LOGO EMBROIDERED IN ACCORDANCE WITH ESKOM'S CORPORATE IDENTITY ON LEFT TOP POCKET THE FRONT BUTTONS SHALL BE SEWN ONTO A STRENGTHENED FRONT AND SHALL BE NON-CONDUCTIVE; SEAMS SHOULDER; SLEEVE AND BACK YOKE POSTED; SIDE SEAM AND UNDER ARM SAFETY STITCH; HEMS FINISHED 10MM; STITCHING SHALL COMPLY TO SANS 10101 AND THREADS TO SANS 1362; UNIQUE IDENTIFIER 240-44175132				
158	<u>Sap0222376</u>	SHIRT: TYPE: MEN L/SLEEVE; SIZE: 42 CM; MATERIAL: COTTON; COLOR: GRAY; MATERIAL ZERO FLAME T006 SATIN WEAVE 100% COTTON TREATED WITH A FLAME RETARDANT FINISH THAT COMPLIES WITH SANS 1432-1; SHIRTS TO COMPLY WITH REQUIREMENTS AND SIZES REFERRED TO ANNEX A; BUTTON FRONT WITH YOKE AND TWO BREAST POCKETS AND FLAPS TO BUTTON CLOSURE; THE POCKETS SHALL BE 16 CM DEEP AND 14 CM WIDE; POCKETS AND FLAPS SHALL HAVE CUT EDGES	5			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		WITH A PEN DIVISION; FRONT POCKET SHALL BE FASTENED BY NON- CONDUCTIVE BUTTONS; COLLAR SHALL BE A STANDARD SHIRT COLLAR; SHIRT SHALL HAVE AN INVERTED PLEAT WITH HANGER LOOP AND YOKE AT BACK; LONG-SLEEVED SHIRTS SHALL HAVE A CUFF- 65 MM WIDE SET IN LONG SLEEVE WITH TWO KNIFE PLEATS SEPARATE THE CUFF WITH BUTTON CLOSURE OF NON-CONDUCTIVE BUTTONS; SLEEVE OPENING BOUND WITH BINDING; ZERO HARM IDENTIFICATION ON THE RIGHT SLEEVE; ESKOM LOGO EMBROIDERED IN ACCORDANCE WITH ESKOM'S CORPORATE IDENTITY ON LEFT TOP POCKET THE FRONT BUTTONS SHALL BE SEWN ONTO A STRENGTHENED FRONT AND SHALL BE NON-CONDUCTIVE; SEAMS SHOULDER; SLEEVE AND BACK YOKE POSTED; SIDE SEAM AND UNDER ARM SAFETY STITCH; HEMS FINISHED 10MM; STITCHING SHALL COMPLY TO SANS 10101 AND THREADS TO SANS 1362; UNIQUE IDENTIFIER 240- 44175132				
159	<u>Sap0222382</u>	SHIRT: TYPE: MEN L/SLEEVE; SIZE: 48 CM; MATERIAL: COTTON; COLOR: GRAY; MATERIAL	3			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.


	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		ZERO FLAME T006 SATIN WEAVE 100% COTTON TREATED WITH A FLAME RETARDANT FINISH THAT COMPLIES WITH SANS 1432-1; SHIRTS TO COMPLY WITH REQUIREMENTS AND SIZES REFERRED TO ANNEX A; BUTTON FRONT WITH YOKE AND TWO BREAST POCKETS AND FLAPS TO BUTTON CLOSURE; THE POCKETS SHALL BE 16 CM DEEP AND 14 CM WIDE; POCKETS AND FLAPS SHALL HAVE CUT EDGES WITH A PEN DIVISION; FRONT POCKET SHALL BE FASTENED BY NON-CONDUCTIVE BUTTONS; COLLAR SHALL BE A STANDARD SHIRT COLLAR; SHIRT SHALL HAVE AN INVERTED PLEAT WITH HANGER LOOP AND YOKE AT BACK; LONG-SLEEVED SHIRTS SHALL HAVE A CUFF- 65 MM WIDE SET IN LONG SLEEVE WITH TWO KNIFE PLEATS SEPARATE THE CUFF WITH BUTTON CLOSURE OF NON-CONDUCTIVE BUTTONS; SLEEVE OPENING BOUND WITH BINDING; ZERO HARM IDENTIFICATION ON THE RIGHT SLEEVE; ESKOM LOGO EMBROIDERED IN ACCORDANCE WITH ESKOM'S CORPORATE IDENTITY ON LEFT TOP POCKET THE FRONT BUTTONS SHALL BE SEWN				
--	--	--	--	--	--	--

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		ONTO A STRENGTHENED FRONT AND SHALL BE NON-CONDUCTIVE; SEAMS SHOULDER; SLEEVE AND BACK YOKE POSTED; SIDE SEAM AND UNDER ARM SAFETY STITCH; HEMS FINISHED 10MM; STITCHING SHALL COMPLY TO SANS 10101 AND THREADS TO SANS 1362; UNIQUE IDENTIFIER 240-44175132				
160	<u>Sap0222370</u>	SHIRT: TYPE: MEN L/SLEEVE; SIZE: 37 CM; MATERIAL: COTTON; COLOR: GRAY; MATERIAL ZERO FLAME T006 SATIN WEAVE 100% COTTON TREATED WITH A FLAME RETARDANT FINISH THAT COMPLIES WITH SANS 1432-1; SHIRTS TO COMPLY WITH REQUIREMENTS AND SIZES REFERRED TO ANNEX A; BUTTON FRONT WITH YOKE AND TWO BREAST POCKETS AND FLAPS TO BUTTON CLOSURE; THE POCKETS SHALL BE 16 CM DEEP AND 14 CM WIDE; POCKETS AND FLAPS SHALL HAVE CUT EDGES WITH A PEN DIVISION; FRONT POCKET SHALL BE FASTENED BY NON-CONDUCTIVE BUTTONS; COLLAR SHALL BE A STANDARD SHIRT COLLAR; SHIRT SHALL HAVE AN INVERTED PLEAT WITH HANGER LOOP AND YOKE AT BACK; LONG-SLEEVED	15			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		SHIRTS SHALL HAVE A CUFF- 65 MM WIDE SET IN LONG SLEEVE WITH TWO KNIFE PLEATS SEPARATE THE CUFF WITH BUTTON CLOSURE OF NON-CONDUCTIVE BUTTONS; SLEEVE OPENING BOUND WITH BINDING; ZERO HARM IDENTIFICATION ON THE RIGHT SLEEVE; ESKOM LOGO EMBROIDERED IN ACCORDANCE WITH ESKOM'S CORPORATE IDENTITY ON LEFT TOP POCKET THE FRONT BUTTONS SHALL BE SEWN ONTO A STRENGTHENED FRONT AND SHALL BE NON-CONDUCTIVE; SEAMS SHOULDER; SLEEVE AND BACK YOKE POSTED; SIDE SEAM AND UNDER ARM SAFETY STITCH; HEMS FINISHED 10MM; STITCHING SHALL COMPLY TO SANS 10101 AND THREADS TO SANS 1362; UNIQUE IDENTIFIER 240-44175132				
161	<u>Sap0222367</u>	SHIRT: TYPE: MEN L/SLEEVE; SIZE: 36 CM; MATERIAL: COTTON; COLOR: GRAY; MATERIAL ZERO FLAME T006 SATIN WEAVE 100% COTTON TREATED WITH A FLAME RETARDANT FINISH THAT COMPLIES WITH SANS 1432-1; SHIRTS TO COMPLY WITH REQUIREMENTS AND SIZES REFERRED TO ANNEX A; BUTTON FRONT WITH YOKE AND TWO	15			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		<p>BREAST POCKETS AND FLAPS TO BUTTON CLOSURE; THE POCKETS SHALL BE 16 CM DEEP AND 14 CM WIDE; POCKETS AND FLAPS SHALL HAVE CUT EDGES WITH A PEN DIVISION; FRONT POCKET SHALL BE FASTENED BY NON-CONDUCTIVE BUTTONS; COLLAR SHALL BE A STANDARD SHIRT COLLAR; SHIRT SHALL HAVE AN INVERTED PLEAT WITH HANGER LOOP AND YOKE AT BACK; LONG-SLEEVED SHIRTS SHALL HAVE A CUFF- 65 MM WIDE SET IN LONG SLEEVE WITH TWO KNIFE PLEATS SEPARATE THE CUFF WITH BUTTON CLOSURE OF NON-CONDUCTIVE BUTTONS; SLEEVE OPENING BOUND WITH BINDING; ZERO HARM IDENTIFICATION ON THE RIGHT SLEEVE; ESKOM LOGO EMBROIDERED IN ACCORDANCE WITH ESKOM'S CORPORATE IDENTITY ON LEFT TOP POCKET THE FRONT BUTTONS SHALL BE SEWN ONTO A STRENGTHENED FRONT AND SHALL BE NON-CONDUCTIVE; SEAMS SHOULDER; SLEEVE AND BACK YOKE POSTED; SIDE SEAM AND UNDER ARM SAFETY STITCH; HEMS FINISHED 10MM; STITCHING SHALL COMPLY TO SANS 10101 AND THREADS TO SANS</p>				
--	--	--	--	--	--	--

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		1362; UNIQUE IDENTIFIER 240-44175132				
162	<u>Sap0565538</u>	VEST, HIGH VISIBILITY: TYPE: MANAGEMENT; SIZE: L; MATERIAL: NYLON; COLOR: GOLDEN YELLOW B49 NCS-1178-Y14R; GARMENT CLOSING METHOD: ZIP FASTENER WHICH SHALL COMPLY WITH SANS 1822 AND BE OF A NON CONDUCTIVE MATERIAL; USAGE DESIGN: FIG A3 ANEX A SANS 50471; REFLECTOR MARKING: REFER FIG A3; POCKET TYPE: LEFT TOP; MANAGEMENT; AUDITORS; OBSERVERS; SECURITY TO BE SILK SCREENED AT BACK; LABEL HOLDER WITH CLEAR PLASTIC WINDOW TO BE STITCHED ON LEFT TOP; ESKOM LOGO ABOVE LEFT HAND POCKET; ABOVE SHALL COMPLY TO SANS 50471 FOR HIGH VISIBILITY WARNING CLOTHING FOR PROFESSIONAL USE; VESTS/BIBS DESIGN SHALL COMPLY AS PER SANS 50471 ANNEXURE A FIGURE A3; RELECTIVE TAPE (RETRO REFLECTIVE MATERIAL) SHALL COMPLY WITH SANS 50471 AND SHALL BE A MINIMUM OF 50MM IN WIDTH AND COLOUR REQUIREMENTS FOR BACKGROUND AND COMBINED PERFORMANCE	1			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		MATERIAL AS PER TABLE 2 AS PER SANS 50471; TEST/CERT, IDENTIFICATION AND SPECIFICATION REQUIREMENTS: MATERIAL SPEC: SANS 50471 AND FIGURE A3 ANNEXURE A; COLOUR SPEC: SANS 50471 TABLE 2 (FOR COLOUR REQUIREMENTS); UNIQUE IDENTIFIER 240-44175132; IDENTIFICATION: INDELIBLE MNFRS. TRADEMARK AND SIZE ON ALL ITEMS				
163	<u>Sap0222533</u>	COVERALL: TYPE: ARTISAN BOILER SUIT; SIZE: 92 CM; MATERIAL: COTTON 100 PCT, D59 WOVEN PRE SHRUNK; SPECIFICATION: UNIQUE IDENTIFIER 240-44175132; THE FRONTS SHALL BE SHIRT-STYLE OPEN FRONTS WITH A COLLAR; THE BACK BE CUT IN ONE PIECE AND SHALL BE JOINED TO THE TROUSER SECTION BY MEANS OF A SEAM AT WAIST LEVEL; THE WAISTLINE SHALL REQUIRE ELASTICIZED FROM SIDE SEAM TO SIDE SEAM; THE COLLAR SHAPE SHALL BE SUCH AS TO BE ACCEPTABLE; THE WIDTH AT THE CENTRE BACK SHALL BE AT LEAST 80 MM AND THE STEPS SHALL BE OF WIDTH AT LEAST 35 MM; SLEEVES SET-IN	8			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		<p>SLEEVES SHALL BE OF ONE-PIECE CONSTRUCTION AND BE FITTED WITH A CUFF AT THE BOTTOM END; CUFFS PLAIN WITH A DOUBLE FOLDED TURNED-IN HEM OF AT LEAST 15 MM; THE FRONT FASTENING AT BOTTOM OF THE OPENING SHALL BE SECURELY BAR-TACKED; ALL RAW EDGES SHALL BE TURNED IN AND STITCHED; FLY FRONT SHALL FASTEN WITH A SLIDE FASTENER AS PER SANS 1822 FIGURE 4 TWO WAY FASTENER TYPE A; THE SLIDE FASTENER SHALL BE SECURED WITH TWO ROWS OF STITCHING ON EACH STRINGER; THE FRONT EDGES SHALL OVERLAP AT LEAST 35 MM AND THE FACING SHALL BE GROWN ON; POCKETS THE FINISHED WIDTH AND DEPTH OF A POCKET SHALL BE MEASURED FROM EDGE TO EDGE ON THE OUTSIDE OF THE POCKET WITH PENCIL POCKET; POCKET MOUTHS SHALL BE FINISHED WITH A HEM THAT IS DEEP ENOUGH TO ACCOMMODATE THE ATTACHMENT OF A FASTENING; AND SHALL BE ADEQUATELY SECURED (SEE 4.5.14) BREAST; HIP POCKETS: SHALL BE PATCH POCKETS; WITH ROUNDED BLUNTED CORNERS; THE SIDE AND BOTTOM EDGES OF A</p>				
--	--	--	--	--	--	--

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		POCKET SHALL BE TURNED IN AT LEAST 10 MM AND STITCHED DOWN WITH TWO ROWS OF STITCHING OF AT LEAST 2 MM AND A MAXIMUM 10 MM RESPECTIVELY; THE MOUTH OF THE POCKET SHALL BE HEMMED AT EACH END OF THE POCKET MOUTH AND SHALL BE SECURELY BAR-TACKED; THE BREAST POCKET SHALL BE POSITIONED ABOVE THE SCYE LEVEL IN ACCORDANCE WITH ACCEPTABLE PATTERNMAKING PRACTICE; THE HIP POCKET SHALL BE POSITIONED APPROPRIATELY FROM THE SIDE SEAM IN ACCORDANCE WITH ACCEPTABLE PATTERNMAKING PRACTICE AND AT LEAST 60 MM FROM THE WAIST SEAM; SIDE POCKETS SHALL HAVE A SLANTED MOUTH OPENING OF MINIMUM FINISHED LENGTH 180 MM AND SHALL HAVE AN INSIDE PATCH POCKET OF OUTER MATERIAL; PENCIL POCKET SHALL FORM PART OF THE BREAST POCKET AND OF WIDTH AT LEAST 40 MM AND THE FULL DEPTH OF THE BREAST POCKET; AND SHALL BE POSITIONED AT THE CENTRE FRONT END OF BREAST POCKET; THE PENCIL POCKET				
--	--	---	--	--	--	--

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.


	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		SHALL BE FORMED BY A ROW OF VERTICAL STITCHING FROM THE FRONT EDGE; POCKET FLAPS SHALL BE MITRED; FLAPS SHALL BE LINED WITH OUTER MATERIAL AND SHALL FASTEN IN THE CENTRE WITH A BUTTON AND BUTTONHOLE; ALL FLAPS SHALL BE OF DEPTH AT LEAST 50 MM; AND A MITRED FLAP SHALL TAPER TO AT LEAST 30 MM AT THE ENDS; A FLAP SHALL BE OF SUCH WIDTH AS TO OVERLAP THE POCKET AT EACH SIDE AND SHALL BE POSITIONED AT LEAST 10 MM ABOVE THE POCKET MOUTH AND SECURELY TACKED AT EACH END; BUTTONHOLES SHALL BE LARGE ENOUGH TO NEATLY ACCOMMODATE THE BUTTONS AND SHALL BE AS FOLLOWS: IF FOUR-HOLE PLASTICS BUTTONS ARE USED; A SHIRT TYPE BUTTONHOLE MAY BE USED; THE BOTTOMS OF THE LEGS SHALL HAVE A PLAIN DOUBLE FOLDED HEM OF AT LEAST 15 MM; POCKET HEMS WITHOUT A FASTENER: SHALL BE STITCHED DOWN OF WIDTH AT LEAST 10 MM				
164	<u>Sap0566588</u>	COVERALL: TYPE: ARTISAN BOILER SUIT; SIZE: 102 CM; MATERIAL: COTTON 100 PCT, D59 WOVEN PRE SHRUNK;	8			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		<p>SPECIFICATION: UNIQUE IDENTIFIER 240-44175132; THE FRONTS SHALL BE SHIRT-STYLE OPEN FRONTS WITH A COLLAR; THE BACK BE CUT IN ONE PIECE AND SHALL BE JOINED TO THE TROUSER SECTION BY MEANS OF A SEAM AT WAIST LEVEL; THE WAISTLINE SHALL REQUIRE ELASTICIZED FROM SIDE SEAM TO SIDE SEAM; THE COLLAR SHAPE SHALL BE SUCH AS TO BE ACCEPTABLE; THE WIDTH AT THE CENTRE BACK SHALL BE AT LEAST 80 MM AND THE STEPS SHALL BE OF WIDTH AT LEAST 35 MM; SLEEVES SET-IN SLEEVES SHALL BE OF ONE-PIECE CONSTRUCTION AND BE FITTED WITH A CUFF AT THE BOTTOM END; CUFFS PLAIN WITH A DOUBLE FOLDED TURNED-IN HEM OF AT LEAST 15 MM; THE FRONT FASTENING AT BOTTOM OF THE OPENING SHALL BE SECURELY BAR-TACKED; ALL RAW EDGES SHALL BE TURNED IN AND STITCHED; FLY FRONT SHALL FASTEN WITH A SLIDE FASTENER AS PER SANS 1822 FIGURE 4 TWO WAY FASTENER TYPE A; THE SLIDE FASTENER SHALL BE SECURED WITH TWO ROWS OF STITCHING ON EACH STRINGER; THE FRONT EDGES SHALL</p>				
--	--	---	--	--	--	--

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		OVERLAP AT LEAST 35 MM AND THE FACING SHALL BE GROWN ON; POCKETS THE FINISHED WIDTH AND DEPTH OF A POCKET SHALL BE MEASURED FROM EDGE TO EDGE ON THE OUTSIDE OF THE POCKET WITH PENCIL POCKET; POCKET MOUTHS SHALL BE FINISHED WITH A HEM THAT IS DEEP ENOUGH TO ACCOMMODATE THE ATTACHMENT OF A FASTENING; AND SHALL BE ADEQUATELY SECURED (SEE 4.5.14) BREAST; HIP POCKETS: SHALL BE PATCH POCKETS; WITH ROUNDED BLUNTED CORNERS; THE SIDE AND BOTTOM EDGES OF A POCKET SHALL BE TURNED IN AT LEAST 10 MM AND STITCHED DOWN WITH TWO ROWS OF STITCHING OF AT LEAST 2 MM AND A MAXIMUM 10 MM RESPECTIVELY; THE MOUTH OF THE POCKET SHALL BE HEMMED AT EACH END OF THE POCKET MOUTH AND SHALL BE SECURELY BAR-TACKED; THE BREAST POCKET SHALL BE POSITIONED ABOVE THE SCYE LEVEL IN ACCORDANCE WITH ACCEPTABLE PATTERNMAKING PRACTICE; THE HIP POCKET SHALL BE POSITIONED APPROPRIATELY FROM THE SIDE SEAM IN				
--	--	---	--	--	--	--

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		<p> ACCORDANCE WITH ACCEPTABLE PATTERNMAKING PRACTICE AND AT LEAST 60 MM FROM THE WAIST SEAM; SIDE POCKETS SHALL HAVE A SLANTED MOUTH OPENING OF MINIMUM FINISHED LENGTH 180 MM AND SHALL HAVE AN INSIDE PATCH POCKET OF OUTER MATERIAL; PENCIL POCKET SHALL FORM PART OF THE BREAST POCKET AND OF WIDTH AT LEAST 40 MM AND THE FULL DEPTH OF THE BREAST POCKET; AND SHALL BE POSITIONED AT THE CENTRE FRONT END OF BREAST POCKET; THE PENCIL POCKET SHALL BE FORMED BY A ROW OF VERTICAL STITCHING FROM THE FRONT EDGE; POCKET FLAPS SHALL BE MITRED; FLAPS SHALL BE LINED WITH OUTER MATERIAL AND SHALL FASTEN IN THE CENTRE WITH A BUTTON AND BUTTONHOLE; ALL FLAPS SHALL BE OF DEPTH AT LEAST 50 MM; AND A MITRED FLAP SHALL TAPER TO AT LEAST 30 MM AT THE ENDS; A FLAP SHALL BE OF SUCH WIDTH AS TO OVERLAP THE POCKET AT EACH SIDE AND SHALL BE POSITIONED AT LEAST 10 MM ABOVE THE POCKET MOUTH AND SECURELY TACKED AT </p>				
--	--	---	--	--	--	--

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		EACH END; BUTTONHOLES SHALL BE LARGE ENOUGH TO NEATLY ACCOMMODATE THE BUTTONS AND SHALL BE AS FOLLOWS: IF FOUR-HOLE PLASTICS BUTTONS ARE USED; A SHIRT TYPE BUTTONHOLE MAY BE USED; THE BOTTOMS OF THE LEGS SHALL HAVE A PLAIN DOUBLE FOLDED HEM OF AT LEAST 15 MM; POCKET HEMS WITHOUT A FASTENER: SHALL BE STITCHED DOWN OF WIDTH AT LEAST 10 MM				
165	<u>Sap0566548</u>	JACKET, UTILITY: TYPE: ACID/ALKALI; SIZE: 102 CM; MATERIAL: COTTON 100 PCT, SANS 1387-4 D59, SOFT WOVEN PRE SHRUNK, FLAME RETARDANT; COLOR: BOTTLE GREEN 19_6110TC; POCKET TYPE: CHEST 1; SIDE 2; GARMENT CLOSING METHOD: ZIP SANS 1822; SPECIFICATION: UNIQUE IDENTIFIER 240-44175132; THE JACKET SHALL HAVE A COLLAR; THE FRONT SHALL BE AN OPEN TYPE WITH FASTENINGS; THE JACKET BOTTOM SHALL HAVE A PLAIN HEM; WITHOUT SIDE VENTS; POCKETS SHALL BE AS REQUIRED (SEE ANNEX A) AND WITHOUT FLAPS; FOR BOTTOM POCKETS; SLEEVES SHALL BE ONE-PIECE LONG AND SET-IN; FRONT EDGES SHALL	12			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		<p>HAVE GROWN-ON FACINGS OF WIDTH AT LEAST 45 MM AND THE INSIDE EDGES NEATLY FINISHED; EACH FRONT PANEL SHALL NOT HAVE A YOKE AND BE AS FOLLOWS: A) SLIDE FASTENER FRONTS: THE FRONTS SHALL FASTEN WITH A SLIDE FASTENER THAT EXTENDS TO AT LEAST 90 MM ABOVE THE BOTTOM HEM; SLIDE FASTENER IS CONCEALED AND STITCHED DOWN; SLIDE FASTENERS SHALL BE SECURED TO THE FRONTS WITH TWO ROWS OF STITCHING ALONG EACH STRINGER; THE BACK SHALL BE PLAIN (NO CENTRE BACK SEAM); SLEEVES SHALL BE OF THE ONE-PIECE; THE END OF SLEEVE SHALL HAVE A PLAIN CUFF OF WIDTH AT LEAST 15 MM; POCKETS SHALL BE PATCH POCKETS OF OUTER MATERIAL AND SHALL HAVE ROUND BLUNTED CORNERS; POCKET MOUTH HEMS SHALL BE OF FINISHED WIDTH 10 MM OR 20 MM (SEE 4.5.14); BREAST AND SIDE POCKETS SHALL BE OF FINISHED MEASUREMENT AS GIVEN IN TABLE 6; THE BREAST POCKET SHALL BE POSITIONED ABOVE THE SCYE LEVEL IN ACCORDANCE WITH ACCEPTABLE</p>				
--	--	--	--	--	--	--

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		PATTERNMAKING AND GARMENT CONSTRUCTION PRACTICE; POCKET FLAPS A BREAST POCKET FLAP SHALL BE MITRED; LINED WITH OUTER MATERIAL AND FASTEN IN THE CENTRE WITH A BUTTON AND BUTTONHOLE; A FLAP SHALL BE OF DEPTH AT LEAST 50 MM AT THE MITRED POINT AND TAPER TO AT LEAST 30 MM AT THE ENDS; A FLAP SHALL BE OF SUCH LENGTH AS TO OVERLAP THE POCKET WIDTH; SHALL BE POSITIONED AT LEAST 10 MM ABOVE THE POCKET MOUTH AND SHALL BE SECURELY TACKED AT EACH END; THE BOTTOM OF A JACKET SHALL BE FINISHED WITH A PLAIN HEM; THE BOTTOM OF A JACKET SHALL HAVE A DOUBLE FOLDED HEM OF FINISHED WIDTH AT LEAST 15 MM				
166	<u>Sap0566454</u>	JACKET, UTILITY: TYPE: ACID/ALKALI; SIZE: 107 CM; MATERIAL: COTTON 100 PCT, SANS 1387-4 D59, SOFT WOVEN PRE SHRUNK, FLAME RETARDANT; COLOR: BOTTLE GREEN 19_6110TC; POCKET TYPE: CHEST 1; SIDE 2; GARMENT CLOSING METHOD: ZIP SANS 1822; SPECIFICATION: UNIQUE IDENTIFIER 240-44175132; THE	20			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		<p>JACKET SHALL HAVE A COLLAR; THE FRONT SHALL BE AN OPEN TYPE WITH FASTENINGS; THE JACKET BOTTOM SHALL HAVE A PLAIN HEM; WITHOUT SIDE VENTS; POCKETS SHALL BE AS REQUIRED (SEE ANNEX A) AND WITHOUT FLAPS; FOR BOTTOM POCKETS; SLEEVES SHALL BE ONE-PIECE LONG AND SET-IN; FRONT EDGES SHALL HAVE GROWN-ON FACINGS OF WIDTH AT LEAST 45 MM AND THE INSIDE EDGES NEATLY FINISHED; EACH FRONT PANEL SHALL NOT HAVE A YOKE AND BE AS FOLLOWS: A) SLIDE FASTENER FRONTS: THE FRONTS SHALL FASTEN WITH A SLIDE FASTENER THAT EXTENDS TO AT LEAST 90 MM ABOVE THE BOTTOM HEM; SLIDE FASTENER IS CONCEALED AND STITCHED DOWN; SLIDE FASTENERS SHALL BE SECURED TO THE FRONTS WITH TWO ROWS OF STITCHING ALONG EACH STRINGER; THE BACK SHALL BE PLAIN (NO CENTRE BACK SEAM); SLEEVES SHALL BE OF THE ONE-PIECE; THE END OF SLEEVE SHALL HAVE A PLAIN CUFF OF WIDTH AT LEAST 15 MM; POCKETS SHALL BE PATCH POCKETS OF OUTER MATERIAL AND SHALL HAVE ROUND BLUNTED</p>				
--	--	---	--	--	--	--

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.


	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		<p> CORNERS; POCKET MOUTH HEMS SHALL BE OF FINISHED WIDTH 10 MM OR 20 MM (SEE 4.5.14); BREAST AND SIDE POCKETS SHALL BE OF FINISHED MEASUREMENT AS GIVEN IN TABLE 6; THE BREAST POCKET SHALL BE POSITIONED ABOVE THE SCYE LEVEL IN ACCORDANCE WITH ACCEPTABLE PATTERNMAKING AND GARMENT CONSTRUCTION PRACTICE; POCKET FLAPS A BREAST POCKET FLAP SHALL BE MITRED; LINED WITH OUTER MATERIAL AND FASTEN IN THE CENTRE WITH A BUTTON AND BUTTONHOLE; A FLAP SHALL BE OF DEPTH AT LEAST 50 MM AT THE MITRED POINT AND TAPER TO AT LEAST 30 MM AT THE ENDS; A FLAP SHALL BE OF SUCH LENGTH AS TO OVERLAP THE POCKET WIDTH; SHALL BE POSITIONED AT LEAST 10 MM ABOVE THE POCKET MOUTH AND SHALL BE SECURELY TACKED AT EACH END; THE BOTTOM OF A JACKET SHALL BE FINISHED WITH A PLAIN HEM; THE BOTTOM OF A JACKET SHALL HAVE A DOUBLE FOLDED HEM OF FINISHED WIDTH AT LEAST 15 MM </p>				
--	--	---	--	--	--	--

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

167	<u>Sap0566552</u>	<p>JACKET, UTILITY: TYPE: ACID/ALKALI; SIZE: 112 CM; MATERIAL: COTTON 100 PCT, SANS 1387-4 D59, SOFT WOVEN PRE SHRUNK, FLAME RETARDANT; COLOR: BOTTLE GREEN 19_6110TC; POCKET TYPE: CHEST 1; SIDE 2; GARMENT CLOSING METHOD: ZIP SANS 1822; SPECIFICATION: UNIQUE IDENTIFIER 240-44175132; THE JACKET SHALL HAVE A COLLAR; THE FRONT SHALL BE AN OPEN TYPE WITH FASTENINGS; THE JACKET BOTTOM SHALL HAVE A PLAIN HEM; WITHOUT SIDE VENTS; POCKETS SHALL BE AS REQUIRED (SEE ANNEX A) AND WITHOUT FLAPS; FOR BOTTOM POCKETS; SLEEVES SHALL BE ONE- PIECE LONG AND SET- IN; FRONT EDGES SHALL HAVE GROWN-ON FACINGS OF WIDTH AT LEAST 45 MM AND THE INSIDE EDGES NEATLY FINISHED; EACH FRONT PANEL SHALL NOT HAVE A YOKE AND BE AS FOLLOWS: A) SLIDE FASTENER FRONTS: THE FRONTS SHALL FASTEN WITH A SLIDE FASTENER THAT EXTENDS TO AT LEAST 90 MM ABOVE THE BOTTOM HEM; SLIDE FASTENER IS CONCEALED AND STITCHED DOWN; SLIDE FASTENERS SHALL</p>	3			
-----	-------------------	---	---	--	--	--

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		<p>BE SECURED TO THE FRONTS WITH TWO ROWS OF STITCHING ALONG EACH STRINGER; THE BACK SHALL BE PLAIN (NO CENTRE BACK SEAM); SLEEVES SHALL BE OF THE ONE-PIECE; THE END OF SLEEVE SHALL HAVE A PLAIN CUFF OF WIDTH AT LEAST 15 MM; POCKETS SHALL BE PATCH POCKETS OF OUTER MATERIAL AND SHALL HAVE ROUND BLUNTED CORNERS; POCKET MOUTH HEMS SHALL BE OF FINISHED WIDTH 10 MM OR 20 MM (SEE 4.5.14); BREAST AND SIDE POCKETS SHALL BE OF FINISHED MEASUREMENT AS GIVEN IN TABLE 6; THE BREAST POCKET SHALL BE POSITIONED ABOVE THE SCYE LEVEL IN ACCORDANCE WITH ACCEPTABLE PATTERNMAKING AND GARMENT CONSTRUCTION PRACTICE; POCKET FLAPS A BREAST POCKET FLAP SHALL BE MITRED; LINED WITH OUTER MATERIAL AND FASTEN IN THE CENTRE WITH A BUTTON AND BUTTONHOLE; A FLAP SHALL BE OF DEPTH AT LEAST 50 MM AT THE MITRED POINT AND TAPER TO AT LEAST 30 MM AT THE ENDS; A FLAP SHALL BE OF SUCH LENGTH AS TO OVERLAP</p>				
--	--	---	--	--	--	--

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		THE POCKET WIDTH; SHALL BE POSITIONED AT LEAST 10 MM ABOVE THE POCKET MOUTH AND SHALL BE SECURELY TACKED AT EACH END; THE BOTTOM OF A JACKET SHALL BE FINISHED WITH A PLAIN HEM; THE BOTTOM OF A JACKET SHALL HAVE A DOUBLE FOLDED HEM OF FINISHED WIDTH AT LEAST 15 MM				
168	<u>Sap0566455</u>	JACKET, UTILITY: TYPE: ACID/ALKALI; SIZE: 117 CM; MATERIAL: COTTON 100 PCT, SANS 1387-4 D59, SOFT WOVEN PRE SHRUNK, FLAME RETARDANT; COLOR: BOTTLE GREEN 19_6110TC; POCKET TYPE: CHEST 1; SIDE 2; GARMENT CLOSING METHOD: ZIP SANS 1822; SPECIFICATION: UNIQUE IDENTIFIER 240-44175132; THE JACKET SHALL HAVE A COLLAR; THE FRONT SHALL BE AN OPEN TYPE WITH FASTENINGS; THE JACKET BOTTOM SHALL HAVE A PLAIN HEM; WITHOUT SIDE VENTS; POCKETS SHALL BE AS REQUIRED (SEE ANNEX A) AND WITHOUT FLAPS; FOR BOTTOM POCKETS; SLEEVES SHALL BE ONE- PIECE LONG AND SET- IN; FRONT EDGES SHALL HAVE GROWN-ON FACINGS OF WIDTH AT LEAST 45 MM AND THE INSIDE	6			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		<p>EDGES NEATLY FINISHED; EACH FRONT PANEL SHALL NOT HAVE A YOKE AND BE AS FOLLOWS: A) SLIDE FASTENER FRONTS: THE FRONTS SHALL FASTEN WITH A SLIDE FASTENER THAT EXTENDS TO AT LEAST 90 MM ABOVE THE BOTTOM HEM; SLIDE FASTENER IS CONCEALED AND STITCHED DOWN; SLIDE FASTENERS SHALL BE SECURED TO THE FRONTS WITH TWO ROWS OF STITCHING ALONG EACH STRINGER; THE BACK SHALL BE PLAIN (NO CENTRE BACK SEAM); SLEEVES SHALL BE OF THE ONE-PIECE; THE END OF SLEEVE SHALL HAVE A PLAIN CUFF OF WIDTH AT LEAST 15 MM; POCKETS SHALL BE PATCH POCKETS OF OUTER MATERIAL AND SHALL HAVE ROUND BLUNTED CORNERS; POCKET MOUTH HEMS SHALL BE OF FINISHED WIDTH 10 MM OR 20 MM (SEE 4.5.14); BREAST AND SIDE POCKETS SHALL BE OF FINISHED MEASUREMENT AS GIVEN IN TABLE 6; THE BREAST POCKET SHALL BE POSITIONED ABOVE THE SCYE LEVEL IN ACCORDANCE WITH ACCEPTABLE PATTERNMAKING AND GARMENT CONSTRUCTION PRACTICE; POCKET</p>				
--	--	---	--	--	--	--

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		FLAPS A BREAST POCKET FLAP SHALL BE MITRED; LINED WITH OUTER MATERIAL AND FASTEN IN THE CENTRE WITH A BUTTON AND BUTTONHOLE; A FLAP SHALL BE OF DEPTH AT LEAST 50 MM AT THE MITRED POINT AND TAPER TO AT LEAST 30 MM AT THE ENDS; A FLAP SHALL BE OF SUCH LENGTH AS TO OVERLAP THE POCKET WIDTH; SHALL BE POSITIONED AT LEAST 10 MM ABOVE THE POCKET MOUTH AND SHALL BE SECURELY TACKED AT EACH END; THE BOTTOM OF A JACKET SHALL BE FINISHED WITH A PLAIN HEM; THE BOTTOM OF A JACKET SHALL HAVE A DOUBLE FOLDED HEM OF FINISHED WIDTH AT LEAST 15 MM				
169	<u>Sap 0566456</u>	JACKET, UTILITY: TYPE: ACID/ALKALI; SIZE: 122 CM; MATERIAL: COTTON 100 PCT, SANS 1387-4 D59, SOFT WOVEN PRE SHRUNK, FLAME RETARDANT; COLOR: BOTTLE GREEN 19_6110TC; POCKET TYPE: CHEST 1; SIDE 2; GARMENT CLOSING METHOD: ZIP SANS 1822; SPECIFICATION: UNIQUE IDENTIFIER 240-44175132; THE JACKET SHALL HAVE A COLLAR; THE FRONT SHALL BE AN OPEN TYPE	3			

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		<p>WITH FASTENINGS; THE JACKET BOTTOM SHALL HAVE A PLAIN HEM; WITHOUT SIDE VENTS; POCKETS SHALL BE AS REQUIRED (SEE ANNEX A) AND WITHOUT FLAPS; FOR BOTTOM POCKETS; SLEEVES SHALL BE ONE-PIECE LONG AND SET-IN; FRONT EDGES SHALL HAVE GROWN-ON FACINGS OF WIDTH AT LEAST 45 MM AND THE INSIDE EDGES NEATLY FINISHED; EACH FRONT PANEL SHALL NOT HAVE A YOKE AND BE AS FOLLOWS: A) SLIDE FASTENER FRONTS: THE FRONTS SHALL FASTEN WITH A SLIDE FASTENER THAT EXTENDS TO AT LEAST 90 MM ABOVE THE BOTTOM HEM; SLIDE FASTENER IS CONCEALED AND STITCHED DOWN; SLIDE FASTENERS SHALL BE SECURED TO THE FRONTS WITH TWO ROWS OF STITCHING ALONG EACH STRINGER; THE BACK SHALL BE PLAIN (NO CENTRE BACK SEAM); SLEEVES SHALL BE OF THE ONE-PIECE; THE END OF SLEEVE SHALL HAVE A PLAIN CUFF OF WIDTH AT LEAST 15 MM; POCKETS SHALL BE PATCH POCKETS OF OUTER MATERIAL AND SHALL HAVE ROUND BLUNTED CORNERS; POCKET MOUTH HEMS SHALL BE OF FINISHED WIDTH 10 MM</p>				
--	--	---	--	--	--	--

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

		<p>OR 20 MM (SEE 4.5.14); BREAST AND SIDE POCKETS SHALL BE OF FINISHED MEASUREMENT AS GIVEN IN TABLE 6; THE BREAST POCKET SHALL BE POSITIONED ABOVE THE SCYE LEVEL IN ACCORDANCE WITH ACCEPTABLE PATTERNMAKING AND GARMENT CONSTRUCTION PRACTICE; POCKET FLAPS A BREAST POCKET FLAP SHALL BE MITRED; LINED WITH OUTER MATERIAL AND FASTEN IN THE CENTRE WITH A BUTTON AND BUTTONHOLE; A FLAP SHALL BE OF DEPTH AT LEAST 50 MM AT THE MITRED POINT AND TAPER TO AT LEAST 30 MM AT THE ENDS; A FLAP SHALL BE OF SUCH LENGTH AS TO OVERLAP THE POCKET WIDTH; SHALL BE POSITIONED AT LEAST 10 MM ABOVE THE POCKET MOUTH AND SHALL BE SECURELY TACKED AT EACH END; THE BOTTOM OF A JACKET SHALL BE FINISHED WITH A PLAIN HEM; THE BOTTOM OF A JACKET SHALL HAVE A DOUBLE FOLDED HEM OF FINISHED WIDTH AT LEAST 15 MM</p>				
--	--	---	--	--	--	--


5.1 Technical Deviations (To be completed by tenderer)

- i. Are there any technical Deviations: Yes_____ | No ____ (indicate applicable response)

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

ii. If “Yes” above, did you complete fully and submit the technical deviation form?

Yes_____ | No ____ (indicate applicable response)

iii. Please note that if there are technical deviations and the technical deviation form has not been fully completed and submitted at RFQ closing deadline- your offer tender will be deemed non-responsive and disqualified.

Comment:


6. TABLE TO BE COMPLETED BY TENDERER

Warranty period			Prices fixed?	
Eskom's General Conditions of Purchase accepted			Quotation is valid for	
Delivery offered			Days/weeks of delivery duration	
Prices include delivery			FOB value (Ex-stock)	
Delivery cost (if applicable)			Rate of exchange (if applicable)	
Delivery method			Foreign currency	
Discount	Trade		Settlement	
Freight insurance				
Are you registered on the Eskom Vendor Database[please indicate “yes” or “no”]	Yes		No	Reason

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	OLT2050127		

and provide a reason if not registered.			
Is Integrity Pact Declaration signed and attached	Yes	No	
Company Registration Number		B-BBEE level	

Suppliers Must Comply with Eskom's Life Saving Rules while on site.

The supplier will additionally be required to ensure that the following environmental requirements are complied with at all times (where applicable):-

1. Zero liquid effluent discharge.
2. No chemicals will be dumped into the station drains or on the premises.
3. No oil or waste will be dumped on an unauthorized area or unlicensed waste site.
4. Asbestos will be handled and stored according to Asbestos Regulation R155 of 2002.
5. No materials or waste will be burnt on site. Hazardous substances shall be handled and stored according to the Hazardous substances. Regulation GN1179 of 1995 effluent shall not be discharged into public streams.

7. SIGNATORIES

For Supplier:


The invitee/tenderer hereby confirms that a copy of the Integrity Declaration Pact was obtained, that it understands the provisions thereof and, undertakes to abide by the provisions thereof in any dealings it may have with Eskom and that the signed Integrity Declaration form and SBD 4- Bidders Declaration form have both been fully completed, signed and submitted as tender returnables by the stipulated RFQ closing deadline.

Name of supplier	Designation	Signature	Date
		<div></div> [duly authorised to sign on behalf of the supplier]	
Telephone number		Fax and/or e-mail address	

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	Informal Tendering Request for Quotation (RFQ) For transactions up to R1M	Template Identifier	240-43921804	Rev	6
		Document Identifier	240-73269736	Rev	5
		Effective Date	May 2022		
		Review Date	May 2027		
		Enquiry	<i>OLT2050127</i>		

Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.