

22-09-2022		SUPPLIER:		MAKE AND MODEL:	
Annexure A3		Tendering Service Provider to complete		Eskom technical team to complete	
Vehicle Type Required:	SEDAN 1600cc	Comply	Provide reason for Comply or non-compliance	Eskom technical evaluation comments	
AIR CONDITIONER PRICE FITTED (IF NOT STD)	To be Standard				
RADIO/CD PRICE FITTED (IF NOT STD)	To be Standard				
DRIVER AND PASSENGER AIRBAGS	To be Standard				
DRIVER AND PASSENGER SEATBELT REMINDER INDICATOR/ALARM	To be Standard				
ABS BRAKES	To be Standard				
POWER STEERING	To be Standard				
MANUAL GEARBOX	To be Standard				
DAY RUN LIGHTS INSTALLED	To be Standard				
FACTORY FITTED FRONT FOG LIGHTS	To be Standard				
FACTORY FITTED STONE GUARDS	To be Standard				
TWO EMERGENCY TRIANGLES	To be Standard				
IMMOBILISER PRICE FITTED (IF NOT STD)	To be Standard				
ALARM PRICE FITTED (IF NOT STD)	To be Standard				
GEAR LEVER LOCK PRICE FITTED (IF NOT STD)	To be Standard				
REVERSE PARK DISTANCE CONTROL PRICE FITTED (IF NOT STD)	To be Standard				
TOW BAR PRICE FULLY INSTALLED (IF NOT STD)	To be Standard				
VEHICLE CONFIGURATION :	4 Door sedan				
BOOT CAPACITY (with seats unfolded)	300 dm				
NUMBER OF CYLINDERS	4 cylinder				
DISPLACEMENT cc	1600cc				
PETROL OR DIESEL	Petrol				
POWER RATING - Kw	76 Kw				
TORQUE RATING - NM	140 NM				
WHEEL ALIGNMENT TO BE DONE BEFORE DELIVERY	Certificate				
ENGINE MODEL NUMBER	Type				
SEATS TO BE CLATH AND FITTED WITH HEAD REST	Specify				
TYRES (SIZE) AND FULL SIZE SPEAR WHEEL	Specify				
TYRE MAKE	Specify				
WARRANTY PERIOD: MONTHS/DISTANCE	Specify				
CARBON DIOXIDE (CO2) EMISSION: g/km	Specify				
Full tank Fuel	Specify				
Licence and registration Cost	Specify				
MAINTENANCE OR SERVICE PLAN	Specify				
Acceptance / Acceptance					
Name of Evaluator :		Signature :			
Name of Verifier		Signature :			

Any proposed deviations from this specification shall be listed below with reasons for the deviation(s). In addition, evidence shall be provided that the proposed deviation will at least be more cost-effective than that specified by Eskom.

Technical Evaluation Criteria	100	Supplier score
Fully completed questionnaire in Annexure A3 confirming the compliance and non-compliance to the technical specification as well as prove (brochures) for verification of compliance.	50	50
Original Equipment manufacturer (OEM) or register dealer	20	20
Proof of 12 (twelve) month warranty certificate from the Original Equipment manufacturer (OEM)	20	20
Proof of after sales service and repairs (OEM Service Level Agreement)	10	10

Dawie Viljoen 0368176  
Officer Fleet Technical



22-09-2022		SUPPLIER:		
Annexure A3		MAKE AND MODEL:		
S2A		Tendering Service Provider to complete		Eskom technical team to complete
Vehicle Type Required:	SEDAN 1600cc	Comply	Provide reason for Comply or non-compliance	Eskom technical evaluation comments
AIR CONDITIONER PRICE FITTED (IF NOT STD)	To be Standard			
RADIO/CD PRICE FITTED (IF NOT STD)	To be Standard			
DRIVER AND PASSENGER AIRBAGS	To be Standard			
DRIVER AND PASSENGER SEATBELT REMINDER INDICATOR/ALARM	To be Standard			
ABS BRAKES	To be Standard			
POWER STEERING	To be Standard			
AUTOMATIC GEARBOX	To be Standard			
DAY RUN LIGHTS INSTALLED	To be Standard			
FACTORY FITTED FRONT FOG LIGHTS	To be Standard			
FACTORY FITTED STONE GUARDS	To be Standard			
TWO EMERGENCY TRIANGLES	To be Standard			
IMMOBILISER PRICE FITTED (IF NOT STD)	To be Standard			
ALARM PRICE FITTED (IF NOT STD)	To be Standard			
GEAR LEVER LOCK PRICE FITTED (IF NOT STD)	To be Standard			
REVERSE PARK DISTANCE CONTROL PRICE FITTED (IF NOT STD)	To be Standard			
TOW BAR PRICE FULLY INSTALLED (IF NOT STD)	To be Standard			
VEHICLE CONFIGURATION :	4 Door sedan			
BOOT CAPACITY (with seats unfolded)	300 dm			
NUMBER OF CYLINDERS	4 cylinder			
DISPLACEMENT cc	1600cc			
PETROL OR DIESEL	Petrol			
POWER RATING - Kw	75 Kw			
TORQUE RATING - NM	140 NM			
WHEEL ALIGNMENT TO BE DONE BEFORE DELIVERY	Certificate			
ENGINE MODEL NUMBER	Type			
SEATS TO BE CLATH AND FITTED WITH HEAD REST	Specify			
TYRES (SIZE) AND FULL SIZE SPEAR WHEEL	Specify			
TYRE MAKE	Specify			
WARRANTY PERIOD:	Specify			
MONTHS/DISTANCE	Specify			
CARBON DIOXIDE (CO2) EMISSION: g/km	Specify			
Full tank Fuel	Specify			
Licence and registration Cost	Specify			
MAINTENANCE OR SERVICE PLAN	Specify			
Acceptance / Acceptance				
Name of Evaluator :		Signature :		
Name of Verifier		Signature :		

Any proposed deviations from this specification shall be listed below with reasons for the deviation(s). In addition, evidence shall be provided that the proposed deviation will at least be more cost-effective than that specified by Eskom.

Technical Evaluation Criteria	100	Supplier score
Fully completed questionnaire in Annexure A3 confirming the compliance and non-compliance to the technical specification as well as prove (brochures) for verification of compliance.	50	50
Original Equipment manufacturer (OEM) or register dealer	20	20
Proof of 12 (twelve) month warranty certificate from the Original Equipment manufacturer (OEM)	20	20
Proof of after sales service and repairs (OEM Service Level Agreement)	10	10

Dawie Viljoen 0388175  
Officer Fleet Technical



		SUPPLIER;	
		22-09-2022	MAKE AND MODEL;
<b>Vehicle Job Description:</b>		Required to carry 1 - 2 passengers plus goods and equipment up to 1000 Kg on all types of road surfaces with 40% on road	
L8	Annexure A3	Tendering Service Provider to complete	Eskom technical team to complete
<b>Vehicle Type Required:</b>	4x2 LDV (LWB) 2400-2800 cc	Comply	Provide reason for Comply or non-compliance
AIR CONDITIONER PRICE FITTED (IF NOT STD)	To be Standard		
RADIO/CD PRICE FITTED (IF NOT STD)	To be Standard		
DRIVER AND PASSENGER AIRBAGS	To be Standard		
DRIVER AND PASSENGER SEATBELT REMINDER INDICATOR	To be Standard		
ABS BRAKES	To be Standard		
POWER STEERING	To be Standard		
DAY RUN LIGHTS INSTALLED	To be Standard		
FACTORY FITTED FRONT FOG LIGHTS	To be Standard		
FACTORY FITTED STONE GUARDS	To be Standard		
TWO EMERGENCY TRIANGLES	To be Standard		
IMMOBILISER PRICE FITTED (IF NOT STD)	To be Standard		
ALARM PRICE FITTED (IF NOT STD)	To be Standard		
GEAR LEVER LOCK PRICE FITTED (IF NOT STD)	To be Standard		
REVERSE PARK DISTANCE CONTROL PRICE FITTED (IF NOT STD)	To be Standard		
TOW BAR PRICE FULLY INSTALLED (IF NOT STD)	To be Standard		
DIFFLOCK PRICE FITTED (IF NOT STD)	To be Standard		
TRACTION:	4x2		
PAYLOAD kg	1000kg		
GROUND CLEARANCE - Axle lowest point (mm) minimum	215mm		
LOAD BODY GROUND CLEARANCE - chassis height at mid	345mm		
NUMBER OF CYLINDERS	4		
DISPLACEMENT cm	2400-2800cc		
PETROL OR DIESEL	Petrol		
POWER RATING Kw	92 Kw		
TORQUE RATING NM	202 NM		
LEGAL TOWING CAPACITY(Kg) TRAILER WITH OVERRUN BRAKE	1400 Kg		
WHEEL ALIGNMENT TO BE DONE BEFORE DELIVERY	Specify		
ENGINE MODEL NUMBER	Type		
BUCKET SEATS AND FITTED WITH HEAD REST	To be Standard		
TYRES (SIZE) 245/75R15. Tyres pattern to be all terrain 40% on road and 60% off road usage, rough terrain) Tyre pattern to be specify.	Specify		
TYRE MAKE	Specify		
WARRANTY PERIOD: MONTHS/DISTANCE	Specify		
CARBON DIOXIDE (CO2) EMISSION: g/km	Specify		
Full tank Fuel	Specify		
Acceptance / Acceptance			
Name of Evaluator:		Signature :	
Name of Verifier		Signature :	
Any proposed deviations from this specification shall be listed below with reasons for the deviation(s). In addition, evidence shall be provided that the proposed deviation will at least be			

Technical Evaluation Criteria	100	Supplier score
Fully completed questionnaire in Annexure A3 confirming the compliance and non-compliance to the technical specification as well as prove (brochures) for verification of compliance.	50	50
Original Equipment manufacturer (OEM) or register dealer	20	20
Proof of 12 (twelve) month warranty certificate from the Original Equipment manufacturer (OEM)	20	20
Proof of after sales service and repairs (OEM Service Level Agreement)	10	10

Dawle Viljoen 0388175  
Officer Fleet Technical



22-09-2022		SUPPLIER:		
		MAKE AND MODEL:		
Vehicle Job Description:	Required to carry 1 - 2 passengers plus goods and equipment up to 1000 Kg on all types of road surfaces with 40% on road			
L8	Annexure A3	Tendering Service Provider to complete		Eskom technical team to complete
Vehicle Type Required:	4x2 LDV (LWB) 2400-2800 cc	Comply	Provide reason for Comply or non-compliance	Eskom technical evaluation comments
AIR CONDITIONER PRICE FITTED (IF NOT STD)	To be Standard			
RADIO/CD PRICE FITTED (IF NOT STD)	To be Standard			
DRIVER AND PASSENGER AIRBAGS	To be Standard			
DRIVER AND PASSENGER SEATBELT REMINDER INDICATOR/ALARM	To be Standard			
ABS BRAKES	To be Standard			
POWER STEERING	To be Standard			
DAY RUN LIGHTS INSTALLED	To be Standard			
FACTORY FITTED FRONT FOG LIGHTS	To be Standard			
FACTORY FITTED STONE GUARDS	To be Standard			
TWO EMERGENCY TRIANGLES	To be Standard			
IMMOBILISER PRICE FITTED (IF NOT STD)	To be Standard			
ALARM PRICE FITTED (IF NOT STD)	To be Standard			
GEAR LEVER LOCK PRICE FITTED (IF NOT STD)	To be Standard			
REVERSE PARK DISTANCE CONTROL PRICE FITTED (IF NOT STD)	To be Standard			
TOW BAR PRICE FULLY INSTALLED (IF NOT STD)	To be Standard			
DIFFLOCK PRICE FITTED (IF NOT STD)	To be Standard			
TRACTION:	4x2			
PAYLOAD kg	1000kg			
GROUND CLEARANCE - Axle lowest point (mm) minimum	215mm			
LOAD BODY GROUND CLEARANCE - chassis height at midpoint between axles (mm)	345mm			
NUMBER OF CYLINDERS	4			
DISPLACEMENT cm	2400-2800cc			
PETROL OR DIESEL	Petrol			
POWER RATING Kw	92 Kw			
TORQUE RATING NM	202 NM			
LEGAL TOWING CAPACITY(Kg) TRAILER WITH OVERRUN BRAKE	1400 Kg			
WHEEL ALIGNMENT TO BE DONE BEFORE DELIVERY	Specify			
ENGINE MODEL NUMBER	Type			
AUTOMATIC GEARBOX	Specify			
BUCKET SEATS AND FITTED WITH HEAD REST	To be Standard			
TYRES (SIZE) 215/75R15. Tyres pattern to be all terrain 40% on road and 60% off road usage, rough terrain) Tyre pattern to be specify.	Specify			
TYRE MAKE	Specify			
WARRANTY PERIOD: MONTHS/DISTANCE	Specify			
CARBON DIOXIDE (CO2) EMISSION: g/km	Specify			
Full tank Fuel	Specify			
Acceptance / Acceptance				
Name of Evaluator:		Signature:		
Name of Verifier		Signature:		

Any proposed deviations from this specification shall be listed below with reasons for the deviation(s). In addition, evidence shall be provided that the proposed

Technical Evaluation Criteria	100	Supplier score
Fully completed questionnaire in Annexure A3 confirming the compliance and non-compliance to the technical specification as well as prove (brochures) for verification of compliance.	50	50
Original Equipment manufacturer (OEM) or register dealer	20	20
Proof of 12 (twelve) month warranty certificate from the Original Equipment manufacturer (OEM)	20	20
Proof of after sales service and repairs (OEM Service Level Agreement)	10	10

Dawle Viljoen 0388175  
Officer Fleet Technical



22-09-2022		SUPPLIER:		
Vehicle Job Description:		MAKE AND MODEL:		
L8	Required to carry 1 - 2 passengers plus goods and equipment up to 1000 Kg on all types of road surfaces with 40% on road and 60 % off-road usage, normal to semi-rough terrain (Extra Heavy duty)	Annexure A3		Eskom technical team to complete
Vehicle Type Required:	4x2 LDV (LWB) 2400-2800 cc	Tendering Service Provider to complete	Comply	Provide reason for Comply or non-compliance
AIR CONDITIONER PRICE FITTED (IF NOT STD)	To be Standard			
RADIO/CD PRICE FITTED (IF NOT STD)	To be Standard			
DRIVER AND PASSENGER AIRBAGS	To be Standard			
DRIVER AND PASSENGER SEATBELT REMINDER INDICATOR/ALARM	To be Standard			
ABS BRAKES	To be Standard			
POWER STEERING	To be Standard			
DAY RUN LIGHTS INSTALLED	To be Standard			
FACTORY FITTED FRONT FOG LIGHTS	To be Standard			
FACTORY FITTED STONE GUARDS	To be Standard			
TWO EMERGENCY TRIANGLES	To be Standard			
IMMOBILISER PRICE FITTED (IF NOT STD)	To be Standard			
ALARM PRICE FITTED (IF NOT STD)	To be Standard			
GEAR LEVER LOCK PRICE FITTED (IF NOT STD)	To be Standard			
REVERSE PARK DISTANCE CONTROL PRICE FITTED (IF NOT STD)	To be Standard			
TOW BAR PRICE FULLY INSTALLED (IF NOT STD)	To be Standard			
DIFFLOCK PRICE FITTED (IF NOT STD)	To be Standard			
VEHICLE CONFIGURATION :	LDV Single Cab LWB			
TRACTION:	4x2			
PAYLOAD kg (Extra Heavy duty suspension)	1000kg			
GROUND CLEARANCE - Axle lowest point (mm) minimum	207mm			
LOAD BODY GROUND CLEARANCE - chassis height at midpoint between axles (mm)	345mm			
NUMBER OF CYLINDERS	4			
DISPLACEMENT cm	2400-2800cc			
PETROL OR DIESEL	Diesel TDI			
POWER RATING Kw	75 Kw			
TORQUE RATING NM	255 NM			
LEGAL TOWING CAPACITY(kg) TRAILER WITH OVERWHEEL BRAKE	1400 Kg			
WHEEL ALIGNMENT TO BE DONE BEFORE DELIVERY	Specify			
ENGINE MODEL NUMBER	Type			
AUTOMATIC GEARBOX	Specify			
BUCKET SEATS AND FITTED WITH HEAD REST	To be Standard			
TYRES (SIZE) 245/75R15 Tyres pattern to be all terrain 40% on road and 60% off road usage, rough terrain) Tyre pattern to be specify.	Specify			
TYRE MAKE	Specify			
WARRANTY PERIOD: MONTHS/DISTANCE	Specify			
CARBON DIOXIDE (CO2) EMISSION: g/km	Specify			
Full tank Fuel	Specify			
Acceptance / Acceptance				
Name of Evaluator :		Signature :		
Name of Verifier		Signature :		

Any proposed deviations from this specification shall be listed below with reasons for the deviation(s). In addition, evidence shall be provided that the proposed deviation will at least be more cost-effective than that specified by Eskom.

Technical Evaluation Criteria	100	Supplier score
Fully completed questionnaire in Annexure A3 confirming the compliance and non-compliance to the technical specification as well as prove (brochures) for verification of compliance.	50	50
Original Equipment manufacturer (OEM) or register dealer	20	20
Proof of 12 (twelve) month warranty certificate from the Original Equipment manufacturer (OEM)	20	20
Proof of after sales service and repairs (OEM Service Level Agreement)	10	10

Dawie Viljoen 0388175  
Officer Fleet Technical



22-09-2022		SUPPLIER;	
Vehicle Job Description:		MAKE AND MODEL:	
Vehicle Job Description:	Required to carry 1 - 2 passengers plus goods and equipment up to 1000 Kg on all types of road surfaces with 40% on road and 60 % off-road usage, normal to semi-rough terrain (Extra Heavy	Eskom technical team to complete	
Vehicle Type Required:	4x2 LDV (LWB) 2400-2800 cc	Comply	Provide reason for Comply or non-compliance
AIR CONDITIONER PRICE FITTED (IF NOT STD)	To be Standard		
RADIO/CD PRICE FITTED (IF NOT STD)	To be Standard		
DRIVER AND PASSENGER AIRBAGS	To be Standard		
DRIVER AND PASSENGER SEATBELT REMINDER INDICATOR/ALARM	To be Standard		
ABS BRAKES	To be Standard		
POWER STEERING	To be Standard		
DAY RUN LIGHTS INSTALLED	To be Standard		
FACTORY FITTED FRONT FOG LIGHTS	To be Standard		
FACTORY FITTED STONE GUARDS	To be Standard		
TWO EMERGENCY TRIANGLES	To be Standard		
IMMOBILISER PRICE FITTED (IF NOT STD)	To be Standard		
ALARM PRICE FITTED (IF NOT STD)	To be Standard		
GEAR LEVER LOCK PRICE FITTED (IF NOT STD)	To be Standard		
REVERSE PARK DISTANCE CONTROL PRICE FITTED (IF NOT STD)	To be Standard		
TOW BAR PRICE FULLY INSTALLED (IF NOT STD)	To be Standard		
DIFFLOCK PRICE FITTED (IF NOT STD)	To be Standard		
VEHICLE CONFIGURATION :	LDV Single Cab LWB		
TRACTION:	4x2		
PAYLOAD kg (Extra Heavy duty suspension)	1000kg		
GROUND CLEARANCE - Axle lowest point (mm) minimum	207mm		
LOAD BODY GROUND CLEARANCE -- chassis height at midpoint between axles (mm)	345mm		
NUMBER OF CYLINDERS	4		
DISPLACEMENT cm	2400-2800cc		
PETROL OR DIESEL	Diesel TDI		
POWER RATING Kw	76 Kw		
TORQUE RATING NM	255 NM		
LEGAL TOWING CAPACITY(Kg) TRAILER WITH OVERRUN BRAKE	1400 Kg		
WHEEL ALIGNMENT TO BE DONE BEFORE DELIVERY	Specify		
ENGINE MODEL NUMBER	Type		
BUCKET SEATS AND FITTED WITH HEAD REST	To be Standard		
TYRES (SIZE) 245/75R15 Tyres pattern to be all terrain 40% on road and 60% off road usage, rough terrain) Tyre pattern to be specify	Specify		
TYRE MAKE	Specify		
WARRANTY PERIOD: MONTHS/DISTANCE	Specify		
CARBON DIOXIDE (CO2) EMISSION: g/km	Specify		
Full tank Fuel	Specify		
Acceptance / Acceptance			
Name of Evaluator :		Signature :	
Name of Verifier		Signature :	

Any proposed deviations from this specification shall be listed below with reasons for the deviation(s). In addition, evidence shall be provided that the proposed deviation will at least be more cost-effective than that specified by Eskom. : : :

Technical Evaluation Criteria	100	Supplier score
Fully completed questionnaire in Annexure A3 confirming the compliance and non-compliance to the technical specification as well as prove (brochures) for verification of compliance.	50	50
Original Equipment manufacturer (OEM) or register dealer	20	20
Proof of 12 (twelve) month warranty certificate from the Original Equipment manufacturer (OEM)	20	20
Proof of after sales service and repairs (OEM Service Level Agreement)	10	10

Dawie Viljoen 0308175  
Officer Fleet Technical



22-09-2022		SUPPLIER:	
Vehicle Job Description:		MAKE AND MODEL:	
Vehicle Type Required:	Annexure A3	Tendering Service Provider to complete	Eskom technical team to complete
AIR CONDITIONER PRICE FITTED (IF NOT STD)	4x4 L.DV (LWB) 2400-2800 cc	Comply	Provide reason for Comply or non-compliance
RADIO/CD PRICE FITTED (IF NOT STD)	To be Standard		
DRIVER AND PASSENGER AIRBAGS	To be Standard		
DRIVER AND PASSENGER SEATBELT REMINDER INDICATOR/ALARM	To be Standard		
ABS BRAKES	To be Standard		
POWER STEERING	To be Standard		
DAY RUN LIGHTS INSTALLED	To be Standard		
FACTORY FITTED FRONT FOG LIGHTS	To be Standard		
FACTORY FITTED STONE GUARDS	To be Standard		
TWO EMERGENCY TRIANGLES	To be Standard		
IMMOBILISER PRICE FITTED (IF NOT STD)	To be Standard		
ALARM PRICE FITTED (IF NOT STD)	To be Standard		
GEAR LEVER LOCK PRICE FITTED (IF NOT STD)	To be Standard		
REVERSE PARK DISTANCE CONTROL PRICE FITTED (IF NOT STD)	To be Standard		
TOW BAR PRICE FULLY INSTALLED (IF NOT STD)	To be Standard		
DIFFLOCK PRICE FITTED (IF NOT STD)	To be Standard		
VEHICLE CONFIGURATION :	LDV Single Cab LWB		
TRACTION:	4x4		
PAYLOAD kg (Extra Heavy duty suspension)	1000kg		
GROUND CLEARANCE - Axle lowest point (mm) minimum	207mm		
LOAD BODY GROUND CLEARANCE - chassis height at midpoint between axles (mm)	345mm		
NUMBER OF CYLINDERS	4		
DISPLACEMENT cm	2400-2800cc		
PETROL OR DIESEL	Petrol		
POWER RATING Kw	92 Kw		
TORQUE RATING NM	202 NM		
LEGAL TOWING CAPACITY(Kg) TRAILER WITH OVERRUN BR	1400 kg		
WHEEL ALIGNMENT TO BE DONE BEFORE DELIVERY	Specify		
ENGINE MODEL NUMBER	Type		
BUCKET SEATS AND FITTED WITH HEAD REST	To be Standard		
TYRES (SIZE) 245/75R15 Tyres pattern to be all terrain 40% on road and 60% off road usage, rough terrain Tyre pattern to be specify	Specify		
TYRE MAKE	Specify		
WARRANTY PERIOD: MONTHS/DISTANCE	Specify		
CARBON DIOXIDE (CO2) EMISSION: g/km	Specify		
Full tank Fuel	Specify		
Acceptance / Acceptance			
Name of Evaluator :		Signature :	
Name of Verifier		Signature :	

Any proposed deviations from this specification shall be listed below with reasons for the deviation(s). In addition, evidence shall be provided that the proposed deviation will at least be more cost-effective than that specified by Eskom.

Technical Evaluation Criteria	Supplier score	
	100	50
Fully completed questionnaire in Annexure A3 confirming the compliance and non-compliance to the technical specification as well as prove (brochures) for verification of compliance.	50	50
Original Equipment manufacturer (OEM) or register dealer	20	20
Proof of 12 (twelve) month warranty certificate from the Original Equipment manufacturer (OEM)	20	20
Proof of after sales service and repairs (OEM Service Level Agreement)	10	10

Dawle Viljoen 0380175  
Officer Fleet Technical



22-09-2022		SUPPLIER:	
MAKE AND MODEL:			
Vehicle Job Description:	Required to carry 1 - 2 passengers plus goods and equipment up to 1000 Kg on all types of road surfaces with 40% on road and 60 % off-road usage, normal to semi-rough terrain (Extra Heavy duty)		
L9	Annexure A3	Tendering Service Provider to complete	
Vehicle Type Required:	4x4 LDV (LWB) 2400-2800 cc	Comply	Eskom technical team to complete
AIR CONDITIONER PRICE FITTED (IF NOT STD)	To be Standard		Provide reason for Comply or non-compliance
RADIO/CD PRICE FITTED (IF NOT STD)	To be Standard		Eskom technical evaluation comments
DRIVER AND PASSENGER AIRBAGS	To be Standard		
DRIVER AND PASSENGER SEATBELT REMINDER INDICATOR/ALARM	To be Standard		
ABS BRAKES	To be Standard		
POWER STEERING	To be Standard		
DAY RUN LIGHTS INSTALLED	To be Standard		
FACTORY FITTED FRONT FOG LIGHTS	To be Standard		
FACTORY FITTED STONE GUARDS	To be Standard		
TWO EMERGENCY TRIANGLES	To be Standard		
IMMOBILISER PRICE FITTED (IF NOT STD)	To be Standard		
ALARM PRICE FITTED (IF NOT STD)	To be Standard		
GEAR LEVER LOCK PRICE FITTED (IF NOT STD)	To be Standard		
REVERSE PARK DISTANCE CONTROL PRICE FITTED (IF NOT STD)	To be Standard		
TOW BAR PRICE FULLY INSTALLED (IF NOT STD)	To be Standard		
DIFFLOCK PRICE FITTED (IF NOT STD)	To be Standard		
VEHICLE CONFIGURATION :	LDV Single Cab LWB		
TRACTION:	4x4		
PAYLOAD kg (Extra Heavy duty suspension)	1000kg		
GROUND CLEARANCE - Axle lowest point (mm) minimum	207mm		
LOAD BODY GROUND CLEARANCE - chassis height at midpoint between axles (mm)	345mm		
NUMBER OF CYLINDERS	4		
DISPLACEMENT cm	2400-2800cc		
PETROL OR DIESEL	Petrol		
POWER RATING Kw	92 Kw		
TORQUE RATING NM	202 NM		
LEGAL TOWING CAPACITY(Kg)	1400 Kg		
TRAILER WITH OVERRUN BRAKE			
WHEEL ALIGNMENT TO BE DONE BEFORE DELIVERY	Specify		
ENGINE MODEL NUMBER	Type		
AUTOMATIC GEARBOX	Specify		
BUCKET SEATS AND FITTED WITH HEAD REST	To be Standard		
TYRES (SIZE) 245/75R15. Tyres pattern to be all terrain 40% on road and 60% off road usage, rough terrain) Tyre pattern to be specify	Specify		
TYRE MAKE	Specify		
WARRANTY PERIOD: MONTHS/DISTANCE	Specify		
CARBON DIOXIDE (CO2) EMISSION: g/km	Specify		
Full tank Fuel	Specify		
Acceptance / Acceptance			
Name of Evaluator :		Signature :	
Name of Verifier		Signature :	

Any proposed deviations from this specification shall be listed below with reasons for the deviation(s). In addition, evidence shall be provided that the proposed deviation will at least be more cost-effective than that specified by Eskom.

Technical Evaluation Criteria	Supplier score	
	100	100
Fully completed questionnaire in Annexure A3 confirming the compliance and non-compliance to the technical specification as well as prove (brochures) for verification of compliance	50	50
Original Equipment manufacturer (OEM) or register dealer	20	20
Proof of 12 (twelve) month warranty certificate from the Original Equipment manufacturer (OEM)	20	20
Proof of after sales service and repairs (OEM Service Level Agreement)	10	10

Dawie Viljoen 0388175  
Officer Fleet Technical





22-09-2022		SUPPLIER:	
MAKE AND MODEL:			
Vehicle Job Description:	Required to carry 1 - 2 passengers plus goods and equipment up to 1000 kg on all types of road surfaces with 40% on road and 60% off road usage, rough terrain (Extra Heavy duty suspension)		
L&D	Annexure A3	Tendering Service Provider to complete	Eskom technical team to complete
Vehicle Type Required:	4x4 LDV (LWB) 2400-2800 cc	Comply	Provide reason for Comply or non-compliance
AIR CONDITIONER PRICE FITTED (IF NOT STD)	To be Standard		
RADIO/CD PRICE FITTED (IF NOT STD)	To be Standard		
DRIVER AND PASSENGER AIRBAGS	To be Standard		
DRIVER AND PASSENGER SEATBELT REMINDER INDICATOR/ALARM	To be Standard		
ABS BRAKES	To be Standard		
POWER STEERING	To be Standard		
DAY RUN LIGHTS INSTALLED	To be Standard		
FACTORY FITTED FRONT FOG LIGHTS	To be Standard		
FACTORY FITTED STONE GUARDS	To be Standard		
TWO EMERGENCY TRIANGLES	To be Standard		
IMMOBILISER PRICE FITTED (IF NOT STD)	To be Standard		
ALARM PRICE FITTED (IF NOT STD)	To be Standard		
GEAR LEVER LOCK PRICE FITTED (IF NOT STD)	To be Standard		
REVERSE PARK DISTANCE CONTROL PRICE FITTED (IF NOT STD)	To be Standard		
TOW BAR PRICE FULLY INSTALLED (IF NOT STD)	To be Standard		
DIFFLOCK PRICE FITTED (IF NOT STD)	To be Standard		
VEHICLE CONFIGURATION :	LDV Single Cab LWB Specified per SKETCH A1		
TRACTION:	4x4		
PAYLOAD kg (Extra Heavy duty suspension)	1000kg		
GROUND CLEARANCE - Axle lowest point (mm) minimum	207mm		
LOAD BODY GROUND CLEARANCE - chassis height at midpoint between axles (mm)	346mm		
NUMBER OF CYLINDERS	4		
DISPLACEMENT cm	2400-2800cc		
PETROL OR DIESEL	Diesel TDI		
POWER RATING Kw	75 Kw		
TORQUE RATING NM	255 NM		
LOAD CARRYING CAPACITY (kg) TRAILER WITH OVERRIDE BRAKE	1400 Kg		
WHEEL ALIGNMENT TO BE DONE BEFORE DELIVERY	Specify		
ENGINE MODEL NUMBER	Type		
BUCKET SEATS AND FITTED WITH HEAD REST	To be Standard		
TYRES (SIZE) 245/75R15. Tyres pattern to be all terrain 40% on road and 60% off road usage, rough terrain Tyre pattern to be specify.	Specify		
TYRE MAKE	Specify		
WARRANTY PERIOD: MONTHS/DISTANCE	Specify		
CARBON DIOXIDE (CO2) EMISSION: g/km	Specify		
Full tank Fuel	Specify		
Acceptance / Acceptance			
Name of Evaluator :		Signature :	
Name of Verifier		Signature :	

Any proposed deviations from this specification shall be listed below with reasons for the deviation(s). In addition, evidence shall be provided that the proposed deviation will at least be more cost-effective than that specified by Eskom.

		Supplier score	
Technical Evaluation Criteria	100		100
Fully completed questionnaire in Annexure A3 confirming the compliance and non-compliance to the technical specification as well as prove (brochures) for verification of compliance.	50		50
Original Equipment manufacturer (OEM) or register dealer	20		20
Proof of 12 (twelve) month warranty certificate from the Original Equipment manufacturer (OEM)	20		20
Proof of after sales service and repairs (OEM Service Level Agreement)	10		10

Dawie Viljoen 0388175

Officer Fleet Technical



22-09-2022		SUPPLIER:	
MAKE AND MODEL:			
Vehicle Job Description:	Required to carry 1 - 2 passengers plus goods and equipment up to 1000 kg on all types of road surfaces with 40% on road and 60% off road usage, rough terrain (Extra Heavy duty suspension)		
L9D	Annexure A3	Tendering Service Provider to complete	Eskom technical team to complete
Vehicle Type Required:	4x4 LDV (LWB) 2400-2800 cc	Comply	Provide reason for Comply or non-compliance
AIR CONDITIONER PRICE FITTED (IF NOT STD)	To be Standard		
RADIO/CD PRICE FITTED (IF NOT STD)	To be Standard		
DRIVER AND PASSENGER AIRBAGS	To be Standard		
DRIVER AND PASSENGER SEATBELT REMINDER INDICATOR/ALARM	To be Standard		
ABS BRAKES	To be Standard		
POWER STEERING	To be Standard		
DAY RUN LIGHTS INSTALLED	To be Standard		
FACTORY FITTED FRONT FOG LIGHTS	To be Standard		
FACTORY FITTED STONE GUARDS	To be Standard		
TWO EMERGENCY TRIANGLES	To be Standard		
IMMOBILISER PRICE FITTED (IF NOT STD)	To be Standard		
ALARM PRICE FITTED (IF NOT STD)	To be Standard		
GEAR LEVER LOCK PRICE FITTED (IF NOT STD)	To be Standard		
REVERSE PARK DISTANCE CONTROL PRICE FITTED (IF NOT STD)	To be Standard		
TOW BAR PRICE FULLY INSTALLED (IF NOT STD)	To be Standard		
DIFFLOCK PRICE FITTED (IF NOT STD)	To be Standard		
VEHICLE CONFIGURATION :	LDV Single Cab LWB Specified per SKETCH A) attached		
TRACTION:	4x4		
PAYLOAD kg (Extra Heavy duty suspension)	1000kg		
GROUND CLEARANCE - Axle lowest point (mm) minimum	207mm		
LOAD BODY GROUND CLEARANCE - chassis height at midpoint between axles (mm)	345mm		
NUMBER OF CYLINDERS	4		
DISPLACEMENT cm	2400-2800cc		
PETROL OR DIESEL	Diesel TDI		
POWER RATING Kw	75 Kw		
TORQUE RATING NM	255 NM		
LEGAL TOWING CAPACITY(Kg)	1400 Kg		
TRAILER WITH OVERRUN BRAKE			
WHEEL ALIGNMENT TO BE DONE BEFORE DELIVERY	Specify		
ENGINE MODEL NUMBER	Type		
AUTOMATIC GEARBOX	Specify		
BUCKET SEATS AND FITTED WITH HEAD REST	To be Standard		
TYRES (SIZE) 245/75R15. Tyres pattern to be all terrain 40% on road and 60% off road usage, rough terrain) Tyre pattern to be specify.	Specify		
TYRE MAKE	Specify		
WARRANTY PERIOD:	Specify		
MONTHS/DISTANCE	Specify		
CARBON DIOXIDE (CO2) EMISSION: g/km	Specify		
Full tank Fuel	Specify		
Acceptance / Acceptance			
Name of Evaluator :	Signature :		
Name of Verifier	Signature :		

Any proposed deviations from this specification shall be listed below with reasons for the deviation(s). In addition, evidence shall be provided that the proposed deviation will at least be more cost-effective than that specified by Eskom.


Technical Evaluation Criteria	100	Supplier score
Fully completed questionnaire in Annexure A3 confirming the compliance and non-compliance to the technical specification as well as prove (brochures) for verification of compliance.	50	50
Original Equipment manufacturer (OEM) or register dealer	20	20
Proof of 12 (twelve) month warranty certificate from the Original Equipment manufacturer (OEM)	20	20
Proof of after sales service and repairs (OEM Service Level Agreement)	10	10

Dawie Viljoen 0366175  
Officer Fleet Technical

SUPPLIER:		MAKE AND MODEL:	
22-09-2022		Required to carry 1 - 4 passengers plus goods and equipment up to 750 kg on all types of road surfaces with 40% on road and 60 % off-road usage,	
Vehicle Job Description:		Annexure A3	
L11 HGC		Tendering Service Provider to complete	
Vehicle Type Required:		Eskom technical team to complete	
4x2 LDV DIS-HGC		Eskom technical evaluation comments	
2400-2800 cc		Comply	
To be Standard		Provide reason for Comply or non-	
AIR CONDITIONER PRICE FITTED (IF NOT STD)			
RADIO/CD PRICE FITTED (IF NOT STD)			
DRIVER AND PASSENGER AIRBAGS			
DRIVER AND PASSENGER SEATBELT REMINDER INDICATOR/ALARM			
ABS BRAKES			
POWER STEERING			
DAY RUN LIGHTS INSTALLED			
FACTORY FITTED FRONT FOG LIGHTS			
FACTORY FITTED STONE GUARDS			
TWO EMERGENCY TRIANGLES			
IMMOBILISER PRICE FITTED (IF NOT STD)			
ALARM PRICE FITTED (IF NOT STD)			
GEAR LEVER LOCK PRICE FITTED (IF NOT STD)			
REVERSE PARK DISTANCE CONTROL PRICE FITTED (IF NOT STD)			
BUCKET SEATS AND FITTED WITH HEAD REST			
TOW BAR PRICE FULLY INSTALLED (IF NOT STD)			
DIFFLOCK PRICE FITTED (IF NOT STD)			
VEHICLE CONFIGURATION :		4x2 LDV Double Cab	
		LWB: Specified per SKETCH A1 attached	
TRACTION:		4x2	
PAYLOAD kg (Extra Heavy duty suspension)		750kg	
GROUND CLEARANCE - Axle lowest point (mm) minimum		207mm	
LOAD BODY GROUND CLEARANCE - chassis height at midpoint between axles (mm)		345mm	
NUMBER OF CYLINDERS		4	
DISPLACEMENT cm		2400-2800cc	
PETROL OR DIESEL		Petrol	
POWER RATING Kw		92 Kw	
TORQUE RATING NM		202 NM	
LEGAL TOWING CAPACITY(kg) TRAILER WITH OVERRUN BRAKE		1400 Kg	
WHEEL ALIGNMENT TO BE DONE BEFORE DELIVERY		Specify	
ENGINE MODEL NUMBER		Type	
TYRES (SIZE) 245/75R15. Tyres pattern to be all terrain 40% on road and 60% off road usage, rough terrain Tyre pattern to be specify.		Specify	
TYRE MAKE		Specify	
WARRANTY PERIOD: MONTHS/DISTANCE		Specify	
CARBON DIOXIDE (CO2) EMISSION: g/km		Specify	
Full tank Fuel		Specify	
Acceptance / Acceptance			
Name of Evaluator :		Signature :	
Name of Verifier		Signature :	
Any proposed deviations from this specification shall be listed below with reasons for the deviation(s). In addition, evidence shall be provided that the proposed deviation will at least be more cost-effective than that specified by Eskom.			

Technical Evaluation Criteria	100	Supplier score
Fully completed questionnaire in Annexure A3 confirming the compliance and non-compliance to the technical specification as well as prove (brochures) for verification of compliance.	50	100
Original Equipment manufacturer (OEM) or register dealer	20	50
Proof of 12 (twelve) month warranty certificate from the Original Equipment manufacturer (OEM)	20	20
Proof of after sales service and repairs (OEM Service Level Agreement)	10	10

Dawie Viljoen 0388175  
Officer Fleet Technical



22-09-2022		SUPPLIER:		MAKE AND MODEL:	
Vehicle Job Description:		Required to carry 1 - 4 passengers plus goods and equipment up to 750 kg on all types of road surfaces with 40% on road and 60 % off-road usage, normal to semi-rough terrain (Extra Heavy)			
L11 HGC	Annexure A3	Tendering Service		Eskom technical team to complete	
Vehicle Type Required:	4x2 LDV D/C HGC 2400-2800 cc	Comply	Provide reason for Comply or non-compliance	Eskom technical evaluation comments	
AIR CONDITIONER PRICE FITTED (IF NOT STD)	To be Standard				
RADIO/CD PRICE FITTED (IF NOT STD)	To be Standard				
DRIVER AND PASSENGER AIRBAGS	To be Standard				
DRIVER AND PASSENGER SEATBELT REMINDER INDICATOR/ALARM	To be Standard				
ABS BRAKES	To be Standard				
POWER STEERING	To be Standard				
DAY RUN LIGHTS INSTALLED	To be Standard				
FACTORY FITTED FRONT FOG LIGHTS	To be Standard				
FACTORY FITTED STONE GUARDS	To be Standard				
TWO EMERGENCY TRIANGLES	To be Standard				
IMMOBILISER PRICE FITTED (IF NOT STD)	To be Standard				
ALARM PRICE FITTED (IF NOT STD)	To be Standard				
GEAR LEVER LOCK PRICE FITTED (IF NOT STD)	To be Standard				
REVERSE PARK DISTANCE CONTROL PRICE FITTED (IF NOT STD)	To be Standard				
AUTOMATIC GEARBOX	Specify				
BUCKET SEATS AND FITTED WITH HEAD REST	To be Standard				
TOW BAR PRICE FULLY INSTALLED (IF NOT STD)	To be Standard				
DIFFLOCK PRICE FITTED (IF NOT STD)	To be Standard				
VEHICLE CONFIGURATION :	4x2 LDV Double Cab LWB: Specified per SKETCH A1 attached				
TRACTION:	4x2				
PAYLOAD kg (Extra Heavy duty suspension)	750kg				
GROUND CLEARANCE - Axle lowest point (mm) minimum	207mm				
LOAD BODY GROUND CLEARANCE -- chassis height at midpoint between axles (mm)	345mm				
NUMBER OF CYLINDERS	4				
DISPLACEMENT cm	2400-2800cc				
PETROL OR DIESEL	Petrol				
POWER RATING Kw	92 Kw				
TORQUE RATING NM	202 NM				
LEGAL TOWING CAPACITY(Kg) TRAILER WITH OVERHUNG BRAKE	1400 Kg				
WHEEL ALIGNMENT TO BE DONE BEFORE DELIVERY	Specify				
ENGINE MODEL NUMBER	Type				
TYRES (SIZE) 245/75R15. Tyres pattern to be all terrain 40% on road and 60% off road usage, rough terrain) Tyre pattern to be specify.	Specify				
TYRE MAKE	Specify				
WARRANTY PERIOD: MONTHS/DISTANCE	Specify				
CARBON DIOXIDE (CO2) EMISSION: g/km	Specify				
Full tank Fuel	Specify				
Acceptance / Acceptance					
Name of Evaluator :		Signature :			
Name of Verifier		Signature :			

Any proposed deviations from this specification shall be listed below with reasons for the deviation(s). In addition, evidence shall be provided that the proposed deviation will at least be more cost-effective than that specified by Eskom.

Technical Evaluation Criteria	100	Supplier score
Fully completed questionnaire in Annexure A3 confirming the compliance and non-compliance to the technical specification as well as prove (brochures) for verification of compliance.	50	50
Original Equipment manufacturer (OEM) or register dealer	20	20
Proof of 12 (twelve) month warranty certificate from the Original Equipment manufacturer (OEM)	20	20
Proof of after sales service and repairs (OEM Service Level Agreement)	10	10

Dawie Viljoen 0388175  
Officer Fleet Technical



22-09-2022		SUPPLIER:	
Vehicle Job Description:		MAKE AND MODEL:	
L11D HGC	Annexure A3	Required to carry 1 - 4 passengers plus goods and equipment up to 750 kg on all types of road surfaces with 40% on road and 60 % off-road usage, normal to semi-rough	
Vehicle Type Required:	4x2 LDV D/C HOC	Tendering Service Provider to complete	Eskom technical team to complete
	D 2400-2800 cc	Comply	Provide reason for Comply or non-compliance
AIR CONDITIONER PRICE FITTED (IF NOT ST)	To be Standard		Eskom technical evaluation comments
RADIO/CD PRICE FITTED (IF NOT ST)	To be Standard		
DRIVER AND PASSENGER AIRBAGS	To be Standard		
DRIVER AND PASSENGER SEATBELT	To be Standard		
ABS BRAKES	To be Standard		
POWER STEERING	To be Standard		
DAY RUN LIGHTS INSTALLED	To be Standard		
FACTORY FITTED FRONT FOG LIGHT	To be Standard		
FACTORY FITTED STONE GUARDS	To be Standard		
TWO EMERGENCY TRIANGLES	To be Standard		
IMMOBILISER PRICE FITTED (IF NOT ST)	To be Standard		
ALARM PRICE FITTED (IF NOT ST)	To be Standard		
GEAR LEVER LOCK PRICE FITTED (IF NOT ST)	To be Standard		
REVERSE PARK DISTANCE CONTROL	To be Standard		
BUCKET SEATS AND FITTED WITH HEAD REST	To be Standard		
TOW BAR PRICE FULLY INSTALLED	To be Standard		
DIFFLOCK PRICE FITTED (IF NOT ST)	To be Standard		
VEHICLE CONFIGURATION :	4x2 LDV Double Cab LWB Specified per SKETCH A1		
TRACTION:	4x2		
PAYLOAD kg (Extra Heavy duty suspension)	750kg		
GROUND CLEARANCE - Axle lowest point	207mm		
LOAD BODY GROUND CLEARANCE	346mm		
NUMBER OF CYLINDERS	4		
DISPLACEMENT cm	2400-2800cc		
PETROL OR DIESEL	Diesel TDI		
POWER RATING Kw	76 Kw		
TORQUE RATING NM	255 NM		
LEGAL TOWING CAPACITY (kg) TRAILER WITH OVER	1400 Kg		
WHEEL ALIGNMENT TO BE DONE BEFORE DELIVERY	Specify		
ENGINE MODEL NUMBER	Type		
TYRES (SIZE) 245/75R15. Tyres pattern to be all terrain 40% on road and 60% off road usage, rough terrain) Tyre pattern to be specify.	Specify		
TYRE MAKE	Specify		
WARRANTY PERIOD: MONTHS/DISTANCE	Specify		
CARBON DIOXIDE (CO2) EMISSION:	Specify		
Acceptance / Acceptance			
Name of Evaluator :		Signature :	
Name of Verifier		Signature :	

Any proposed deviations from this specification shall be listed below with reasons for the deviation(s). In addition, evidence shall be provided that the proposed deviation will at least be more cost-effective than that

Technical Evaluation Criteria	100	Supplier score
Fully completed questionnaire in Annexure A3 confirming the compliance and non-compliance to the technical specification as well as prove (brochures) for verification of compliance.	50	50
Original Equipment manufacturer (OEM) or register dealer	20	20
Proof of 12 (twelve) month warranty certificate from the Original Equipment manufacturer (OEM)	20	20
Proof of after sales service and repairs (OEM Service Level Agreement)	10	10

Dawie Viljoen 0388175  
Officer Fleet Technical



22-09-2022		SUPPLIER;	
Vehicle Job Description:		MAKE AND MODEL;	
L1D HGC	Annexure A3	Tendering Service Provider to complete	Eskom technical team to complete
Vehicle Type Required:	4x2 LDV D/C HGC D 2400-2800 cc	Comply	Provide reason for Comply or non-compliance
AIR CONDITIONER PRICE FITTED (IF NOT STD)	To be Standard		
RADIO/CD PRICE FITTED (IF NOT STD)	To be Standard		
DRIVER AND PASSENGER AIRBAGS	To be Standard		
DRIVER AND PASSENGER SEATBELT REMINDER INDICATOR/ALARM	To be Standard		
ABS BRAKES	To be Standard		
POWER STEERING	To be Standard		
DAY RUN LIGHTS INSTALLED	To be Standard		
FACTORY FITTED FRONT FOG LIGHTS	To be Standard		
FACTORY FITTED STONE GUARDS	To be Standard		
TWO EMERGENCY TRIANGLES	To be Standard		
IMMOBILISER PRICE FITTED (IF NOT STD)	To be Standard		
ALARM PRICE FITTED (IF NOT STD)	To be Standard		
GEAR LEVER LOCK PRICE FITTED (IF NOT STD)	To be Standard		
REVERSE PARK DISTANCE CONTROL PRICE FITTED (IF NOT STD)	To be Standard		
AUTOMATIC GEARBOX	Specify		
BUCKET SEATS AND FITTED WITH HEAD REST	To be Standard		
TOW BAR PRICE FULLY INSTALLED (IF NOT STD)	To be Standard		
DIFFLOCK PRICE FITTED (IF NOT STD)	To be Standard		
VEHICLE CONFIGURATION :	4x2 LDV Double Cab LWB Specified per SKETCH A1		
TRACTION:	4x2		
PAYLOAD kg (Extra Heavy duty suspension)	750kg		
GROUND CLEARANCE - Axle lowest point (mm) minimum	207mm		
LOAD BODY GROUND CLEARANCE - chassis height at midpoint between axles (mm)	345mm		
NUMBER OF CYLINDERS	4		
DISPLACEMENT cm	2400/2800cc		
PETROL OR DIESEL	Diesel TDI		
POWER RATING Kw	75 Kw		
TORQUE RATING NM	265 NM		
LEGAL TOWING CAPACITY(gg) TRAILER WITH OVERBURN BRAKE	1400 Kg		
WHEEL ALIGNMENT TO BE DONE BEFORE DELIVERY	Specify		
ENGINE MODEL NUMBER	Type		
TYRES (SIZE) 245/75R16, Tyres pattern to be all terrain 40% on road and 60% off road usage, rough terrain) Tyre pattern to be specify.	Specify		
TYRE MAKE	Specify		
WARRANTY PERIOD: MONTHS/DISTANCE	Specify		
CARBON DIOXIDE (CO2) EMISSION: g/km	Specify		
Acceptance / Acceptance			
Name of Evaluator :		Signature :	
Name of Verifier		Signature :	

Any proposed deviations from this specification shall be listed below with reasons for the deviation(s). In addition, evidence shall be provided that the proposed deviation will at least be more cost-effective than that specified by Eskom.

Technical Evaluation Criteria	100	Supplier score
Fully completed questionnaire in Annexure A3 confirming the compliance and non-compliance to the technical specification as well as prove (brochures) for verification of compliance.	50	50
Original Equipment manufacturer (OEM) or register dealer	20	20
Proof of 12 (twelve) month warranty certificate from the Original Equipment manufacturer (OEM)	20	20
Proof of after sales service and repairs (OEM Service Level Agreement)	10	10

Dawie Viljoen 0388175  
Officer Fleet Technical



SUPPLIER;	
MAKE AND MODEL;	
Vehicle Job Description:	22-09-2022
L12	Annexure A3
Vehicle Type Required:	4x4 LDV D/C HGC 2400-2800 cc
AIR CONDITIONER PRICE FITTED (IF NOT STD)	To be Standard
RADIO/CD PRICE FITTED (IF NOT STD)	To be Standard
DRIVER AND PASSENGER AIRBAGS	To be Standard
DRIVER AND PASSENGER SEATBELT REMINDER INDICATOR/ALARM	To be Standard
ABS BRAKES	To be Standard
POWER STEERING	To be Standard
DAY RUN LIGHTS INSTALLED	To be Standard
FACTORY FITTED FRONT FOG LIGHTS	To be Standard
FACTORY FITTED STONE GUARDS	To be Standard
TWO EMERGENCY TRIANGLES	To be Standard
IMMOBILISER PRICE FITTED (IF NOT STD)	To be Standard
ALARM PRICE FITTED (IF NOT STD)	To be Standard
GEAR LEVER LOCK PRICE FITTED (IF NOT STD)	To be Standard
REVERSE PARK DISTANCE CONTROL PRICE FITTED (IF NOT STD)	To be Standard
BUCKET SEATS AND FITTED WITH HEAD REST	To be Standard
TOW BAR PRICE FULLY INSTALLED (IF NOT STD)	To be Standard
DIFFLOCK PRICE FITTED (IF NOT STD)	To be Standard
VEHICLE CONFIGURATION :	4x4 LDV Double Cab LWB: Specified per SKETCH A1 attached
TRACTION:	4x4
PAYLOAD kg (Extra Heavy duty suspension)	750kg
GROUND CLEARANCE - Axle lowest point (mm) minimum	207mm
LOAD BODY GROUND CLEARANCE - chassis height at midpoint between axles	345mm
NUMBER OF CYLINDERS	4
DISPLACEMENT cm	2400-2800cc
PETROL OR DIESEL	Petrol
POWER RATING Kw	92 Kw
TORQUE RATING Nm	202 Nm
LEGAL TOWING CAPACITY(kg) TRAILER WITH OVERRUN BRAKE	1400 Kg
WHEEL ALIGNMENT TO BE DONE BEFORE DELIVERY	Specify
ENGINE MODEL NUMBER	Type
TYRES (SIZE) 245/75R15. Tyres pattern to be all terrain 40% on road and 60% off road usage. (with terrain) Tyre pattern to be specify.	Specify
TYRE MAKE	Specify
WARRANTY PERIOD: MONTHS/DISTANCE	Specify
CARBON DIOXIDE (CO2) EMISSION: g/km	Specify
Acceptance / Acceptance	
Name of Evaluator :	Signature :
Name of Verifier	Signature :

Any proposed deviations from this specification shall be listed below with reasons for the deviation(s). In addition, evidence shall be provided that the proposed deviation will at least be more cost-effective than that specified by Eskom.

Technical Evaluation Criteria	Supplier score	
	100	100
Fully completed questionnaire in Annexure A3 confirming the compliance and non-compliance to the technical specification as well as prove (brochures) for verification of compliance.	50	50
Original Equipment manufacturer (OEM) or register dealer	20	20
Proof of 12 (twelve) month warranty certificate from the Original Equipment manufacturer (OEM)	20	20
Proof of after sales service and repairs (OEM Service Level Agreement)	10	10

Dawie Viljoen 0398176  
Officer Fleet Technical

Eskom		SUPPLIER:	
22-09-2022		MAKE AND MODEL:	
Vehicle Job Description:	Required to carry 1 - 4 passengers plus goods and equipment up to 1000 kg on all types of road surfaces with 40% on road and 60 % off-road usage, normal to semi-rough terrain (Extra Heavy duty		
L12	Annexure A3	Tendering Service	Eskom technical team to complete
Vehicle Type Required:	4x4 LDV D/C	Comply	Provide reason for Comply or non-compliance
	HQC 2400-2800 cc		Eskom technical evaluation comments
AIR CONDITIONER PRICE FITTED (IF NOT STD)	To be Standard		
RADIO/CD PRICE FITTED (IF NOT STD)	To be Standard		
DRIVER AND PASSENGER AIRBAGS	To be Standard		
DRIVER AND PASSENGER SEATBELT REWINDER INDICATOR/ALARM	To be Standard		
ABS BRAKES	To be Standard		
POWER STEERING	To be Standard		
DAY RUN LIGHTS INSTALLED	To be Standard		
FACTORY FITTED FRONT FOG LIGHTS	To be Standard		
FACTORY FITTED STONE GUARDS	To be Standard		
TWO EMERGENCY TRIANGLES	To be Standard		
WHEELUSER PRICE FITTED (IF NOT STD)	To be Standard		
ALARM PRICE FITTED (IF NOT STD)	To be Standard		
GEAR LEVER LOCK PRICE FITTED (IF NOT STD)	To be Standard		
REVERSE PARK DISTANCE CONTROL PRICE FITTED (IF NOT STD)	To be Standard		
AUTOMATIC GEARBOX	Specify		
BUCKET SEATS AND FITTED WITH HEAD REST	To be Standard		
TOW BAR PRICE FULLY INSTALLED (IF NOT STD)	To be Standard		
DIFFLOCK PRICE FITTED (IF NOT STD)	To be Standard		
VEHICLE CONFIGURATION :	4x4 LDV Double Cab LWB: Specified per SKETCH A1 attached		
TRACTION:	4x4		
PAYLOAD kg (Extra Heavy duty suspension)	750kg		
GROUND CLEARANCE - Axle lowest point (mm)	207mm		
LOAD BODY GROUND CLEARANCE - chassis height at midlength between axles (mm)	345mm		
NUMBER OF CYLINDERS	4		
DISPLACEMENT cm	2400-2800cc		
PETROL OR DIESEL	Petrol		
POWER RATING Kw	92 Kw		
TORQUE RATING Nm	202 Nm		
LEGAL TOWING CAPACITY(Kg) TRAILER WITH OVERRIDE BRAKE	1400 Kg		
WHEEL ALIGNMENT TO BE DONE BEFORE DELIVERY	Specify		
ENGINE MODEL NUMBER	Type		
TYRES (SIZE) 245/75R15. Tyres pattern to be all terrain 40% on road and 60% off road usage, rough terrain. Tyre pattern to be specify	Specify		
TYRE MAKE	Specify		
WARRANTY PERIOD: MONTHS/DISTANCE	Specify		
CARBON DIOXIDE (CO2) EMISSION: g/km	Specify		
Acceptance / Acceptance			
Name of Evaluator :		Signature :	
Name of Verifier :		Signature :	
Any proposed deviations from this specification shall be listed below with reasons for the deviation(s). In addition, evidence shall be provided that the proposed deviation will at least be more cost-effective than that specified by Eskom.			

Technical Evaluation Criteria	Supplier score	
	100	100
Fully completed questionnaire in Annexure A3 confirming the compliance and non-compliance to the technical specification as well as prove (brochures) for verification of compliance.	50	50
Original Equipment manufacturer (OEM) or register dealer	20	20
Proof of 12 (twelve) month warranty certificate from the Original Equipment manufacturer (OEM)	20	20
Proof of after sales service and repairs (OEM Service Level Agreement)	10	10

Dawie Viljoen 0386175  
Officer Fleet Technical





22-09-2022		SUPPLIER:	
Vehicle Job Description:		MAKE AND MODEL:	
L12D	Annexure A3	Tendering Service Provider to complete	Eskom technical team to complete
Vehicle Type Required:	4X4 LDV D/C H/C B 2400-2800 cc	Comply	Provide reason for Comply or non-
AIR CONDITIONER PRICE FITTED (IF NOT STD)	To be Standard		Eskom technical evaluation comments
RADIO/CD PRICE FITTED (IF NOT STD)	To be Standard		
DRIVER AND PASSENGER AIRBAGS	To be Standard		
DRIVER AND PASSENGER SEATBELT REMINDER INDICATOR/ALARM	To be Standard		
ABS BRAKES	To be Standard		
POWER STEERING	To be Standard		
DAY RUN LIGHTS INSTALLED	To be Standard		
FACTORY FITTED FRONT FOG LIGHTS	To be Standard		
FACTORY FITTED STONE GUARDS	To be Standard		
TWO EMERGENCY TRIANGLES	To be Standard		
IMMOLISER PRICE FITTED (IF NOT STD)	To be Standard		
ALARM PRICE FITTED (IF NOT STD)	To be Standard		
GEAR LEVER LOCK PRICE FITTED (IF NOT STD)	To be Standard		
REVERSE PARK DISTANCE CONTROL PRICE FITTED (IF NOT STD)	To be Standard		
AUTOMATIC GEARBOX	Specify		
BUCKET SEATS AND FITTED WITH HEAD REST	To be Standard		
TOW BAR PRICE FULLY INSTALLED (IF NOT STD)	To be Standard		
DIFFLOCK PRICE FITTED (IF NOT STD)	To be Standard		
VEHICLE CONFIGURATION :	4x4 LDV Double Cab LWB Specified per SKETCH A1 attached		
TRACTION:	4x4		
PAYLOAD kg (Extra Heavy duty suspension)	750kg		
GROUND CLEARANCE - Axle lowest point (mm) minimum	207mm		
LOAD BODY GROUND CLEARANCE - chassis height at midpoint between axles (mm)	345mm		
NUMBER OF CYLINDERS	4		
DISPLACEMENT cm	2400-2800cc		
PETROL OR DIESEL	Diesel TDI		
POWER RATING Kw	75 Kw		
TORQUE RATING NM	255 NM		
LEGAL TOWING CAPACITY(Kg) TRAILER WITH OVERRUN BRAKE	1400 Kg		
WHEEL ALIGNMENT TO BE DONE BEFORE DELIVERY	Specify		
ENGINE MODEL NUMBER	Type		
TYRES (SIZE) 315/75R15. Tyres pattern to be all terrain 40% on road and 60% off road usage, rough terrain) Tyre pattern to be specify.	Specify		
TYRE MAKE	Specify		
WARRANTY PERIOD: MONTHS/DISTANCE	Specify		
CARBON DIOXIDE (CO2) EMISSION: g/km	Specify		
Acceptance / Acceptance			
Name of Evaluator :	Signature :		
Name of Verifier	Signature :		

Any proposed deviations from this specification shall be listed below with reasons for the deviation(s). In addition, evidence shall be provided that the proposed deviation will at least be more cost-effective than that specified by Eskom.

Technical Evaluation Criteria	Supplier score	
	100	100
Fully completed questionnaire in Annexure A3 confirming the compliance and non-compliance to the technical specification as well as prove (brochures) for verification of compliance.	50	50
Original Equipment manufacturer (OEM) or register dealer	20	20
Proof of 12 (twelve) month warranty certificate from the Original Equipment manufacturer (OEM)	20	20
Proof of after sales service and repairs (OEM Service Level Agreement)	10	10

Dawie Viljoen 0388175  
Officer Fleet Technical



SUPPLIER:		MAKE AND MODEL:	
22-09-2022		Required to carry 1 - 2 passengers plus goods and equipment up to 1100 kg MIN. on all types of road surfaces with up to 80% off road usage rough terrain. (Extra Heavy duty)	
Vehicle Job Description:		Annexure A3 Tendering Service Provider to complete Eskom technical team to complete	
L13	4x4 LDV for PML 4x4 LDV 4000 cc	Comply	Provide reason for Comply or non-compliance
Vehicle Type Required:		Eskom technical evaluation comments	
AIR CONDITIONER PRICE FITTED (IF NOT STD)		To be Standard	
RADIO/CD PRICE FITTED (IF NOT STD)		To be Standard	
DRIVER AND PASSENGER AIRBAGS		To be Standard	
DRIVER AND PASSENGER SEATBELT REMINDER INDICATOR/ALARM		To be Standard	
ABS BRAKES		To be Standard	
POWER STEERING		To be Standard	
DAY RUN LIGHTS INSTALLED		To be Standard	
FACTORY FITTED FRONT FOG LIGHTS		To be Standard	
FACTORY FITTED STORM GUARDS		To be Standard	
TWO EMERGENCY TRIANGLES		To be Standard	
IMMOBILISER PRICE FITTED (IF NOT STD)		To be Standard	
ALARM PRICE FITTED (IF NOT STD)		To be Standard	
GEAR LEVER LOCK PRICE FITTED (IF NOT STD)		To be Standard	
REVERSE PARK DISTANCE CONTROL PRICE FITTED (IF NOT STD)		To be Standard	
TOW BAR PRICE FULLY INSTALLED (IF NOT STD)		To be Standard	
DIFFLOCK PRICE FITTED (IF NOT STD)		To be Standard	
VEHICLE CONFIGURATION :		4x4 LDV Single Cab, Heavy duty suspension as per SPECIFICATION	
TRACTION:		4x4	
PAYLOAD kg (Extra Heavy duty suspension)		1500kg	
GROUND CLEARANCE - Axle lowest point (mm) minimum		225mm	
LOAD BODY GROUND CLEARANCE - chassis height at midpoint between axles (mm)		380mm	
NUMBER OF CYLINDERS		6 cylinder	
DISPLACEMENT cm		4000cc	
PETROL OR DIESEL		Petrol	
POWER RATING Kw		170 Kw	
TORQUE RATING Nm		360 Nm	
LEGAL TOWING CAPACITY(kg) TRAILER WITH OVERRUN BRAKE		1400 Kg	
WHEEL ALIGNMENT TO BE DONE BEFORE DELIVERY		Specify	
ENGINE MODEL NUMBER		Type	
BUCKET SEATS AND FITTED WITH HEAD REST		Specify	
TYRES (SIZE) 295R16C Tyre pattern to be specify.		Specify	
TYRE MAKE		Specify	
WARRANTY PERIOD: MONTHS/DISTANCE		Specify	
CARBON DIOXIDE (CO2) EMISSION: g/km		Specify	
Acceptance / Acceptance			
Name of Evaluator :		Signature :	
Name of Verifier		Signature :	

Any proposed deviations from this specification shall be listed below with reasons for the deviation(s). In addition, evidence shall be provided that the proposed deviation will at least be more cost-effective than that specified by Eskom

Technical Evaluation Criteria	100	Supplier score
Fully completed questionnaire in Annexure A3 confirming the compliance and non-compliance to the technical specification as well as prove (brochures) for verification of compliance.	50	50
Original Equipment manufacturer (OEM) or register dealer	20	20
Proof of 12 (twelve) month warranty certificate from the Original Equipment manufacturer (OEM)	20	20
Proof of after sales service and repairs (OEM Service Level Agreement)	10	10

Dawie Viljoen 0388176  
Officer Fleet Technical



22-09-2022		SUPPLIER:	
Vehicle Job Description:		MAKE AND MODEL:	
L13D	Annexure A3	Required to carry 1 - 2 passengers plus goods and equipment up to 1100 kg MIN. on all types of road surfaces with up to 80% off road usage rough terrain. (Extra Heavy duty suspension)	
Vehicle Type Required:	4x4 LDV for PML D 4x4 LDV 4900 cc	Tendering Service Provider to complete	Eskom technical team to complete
AIR CONDITIONER PRICE FITTED (IF NOT STD)	To be Standard	Comply	Provide reason for Comply or non-compliance
RADIO/CD PRICE FITTED (IF NOT STD)	To be Standard		
DRIVER AND PASSENGER AIRBAGS	To be Standard		
DRIVER AND PASSENGER SEATBELT REMINDER INDICATOR/ALARM	To be Standard		
ABS BRAKES	To be Standard		
POWER STEERING	To be Standard		
DAY RUN LIGHTS INSTALLED	To be Standard		
FACTORY FITTED FRONT FOG LIGHTS	To be Standard		
FACTORY FITTED STONE GUARDS	To be Standard		
TWO EMERGENCY TRIANGLES	To be Standard		
IMMOBILISER PRICE FITTED (IF NOT STD)	To be Standard		
ALARM PRICE FITTED (IF NOT STD)	To be Standard		
GEAR LEVER LOCK PRICE FITTED (IF NOT STD)	To be Standard		
REVERSE PARK DISTANCE CONTROL PRICE FITTED (IF NOT STD)	To be Standard		
TOW BAR PRICE FULLY INSTALLED (IF NOT STD)	To be Standard		
DIFFLOCK PRICE FITTED (IF NOT STD)	To be Standard		
VEHICLE CONFIGURATION :	4x4 LDV Single Cab, Heavy duty suspension as per SKETCH A1		
TRACTION:	4x4		
PAYLOAD kg (Extra Heavy duty suspension)	1100kg		
GROUND CLEARANCE - Axle lowest point (mm) minimum	225mm		
LOAD BODY GROUND CLEARANCE - chassis height at midpoint between axles (mm)	380mm		
NUMBER OF CYLINDERS	6 cylinder		
DISPLACEMENT cm	4000cc		
PETROL OR DIESEL	Diesel		
POWER RATING Kw	90 Kw		
TORQUE RATING NM	282 NM		
LEGAL TOWING CAPACITY(kg) TRAILER WITH OVERHAUL BRAKE	1400 Kg		
WHEEL ALIGNMENT TO BE DONE BEFORE DELIVERY	Specify		
ENGINE MODEL NUMBER	Type		
BUCKET SEATS AND FITTED WITH HEAD REST	Specify		
TYRES (SIZE) 750R16C Tyre pattern to be specify.	Specify		
TYRE MAKE	Specify		
WARRANTY PERIOD:	Specify		
MONTHS/DISTANCE	Specify		
CARBON DIOXIDE (CO2) EMISSION: g/km	Specify		
Acceptance / Acceptance			
Name of Evaluator :		Signature :	
Name of Verifier		Signature :	

Any proposed deviations from this specification shall be listed below with reasons for the deviation(s). In addition, evidence shall be provided that the proposed deviation will at least be more cost-effective than that specified by Eskom.

Technical Evaluation Criteria	Supplier score
Fully completed questionnaire in Annexure A3 confirming the compliance and non-compliance to the technical specification as well as prove (brochures) for verification of compliance.	100
Original Equipment manufacturer (OEM) or register dealer	50
Proof of 12 (twelve) month warranty certificate from the Original Equipment manufacturer (OEM)	20
Proof of after sales service and repairs (OEM Service Level Agreement)	20
	10

Dawle Viljoen 0380175  
Officer Fleet Technical



Eskom		SUPPLIER:	
22-09-2022		MAKE AND MODEL:	
Vehicle Job Description:	Required to carry 1 - 2 passengers plus goods and equipment up to 1000 kg on all types of road surfaces with 40% on road and 60 % off-road usage, normal to semi-rough terrain (Extra Heavy L14)		
Vehicle Type Required:	Annexure A3	Tendering Service Provider to complete	Eskom technical team to complete
	4x2 LDV Ext Cab (LWB) 2400-2800 cc	Comply	Provide reason for Comply or non-compliance
AIR CONDITIONER PRICE FITTED (IF NOT STD)	To be Standard		Eskom technical evaluation comments
RADIO/CD PRICE FITTED (IF NOT STD)	To be Standard		
DRIVER AND PASSENGER AIRBAGS	To be Standard		
DRIVER AND PASSENGER SEATBELT REMINDER INDICATOR/ALARM	To be Standard		
ABS BRAKES	To be Standard		
POWER STEERING	To be Standard		
DAY RUN LIGHTS INSTALLED	To be Standard		
FACTORY FITTED FRONT FOG LIGHTS	To be Standard		
FACTORY FITTED STONE GUARDS	To be Standard		
TWO EMERGENCY TRIANGLES	To be Standard		
IMMOBILISER PRICE FITTED (IF NOT STD)	To be Standard		
ALARM PRICE FITTED (IF NOT STD)	To be Standard		
GEAR LEVER LOCK PRICE FITTED (IF NOT STD)	To be Standard		
REVERSE PARK DISTANCE CONTROL PRICE FITTED (IF NOT STD)	To be Standard		
TOW BAR PRICE FULLY INSTALLED (IF NOT STD)	To be Standard		
DIFFLOCK PRICE FITTED (IF NOT STD)	To be Standard		
VEHICLE CONFIGURATION :	4x2 LDV extended Cab with extra body ground clearance and (Extra Heavy duty suspension)		
TRACTION:	4x2		
PAYLOAD kg (Extra Heavy duty suspension)	1000kg		
GROUND CLEARANCE - Axle lowest point (mm) minimum	207mm		
LOAD BODY GROUND CLEARANCE – chassis height at midpoint between axles (mm)	345mm		
NUMBER OF CYLINDERS	4		
DISPLACEMENT cm	2400-2800cc		
PETROL OR DIESEL	Petrol		
POWER RATING Kw	92 Kw		
TORQUE RATING NM	202 NM		
LEGAL TOWING CAPACITY(kg) TRAILER WITH OVERRUN BRAKE	1400 Kg		
WHEEL ALIGNMENT TO BE DONE BEFORE DELIVERY	Specify		
ENGINE MODEL NUMBER	Type		
BUCKET SEATS AND FITTED WITH HEAD REST	Specify		
TYRES (SIZE) 215 R 15 Tyres pattern to be all terrain 40% on road and 60% off road usage, rough terrain) Tyre pattern to be specify	Specify		
TYRE MAKE	Specify		
WARRANTY PERIOD: MONTHS/DISTANCE	Specify		
CARBON DIOXIDE (CO2) EMISSION: g/km	Specify		
Acceptance / Acceptance			
Name of Evaluator :		Signature :	
Name of Verifier		Signature :	

Any proposed deviations from this specification shall be listed below with reasons for the deviation(s). In addition, evidence shall be provided that the proposed deviation will at least be more cost-effective than that specified by Eskom.

Technical Evaluation Criteria	Supplier score	Supplier score
Fully completed questionnaire in Annexure A3 confirming the compliance and non-compliance to the technical specification as well as prove (brochures) for verification of compliance.	100	100
	50	50
Original Equipment manufacturer (OEM) or register dealer	20	20
Proof of 12 (twelve) month warranty certificate from the Original Equipment manufacturer (OEM)	20	20
Proof of after sales service and repairs (OEM Service Level Agreement)	10	10

Dawie Viljoen 0388176  
Officer Fleet Technical



22-09-2022		SUPPLIER;	
Vehicle Job Description:		MAKE AND MODEL:	
L14D	Annexure A3	Required to carry 1 - 2 passengers plus goods and equipment up to 1000 kg on all types of road surfaces with 40% on road and 60% off-road usage, normal to semi-rough terrain (Extra Heavy duty)	
Vehicle Type Required:	4x2 LDV Ext Cab (LWB) D 2400-2800 cc	Comply	Provide reason for Comply or non-compliance
AIR CONDITIONER PRICE FITTED (IF NOT STD)	To be Standard		Eskom technical team to complete
RADIO/CD PRICE FITTED (IF NOT STD)	To be Standard		
DRIVER AND PASSENGER AIRBAGS	To be Standard		
DRIVER AND PASSENGER SEATBELT REMINDER INDICATOR/ALARM	To be Standard		
ABS BRAKES	To be Standard		
POWER STEERING	To be Standard		
DAY RUN LIGHTS INSTALLED	To be Standard		
FACTORY FITTED FRONT FOG LIGHTS	To be Standard		
FACTORY FITTED STONE GUARDS	To be Standard		
TWO EMERGENCY TRIANGLES	To be Standard		
IMMOBILISER PRICE FITTED (IF NOT STD)	To be Standard		
ALARM PRICE FITTED (IF NOT STD)	To be Standard		
GEAR LEVER LOCK PRICE FITTED (IF NOT STD)	To be Standard		
REVERSE PARK DISTANCE CONTROL PRICE FITTED (IF NOT STD)	To be Standard		
TOW BAR PRICE FULLY INSTALLED (IF NOT STD)	To be Standard		
DIFFLOCK PRICE FITTED (IF NOT STD)	To be Standard		
VEHICLE CONFIGURATION :	4x2 LDV extended Cab with extra body ground clearance and (Extra Heavy duty suspension)		
TRACTION:	4x2		
PAYLOAD kg (Extra Heavy duty suspension)	1000kg		
GROUND CLEARANCE - Axle lowest point (mm) minimum	207mm		
LOAD BODY GROUND CLEARANCE - chassis height at midpoint between axles (mm)	345mm		
NUMBER OF CYLINDERS	4		
DISPLACEMENT cm	2400-2800cc		
PETROL OR DIESEL	Diesel TD		
POWER RATING Kw	75 Kw		
TORQUE RATING NM	255 NM		
LEGAL TOWING CAPACITY(kg) TRAILER WITH OVERVIEW BRAKE	1400 Kg		
WHEEL ALIGNMENT TO BE DONE BEFORE DELIVERY	Specify		
ENGINE MODEL NUMBER	Type		
BUCKET SEATS AND FITTED WITH HEAD REST	Specify		
TYRES (SIZE) 245/75R15. Tyres pattern to be all terrain 40% on road and 60% off road usage, rough terrain Tyre pattern to be specify.	Specify		
TYRE MAKE	Specify		
WARRANTY PERIOD: MONTHS/DISTANCE	Specify		
CARBON DIOXIDE (CO2) EMISSION: g/km	Specify		
Acceptance / Acceptance			
Name of Evaluator :		Signature :	
Name of Verifier		Signature :	

Any proposed deviations from this specification shall be listed below with reasons for the deviation(s). In addition, evidence shall be provided that the proposed deviation will at least be more cost-effective than that specified by Eskom.

Technical Evaluation Criteria	100	Supplier score
Fully completed questionnaire in Annexure A3 confirming the compliance and non-compliance to the technical specification as well as prove (brochures) for verification of compliance.	50	50
Original Equipment manufacturer (OEM) or register dealer	20	20
Proof of 12 (twelve) month warranty certificate from the Original Equipment manufacturer (OEM)	20	20
Proof of after sales service and repairs (OEM Service Level Agreement)	10	10

Dawie Viljoen 0368175  
Officer Fleet Technical



22-09-2022		SUPPLIER;	
MAKE AND MODEL;			
Vehicle Job Description:	Required to carry 1 - 2 passengers plus goods and equipment up to 1000 kg on all types of road surfaces with 40% on road and 60% off road usage, rough terrain (Extra Heavy duty suspension)		
L15	Annexure A3	Tendering Service Provider to complete Eskom technical team to complete	
Vehicle Type Required:	4x4 LDV Ext Cab (LWB) 2400-2800 cc	Comply	Provide reason for Comply or non-compliance
AIR CONDITIONER PRICE FITTED (IF NOT STD)	To be Standard		Eskom technical evaluation comments
RADIO/CD PRICE FITTED (IF NOT STD)	To be Standard		
DRIVER AND PASSENGER AIRBAGS	To be Standard		
DRIVER AND PASSENGER SEATBELT REMINDER INDICATOR/ALARM	To be Standard		
ABS BRAKES	To be Standard		
POWER STEERING	To be Standard		
DAY RUN LIGHTS INSTALLED	To be Standard		
FACTORY FITTED FRONT FOG LIGHTS	To be Standard		
FACTORY FITTED STONE GUARDS	To be Standard		
TWO EMERGENCY TRIANGLES	To be Standard		
IMMOBILISER PRICE FITTED (IF NOT STD)	To be Standard		
ALARM PRICE FITTED (IF NOT STD)	To be Standard		
GEAR LEVER LOCK PRICE FITTED (IF NOT STD)	To be Standard		
REVERSE PARK DISTANCE CONTROL PRICE FITTED (IF NOT STD)	To be Standard		
TOW BAR PRICE FULLY INSTALLED (IF NOT STD)	To be Standard		
DIFFLOCK PRICE FITTED (IF NOT STD)	To be Standard		
VEHICLE CONFIGURATION :	4x4 LDV (LWB) with extended cab and service doors. Heavy duty suspension		
TRACTION:	4x4		
PAYLOAD kg (Extra Heavy duty suspension)	1000kg		
GROUND CLEARANCE - Axle lowest point (mm) minimum	207mm		
LOAD BODY GROUND CLEARANCE -- chassis height at midpoint between axles (mm)	345mm		
NUMBER OF CYLINDERS	4		
DISPLACEMENT cm	2400-2800cc		
PETROL OR DIESEL	Petrol		
POWER RATING Kw	92 Kw		
TORQUE RATING NM	202 NM		
LEGAL TOWING CAPACITY(kg) TRAILER WITH OVERLOAD BRAKE	1400 Kg		
WHEEL ALIGNMENT TO BE DONE BEFORE DELIVERY	Specify		
ENGINE MODEL NUMBER	Type		
BUCKET SEATS AND FITTED WITH HEAD REST	Specify		
TYRES (SIZE) 245/75R15. Tyres pattern to be all terrain 40% on road and 60% off road usage, rough terrain Tyre pattern to be specify.	Specify		
TYRE MAKE	Specify		
WARRANTY PERIOD: MONTHS/DISTANCE	Specify		
CARBON DIOXIDE (CO2) EMISSION: g/km	Specify		
Acceptance / Acceptance			
Name of Evaluator :		Signature :	
Name of Verifier		Signature :	

Any proposed deviations from this specification shall be listed below with reasons for the deviation(s). In addition, evidence shall be provided that the proposed deviation will at least be more cost-effective than that specified by Eskom.

		Supplier score
Technical Evaluation Criteria	100	100
	50	50
Fully completed questionnaire in Annexure A3 confirming the compliance and non-compliance to the technical specification as well as prove (brochures) for verification of compliance.		
Original Equipment manufacturer (OEM) or register dealer	20	20
Proof of 12 (twelve) month warranty certificate from the Original Equipment manufacturer (OEM)	20	20
Proof of after sales service and repairs (OEM Service Level Agreement)	10	10

Dawie Viljoen 0388175  
Officer Fleet Technical



22-09-2022		SUPPLIER:	
Vehicle Job Description:		MAKE AND MODEL:	
L16D	Required to carry 1 - 2 passengers plus goods and equipment up to 1000 kg on all types of road surfaces with 40% on road and 60% off road usage, rough terrain (Extra Heavy duty suspension)	Tendering Service Provider to complete	
Vehicle Type Required: Single Cab LWB Specified per SKETCH A1 attached	Annexure A3	Comply	Eskom technical team to complete
AIR CONDITIONER PRICE FITTED (IF NOT STD)	4x4 LDV Ext Cab (LWB) 2400-2800 cc	Provide reason for Comply or non-compliance	Eskom technical evaluation comments
RADIO/CD PRICE FITTED (IF NOT STD)	To be Standard		
DRIVER AND PASSENGER AIRBAGS	To be Standard		
DRIVER AND PASSENGER SEATBELT REMINDER INDICATOR/ALARM	To be Standard		
ABS BRAKES	To be Standard		
POWER STEERING	To be Standard		
DAY RUN LIGHTS INSTALLED	To be Standard		
FACTORY FITTED FRONT FOG LIGHTS	To be Standard		
FACTORY FITTED STONE GUARDS	To be Standard		
TWO EMERGENCY TRIANGLES	To be Standard		
IMMOBILISER PRICE FITTED (IF NOT STD)	To be Standard		
ALARM PRICE FITTED (IF NOT STD)	To be Standard		
GEAR LEVER LOCK PRICE FITTED (IF NOT STD)	To be Standard		
REVERSE PARK DISTANCE CONTROL PRICE FITTED (IF NOT STD)	To be Standard		
TOW BAR PRICE FULLY INSTALLED (IF NOT STD)	To be Standard		
DIFFLOCK PRICE FITTED (IF NOT STD)	To be Standard		
VEHICLE CONFIGURATION :	4x4 LDV (LWB) with extended cab and service doors. Heavy duty suspension		
TRACTION	4x4		
PAYLOAD kg (Extra Heavy duty suspension)	1000kg		
GROUND CLEARANCE - Axle lowest point (mm) minimum	207mm		
LOAD BODY GROUND CLEARANCE - chassis height at midpoint between axles (mm)	345mm		
NUMBER OF CYLINDERS	4		
DISPLACEMENT cm	2400-2800cc		
PETROL OR DIESEL	Diesel TDI		
POWER RATING Kw	75 Kw		
TORQUE RATING NM	255 NM		
BEAL TOWING CAPACITY(kg) TRAILER WITH OVERHAUL BRAKE	1400 Kg		
WHEEL ALIGNMENT TO BE DONE BEFORE DELIVERY	Specify		
ENGINE MODEL NUMBER	Type		
BUCKET SEATS AND FITTED WITH HEAD REST	Specify		
TYRES (SIZE) 245/75R16. Tyres pattern to be all terrain 40% on road and 60% off road usage, rough terrain) Tyre pattern to be specify	Specify		
TYRE MAKE	Specify		
WARRANTY PERIOD:	Specify		
MONTHS/DISTANCE			
CARBON DIOXIDE (CO2) EMISSION: g/km	Specify		
Acceptance / Acceptance			
Name of Evaluator :		Signature :	
Name of Verifier		Signature :	

Any proposed deviations from this specification shall be listed below with reasons for the deviation(s). In addition, evidence shall be provided that the proposed deviation will at least be more cost-effective than that specified by Eskom.

Technical Evaluation Criteria	100	Supplier score
Fully completed questionnaire in Annexure A3 confirming the compliance and non-compliance to the technical specification as well as prove (brochures) for verification of compliance.	50	50
Original Equipment manufacturer (OEM) or register dealer	20	20
Proof of 12 (twelve) month warranty certificate from the Original Equipment manufacturer (OEM)	20	20
Proof of after sales service and repairs (OEM Service Level Agreement)	10	10

Dawie Viljoen 0388175  
Officer Fleet Technical



22-09-2022		SUPPLIER;	
Vehicle Job Description:		MAKE AND MODEL;	
Required to carry 1 - 2 passengers plus goods and equipment up to 1000 Kg on all types of road surfaces with 40% on road and 60 % off road usage, normal to semi rough terrain (Extra Heavy duty)			
L16D	Annexure A3	Tendering Service Provider to complete	Eskom technical team to complete
Vehicle Type Required: Single Cab LWB Specified per SKETCH A1 attached	4x4 LDV Ext Cab (LWB) 2400-2800 cc	Comply	Provide reason for Comply or non-compliance
AIR CONDITIONER PRICE FITTED (IF NOT STD)	To be Standard		
RADIO/CD PRICE FITTED (IF NOT STD)	To be Standard		
DRIVER AND PASSENGER AIRBAGS	To be Standard		
DRIVER AND PASSENGER SEATBELT REMINDER INDICATOR/ALARM	To be Standard		
ABS BRAKES	To be Standard		
POWER STEERING	To be Standard		
DAY RUN LIGHTS INSTALLED	To be Standard		
FACTORY FITTED FRONT FOG LIGHTS	To be Standard		
FACTORY FITTED STONE GUARDS	To be Standard		
TWO EMERGENCY TRIANGLES	To be Standard		
IMMOBILISER PRICE FITTED (IF NOT STD)	To be Standard		
ALARM PRICE FITTED (IF NOT STD)	To be Standard		
GEAR LEVER LOCK PRICE FITTED (IF NOT STD)	To be Standard		
REVERSE PARK DISTANCE CONTROL PRICE FITTED (IF NOT STD)	To be Standard		
TOW BAR PRICE FULLY INSTALLED (IF NOT STD)	To be Standard		
DIFFLOCK PRICE FITTED (IF NOT STD)	To be Standard		
VEHICLE CONFIGURATION :	4x2 LDV Single Cab Specified per SKETCH A1 attached		
TRACTION:	4x2		
PAYLOAD kg (Extra Heavy duty suspension)	1000kg		
GROUND CLEARANCE - Axle lowest point (mm) minimum	207mm		
LOAD BODY GROUND CLEARANCE - chassis height at midpoint between axles (mm)	345mm		
NUMBER OF CYLINDERS	4		
DISPLACEMENT cm	3000cc		
PETROL OR DIESEL	Diesel TDI		
POWER RATING Kw	110Kw		
TORQUE RATING NM	340 NM		
LEGAL TOWING CAPACITY(Kg)	1400 Kg		
TRAILER WITH OVERRUN BRAKE			
WHEEL ALIGNMENT TO BE DONE BEFORE DELIVERY	Specify		
ENGINE MODEL NUMBER	Type		
BUCKET SEATS AND FITTED WITH HEAD REST	Specify		
TYRES (SIZE) 215 R 15 (40% on road and 60% off road usage, rough terrain) Tyre pattern to be specify	Specify		
TYRE MAKE	Specify		
WARRANTY PERIOD:	Specify		
MONTHS/DISTANCE			
CARBON DIOXIDE (CO2) EMISSION: g/km	Specify		
Acceptance / Acceptance			
Name of Evaluator :		Signature :	
Name of Verifier		Signature :	

Any proposed deviations from this specification shall be listed below with reasons for the deviation(s). In addition, evidence shall be provided that the proposed deviation will at least be more cost-effective than that specified by Eskom.

Technical Evaluation Criteria	Supplier score
Fully completed questionnaire in Annexure A3 confirming the compliance and non-compliance to the technical specification as well as prove (brochures) for verification of compliance.	100
Original Equipment manufacturer (OEM) or register dealer	50
Proof of 12 (twelve) month warranty certificate from the Original Equipment manufacturer (OEM)	20
Proof of after sales service and repairs (OEM Service Level Agreement)	20
	10

Dawie Viljoen 0368475  
Officer Fleet Technical





22-09-2022		SUPPLIER:	
Vehicle Job Description:		MAKE AND MODEL:	
L17D	Annexure A3	Tendering Service Provider to complete	Eskom technical team to complete
Vehicle Type Required: Single Cab LWB Specified per SKETCH A1 attached	4x4 LDV (LWB) D, HGG =>3000 cc (LWB) 2400-2800 cc	Comply	Provide reason for Comply or non-compliance
AIR CONDITIONER PRICE FITTED (IF NOT STD)	To be Standard		Eskom technical evaluation comments
RADIO/CD PRICE FITTED (IF NOT STD)	To be Standard		
DRIVER AND PASSENGER AIRBAGS	To be Standard		
DRIVER AND PASSENGER SEATBELT REMINDER INDICATOR/ALARM	To be Standard		
ABS BRAKES	To be Standard		
POWER STEERING	To be Standard		
DAY RUN LIGHTS INSTALLED	To be Standard		
FACTORY FITTED FRONT FOG LIGHTS	To be Standard		
FACTORY FITTED STONE GUARDS	To be Standard		
TWO EMERGENCY TRIANGLES	To be Standard		
IMMOBILISER PRICE FITTED (IF NOT STD)	To be Standard		
ALARM PRICE FITTED (IF NOT STD)	To be Standard		
GEAR LEVER LOCK PRICE FITTED (IF NOT STD)	To be Standard		
REVERSE PARK DISTANCE CONTROL PRICE FITTED (IF NOT STD)	To be Standard		
TOW BAR PRICE FULLY INSTALLED (IF NOT STD)	To be Standard		
DIPLOCK PRICE FITTED (IF NOT STD)	To be Standard		
VEHICLE CONFIGURATION :	4x2 LDV Single Cab		
TRACTION:	4x4		
PAYLOAD kg (Extra Heavy duty classification)	1000kg		
GROUND CLEARANCE - Axle lowest point (mm) minimum	215mm		
LOAD BODY GROUND CLEARANCE - chassis height at midpoint between axles (mm)	345mm		
NUMBER OF CYLINDERS	6		
DISPLACEMENT cm	3000cc		
PETROL OR DIESEL	Diesel TDI		
POWER RATING Kw	110Kw		
TORQUE RATING NM	340 NM		
LEGAL TOWING CAPACITY(Kg) TRAILER WITH OVERRIDE BRAKE	1400 kg		
WHEEL ALIGNMENT TO BE DONE BEFORE DELIVERY	Specify		
ENGINE MODEL NUMBER	Type		
BUCKET SEATS AND FITTED WITH HEAD REST	Specify		
TYRES (SIZE) 245/75R15. Tyres pattern to be all terrain 40% on road and 60% off road usage, rough terrain) Tyre pattern to be specified	Specify		
TYRE MAKE	Specify		
WARRANTY PERIOD: MONTHS/DISTANCE	Specify		
CARBON DIOXIDE (CO2) EMISSION: g/km	Specify		
Acceptance / Acceptance			
Name of Evaluator :	Signature :		
Name of Verifier	Signature :		

Any proposed deviations from this specification shall be listed below with reasons for the deviation(s). In addition, evidence shall be provided that the proposed deviation will at least be more cost-effective than that specified by Eskom.

		Supplier score
Technical Evaluation Criteria	100	100
Fully completed questionnaire in Annexure A3 confirming the compliance and non-compliance to the technical specification as well as prove (brochures) for verification of compliance.	50	50
Original Equipment manufacturer (OEM) or register dealer	20	20
Proof of 12 (twelve) month warranty certificate from the Original Equipment manufacturer (OEM)	20	20
Proof of after sales service and repairs (OEM Service Level Agreement)	10	10

Dawle Viljoen 0388175  
Officer Fleet Technical



22-09-2022		SUPPLIER:	
Vehicle Job Description:		MAKE AND MODEL:	
L18D	Required to carry 1 - 4 passengers plus goods and equipment up to 1000 Kg on all types of road surfaces with 40% on road and 60 % off road usage, normal to semi rough terrain (Extra Heavy duty)	Tendering Service Provider to complete	
Vehicle Type Required:	Annexure A3	Eskom technical team to complete	
	4x2 D/C LDV HGC D >= 3000 cc	Comply	Provide reason for Comply or non-compliance
AIR CONDITIONER PRICE FITTED (IF NOT STD)		To be Standard	Eskom technical evaluation comments
RADIO/CD PRICE FITTED (IF NOT STD)		To be Standard	
DRIVER AND PASSENGER AIRBAGS		To be Standard	
DRIVER AND PASSENGER SEATBELT REMINDER		To be Standard	
BUNKER/ALARM		To be Standard	
ABS BRAKES		To be Standard	
POWER STEERING		To be Standard	
DAY RUN LIGHTS INSTALLED		To be Standard	
FACTORY FITTED FRONT FOG LIGHTS		To be Standard	
FACTORY FITTED STONE GUARDS		To be Standard	
TWO EMERGENCY TRIANGLES		To be Standard	
IMMOBILISER PRICE FITTED (IF NOT STD)		To be Standard	
ALARM PRICE FITTED (IF NOT STD)		To be Standard	
GEAR LEVER LOCK PRICE FITTED (IF NOT STD)		To be Standard	
REVERSE PARK DISTANCE CONTROL PRICE FITTED (IF NOT STD)		To be Standard	
TOW BAR PRICE FULLY INSTALLED (IF NOT STD)		To be Standard	
DIFFLOCK PRICE FITTED (IF NOT STD)		To be Standard	
VEHICLE CONFIGURATION :		4x2 LDV Double Cab	
TRACTION:		4x2	
PAYLOAD kg (Extra Heavy duty suspension)		1000kg	
GROUND CLEARANCE - Axle lowest point (mm)		207mm	
LOAD BODY GROUND CLEARANCE - chassis height at mid-point between axles (mm)		345mm	
NUMBER OF CYLINDERS		6	
DISPLACEMENT cm		3000cc	
PETROL OR DIESEL		Diesel TDI	
POWER RATING Kw		110Kw	
TORQUE RATING NM		340 NM	
LEGAL TOWING CAPACITY(Kg) TRAILER WITH OVERSUN BRAKE		1400 kg	
WHEEL ALIGNMENT TO BE DONE BEFORE DELIVERY		Specify	
ENGINE MODEL NUMBER		Type	
BUCKET SEATS AND FITTED WITH HEAD REST		Specify	
TYRES (SIZE) 245/75R15. Tyres pattern to be all terrain 40% on road and 60% off road usage, rough terrain) Tyre pattern to be specify.		Specify	
TYRE MAKE		Specify	
WARRANTY PERIOD: MONTHS/DISTANCE		Specify	
CARBON DIOXIDE (CO2) EMISSION: g/km		Specify	
Acceptance / Acceptance		Signature :	
Name of Evaluator :		Signature :	
Name of Verifier			

Any proposed deviations from this specification shall be listed below with reasons for the deviation(s). In addition, evidence shall be provided that the proposed deviation will at least be more cost-effective than that specified by Eskom.

Technical Evaluation Criteria	100	Supplier score
Fully completed questionnaire in Annexure A3 confirming the compliance and non-compliance to the technical specification as well as prove (brochures) for verification of compliance.	50	50
Original Equipment manufacturer (OEM) or register dealer	20	20
Proof of 12 (twelve) month warranty certificate from the Original Equipment manufacturer (OEM)	20	20
Proof of after sales service and repairs (OEM Service Level Agreement)	10	10

Dawie Viljoen 0388175  
Officer Fleet Technical



22-09-2022

SUPPLIER;

MAKE AND MODEL;

Vehicle Job Description: Required to carry 1 - 4 passengers plus goods and equipment up to 1000 Kg on all types of road surfaces with 40% on road and 60 % off road usage, normal to semi rough terrain (Extra Heavy duty

L19D	Annexure A3	Tendering Service Provider to complete		Eskom technical team to complete
Vehicle Type Required:	4x4 DIC LDV HGC D =>3000 cc	Comply	Provide reason for Comply or non-compliance	Eskom technical evaluation comments
AIR CONDITIONER PRICE FITTED (IF NOT STD)	To be Standard			
RADIO/CD PRICE FITTED (IF NOT STD)	To be Standard			
DRIVER AND PASSENGER AIRBAGS	To be Standard			
DRIVER AND PASSENGER SEATBELT	To be Standard			
REINFORCED INDICATOR/ALARM	To be Standard			
ABS BRAKES	To be Standard			
POWER STEERING	To be Standard			
DAY RUN LIGHTS INSTALLED	To be Standard			
FACTORY FITTED FRONT FOG LIGHTS	To be Standard			
FACTORY FITTED STONE GUARDS	To be Standard			
TWO EMERGENCY TRIANGLES	To be Standard			
IMMORTALISER PRICE FITTED (IF NOT STD)	To be Standard			
ALARM PRICE FITTED (IF NOT STD)	To be Standard			
GEAR LEVER LOCK PRICE FITTED (IF NOT STD)	To be Standard			
REVERSE PARK DISTANCE CONTROL PRICE FITTED (IF NOT STD)	To be Standard			
TOY BAR PRICE FULLY INSTALLED (IF NOT STD)	To be Standard			
DIFF LOCK PRICE FITTED (IF NOT STD)	To be Standard			
VEHICLE CONFIGURATION :	4x4 LDV Double Cab Specified per SKETCH A1 attached			
TRACTION:	4x4			
PAYLOAD kg (Extra Heavy duty suspension)	1000kg			
GROUND CLEARANCE - Axle lowest point (mm) minimum	207mm			
LOAD BODY GROUND CLEARANCE - chassis height at midpoint between axles (mm)	345mm			
NUMBER OF CYLINDERS	6			
DISPLACEMENT cm	3000cc			
PETROL OR DIESEL	Diesel TDI			
POWER RATING Kw	110Kw			
TORQUE RATING Nm	340 Nm			
LEGAL TOWING CAPACITY(Kg) TRAILER	1400 kg			
WHEEL ALIGNMENT TO BE DONE BEFORE DELIVERY	Specify			
ENGINE MODEL NUMBER	Type			
BUCKET SEATS AND FITTED WITH HEAD REST	Specify			
TYRES (SIZE) 245/75R15. Tyre pattern to be all terrain 40% on road and 60% off road usage, rough terrain Tyre pattern to be specified	Specify			
TYRE MAKE	Specify			
WARRANTY PERIOD: MONTHS/DISTANCE	Specify			
CARBON DIOXIDE (CO2) EMISSION: g/km	Specify			
Acceptance / Acceptance		Signature :		
Name of Evaluator :		Signature :		
Name of Verifier				

Any proposed deviations from this specification shall be listed below with reasons for the deviation(s). In addition, evidence shall be provided that the proposed deviation will at least be more cost-effective than that specified by Eskom.

Technical Evaluation Criteria	100	Supplier score
Fully completed questionnaire in Annexure A3 confirming the compliance and non-compliance to the technical specification as well as prove (brochures) for verification of compliance.	50	50
Original Equipment manufacturer (OEM) or register dealer	20	20
Proof of 12 (twelve) month warranty certificate from the Original Equipment manufacturer (OEM)	20	20
Proof of after sales service and repairs (OEM Service Level Agreement)	10	10

Dawie Viljoen 0388175  
Officer Fleet Technical



22-09-2022		SUPPLIER:	
Vehicle Job Description:		MAKE AND MODEL:	
L200	Required to carry 1 - 4 passengers plus goods and equipment up to 1000 Kg on all types of road surfaces with 40% on road and 60 % off road usage, normal to semi rough terrain (Extra Heavy duty)		
Vehicle Type Required:	Annexure A3	Tendering Service Provider to complete	Eskom technical team to complete
	4x2 LDV Ext Cab (LWB) D >= 3000 cc	Comply	Provide reason for Comply or non-compliance
AIR CONDITIONER PRICE FITTED (IF NOT STD)	To be Standard		
RADIO/CD PRICE FITTED (IF NOT STD)	To be Standard		
DRIVER AND PASSENGER AIRBAGS	To be Standard		
DRIVER AND PASSENGER SEATBELT REMINDER INDICATOR/ALARM	To be Standard		
ABS BRAKES	To be Standard		
POWER STEERING	To be Standard		
DAY RUN LIGHTS INSTALLED	To be Standard		
FACTORY FITTED FRONT FOG LIGHTS	To be Standard		
FACTORY FITTED STONE GUARDS	To be Standard		
TWO EMERGENCY TRIANGLES	To be Standard		
WHOWLISER PRICE FITTED (IF NOT STD)	To be Standard		
ALARM PRICE FITTED (IF NOT STD)	To be Standard		
GEAR LEVER LOCK PRICE FITTED (IF NOT STD)	To be Standard		
REVERSE PARK DISTANCE CONTROL PRICE FITTED (IF NOT STD)	To be Standard		
TOW BAR PRICE FULLY INSTALLED (IF NOT STD)	To be Standard		
DIFFLOCK PRICE FITTED (IF NOT STD)	To be Standard		
VEHICLE CONFIGURATION :	4x2 LDV Extended cab Specified per SKETCH A1 attached		
TRACTION:	4x2		
PAYLOAD kg (Extra Heavy duty suspension)	1000kg		
GROUND CLEARANCE - Axle lowest point (mm) minimum	207mm		
CHASSIS BODY GROUND CLEARANCE - chassis height at midpoint between axles (mm)	345mm		
NUMBER OF CYLINDERS	6		
DISPLACEMENT cm	3000cc		
PETROL OR DIESEL	Diesel TDI		
POWER RATING Kw	110kw		
TORQUE RATING Nm	340 Nm		
LEGAL TOWING CAPACITY (kg) TRAILER WITH OVERRUN BRAKE	1400 kg		
WHEEL ALIGNMENT TO BE DONE BEFORE DELIVERY	Specify		
ENGINE MODEL NUMBER	Type		
BUCKET SEATS AND FITTED WITH HEAD REST	Specify		
TYRES (SIZE) 245/75R15. Tyre pattern to be all terrain 40% on road and 60% off road usage, rough terrain) Tyre pattern to be specify.	Specify		
TYRE MAKE	Specify		
WARRANTY PERIOD; MONTHS/DISTANCE	Specify		
CARBON DIOXIDE (CO2) EMISSION: g/km	Specify		
Acceptance / Acceptance			
Name of Evaluator :		Signature :	
Name of Verifier		Signature :	

Any proposed deviations from this specification shall be listed below with reasons for the deviation(s). In addition, evidence shall be provided that the proposed deviation will at least be more cost-effective than that specified by Eskom.

Technical Evaluation Criteria	100	Supplier score
Fully completed questionnaire in Annexure A3 confirming the compliance and non-compliance to the technical specification as well as prove (brochures) for verification of compliance.	50	50
Original Equipment manufacturer (OEM) or register dealer	20	20
Proof of 12 (twelve) month warranty certificate from the Original Equipment manufacturer (OEM)	20	20
Proof of after sales service and repairs (OEM Service Level Agreement)	10	10

Dawie Viljoen 0380175  
Officer Fleet Technical



22-09-2022		SUPPLIER:	
Vehicle Job Description:		MAKE AND MODEL:	
L21D	Required to carry 1 - 4 passengers plus goods and equipment up to 1000 Kg on all types of road surfaces with 40% on road and 60 % off road usage, normal to semi rough terrain (Extra Heavy duty)		
Vehicle Type Required:	Annexure A3	Tendering Service Provider to complete	Eskom technical team to complete
Vehicle Type Required:	4x4 LDV Ext Cab (LWB) D ≥3000 cc	Comply	Provide reason for Comply or non-compliance
AIR CONDITIONER PRICE FITTED (IF NOT STD)	To be Standard		Eskom technical evaluation comments
RADIO/CD PRICE FITTED (IF NOT STD)	To be Standard		
DRIVER AND PASSENGER AIRBAGS	To be Standard		
DRIVER AND PASSENGER SEATBELT RELEASER INDICATOR/LAMPS	To be Standard		
ABS BRAKES	To be Standard		
POWER STEERING	To be Standard		
DAY RUN LIGHTS INSTALLED	To be Standard		
FACTORY FITTED FRONT FOG LIGHTS	To be Standard		
FACTORY FITTED STONE GUARDS	To be Standard		
TWO EMERGENCY TRIANGLES	To be Standard		
IMMOBILISER PRICE FITTED (IF NOT STD)	To be Standard		
ALARM PRICE FITTED (IF NOT STD)	To be Standard		
GEAR LEVER LOCK PRICE FITTED (IF NOT STD)	To be Standard		
REVERSE PARK DISTANCE CONTROL PRICE FITTED (IF NOT STD)	To be Standard		
TOY BAR PRICE FULLY INSTALLED (IF NOT STD)	To be Standard		
DIFFLOCK PRICE FITTED (IF NOT STD)	To be Standard		
VEHICLE CONFIGURATION:	4x4 LDV Extended cab Specified per SKETCH A1 attached		
TRACTION:	4x4		
PAYLOAD kg (Extra Heavy duty)	1000kg		
GROUND CLEARANCE - Axle lowest point (mm) minimum	207mm		
LOAD BODY GROUND CLEARANCE - chassis height at midpoint between axles (mm)	345mm		
NUMBER OF CYLINDERS	6		
DISPLACEMENT cm	3000cc		
PETROL OR DIESEL	Diesel TD1		
POWER RATING Kw	110Kw		
TORQUE RATING Nm	340 Nm		
LEGAL TOWING CAPACITY (kg) TRAILER WITH OVERARCH BRAKE	1400 kg		
WHEEL ALIGNMENT TO BE DONE BEFORE DELIVERY	Specify		
ENGINE MODEL NUMBER	Type		
BUCKET SEATS AND FITTED WITH HEAD REST	Specify		
TYRES (SIZE) 245/75R15. Tyres pattern to be all terrain 40% on road and 60% off road usage, rough terrain) Tyre pattern to be specify.	Specify		
TYRE MAKE	Specify		
WARRANTY PERIOD: MONTHS/DISTANCE	Specify		
CARBON DIOXIDE (CO2) EMISSION: g/km	Specify		
Acceptance / Acceptance		Signature :	
Name of Evaluator :		Signature :	
Name of Verifier			

Any proposed deviations from this specification shall be listed below with reasons for the deviation(s). In addition, evidence shall be provided that the proposed deviation will at least be more cost-effective than that specified by Eskom.

Technical Evaluation Criteria	Supplier score	
	100	100
Fully completed questionnaire in Annexure A3 confirming the compliance and non-compliance to the technical specification as well as prove (brochures) for verification of compliance.	50	50
Original Equipment manufacturer (OEM) or register dealer	20	20
Proof of 12 (twelve) month warranty certificate from the Original Equipment manufacturer (OEM)	20	20
Proof of after sales service and repairs (OEM Service Level Agreement)	10	10

Dawle Viljoen 0388176  
Officer Fleet Technical