

PART 2: PRICING DATA

NEC3 Supply Contract

Document reference	Title	No of pages
C2.1	Pricing assumptions	2
C2.2	The <i>price schedule</i>	2

## C2.1 Pricing assumptions

### 1. How *goods* and *services* are priced and assessed for payment

Clause 11 in NEC3 Supply Contract, (SC3) core clauses states:

<b>Identified and defined terms</b>	11	
	11.2	(11) The Prices are the amounts stated in the price column of the Price Schedule. Where a quantity is stated for an item in the Price Schedule, the Price is calculated by multiplying the quantity by the rate.
		(12) The Price Schedule is the <i>price schedule</i> unless later changed in accordance with this contract.
<b>Assessing the amount due</b>	50.2	The amount due is
		<ul style="list-style-type: none"> <li>the Price for each lump sum item in the Price Schedule which the <i>Supplier</i> has completed,</li> <li>where a quantity is stated for an item in the Price Schedule, an amount calculated by multiplying the quantity which the <i>Supplier</i> has completed by the rate,</li> <li>plus other amounts to be paid to the <i>Supplier</i>,</li> <li>less amounts to be paid by or retained from the <i>Supplier</i>.</li> </ul> <p>Any tax which the law requires the <i>Purchaser</i> to pay to the <i>Supplier</i> is included in the amount due.</p>

This confirms that the Supply Contract is a priced contract where the Prices are derived from a list of items of *goods* and *services* which can be priced as lump sums or as expected quantities of *goods* and *services* multiplied by a rate, or a mix of both.

### 2. Function of the Price Schedule

Clause 53.1 states: "Information in the Price Schedule is not Goods Information". This confirms that instructions to do work or how it is to be done are not included in the Price Schedule but in the Goods Information. This is further confirmed by Clause 20.1 which states, "The *Supplier* Provides the Goods and Services in accordance with the Goods Information". Hence the *Supplier* does **not** Provide the Goods and Services in accordance with the Price Schedule. The Price Schedule is only a pricing document.

### 3. Preparing the *price schedule*

Items in the *price schedule* may have been inserted by the *Purchaser* and the tendering supplier should insert any additional items which he considers necessary. Whichever party provides the items in the *price schedule* the total of the Prices is assumed to be fully inclusive of everything necessary to Provide the Goods and Services as described at the time of entering into this contract.

It will be assumed that the tendering supplier has

- Read Pages 8, 11, 12 and Appendix 5 of the SC3 Guidance Notes before preparing the *price schedule*;
- Included in his Prices and rates for correction of Defects (core clause 43.1) as there is no compensation event for this unless the Defect is due to a *Supplier's* risk;
- Spread the cost of doing work he chooses not to list as separate items in the *price schedule*

across other Prices and rates in order to fulfil the obligation to Provide the Goods and Services for the tendered total of the Prices;

- Understood that there is no adjustment to lump sum prices in the *price schedule* if the amount, or quantity, of work within that lump sum item later turns out to be different to that which the *Supplier* estimated at time of tender. The only basis for a change to the Prices is as a result of a compensation event per clause 60.1;
- Understood that the *Supplier* does not have to allow in his Prices and rates for matters that may arise as a result of a compensation event.

### 3.1. Format of the *price schedule*

Entries in the first four columns in the *price schedule* in section C2.2 are made either by the *Purchaser* or the tendering supplier.

If the *Supplier* is to be paid an amount for the item which is not adjusted if the quantity of work in the item changes, the tendering supplier enters the amount in the Price column only, the Unit, Quantity and Rate columns being left blank.

If the *Supplier* is to be paid an amount for the item which is the rate for the item multiplied by the quantity completed, the tendering *Supplier* enters the rate which is then multiplied by the Quantity to produce the Price, which is also entered.

If the *Supplier* is to be paid an amount for an item proportional to the length of time for which the *goods* and *services* are provided, a unit of time is stated in the Unit column and the length of time (as a quantity of the stated units of time) is stated in the Quantity column.

## C2.2 the *price schedule*

Supply and delivery of Arc flash protective clothing personal protective equipment on a fixed term contract to Arnot Power Station:

**Arc flash PPE Category 2 & 2a with minimum arc rating of 12 cal/cm2 and**

**Arc flash PPE Category 4 with minimum arc rating of 50 cal/cm2**

Item	Stock No.	Description	Unit	Quantity	Rate	Amount
1	0244565	JACKET, ARC FLASH: CATEGORY: 2; ARC RATING: MIN 12 CAL/CM2; MATERIAL: ARC RATED BLEND; COLOR: ROYAL BLUE PANTONE 19_3955; SPECIFICATION: ASTM F1506; COMPLIANCE STANDARD: AFP PPE 240-70044736 LATEST REV; SIZE: S	EA	100		
2	0244566	JACKET, ARC FLASH: CATEGORY: 2; ARC RATING: MIN 12 CAL/CM2; MATERIAL: ARC RATED BLEND; COLOR: ROYAL BLUE PANTONE 19_3955; SPECIFICATION: ASTM F1506; COMPLIANCE STANDARD: AFP PPE 240-70044736 LATEST REV; SIZE: M	EA	300		
3	0244567	JACKET, ARC FLASH: CATEGORY: 2; ARC RATING: MIN 12 CAL/CM2; MATERIAL: ARC RATED BLEND; COLOR: ROYAL BLUE PANTONE 19_3955; SPECIFICATION: ASTM F1506; COMPLIANCE STANDARD: AFP PPE 240-70044736 LATEST REV; SIZE: L	EA	300		
4	0244568	JACKET, ARC FLASH: CATEGORY: 2; ARC RATING: MIN 12 CAL/CM2; MATERIAL: ARC RATED BLEND; COLOR: ROYAL BLUE PANTONE 19_3955; SPECIFICATION: ASTM F1506; COMPLIANCE STANDARD: AFP PPE 240-70044736 LATEST REV; SIZE: XL	EA	150		
5	0244569	JACKET, ARC FLASH: CATEGORY: 2; ARC RATING: MIN 12 CAL/CM2; MATERIAL: ARC RATED BLEND; COLOR: ROYAL BLUE PANTONE 19_3955; SPECIFICATION: ASTM F1506; COMPLIANCE STANDARD: AFP PPE 240-70044736 LATEST REV; SIZE: 2XL	EA	100		
6	0244570	JACKET, ARC FLASH: CATEGORY: 2; ARC RATING: MIN 12 CAL/CM2; MATERIAL: ARC RATED BLEND; COLOR: ROYAL BLUE PANTONE 19_3955; SPECIFICATION: ASTM F1506; COMPLIANCE STANDARD: AFP PPE 240-70044736 LATEST REV; SIZE: 3XL	EA	50		
7	0244571	JACKET, ARC FLASH: CATEGORY: 2; ARC RATING: MIN 12 CAL/CM2; MATERIAL: ARC RATED BLEND; COLOR: ROYAL BLUE PANTONE 19_3955; SPECIFICATION: ASTM F1506; COMPLIANCE STANDARD: AFP PPE 240-70044736 LATEST REV; SIZE: 4XL	EA	20		

8	0244572	JACKET, ARC FLASH: CATEGORY: 2; ARC RATING: MIN 12 CAL/CM2; MATERIAL: ARC RATED BLEND; COLOR: ROYAL BLUE PANTONE 19_3955; SPECIFICATION: ASTM F1506; COMPLIANCE STANDARD: AFP PPE 240-70044736 LATEST REV; SIZE: 5XL	EA	20		
9	0244573	JACKET, ARC FLASH: CATEGORY: 4; ARC RATING: MIN 50 CAL/CM2; MATERIAL: ARC RATED BLEND; COLOR: ROYAL BLUE PANTONE 19_3955; SPECIFICATION: ASTM F1506; COMPLIANCE STANDARD: AFP PPE 240-70044736 LATEST REV; SIZE: S	EA	20		
10	0244574	JACKET, ARC FLASH: CATEGORY: 4; ARC RATING: MIN 50 CAL/CM2; MATERIAL: ARC RATED BLEND; COLOR: ROYAL BLUE PANTONE 19_3955; SPECIFICATION: ASTM F1506; COMPLIANCE STANDARD: AFP PPE 240-70044736 LATEST REV; SIZE: M	EA	30		
11	0244575	JACKET, ARC FLASH: CATEGORY: 4; ARC RATING: MIN 50 CAL/CM2; MATERIAL: ARC RATED BLEND; COLOR: ROYAL BLUE PANTONE 19_3955; SPECIFICATION: ASTM F1506; COMPLIANCE STANDARD: AFP PPE 240-70044736 LATEST REV; SIZE: L	EA	30		
12	0244576	JACKET, ARC FLASH: CATEGORY: 4; ARC RATING: MIN 50 CAL/CM2; MATERIAL: ARC RATED BLEND; COLOR: ROYAL BLUE PANTONE 19_3955; SPECIFICATION: ASTM F1506; COMPLIANCE STANDARD: AFP PPE 240-70044736 LATEST REV; SIZE: XL	EA	30		
13	0244577	JACKET, ARC FLASH: CATEGORY: 4; ARC RATING: MIN 50 CAL/CM2; MATERIAL: ARC RATED BLEND; COLOR: ROYAL BLUE PANTONE 19_3955; SPECIFICATION: ASTM F1506; COMPLIANCE STANDARD: AFP PPE 240-70044736 LATEST REV; SIZE: 2XL	EA	20		
14	0244578	JACKET, ARC FLASH: CATEGORY: 4; ARC RATING: MIN 50 CAL/CM2; MATERIAL: ARC RATED BLEND; COLOR: ROYAL BLUE PANTONE 19_3955; SPECIFICATION: ASTM F1506; COMPLIANCE STANDARD: AFP PPE 240-70044736 LATEST REV; SIZE: 3XL	EA	10		
15	0244579	JACKET, ARC FLASH: CATEGORY: 4; ARC RATING: MIN 50 CAL/CM2; MATERIAL: ARC RATED BLEND; COLOR: ROYAL BLUE PANTONE 19_3955; SPECIFICATION: ASTM F1506; COMPLIANCE STANDARD: AFP PPE 240-70044736 LATEST REV; SIZE: 4XL	EA	10		
16	0244580	JACKET, ARC FLASH: CATEGORY: 4; ARC RATING: MIN 50 CAL/CM2; MATERIAL: ARC RATED BLEND; COLOR: ROYAL BLUE PANTONE 19_3955; SPECIFICATION: ASTM F1506; COMPLIANCE STANDARD: AFP PPE 240-70044736 LATEST REV; SIZE: 5XL	EA	10		
17	0244581	TROUSER, ARC FLASH: CATEGORY: 2; ARC RATING: MIN 12 CAL/CM2; MATERIAL: ARC RATED BLEND; COLOR: ROYAL BLUE PANTONE 19_3955; SPECIFICATION: ASTM F1506; COMPLIANCE	EA	150		

		STANDARD: AFP PPE 240-70044736 LATEST REV; SIZE: S				
18	0244582	TROUSER, ARC FLASH: CATEGORY: 2; ARC RATING: MIN 12 CAL/CM2; MATERIAL: ARC RATED BLEND; COLOR: ROYAL BLUE PANTONE 19_3955; SPECIFICATION: ASTM F1506; COMPLIANCE STANDARD: AFP PPE 240-70044736 LATEST REV; SIZE: M	EA	300		
19	0244583	TROUSER, ARC FLASH: CATEGORY: 2; ARC RATING: MIN 12 CAL/CM2; MATERIAL: ARC RATED BLEND; COLOR: ROYAL BLUE PANTONE 19_3955; SPECIFICATION: ASTM F1506; COMPLIANCE STANDARD: AFP PPE 240-70044736 LATEST REV; SIZE: L	EA	300		
20	0244584	TROUSER, ARC FLASH: CATEGORY: 2; ARC RATING: MIN 12 CAL/CM2; MATERIAL: ARC RATED BLEND; COLOR: ROYAL BLUE PANTONE 19_3955; SPECIFICATION: ASTM F1506; COMPLIANCE STANDARD: AFP PPE 240-70044736 LATEST REV; SIZE: XL	EA	200		
21	0244585	TROUSER, ARC FLASH: CATEGORY: 2; ARC RATING: MIN 12 CAL/CM2; MATERIAL: ARC RATED BLEND; COLOR: ROYAL BLUE PANTONE 19_3955; SPECIFICATION: ASTM F1506; COMPLIANCE STANDARD: AFP PPE 240-70044736 LATEST REV; SIZE: 2XL	EA	100		
22	0244586	TROUSER, ARC FLASH: CATEGORY: 2; ARC RATING: MIN 12 CAL/CM2; MATERIAL: ARC RATED BLEND; COLOR: ROYAL BLUE PANTONE 19_3955; SPECIFICATION: ASTM F1506; COMPLIANCE STANDARD: AFP PPE 240-70044736 LATEST REV; SIZE: 3XL	EA	50		
23	0244587	TROUSER, ARC FLASH: CATEGORY: 2; ARC RATING: MIN 12 CAL/CM2; MATERIAL: ARC RATED BLEND; COLOR: ROYAL BLUE PANTONE 19_3955; SPECIFICATION: ASTM F1506; COMPLIANCE STANDARD: AFP PPE 240-70044736 LATEST REV; SIZE: 4XL	EA	20		
24	0244588	TROUSER, ARC FLASH: CATEGORY: 2; ARC RATING: MIN 12 CAL/CM2; MATERIAL: ARC RATED BLEND; COLOR: ROYAL BLUE PANTONE 19_3955; SPECIFICATION: ASTM F1506; COMPLIANCE STANDARD: AFP PPE 240-70044736 LATEST REV; SIZE: 5XL	EA	20		
25	0244589	TROUSER, ARC FLASH: CATEGORY: 4; ARC RATING: MIN 50 CAL/CM2; MATERIAL: ARC RATED BLEND; COLOR: ROYAL BLUE PANTONE 19_3955; SPECIFICATION: ASTM F1506; COMPLIANCE STANDARD: AFP PPE 240-70044736 LATEST REV; SIZE: S	EA	30		
26	0244590	TROUSER, ARC FLASH: CATEGORY: 4; ARC RATING: MIN 50 CAL/CM2; MATERIAL: ARC RATED BLEND; COLOR: ROYAL BLUE PANTONE 19_3955; SPECIFICATION: ASTM F1506; COMPLIANCE STANDARD: AFP PPE 240-70044736 LATEST REV; SIZE: M	EA	30		
27	0244591	TROUSER, ARC FLASH: CATEGORY: 4; ARC RATING: MIN 50 CAL/CM2; MATERIAL: ARC RATED BLEND;	EA	30		

		COLOR: ROYAL BLUE PANTONE 19_3955; SPECIFICATION: ASTM F1506; COMPLIANCE STANDARD: AFP PPE 240-70044736 LATEST REV; SIZE: L				
28	0244592	TROUSER, ARC FLASH: CATEGORY: 4; ARC RATING: MIN 50 CAL/CM2; MATERIAL: ARC RATED BLEND; COLOR: ROYAL BLUE PANTONE 19_3955; SPECIFICATION: ASTM F1506; COMPLIANCE STANDARD: AFP PPE 240-70044736 LATEST REV; SIZE: XL	EA	30		
29	0244593	TROUSER, ARC FLASH: CATEGORY: 4; ARC RATING: MIN 50 CAL/CM2; MATERIAL: ARC RATED BLEND; COLOR: ROYAL BLUE PANTONE 19_3955; SPECIFICATION: ASTM F1506; COMPLIANCE STANDARD: AFP PPE 240-70044736 LATEST REV; SIZE: 2XL	EA	20		
30	0244594	TROUSER, ARC FLASH: CATEGORY: 4; ARC RATING: MIN 50 CAL/CM2; MATERIAL: ARC RATED BLEND; COLOR: ROYAL BLUE PANTONE 19_3955; SPECIFICATION: ASTM F1506; COMPLIANCE STANDARD: AFP PPE 240-70044736 LATEST REV; SIZE: 3XL	EA	10		
31	0244595	TROUSER, ARC FLASH: CATEGORY: 4; ARC RATING: MIN 50 CAL/CM2; MATERIAL: ARC RATED BLEND; COLOR: ROYAL BLUE PANTONE 19_3955; SPECIFICATION: ASTM F1506; COMPLIANCE STANDARD: AFP PPE 240-70044736 LATEST REV; SIZE: 4XL	EA	10		
32	0244596	TROUSER, ARC FLASH: CATEGORY: 4; ARC RATING: MIN 50 CAL/CM2; MATERIAL: ARC RATED BLEND; COLOR: ROYAL BLUE PANTONE 19_3955; SPECIFICATION: ASTM F1506; COMPLIANCE STANDARD: AFP PPE 240-70044736 LATEST REV; SIZE: 5XL	EA	10		
33	0244598	GLOVE, ARC FLASH: CATEGORY: 2; ARC RATING: MIN 12 CAL/CM2; MATERIAL: ARC RATED BLEND; COLOR: UNIVERSAL; SPECIFICATION: ASTM F2675/F2675M-13; COMPLIANCE STANDARD: AFP PPE 240-70044736 LATEST REV; SIZE: 6; TESTED AND COMPLIANT TO ASTM F2675	EA	10		
34	0244599	GLOVE, ARC FLASH: CATEGORY: 2; ARC RATING: MIN 12 CAL/CM2; MATERIAL: ARC RATED BLEND; COLOR: UNIVERSAL; SPECIFICATION: ASTM F2675/F2675M-13; COMPLIANCE STANDARD: AFP PPE 240-70044736 LATEST REV; SIZE: 7; TESTED AND COMPLIANT TO ASTM F2675	EA	10		
35	0244600	GLOVE, ARC FLASH: CATEGORY: 2; ARC RATING: MIN 12 CAL/CM2; MATERIAL: ARC RATED BLEND; COLOR: UNIVERSAL; SPECIFICATION: ASTM F2675/F2675M-13; COMPLIANCE STANDARD: AFP PPE 240-70044736 LATEST REV; SIZE: 8; TESTED AND COMPLIANT TO ASTM F2675	EA	10		
36	0244601	GLOVE, ARC FLASH: CATEGORY: 2; ARC RATING: MIN 12 CAL/CM2; MATERIAL: ARC RATED BLEND; COLOR: UNIVERSAL; SPECIFICATION: ASTM F2675/F2675M-13; COMPLIANCE STANDARD: AFP PPE 240-70044736 LATEST REV; SIZE: 9; TESTED AND COMPLIANT TO ASTM F2675	EA	10		

37	0244606	LENS, SAFETY EQUIPMENT: TYPE: VISOR; SHADE: TINTED; MATERIAL: ARC RATED; DIMENSIONS: WD 500 X LG 250 X THK 1.5 MM; SPECIFICATION: ASTM F2178; VISOR LENS REPLACEMENT PART; COMPLY WITH AFP PPE STANDARD 240-70044736 LATEST REV	EA	10		
38	0244607	BRACKET: TYPE: ARC FLASH; MATERIAL: PVC; DIMENSIONS: LG 63 X WD 40 X THK 18 MM; SPECIFICATION: ASTM 2178; BRACKET REPLACEMENT PART; COMPLY WITH AFP PPE STANDARD 240-70044736 LATEST REV, BRACKET SLOT FOR THE VISOR HOLDERS 10 MM X 4 MM	EA	10		
39	0244608	VISOR, FACESHIELD INDUSTRIAL: MOUNT: FACE; MATERIAL: ARC RATED; COLOR: TINTED; VISOR LENGTH: 250 MM; VISOR WIDTH: 500 MM; VISOR TO BE SUPPLIED COMPLETE WITH MOUNTING BRACKETS; COMPLY WITH AFP PPE STANDARD 240-70044736 LATEST REV	EA	10		
40	0244597	BALACLAVA, ARC FLASH: CATEGORY: 2; ARC RATING: MIN 12 CAL/CM2; MATERIAL: ARC RATED BLEND; COLOR: UNIVERSAL; SPECIFICATION: ASTM F2178; COMPLIANCE STANDARD: AFP PPE 240-70044736 LATEST REV; SIZE: UNIVERSAL; TESTED AND COMPLIANT TO ASTM F2178	EA	10		
41	0245111	HOOD, ARC FLASH: CATEGORY: 4; ARC RATING: MIN 50 CAL/CM2; MATERIAL: ARC RATED BLEND; COLOR: ROYAL BLUE PANTONE 19_3955; SPECIFICATION: ASTM F2178; COMPLIANCE STANDARD: AFP PPE 240-70044736 LATEST REV; SIZE: UNIVERSAL	EA	10		
42	0245112	GLOVE, ARC FLASH: CATEGORY: 4; ARC RATING: MIN 50 CAL/CM2; MATERIAL: ARC RATED BLEND; COLOR: ROYAL BLUE PANTONE 19_3955; SPECIFICATION: ASTM F2675/F2675M-13; COMPLIANCE STANDARD: AFP PPE 240-70044736 LATEST REV; SIZE: 10; TESTED AND COMPLIANT TO ASTM F2675	EA	10		
43	0245113	GLOVE, ARC FLASH: CATEGORY: 4; ARC RATING: MIN 50 CAL/CM2; MATERIAL: ARC RATED BLEND; COLOR: ROYAL BLUE PANTONE 19_3955; SPECIFICATION: ASTM F2675/F2675M-13; COMPLIANCE STANDARD: AFP PPE 240-70044736 LATEST REV; SIZE: 11; TESTED AND COMPLIANT TO ASTM F2675	EA	10		
44	0245114	GLOVE, ARC FLASH: CATEGORY: 4; ARC RATING: MIN 50 CAL/CM2; MATERIAL: ARC RATED BLEND; COLOR: ROYAL BLUE PANTONE 19_3955; SPECIFICATION: ASTM F2675/F2675M-13; COMPLIANCE STANDARD: AFP PPE 240-70044736 LATEST REV; SIZE: 12; TESTED AND COMPLIANT TO ASTM F2675	EA	10		
45	0245115	BAG: TYPE: BAG CAT 4 KIT; DIMENSIONS: LG 650 X WD 300 X HT 300 MM; COLOR: BLACK; MATERIAL: WATERPROOF; BAG REQUIRED FOR THE SAFE KEEPING OF THE CATEGORY 4 AFP KIT	EA	20		
46		SAFETY FILE YEAR 1	EA	1		
47		SAFETY FILE YEAR 2 AND YEAR 3	EA	2		

The total of the Prices