

Reference	Rev	Page
DSG-318-038	3a	1 of 4

ESKOM
(KOEBERG NUCLEAR POWER STATION)
SPECIFICATIONS ENGINEERING

Specification Title

GLOVES COTTON AMBIDEXTROUS

PREPARED BY:

JH MÜLLER

REVIEWED BY:

M MEKISICH (RP)

DC EVANS (SEG)

APPROVED BY:

JHE DANIELS

DATE:

13/02/02

*Attachment - Specification
- (Classification Data List)*

Reference	Rev	Page
DSG-318-038	3a	2 of 4

**KOEBERG NUCLEAR POWER STATION
SPECIFICATIONS ENGINEERING GROUP**

GLOVES COTTON AMBIDEXTROUS

APPROVED: JHE Daniels		DATE: 28 September 2000
PARAGRAPHS	PREPARED BY	REVIEWED BY
All	G Torode	M Mekisich
Rev 1	G Torode	M Mekisich
Rev 2	JH Müller	M Mekisich
Rev 3	JH Müller	M Mekisich/DC Evans
Rev 3a	JH Müller	DC Evans

RECORD OF REVISIONS

Rev	Date	Description of Revision	Prep.	Rev.	Appr.
0	10/06/99	Original	GT	MM	NL
1	15/07/99	Complete Rewrite	GT	MM	NL
2	28/9/00	Paragraph change : Cuff – 50mm changed to 60mm Length a : 220mm changed to 260mm	JHM	MM	JHED
3	26/11/01	Paragraph change: Length a – 260mm Changed to 240 mm	JHM	MM/DCE	JHED
3a	06/02/02	Change wording on page 4 from unbleached sanforised to yellow dye fast.	JHM	MM/DCE	JHED

Reference	Rev	Page
DSG-318-038	3	3 of 4

ESKOM

KOEBERG NUCLEAR POWER STATION

NUCLEAR ENGINEERING

SPECIFICATION ENGINEERING GROUP

TECHNICAL SPECIFICATION

PRODUCT DESCRIPTION: GLOVES COTTON AMBIDEXTROUS

TECHNICAL DESCRIPTION: GLOVES COTTON AMBIDEXTROUS AS CONTAINED IN KNPS RADIATION PROTECTION DATA SHEET (ATTACHED).

IDENTIFICATION OF PRODUCT:

Each package is to be marked with:

1. General description of package content.
2. Manufacturer's name and product part / model numbers.
3. ESKOM's NSN number (if applicable).
4. ESKOM's order number.

CERTIFICATION:

Manufacturer / Supplier to complete ESKOM (KOEBERG) CERTIFICATE OF CONFORMANCE certifying that the product supplied meets the requirements of this specification.

Full details of all deviations from this specification must be submitted to ESKOM (KOEBERG) in writing for clearance prior to manufacture / dispatch of the product.


Reference	Rev	Page
DSG-318-038	3a	4 of 4

Gloves Cotton Ambidextrous

016 0971

All knitted stretch fabric of loose twist two strand yarn yellow dye fast cotton.

- Cuff 60mm ruched and elasticised. Extreme edge to have 3mm wide green cotton overlocking incorporating a safety stitch.
- Length a From cuff to end of middle finger.
240mm + or – 5mm. See rough sketch.
- Width b Across hand from web of thumb.
100mm + or – 5mm. See rough sketch.



The glove must be so designed that it can be worn on either left or right hands. The glove must have no seams where fabric has been sewn together. It must be of a style / thickness / knitted tension / softness so that it can be worn comfortably for many hours under laytex rubber gloves.

NOTE: ALL SUPPLIERS TO HAVE THEIR PRODUCT CLEARED BY RADIATION PROTECTION PRIOR TO ORDER BEING PLACED.

Obtain 5 sample pairs of gloves for Radiation Protection to test and evaluate.

Receipt inspection required