

Supply and delivery of Steel and Welding supplies			
Description	Qty	Unit Price	Total Price
Mild Steel Plates			
2500x1200x3mm	15		
2500x1200x4mm	15		
2500x1200x6mm	450		
2500x1200x10mm	45		
2500x1200x12mm	15		
2500x1200x16mm	15		
2500x1200x25mm	15		
2500x1200x30mm	45		
2500x1200x35mm	15		
Mild steel Checker			
2500x1200x4,5/6,1mm	60		
Round Bar			
6x6000mm Mild Steel	240		
12x6000mm Mild Steel	15		
8x1000mm Stainless 304	90		
Mild Steel Flat Bar			
25x5mm, 6m lengths	180		
30x6mm, per kg	255		
50x6mm, 6m lengths	30		
Mild Steel Channels,			
100x50mm, 6m length	480		
152x76mm, 1m length	180		
Mild Steel Angles, 6m lengths			
25x25x3mm,	240		

40x40x5mm,	15		
50x50x5mm,	15		
Mild Steel Pipe-Seamless, 6m lengths			
ID 25mm, Thk 3mm	360		
ID 50mm, Thk 4mm	120		
ID 80mm, Thk 4mm	120		
Welding Supplies			
Nozzle ANM 2 mm	300		
Nozzle ANM 0.8 mm	300		
Nozzle ANM 1.6 mm	300		
Nozzle ANM 3.2 mm	300		
Nozzle ANM 1.2 mm	300		
Shield 220536	450		
Nozzle 220892	540		
Shield 420045	150		
Nozzle 420044	150		
Retaining Cap 220935	450		
Swirl Ring 220488	300		
Electrode Welding E6013 2.5 mm, 5 kg	480		
Electrode Welding E7018 3.15 mm, 5 kg	480		
Electrode Welding E6013 3.15 mm, 5 kg	480		
Electrode 220937	480		
Electrode 220488	150		
Electrode Welding E309/309L-16, SS, 3,25mm, 4 kg	90		
Electrode Welding E308/308L, SS, 2.5 mm, 1 kg	90		
Welding Electrode Holder, Twist Lock, 600A	60		
Welding Electrode Holder, Jaw type, 500A	60		
Welding Wire 1.2 mm MIG6000, 18 kg	90		
Lens welding Clear 108x51mm	300		
Lens Protane no.12 108x51mm	300		
Lens Protane no.11 108x51mm	300		

Lens Protane no.8 108x51mm	300		
Stainless Steel 600A Earth Clamp	30		
KIT: TYPE: TUNGSTEN BURRS; APPLICATION: GRINDING; COMPRISING: 10 PIECES; MANUF P/N: RBS.BOX; BURR SIZES: 6 X 13MM; 12 X 25MM; 6 X 16MM; 6 X 5.4MM; 12 X 10.8MM; 6 X 18MM; 12 X 25MM; 6 X 18MM; 12 X 25MM	30		
TORCH, CUTTING: UNIT TYPE: HEAVY DUTY; COMMERCIAL SIZE: 500 MM; CONNECTION TYPE: 90 DEGREE; MANUF P/N: W005803	15		
BLADE, SAW: SAW TYPE: POWER; ; MANUF P/N: AA373H, 450x32x10TPI	60		
ARRESTER, FLASHBACK: TYPE: REGULATOR MOUNT; CONNECTION SIZE: 8 MM; MATERIAL: BRASS; MOUNTING METHOD: THREADED; MANUF P/N: W012036; W012037; 1 X OXYGEN AND 1 X FUEL GAS;	45		
ARRESTER, FLASHBACK: TYPE: TORCH MOUNT; CONNECTION SIZE: 8 MM; MATERIAL: BRASS; MOUNTING METHOD: THREADED; MANUF P/N: W012041; W012042; 1 X OXYGEN AND 1 X FUEL GAS;	45		
CLEANER, TIP: TYPE: WELDING/CUTTING NOZZLE; DIAMETER: 0.8 TO 3.2 MM	45		
LIGHTER: TYPE: TRIPLE FLINT	90		
REGULATOR, PRESSURE: TYPE: ACETYLENE; INLET PRESSURE: MAX 2500 KPA; OUTLET PRESSURE: 150 KPA; CONNECTION: LH SE; BODY MATERIAL: BRASS; MANUF P/N: W003137;	30		
REGULATOR, PRESSURE: TYPE: OXYGEN; INLET PRESSURE: MAX 20000 KPA; OUTLET PRESSURE: 1000 KPA; CONNECTION: RH SE; BODY MATERIAL: BRASS; MANUF P/N: W003139;	30		

CHALK: TYPE: BOILERMAKERS; COLOR: SOAPSTONE; FORM: RECTANGULAR; 3 KG BOX WITH 144 PIECES	18		
---	----	--	--

	YEAR 1	YEAR 2	YEAR 3
TOTAL			

GRAND TOTAL	
-------------	--