




17TM Crane to be fitted on the 6X4 Truck Tractor




The functionality criteria will be evaluated based on the following (At 4 m, it must lift 4250kg):

Criteria:	Proof of evidence
Crane lifting capacity: At 4 m, it must lift 4250kg	Crane specification
Crane Specification <ul style="list-style-type: none"><li>• +/- Mass of standard crane: <b>2035kg</b></li><li>• +/- minimum fitting space required: <b>1400mm</b></li></ul>	Crane specification
Top seat + joystick controls + foot pedals + safety belt	Crane specification
Outriggers with hydraulic extension to both sides, including two hydraulic stabilizer jacks	Crane specification
2 Months LEAD TIME (days from order to delivery)	Crane specification

Compiled by	Mavela Mswane	Signature		Date	19/08/2025
Supported by	Mutshi Baloyi	Signature		Date	19/08/2025
Approved by	Mike Masondo	Signature		Date	19/08/2025




The functionality criteria will be evaluated based on the following (Truck tractor 6X4):

Criteria:	Proof of evidence
6x4 Truck Tractor more than 320 kW (White)	OEM Truck specification Brochure, Detailed pictures
Single slipper cab and still bumper *All or nothing	OEM Truck specification Brochure, Detailed pictures
Permissible Front axle Rating "max 7500 kg" *All or nothing	OEM Truck specification Brochure, Detailed pictures
3 Months LEAD TIME With crane installation (days from order to delivery)	Letter from supplier

Complied by	Mavela Mswane	Signature		Date	19/08/25
Supported by	Mutshi Baloi	Signature		Date	19/08/2025
Approved by	Mike Masondo	Signature		Date	19/08/25

The functionality criteria will be evaluated based on the following (Rigid tractor):




Criteria:	Proof of evidence
6x4 Truck Tractor more than 268 kW	Truck specification
Single slipper cab and still bumper *All or nothing	Truck specification
Permissible Front axle Rating "max 7500 kg" *All or nothing	Truck specification
2 Months LEAD TIME (days from order to delivery)	Letter from supplier

Compiled by	Mavela Mswane	Signature		Date	14/08/25
Supported by	Mutshi Baloyi	Signature		Date	19/08/2025
Assessed/Evaluated by	Mutshi Baloyi	Signature		Date	19/08/25

The functionality criteria will be evaluated based on the following:




23Tm Crane to be fitted on the Rear of 6X4 Truck Rigid

Criteria:	Proof of evidence
Crane lifting capacity: At 4 m, it must lift 6000kg *All or nothing	Crane specification
Crane Specification <ul style="list-style-type: none"> <li>+/- mass of standard crane: 2895kg</li> <li>+/- minimum fitting space required: 1100mm</li> </ul> *All or nothing	Crane specification
Remote Control *All or nothing	Crane specification
Outriggers with hydraulic extension to both sides, including two hydraulic stabilizer jacks *All or nothing	Crane specification
LEAD TIME (Weeks from order to delivery) *Ten weeks = 25 points *Twelve weeks =15 points	Crane specification

Compiled by	Mavela Mswane	Signature		Date	14/08/25
supported by	Mutshi Baloyi	Signature		Date	19/08/2025
Approved by	Mike Masondo	Signature		Date	19/08/25

**The functionality criteria will be evaluated based on the following (Tri Axle Trailer)**

Criteria:	Proof of evidence
Description: 14-meter Tri-axles flat deck trailer with drop side to be pulled by 6X4 truck tractor with rear mounted crane	Trailer specification
Landing Legs: Two speed heavy duty square leg, rubber cushioned foot, braced to withstand loading from any angle. Near side operation  *All or nothing	Trailer specification
The headboard on pole trailers must be 1.8m high and must have a grab box fitted for storage of pole grab 500mm in front of the headboard.	Trailer specification
Heavy duty lashing hooks 1.5 m each side apart.	Trailer specification
Heavy duty rachets mounted on each side of the deck, six on the 6 m and twelve on the 12 m trailer	Trailer specification
2 x Toolbox, 1225 mm(L) x 600 mm(W) x 600 mm(H)	Trailer specification
Fifth Wheel: 50mm king pin diameter  *All or nothing	Trailer specification
<b>2 Months LEAD TIME</b> <b>(days from order to delivery)</b>	Letter from supplier

Compiled by	Mavela Mswane	Signature		Date	19/08/25
Supported by	Mutshi Baloyi	Signature		Date	19/08/2025
Approved by	Mike Masondo	Signature		Date	19/08/25