



## NEC3 Supply Contract (SC3)

Between **ESKOM HOLDINGS SOC Ltd**  
(Reg No. 2002/015527/30)

and  
(Reg No. )

for **Manufacture, supply and delivery of labels used and applied in substations as well as on HV, MV and LV lines within the LimLanga Cluster, Mpumalanga and Limpopo Operating Unit on an "as and when required" basis over a period of 60-months**

| <b>Contents:</b>                              | <b>No of pages</b> |
|---|--------------------|
| <b>Part C1 Agreements &amp; Contract Data</b> | <b>[3]</b>         |
| <b>Part C2 Pricing Data</b>                   | <b>[27]</b>        |
| <b>Part C3 Scope of Work</b>                  | <b>[31]</b>        |

**CONTRACT No.**

## **PART C1:        AGREEMENTS & CONTRACT DATA**

---

| <b>Contents:</b>  | <b>No of<br/>pages</b> |
|---|------------------------|
| <b>C1.1   Form of Offer and Acceptance</b>                    | <b>[3]</b>             |
| <b>C1.2a   Contract Data provided by the <i>Purchaser</i></b> | <b>[6]</b>             |
| <b>C1.2b   Contract Data provided by the <i>Supplier</i></b>  | <b>[21]</b>            |
| <b>C1.3   Proforma Guarantees</b>                             | <b>[22]</b>            |

---

## C1.1 Form of Offer & Acceptance

### Offer

The Purchaser, identified in the Acceptance signature block, has solicited offers to enter into a contract for the procurement of:

**Manufacture, supply and delivery of labels used and applied in substations as well as on HV, MV and LV lines within the LimLanga Cluster, Mpumalanga and Limpopo Operating Unit on an "as and when required" basis over a period of 60-months.**

The tenderer, identified in the Offer signature block, has

|               |   |
|---------------|---|
| <i>either</i> | examined the documents listed in the Tender Data and addenda thereto as listed in the Returnable Schedules, and by submitting this Offer has accepted the Conditions of Tender. |
| <i>or</i>     | examined the draft contract as listed in the Acceptance section and agreed to provide this Offer.   |

By the representative of the tenderer, deemed to be duly authorised, signing this part of this Form of Offer and Acceptance the tenderer offers to perform all of the obligations and liabilities of the *Supplier* under the contract including compliance with all its terms and conditions according to their true intent and meaning for an amount to be determined in accordance with the *conditions of contract* identified in the Contract Data.

|  |  |  |
|--|--|--|
|  | The offered total of the Prices exclusive of VAT is                  |  |
|  | Value Added Tax @ 15% is   |  |
|  | The offered total of the amount due inclusive of VAT is <sup>1</sup> |  |
|  | (in words)   |  |

This Offer may be accepted by the Purchaser by signing the Acceptance part of this Form of Offer and Acceptance and returning one copy of this document including the Schedule of Deviations (if any) to the tenderer before the end of the period of validity stated in the Tender Data, or other period as agreed, whereupon the tenderer becomes the party named as the *Supplier* in the *conditions of contract* identified in the Contract Data.

|   |  |      |  |
|---|--|------|--|
| Signature(s)  |  |      |  |
| Name(s)   |  |      |  |
| Capacity  |  |      |  |
| <b>For the tenderer:</b><br>(Insert name and address of organisation) |  |      |  |
| Name & signature of witness   |  | Date |  |

<sup>1</sup> This total is required by the *Purchaser* for budgeting purposes only. Actual amounts due will be assessed in terms of the *conditions of contract*.

MANUFACTURE, SUPPLY AND DELIVERY OF LABELS USED AND APPLIED IN SUBSTATIONS AS WELL AS ON HV, MV AND LV LINES WITHIN THE LIMLANGA CLUSTER, MPUMALANGA AND LIMPOPO OPERATING UNIT ON AN "AS AND WHEN REQUIRED" BASIS OVER A PERIOD OF 60-MONTHS.

## Acceptance

By signing this part of this Form of Offer and Acceptance, the Purchaser identified below accepts the tenderer's Offer. In consideration thereof, the Purchaser shall pay the Supplier the amount due in accordance with the *conditions of contract* identified in the Contract Data. Acceptance of the tenderer's Offer shall form an agreement between the Purchaser and the tenderer upon the terms and conditions contained in this agreement and in the contract that is the subject of this agreement.

The terms of the contract, are contained in:

|         |  |
|---------|--|
| Part C1 | Agreements and Contract Data, (which includes this Form of Offer and Acceptance) |
| Part C2 | Pricing Data   |
| Part C3 | Scope of Work: Goods Information including Supply Requirements                   |

and drawings and documents (or parts thereof), which may be incorporated by reference into the above listed Parts.

Deviations from and amendments to the documents listed in the Tender Data and any addenda thereto listed in the Returnable Schedules as well as any changes to the terms of the Offer agreed by the tenderer and the Purchaser during this process of offer and acceptance, are contained in the Schedule of Deviations attached to and forming part of this Form of Offer and Acceptance. No amendments to or deviations from said documents are valid unless contained in this Schedule.

The tenderer shall within two weeks of receiving a completed copy of this agreement, including the Schedule of Deviations (if any), contact the Purchaser's agent (whose details are given in the Contract Data) to arrange the delivery of any securities, bonds, guarantees, proof of insurance and any other documentation to be provided in terms of the *conditions of contract* identified in the Contract Data at, or just after, the date this agreement comes into effect. Failure to fulfil any of these obligations in accordance with those terms shall constitute a repudiation of this agreement.

Notwithstanding anything contained herein, this agreement comes into effect on the date when the tenderer receives one fully completed and signed original copy of this document, including the Schedule of Deviations (if any).

|   |  |      |  |
|---|--|------|--|
| Signature(s)  |  |      |  |
| Name(s)   |  |      |  |
| Capacity  |  |      |  |
| <b>for the Purchaser</b><br>(Insert name and address of organisation) | <b>Eskom Holdings SOC Ltd, Megawatt Park, Maxwell Drive, Sandton, Johannesburg, 2199</b> |      |  |
| Name & signature of witness   |  | Date |  |

Note: If a tenderer wishes to submit alternative tenders, use another copy of this Form of Offer and Acceptance.

MANUFACTURE, SUPPLY AND DELIVERY OF LABELS USED AND APPLIED IN SUBSTATIONS AS WELL AS ON HV, MV AND LV LINES WITHIN THE LIMLANGA CLUSTER, MPUMALANGA AND LIMPOPO OPERATING UNIT ON AN "AS AND WHEN REQUIRED" BASIS OVER A PERIOD OF 60-MONTHS.

### Schedule of Deviations to be completed by the *Purchaser* prior to contract award

Note:

1. This part of the Offer & Acceptance would not be required if the contract has been developed by negotiation between the Parties and is not the result of a process of competitive tendering.
2. The extent of deviations from the tender documents issued by the Purchaser prior to the tender closing date is limited to those permitted in terms of the Conditions of Tender.
3. A tenderer's covering letter must not be included in the final contract document. Should any matter in such letter, which constitutes a deviation as aforesaid be the subject of agreement reached during the process of Offer and Acceptance, the outcome of such agreement shall be recorded here and the final draft of the contract documents shall be revised to incorporate the effect of it.

| No. | Subject | Details |
|-----|---------|---------|
| 1   |         |         |
| 2   |         |         |
| 3   |         |         |
| 4   |         |         |
| 5   |         |         |
| 6   |         |         |
| 7   |         |         |

By the duly authorised representatives signing this Schedule of Deviations below, the Purchaser and the tenderer agree to and accept this Schedule of Deviations as the only deviations from and amendments to the documents listed in the Tender Data and any addenda thereto listed in the Tender Schedules, as well as any confirmation, clarification or changes to the terms of the Offer agreed by the tenderer and the Purchaser during this process of Offer and Acceptance.

It is expressly agreed that no other matter whether in writing, oral communication or implied during the period between the issue of the tender documents and the receipt by the tenderer of a completed signed copy of this Form shall have any meaning or effect in the contract between the parties arising from this Agreement.

|   | For the tenderer: | For the Purchaser  |
|---|-------------------|--|
| Signature   |                   |  |
| Name  |                   |  |
| Capacity  |                   |  |
| On behalf of<br>(Insert name and address of organisation) |                   | <b>Eskom Holdings SOC Ltd, Megawatt Park, Maxwell Drive, Sandton, Johannesburg, 2199</b> |
| Name & signature of witness                               |                   |  |
| Date  |                   |  |

## C1.2 SC3 Contract Data

### Part one - Data provided by the *Purchaser*

Completion of this data in full, according to the Options chosen, is essential to create a complete contract.

| Clause | Statement  | Data   |
|--------|--|--|
| 1      | <b>General</b>   |  |
|        | The <i>conditions of contract</i> are the core clauses and the clauses for Options |  |
|        |  | <b>X1: Contract Price Adjustment</b>   |
|        |  | <b>X2: Changes in the law</b>  |
|        |  | <b>X7: Delay damages.</b> 0.25% per order, if the Supplier is one week outside the agreed Delivery timelines and a maximum of 10% in two weeks outside Delivery timelines. The Purchaser should be able to prove that everything administrable possible was done without success. Emails and letters will be used as source documents for communication. |
|        |  | <b>X17: Low performance damages</b>  |
|        |  | <b>Z: Additional conditions of contract</b>  |
|        | of the NEC3 Supply Contract (April 2013) <sup>2</sup>                              | (If the December 2009 edition is to be used delete April 2013 and replace by December 2013)  |
| 10.1   | The <i>Purchaser</i> is (name):  | <b>Eskom Holdings SOC Ltd (reg no: 2002/015527/30), a state owned company incorporated in terms of the company laws of the Republic of South Africa</b>  |
|        | Address  | <b>Registered office at Megawatt Park, Maxwell Drive, Sandton, Johannesburg</b>  |
|        | Tel No.  | <b>011 800 8000</b>  |
|        | Fax No.  | <b>N/A</b>   |
| 10.1   | The <i>Supply Manager</i> is (name):   | <b>Pheladi Diale</b>   |
|        | Address  | <b>Eskom Holdings SOC Ltd</b>  |
|        | Tel  | <b>+27 14 736 9573</b>   |

<sup>2</sup> Available from Engineering Contract Strategies Tel 011 803 3008 Fax 086 539 1902, [www.ecs.co.za](http://www.ecs.co.za).

|          |  |  |  |
|----------|--|--|--|
|          | Fax  | N/A  |  |
|          | e-mail   | <a href="mailto:DialeMP@eskom.co.za">DialeMP@eskom.co.za</a>   |  |
| 11.2(13) | The <i>goods</i> are   | Supply and delivery  |  |
| 11.2(13) | The <i>services</i> are  | Manufacture, supply and delivery of labels used and applied in substations as well as on HV, MV and LV lines within the LimLanga Cluster, Mpumalanga and Limpopo Operating Unit on an "as and when required" basis over a period of 60-months. |  |
| 11.2(14) | The following matters will be included in the Risk Register  | <ol style="list-style-type: none"> <li>1. Late deliveries</li> <li>2. Supply of incorrect product / product out of Eskom designs / specifications.</li> <li>3. Manufacturing of equipment without an approved Task Order</li> </ol>            |  |
| 11.2(15) | The Goods Information is in  | Part 3: Scope of Work  |  |
| 11.2(15) | The Supply Requirements as part of the Goods Information is in   | Annexure A to this Contract Data   |  |
| 12.2     | The <i>law of the contract</i> is the law of   | the Republic of South Africa   |  |
| 13.1     | The <i>language of this contract</i> is  | English  |  |
| 13.3     | The <i>period for reply</i> is   | One [1] week   |  |
| 2        | <b>The Supplier's main responsibilities</b>  | Data required by this section of the core clauses is provided by the <i>Supplier</i> in Part 2 and terms in italics used in this section are identified elsewhere in this Contract Data.   |  |
| 3        | <b>Time</b>  |  |  |
| 30.1     | The <i>starting date</i> is.   | To be advised  |  |
| 30.1     | The <i>delivery date</i> of the <i>goods</i> and <i>services</i> is:   | The delivery date will be specified in each Purchase order   |  |
|          |  | Lead Time<br>_____ weeks from Purchase Order acknowledgement.  |  |
| 30.2     | The <i>Supplier</i> does not bring the <i>goods</i> to the Delivery Place more than one week before the Delivery Date. | Unless agreed by both parties  |  |
| 31.1     | The <i>Supplier</i> is to submit a first programme for acceptance within   | [1] weeks of the Purchase Order Date.  |  |
| 32.2     | The <i>Supplier</i> submits revised programmes at intervals no longer than   | 2 weeks  |  |

|      |  |   |
|------|--|---|
| 4    | <b>Testing and defects</b>   |   |
| 42   | The <i>defects date</i> is   | <b>The warranty period as per the Manufacturer's specifications after the Delivery.</b>   |
| 43.2 | The <i>defect correction period</i> is<br><br>except that the <i>defect correction period</i> for<br>and the defect correction period for                | <b>Maximum of 2 (two) weeks</b><br><br><b>Main components is 2 (two) weeks</b><br><br><b>Minor components is 1 (one) week</b>   |
| 42.2 | The <i>defects access period</i> is<br><br>except that the <i>defect access period</i> for<br>for and the <i>defect access period</i> for                | <b>Maximum of 1 (one) week</b><br><br><b>Main components is 1 (one) week</b><br><br><b>Minor components is 1 (one) week</b>   |
| 5    | <b>Payment</b>   |   |
| 50.1 | The <i>assessment interval</i> is  | <b>After complete delivery of each order.</b>   |
| 51.1 | The <i>currency of this contract</i> is the  | <b>South African Rand (Any other currency will be determined at specific purchase order)</b>  |
| 51.2 | The period within which payments are made is   | <b>Within (To be determined by the contract value) days from date of delivery and/or collection of the goods, receipt of a valid tax invoice with all necessary documentation as required by Purchaser's Account Payable Section to the Supplier's nominated bank account.</b>  |
| 51.4 | The <i>interest rate</i> is  | <b>Zero percent above the publicly quoted prime rate of interest (calculated on a 365-day year) charged from time to time by the Standard Bank of South Africa Limited (as certified, in the event of any dispute, by any manager of such bank, whose appointment it shall not be necessary to prove) for amounts due in Rands.</b> |
| 6    | <b>Compensation events</b>   | <b>As per the terms and conditions of the NEC3 Supply Contract (April 2013).</b>  |
| 7    | <b>Title</b>   | <b>As per the terms and conditions of the NEC3 Supply Contract (April 2013).</b>  |
| 8    | <b>Risks, liabilities, indemnities and insurance</b>   |   |
| 80.1 | These are additional <i>Purchaser's</i> risks  | <b>Unloading of the goods at Eskom Site</b>   |
| 88.1 | The <i>Supplier's</i> liability to the <i>Purchaser</i> for indirect or consequential loss, including loss of profit, revenue and goodwill is limited to | <b>R0.0 (zero Rand)</b>   |
| 88.2 | For any one event, the <i>Supplier's</i> liability to the <i>Purchaser</i> for loss of or  | <b>(1) for the <i>Purchaser's</i> existing and surrounding property in the care, custody and control of the <i>Supplier</i> the amount of the</b>   |



|          |   |  |
|----------|---|--|
|          | damage to the <i>Purchaser's</i> property is limited to   | <b>deductible (first amount payable) relevant to the event and (2) for all other existing <i>Purchaser's</i> property the applicable deductible as at contract date</b>  |
| 88.3     | The <i>Supplier's</i> liability for Defects due to his design which are not notified before the last <i>defects date</i> is limited to:   | <b>The total of the Prices.</b>  |
| 88.4     | The <i>Supplier's</i> total liability to the <i>Purchaser</i> , for all matters arising under or in connection with this contract, other than the excluded matters, is limited to | <b>The total of the Prices.</b>  |
| 88.5     | The <i>end of liability date</i> is   | <p><b>5 years after Delivery of the whole of the goods and services.</b></p> <p>A latent Defect is a Defect which would not have been discovered on reasonable inspection by the <i>Purchaser</i> or the <i>Supply Manager</i> before Delivery Date, without requiring any inspection not ordinarily carried out by the <i>Purchaser</i> or the <i>Supply Manager</i> during that period.</p> <p>If the <i>Purchaser</i> or the <i>Supply Manager</i> do undertake any inspection over and above the reasonable inspection, this does not place a greater responsibility on the <i>Purchaser</i> or the <i>Supply Manager</i> to have discovered the Defect.</p> <p>The <i>Supplier</i> shall perform the root cause analysis to identify the cause for the defect.</p> <p>Latent defect liability only covers modification of the product at the exclusion of liability for parts for which such liability had already expired at the time of modification.</p> <p>The warranty obligation for latent defect liability is limited to the cost of rectifying the defect only and does not cover any resulting consequential physical damage.</p> |
| <b>9</b> | <b>Termination and dispute resolution</b>   |  |
| 94.1     | The <i>Adjudicator</i> is   | the person selected from the ICE-SA Division (or its successor body) of the South African Institution of Civil Engineering Panel of Adjudicators by the Party intending to refer a dispute to him. (see <a href="http://www.ice-sa.org.za">www.ice-sa.org.za</a> ). If the Parties do not agree on an Adjudicator the Adjudicator will be appointed by the Arbitration Foundation of Southern Africa (AFSA).   |

| 94.2(3)           | The <i>Adjudicator nominating body</i> is:   | <b>the Chairman of ICE-SA, a Division of the South African Institution of Civil Engineering, or its successor body (See <a href="http://www.ice-sa.org.za">www.ice-sa.org.za</a>)</b>   |                   |                            |                          |           |            |            |           |            |            |           |            |            |           |            |            |           |            |            |             |                       |  |             |  |  |
|-------------------|--|---|-------------------|----------------------------|--------------------------|-----------|------------|------------|-----------|------------|------------|-----------|------------|------------|-----------|------------|------------|-----------|------------|------------|-------------|-----------------------|--|-------------|--|--|
| 94.4(2)           | The <i>tribunal</i> is:  | <b>Arbitration</b>  |                   |                            |                          |           |            |            |           |            |            |           |            |            |           |            |            |           |            |            |             |                       |  |             |  |  |
| 94.4(5)           | The <i>arbitration procedure</i> is  | <b>the latest edition of Rules for the Conduct of Arbitrations published by The Association of Arbitrators (Southern Africa) or its successor body.</b>   |                   |                            |                          |           |            |            |           |            |            |           |            |            |           |            |            |           |            |            |             |                       |  |             |  |  |
| 94.4(5)           | The place where arbitration is to be held is   | <b>South Africa</b>   |                   |                            |                          |           |            |            |           |            |            |           |            |            |           |            |            |           |            |            |             |                       |  |             |  |  |
|                   | The person or organisation who will choose an arbitrator<br>- if the Parties cannot agree a choice or<br>- if the arbitration procedure does not state who selects an arbitrator, is | <b>the Chairman for the time being or his nominee of the Association of Arbitrators (Southern Africa) or its successor body.</b>  |                   |                            |                          |           |            |            |           |            |            |           |            |            |           |            |            |           |            |            |             |                       |  |             |  |  |
| <b>10</b>         | <b>Data for Option clauses</b>   |   |                   |                            |                          |           |            |            |           |            |            |           |            |            |           |            |            |           |            |            |             |                       |  |             |  |  |
| <b>X1</b>         | <b>Contract Price Adjustment</b>   |   |                   |                            |                          |           |            |            |           |            |            |           |            |            |           |            |            |           |            |            |             |                       |  |             |  |  |
| <b>X1.1</b>       | The <i>base date</i> for indices is<br><br>The proportions used to calculate the Price Adjustment Factor are:  | <p><b>One month prior to tender closing.</b></p> <table> <tr> <th><b>proportion</b></th><th><b>linked to index for</b></th><th><b>Index prepared by</b></th></tr> <tr> <td><b>0.</b></td><td><b>[•]</b></td><td><b>[•]</b></td></tr> <tr> <td><b>0.</b></td><td><b>[•]</b></td><td><b>[•]</b></td></tr> <tr> <td><b>0.</b></td><td><b>[•]</b></td><td><b>[•]</b></td></tr> <tr> <td><b>0.</b></td><td><b>[•]</b></td><td><b>[•]</b></td></tr> <tr> <td><b>0.</b></td><td><b>[•]</b></td><td><b>[•]</b></td></tr> <tr> <td><b>0.15</b></td><td colspan="2"><b>non-adjustable</b></td></tr> <tr> <td><b>1.00</b></td><td></td><td></td></tr> </table> | <b>proportion</b> | <b>linked to index for</b> | <b>Index prepared by</b> | <b>0.</b> | <b>[•]</b> | <b>[•]</b> | <b>0.</b> | <b>[•]</b> | <b>[•]</b> | <b>0.</b> | <b>[•]</b> | <b>[•]</b> | <b>0.</b> | <b>[•]</b> | <b>[•]</b> | <b>0.</b> | <b>[•]</b> | <b>[•]</b> | <b>0.15</b> | <b>non-adjustable</b> |  | <b>1.00</b> |  |  |
| <b>proportion</b> | <b>linked to index for</b>   | <b>Index prepared by</b>  |                   |                            |                          |           |            |            |           |            |            |           |            |            |           |            |            |           |            |            |             |                       |  |             |  |  |
| <b>0.</b>         | <b>[•]</b>   | <b>[•]</b>  |                   |                            |                          |           |            |            |           |            |            |           |            |            |           |            |            |           |            |            |             |                       |  |             |  |  |
| <b>0.</b>         | <b>[•]</b>   | <b>[•]</b>  |                   |                            |                          |           |            |            |           |            |            |           |            |            |           |            |            |           |            |            |             |                       |  |             |  |  |
| <b>0.</b>         | <b>[•]</b>   | <b>[•]</b>  |                   |                            |                          |           |            |            |           |            |            |           |            |            |           |            |            |           |            |            |             |                       |  |             |  |  |
| <b>0.</b>         | <b>[•]</b>   | <b>[•]</b>  |                   |                            |                          |           |            |            |           |            |            |           |            |            |           |            |            |           |            |            |             |                       |  |             |  |  |
| <b>0.</b>         | <b>[•]</b>   | <b>[•]</b>  |                   |                            |                          |           |            |            |           |            |            |           |            |            |           |            |            |           |            |            |             |                       |  |             |  |  |
| <b>0.15</b>       | <b>non-adjustable</b>  |   |                   |                            |                          |           |            |            |           |            |            |           |            |            |           |            |            |           |            |            |             |                       |  |             |  |  |
| <b>1.00</b>       |  |   |                   |                            |                          |           |            |            |           |            |            |           |            |            |           |            |            |           |            |            |             |                       |  |             |  |  |
| <b>X2</b>         | <b>Changes in the law</b>  |   |                   |                            |                          |           |            |            |           |            |            |           |            |            |           |            |            |           |            |            |             |                       |  |             |  |  |
| X2.1              | A change in the law of   | <b>is a compensation event if it occurs after the Contract Date.</b>  |                   |                            |                          |           |            |            |           |            |            |           |            |            |           |            |            |           |            |            |             |                       |  |             |  |  |
| <b>X7</b>         | <b>Delay damages</b>   |   |                   |                            |                          |           |            |            |           |            |            |           |            |            |           |            |            |           |            |            |             |                       |  |             |  |  |
| X7.1              | Delay damages for Delivery are   | 0.25% per order, if the Supplier is one week outside the agreed Delivery timelines and a maximum of 10% in two weeks outside Delivery timelines. The Purchaser should be able to prove that everything administrable possible was done without success. Emails and letters will be used as source documents for communication.  |                   |                            |                          |           |            |            |           |            |            |           |            |            |           |            |            |           |            |            |             |                       |  |             |  |  |
| <b>X13</b>        | <b>Performance bond</b>  |   |                   |                            |                          |           |            |            |           |            |            |           |            |            |           |            |            |           |            |            |             |                       |  |             |  |  |

|           |   |   |
|-----------|---|---|
| X13.1     | The amount of the performance bond is   | To be advised at contract award stage.  |
| <b>Z</b>  | <b>The additional conditions of contract are</b>  | <b>Z1 to Z15 always apply for Eskom</b> |
|           |   |   |
| <b>Z1</b> | <b>Cession delegation and assignment</b>  |   |
| Z1.1      | The <i>Supplier</i> does not cede, delegate or assign any of its rights or obligations to any person without the written consent of the <i>Purchaser</i> .  |   |
| Z1.2      | Notwithstanding the above, the <i>Purchaser</i> may on written notice to the <i>Supplier</i> cede and delegate its rights and obligations under this contract to any of its subsidiaries or any of its present divisions or operations which may be converted into separate legal entities as a result of the restructuring of the Electricity Supply Industry. |   |
|           |   |   |
| <b>Z2</b> | <b>Joint ventures</b>   |   |
| Z2.1      | If the <i>Supplier</i> constitutes a joint venture, consortium or other unincorporated grouping of two or more persons or organisations then these persons or organisations are deemed to be jointly and severally liable to the <i>Purchaser</i> for the performance of this contract.   |   |
| Z2.2      | Unless already notified to the <i>Purchaser</i> , the persons or organisations notify the <i>Supply Manager</i> within two weeks of the Contract Date of the key person who has the authority to bind the <i>Supplier</i> on their behalf.  |   |
| Z2.3      | The <i>Supplier</i> does not alter the composition of the joint venture, consortium or other unincorporated grouping of two or more persons without the consent of the <i>Purchaser</i> having been given to the <i>Supplier</i> in writing.  |   |
|           |   |   |
| <b>Z3</b> | <b>Change of Broad Based Black Economic Empowerment (B-BBEE) status</b>   |   |
| Z3.1      | Where a change in the <i>Supplier's</i> legal status, ownership or any other change to his business composition or business dealings results in a change to the <i>Supplier's</i> B-BBEE status, the <i>Supplier</i> notifies the <i>Purchaser</i> within seven days of the change.   |   |
| Z3.2      | The <i>Supplier</i> is required to submit an updated verification certificate and necessary supporting documentation confirming the change in his B-BBEE status to the <i>Supply Manager</i> within thirty days of the notification or as otherwise instructed by the <i>Supply Manager</i> .   |   |
| Z3.3      | Where, as a result, the <i>Supplier's</i> B-BBEE status has decreased since the Contract Date the <i>Purchaser</i> may either re-negotiate this contract or alternatively, terminate the <i>Supplier's</i> obligation to Provide the Goods and Services.  |   |
| Z3.4      | Failure by the <i>Supplier</i> to notify the <i>Purchaser</i> of a change in its B-BBEE status may constitute a reason for termination. If the <i>Purchaser</i> terminates in terms of this clause, the procedures on termination are P1, P2 and P3 as stated in clause 92, and the amount due is A1 and A3 as stated in clause 93.                             |   |
|           |   |   |
| <b>Z4</b> | <b>Confidentiality</b>  |   |

|           |  |
|-----------|--|
| Z4.1      | The <i>Supplier</i> does not disclose or make any information arising from or in connection with this contract available to Others. This undertaking does not, however, apply to information which at the time of disclosure or thereafter, without default on the part of the <i>Supplier</i> , enters the public domain or to information which was already in the possession of the <i>Supplier</i> at the time of disclosure (evidenced by written records in existence at that time). Should the <i>Supplier</i> disclose information to Others in terms of clause 23.1, the <i>Supplier</i> ensures that the provisions of this clause are complied with by the recipient.   |
| Z4.2      | If the <i>Supplier</i> is uncertain about whether any such information is confidential, it is to be regarded as such until notified otherwise by the <i>Supply Manager</i> .   |
| Z4.3      | In the event that the <i>Supplier</i> is, at any time, required by law to disclose any such information which is required to be kept confidential, the <i>Supplier</i> , to the extent permitted by law prior to disclosure, notifies the <i>Purchaser</i> so that an appropriate protection order and/or any other action can be taken if possible, prior to any disclosure. In the event that such protective order is not, or cannot, be obtained, then the <i>Supplier</i> may disclose that portion of the information which it is required to be disclosed by law and uses reasonable efforts to obtain assurances that confidential treatment will be afforded to the information so disclosed.   |
| Z4.4      | The taking of images (whether photographs, video footage or otherwise) of the <i>goods</i> or any portion thereof, in the course of Providing the Goods and Services and after Delivery, requires the prior written consent of the <i>Supply Manager</i> . All rights in and to all such images vests exclusively in the <i>Purchaser</i> .  |
| Z4.5      | The <i>Supplier</i> ensures that all his subcontractors abide by the undertakings in this clause.  |
|           |  |
| <b>Z5</b> | <b>Waiver and estoppel: Add to core clause 12.3:</b>   |
| Z5.1      | Any extension, concession, waiver or relaxation of any action stated in this contract by the Parties, the <i>Supply Manager</i> or the <i>Adjudicator</i> does not constitute a waiver of rights, and does not give rise to an estoppel unless the Parties agree otherwise and confirm such agreement in writing.  |
|           |  |
| <b>Z6</b> | <b>Health, safety and the environment: Add to core clause 25.4</b>   |
| Z6.1      | <p>The <i>Supplier</i> undertakes to take all reasonable precautions to maintain the health and safety of persons in and about the provision of the <i>goods</i> and execution of the <i>services</i>.</p> <p>Without limitation the <i>Supplier</i>:</p> <ul style="list-style-type: none"> <li>warrants that the total of the Prices as at the Contract Date includes a sufficient amount for proper compliance with all applicable health &amp; safety laws and regulations and the health and safety rules, guidelines and procedures provided for in this contract and generally for the proper maintenance of health &amp; safety in and about the execution of supply and</li> <li>undertakes, in and about the execution of the supply, to comply with all applicable health &amp; safety laws and regulations and rules, guidelines and procedures otherwise provided for under this contract and ensures that his Subcontractors, employees and others under the <i>Supplier's</i> direction and control, likewise observe and comply with the foregoing.</li> </ul> |
| Z6.2      | The <i>Supplier</i> , in and about the execution of the supply, complies with all applicable environmental laws and regulations and rules, guidelines and procedures otherwise provided for under this contract and ensures that his Subcontractors, employees and others under the <i>Supplier's</i> direction and control, likewise observe and comply with the foregoing.   |

|   |   |
|---|---|
|   |   |
| <b>Z7</b>   | <b>Provision of a Tax Invoice and interest. Add to core clause 51</b>   |
| Z7.1  | Within one week of receiving a payment certificate from the <i>Supply Manager</i> in terms of core clause 51.1, the <i>Supplier</i> provides the <i>Purchaser</i> with a tax invoice in accordance with the <i>Purchaser's</i> procedures stated in the Goods Information, showing the amount due for payment equal to that stated in the payment certificate.  |
| Z7.2  | If the <i>Supplier</i> does not provide a tax invoice in the form and by the time required by this contract, the time by when the <i>Purchaser</i> is to make a payment is extended by a period equal in time to the delayed submission of the correct tax invoice. Interest due by the <i>Purchaser</i> in terms of core clause 51.2 is then calculated from the delayed date by when payment is to be made. |
| Z7.3  | The <i>Supplier</i> (if registered in South Africa in terms of the companies Act) is required to comply with the requirements of the Value Added Tax Act, no 89 of 1991 (as amended) and to include the <i>Purchaser's</i> VAT number 4740101508 on each invoice he submits for payment.  |
|   |   |
| <b>Z8</b>   | <b>Notifying compensation events</b>  |
| Z8.1  | As per the terms and conditions of the NEC3 Supply Contract (April 2013).   |
|   |   |
| <b>Z9</b>   | <b><i>Purchaser's</i> limitation of liability</b>   |
| Z9.1  | The <i>Purchaser's</i> liability to the <i>Supplier</i> for the <i>Supplier's</i> indirect or consequential loss is limited to R0.00 (zero Rand)  |
| Z9.2  | The <i>Supplier's</i> entitlement under the indemnity in 83.1 is provided for in 60.1(12) and the <i>Purchaser's</i> liability under the indemnity is limited.  |
|   |   |
| <b>Z10</b>  | <b>Termination: Add to core clause 91.1, at the second main bullet point, fourth sub-bullet point, after the words "against it":</b>  |
| Z10.1   | or had a business rescue order granted against it.  |
|   |   |
| <b>Z11</b>  | <b>Addition to secondary Option X7 Delay damages (if applicable in this contract)</b>   |
| Z11.1   | If the amount due for the <i>Supplier's</i> payment of delay damages reaches the limits stated in this Contract Data for Option X7, the <i>Purchaser</i> may terminate the <i>Supplier's</i> obligation to Provide the Goods and Services using the same procedures and payment on termination as those applied for reasons R1 to R15 or R18 stated in the Termination Table.                                 |
|   |   |
| <b>Z12</b>  | <b>Ethics</b>   |
| For the purposes of this Z-clause, the following definitions apply: |   |
| <b>Affected Party</b>   | means, as the context requires, any party, irrespective of whether it is the <i>Supplier</i> or a third party, such party's employees, agents, or Subcontractors or Subcontractor's employees, or any one or more of all of these parties' relatives or friends,  |

|                           |   |
|---------------------------|---|
| <b>Coercive Action</b>    | means to harm or threaten to harm, directly or indirectly, an Affected Party or the property of an Affected Party, or to otherwise influence or attempt to influence an Affected Party to act unlawfully or illegally,  |
| <b>Collusive Action</b>   | means where two or more parties co-operate to achieve an unlawful or illegal purpose, including to influence an Affected Party to act unlawfully or illegally,  |
| <b>Committing Party</b>   | means, as the context requires, the <i>Supplier</i> , or any member thereof in the case of a joint venture, or its employees, agents, or Subcontractors or the Subcontractor's employees,   |
| <b>Corrupt Action</b>     | means the offering, giving, taking, or soliciting, directly or indirectly, of a good or service to unlawfully or illegally influence the actions of an Affected Party,  |
| <b>Fraudulent Action</b>  | means any unlawfully or illegally intentional act or omission that misleads, or attempts to mislead, an Affected Party, in order to obtain a financial or other benefit or to avoid an obligation or incurring an obligation,   |
| <b>Obstructive Action</b> | means a Committing Party unlawfully or illegally destroying, falsifying, altering or concealing information or making false statements to materially impede an investigation into allegations of Prohibited Action, and   |
| <b>Prohibited Action</b>  | means any one or more of a Coercive Action, Collusive Action Corrupt Action, Fraudulent Action or Obstructive Action.   |
| Z12.1                     | A Committing Party may not take any Prohibited Action during the course of the procurement of this contract or in execution thereof.  |
| Z12.2                     | The <i>Purchaser</i> may terminate the <i>Supplier's</i> obligation to Provide the Services if a Committing Party has taken such Prohibited Action and the <i>Supplier</i> did not take timely and appropriate action to prevent or remedy the situation, without limiting any other rights or remedies the <i>Purchaser</i> has. It is not required that the Committing Party had to have been found guilty, in court or in any other similar process, of such Prohibited Action before the <i>Purchaser</i> can terminate the <i>Supplier's</i> obligation to Provide the Services for this reason. |
| Z12.3                     | If the <i>Purchaser</i> terminates the <i>Supplier's</i> obligation to Provide the Services for this reason, the amounts due on termination are those intended in core clauses 92.1 and 92.2.   |
| Z12.4                     | A Committing Party co-operates fully with any investigation pursuant to alleged Prohibited Action. Where the <i>Purchaser</i> does not have a contractual bond with the Committing Party, the <i>Supplier</i> ensures that the Committing Party co-operates fully with an investigation.  |

**Z13 Insurance****Z 13.1 Replace core clause 84 with the following:****Insurance cover 84**

- 84.1** When requested by a Party, the other Party provides certificates from his insurer or broker stating that the insurances required by this contract are in force.
- 84.2** The *Supplier* provides the insurances stated in the Insurance Table A for events which are at the *Supplier's* risk from the *starting date* until the last *defects date* or a termination certificate has been issued.

MANUFACTURE, SUPPLY AND DELIVERY OF LABELS USED AND APPLIED IN SUBSTATIONS AS WELL AS ON HV, MV AND LV LINES WITHIN THE LIMLANGA CLUSTER, MPUMALANGA AND LIMPOPO OPERATING UNIT ON AN "AS AND WHEN REQUIRED" BASIS OVER A PERIOD OF 60-MONTHS.

**INSURANCE TABLE A**

| <b>Insurance against</b>  | <b>Minimum amount of cover or minimum limit of indemnity</b>  |
|---|---|
| Loss of or damage to the <i>goods</i> , plant and materials   | The replacement cost where not covered by the <i>Purchaser's</i> insurance.<br><br>The <i>Purchaser's</i> policy deductible as at Contract Date, where covered by the <i>Purchaser's</i> insurance.   |
| Liability for loss of or damage to property (except the <i>goods</i> , plant and materials and equipment) and liability for bodily injury to or death of a person (not an employee of the <i>Supplier</i> ) caused by activity in connection with this contract | <b><u>Loss of or damage to property</u></b><br><b><u>Purchaser's property</u></b><br>The replacement cost where not covered by the <i>Purchaser's</i> insurance.<br><br>The <i>Purchaser's</i> policy deductible as at Contract Date, where covered by the <i>Purchaser's</i> insurance.<br><br><b><u>Other property</u></b><br>The replacement cost<br><br><b><u>Death of or bodily injury</u></b><br>The amount required by the applicable law. |
| Liability for death of or bodily injury to employees of the <i>Supplier</i> arising out of and in the course of their employment in connection with this contract   | The amount required by the applicable law   |

**Z 13.2 Replace core clause 87 with the following:****Insurance by the *Purchaser***

87

87.1 The *Purchaser* provides the insurances stated in the Insurance Table B**INSURANCE TABLE B**

| <b>Insurance against or name of policy</b>        | <b>Minimum amount of cover or minimum of indemnity</b> |
|---|--|
| Assets All Risk                                   | Per the insurance policy document                      |
| Contract Works insurance                          | Per the insurance policy document                      |
| Environmental Liability                           | Per the insurance policy document                      |
| General and Public Liability                      | Per the insurance policy document                      |
| Transportation (Marine)                           | Per the insurance policy document                      |
| Motor Fleet and Mobile Plant                      | Per the insurance policy document                      |
| Terrorism   | Per the insurance policy document                      |
| Cyber Liability                                   | Per the insurance policy document                      |
| Nuclear Material Damage and Business Interruption | Per the insurance policy document                      |

|                                      |                                   |
|--------------------------------------|-----------------------------------|
| Nuclear Material Damage<br>Terrorism | Per the insurance policy document |
|--------------------------------------|-----------------------------------|

**Z14 Nuclear Liability**

- Z14.1 The *Purchaser* is the operator of the Koeberg Nuclear Power Station (KNPS), a nuclear installation, as designated by the National Nuclear Regulator of the Republic of South Africa, and is the holder of a nuclear licence in respect of the KNPS.
- Z14.2 The *Purchaser* is solely responsible for and indemnifies the *Supplier* or any other person against any and all liabilities which the *Supplier* or any person may incur arising out of or resulting from nuclear damage, as defined in Act 47 of 1999, save to the extent that any liabilities are incurred due to the unlawful intent of the *Supplier* or any other person or the presence of the *Supplier* or that person or any property of the *Supplier* or such person at or in the KNPS or on the KNPS site, without the permission of the *Purchaser* or of a person acting on behalf of the *Purchaser*.
- Z14.3 Subject to clause Z14.4 below, the *Purchaser* waives all rights of recourse, arising from the aforesaid, save to the extent that any claims arise or liability is incurred due or attributable to the unlawful intent of the *Supplier* or any other person, or the presence of the *Supplier* or that person or any property of the *Supplier* or such person at or in the KNPS or on the KNPS site, without the permission of the *Purchaser* or of a person acting on behalf of the *Purchaser*.
- Z14.4 The *Purchaser* does not waive its rights provided for in section 30 (7) of Act 47 of 1999, or any replacement section dealing with the same subject matter.
- Z14.5 The protection afforded by the provisions hereof shall be in effect until the KNPS is decommissioned.

**Z15 Asbestos**

For the purposes of this Z-clause, the following definitions apply:

|                              |  |
|------------------------------|--|
| <b>AAIA</b>                  | means approved asbestos inspection authority.  |
| <b>ACM</b>                   | means asbestos containing materials.   |
| <b>AL</b>                    | means action level, i.e. a level of 50% of the OEL, i.e. 0.1 regulated asbestos fibres per ml of air measured over a 4 hour period. The value at which proactive actions is required in order to control asbestos exposure to prevent exceeding the OEL.   |
| <b>Ambient Air</b>           | means breathable air in area of work with specific reference to breathing zone, which is defined to be a virtual area within a radius of approximately 30cm from the nose inlet.   |
| <b>Compliance Monitoring</b> | means compliance sampling used to assess whether or not the personal exposure of workers to regulated asbestos fibres is in compliance with the Standard's requirements for safe processing, handling, storing, disposal and phase-out of asbestos and asbestos containing material, equipment and articles. |
| <b>OEL</b>                   | means occupational exposure limit.   |



|                              |  |
|------------------------------|--|
| <b>Parallel Measurements</b> | means measurements performed in parallel, yet separately, to existing measurements to verify validity of results.  |
| <b>Safe Levels</b>           | means airborne asbestos exposure levels conforming to the Standard's requirements for safe processing, handling, storing, disposal and phase-out of asbestos and asbestos containing material, equipment and articles. |
| <b>Standard</b>              | means the <i>Purchaser's</i> Asbestos Standard 32-303: Requirements for Safe Processing, Handling, Storing, Disposal and Phase-out of Asbestos and Asbestos Containing Material, Equipment and Articles.               |
| <b>SANAS</b>                 | means the South African National Accreditation System.   |
| <b>TWA</b>                   | means the average exposure, within a given workplace, to airborne asbestos fibres, normalised to the baseline of a 4 hour continuous period, also applicable to short term exposures, i.e. 10-minute TWA.              |

- Z15.1 The *Purchaser* ensures that the Ambient Air in the area where the *Supplier* will Provide the Services conforms to the acceptable prescribed South African standard for asbestos, as per the regulations published in GNR 155 of 10 February 2002, under the Occupational Health and Safety Act, 1993 (Act 85 of 1993) ("Asbestos Regulations"). The OEL for asbestos is 0.2 regulated asbestos fibres per millilitre of air as a 4-hour TWA, averaged over any continuous period of four hours, and the short term exposure limit of 0.6 regulated asbestos fibres per millilitre of air as a 10-minute TWA, averaged over any 10 minutes, measured in accordance with HSG248 and monitored according to HSG173 and OESSM.
- Z15.2 Upon written request by the *Supplier*, the *Purchaser* certifies that these conditions prevail. All measurements and reporting are effected by an independent, competent, and certified occupational hygiene inspection body, i.e. a SANAS accredited and Department of Employment and Labour approved AAIA. The *Supplier* may perform Parallel Measurements and related control measures at the *Supplier's* expense. For the purposes of compliance the results generated from Parallel Measurements are evaluated only against South African statutory limits as detailed in clause Z15.1. Control measures conform to the requirements stipulated in the AAIA-approved asbestos work plan.
- Z15.3 The *Purchaser* manages asbestos and ACM according to the Standard.
- Z15.4 In the event that any asbestos is identified while Providing the Services, a risk assessment is conducted and if so required, with reference to possible exposure to an airborne concentration of above the AL for asbestos, immediate control measures are implemented and relevant air monitoring conducted in order to declare the area safe.
- Z15.5 The *Supplier's* personnel are entitled to stop working and leave the contaminated area forthwith until such time that the area of concern is declared safe by either Compliance Monitoring or an AAIA approved control measure intervention, for example, per the emergency asbestos work plan, if applicable.
- Z15.6 The *Supplier* continues to Provide the Services, without additional control measures presented, on presentation of Safe Levels. The contractually agreed dates to Provide the Services, including the Completion Date, are adjusted accordingly. The contractually agreed dates are extended by the notification periods required by regulations 3 and 21 of the Asbestos Regulations.
- Z15.7 Any removal and disposal of asbestos, asbestos containing materials and waste, is done by a registered asbestos contractor, instructed by the *Purchaser* at the *Purchaser's* expense, and conducted in line with South African legislation.

MANUFACTURE, SUPPLY AND DELIVERY OF LABELS USED AND APPLIED IN SUBSTATIONS AS WELL AS ON HV, MV AND LV LINES WITHIN THE LIMLANGA CLUSTER, MPUMALANGA AND LIMPOPO OPERATING UNIT ON AN "AS AND WHEN REQUIRED" BASIS OVER A PERIOD OF 60-MONTHS.

## Annexure A: Supply Requirements

*[Notes: The example given in the NEC3 Supply Contract Guidance Notes pages 15 to 20 inclusive is based on Incoterms 2000. However users will probably wish to use Incoterms 2010 which the details below are based on. Users may need to adjust the information to comply with actual requirements. First decide whether Incoterms will be used or not, then delete the arrangement below which does not apply and delete these notes]*

**The Supply Requirements for this contract are as follows:**

|  |   |                            |
|--|---|----------------------------|
| <b>1. The requirements for the supply are</b>        | <b>Manufacture, supply and delivery of labels used and applied in substations as well as on HV, MV and LV lines within the LimLanga Cluster, Mpumalanga and Limpopo Operating Unit on an "as and when required" basis over a period of 60-months.</b> |                            |
| <b>2. The requirements for transport are</b>         | The Supplier is responsible for transport   |                            |
| <b>3. The delivery place is</b>                      | To be stipulated in respective purchase orders.   |                            |
| <b>4. Actions of the Parties during supply</b>       | <b>Action</b>   | <b>Party which does it</b> |
|  | Giving notice of Delivery   | Supplier                   |
|  | Checking packing and marking before dispatch  | Supplier                   |
|  | Contracting for transport   | Supplier                   |
|  | Pay costs of transport  | Supplier                   |
|  | Arrange access to delivery place  | Supplier                   |
|  | Loading the <i>goods</i>  | Supplier                   |
|  | Unloading the <i>goods</i>  | Supplier                   |
| <b>For international procurement</b>                 | Undertake export requirements   | N/A                        |
|  | Undertake import requirements   | Supplier where applicable  |
| <b>5. Information to be provided by the Supplier</b> | <b>Title of document</b>  |                            |
|  | Packing lists for cases and their contents  |                            |
|  | Copy of invoice for the <i>goods</i>  |                            |
|  | Delivery Note   |                            |
|  | Test results and maintenance manuals  |                            |
| <b>For international procurement</b>                 | Licences, authorisations and other formalities associated with export of the <i>goods</i>   |                            |
|  | Air Waybill or Bill of Lading with associated landing, delivery and forwarding order  |                            |
|  | The Bill of Entry endorsed by the importation authority   |                            |
|  | Customs work sheets, showing tax, duties and surcharges which the law of the country into which the <i>goods</i> are being imported requires the importer to pay  |                            |
|  | Invoice from the importation clearing agent showing airline fees, landing charges, wharfage and dock dues as applicable   |                            |
|  | Specify other import documents required by authorised officials.  |                            |

All other information NOT pertinent to the above is given in the balance of the Goods Information

## C1.2 Contract Data

### Part two - Data provided by the *Supplier*

| Clause   | Statement  | Data  |
|----------|--|---|
| 10.1     | The <i>Supplier</i> is (Name):   |   |
|          | Address  |   |
|          | Tel No.  |   |
|          | Fax No.  |   |
| 11.2(8)  | The Goods Information for the <i>Supplier's</i> design is in:  | Part of scope of works.   |
| 11.2(11) | The tendered total of the Prices is  | <b>To be stipulated in respective purchase orders.</b>  |
| 11.2(12) | The <i>price schedule</i> is in:   | <b>C2 SC3 Pricing Data</b> and to be stipulated in respective purchase orders.  |
| 11.2(14) | The following matters will be included in the Risk Register  | <ol style="list-style-type: none"> <li><b>1. Late deliveries</b></li> <li><b>2. Supply of incorrect product / product out of Eskom designs / specifications.</b></li> </ol>       |
| 25.2     | The restrictions to access for the <i>Supply Manager</i> and Others to work being done for this contract are | None  |
| 30.1     | The <i>delivery date</i> of the goods and services is:   | <b><i>The delivery date will be specified in each Purchase Order</i></b>  |
| 31.1     | The programme identified in the Contract Data is contained in:   | <b>The <i>Supplier</i> submits a first programme to the Supply Manager for the acceptance within one week period after the purchase order date as stated in the Contract Data</b> |
| 63.2     | The <i>percentage for overheads and profit</i> added to the Defined Cost is                                  | %   |

## C1.3 Forms of Securities

### Pro formas for Bonds & Guarantees

For use with the NEC3 Supply Contract (SC3)

The *conditions of contract* stated in the Contract Data Part 1 may include the following Options:

- Option X4: Parent company guarantee
- Option X13: Performance bond

These Options require a bond or guarantee "in the form set out in the Goods Information".

Pro forma documents for these bonds and guarantees are provided here for convenience but are to be treated as part of the Goods Information.

The organisation providing the bond / guarantee does so by copying the pro forma document onto its letterhead without any change to the text or format and completing the required details. The completed document is then given to the *Purchaser* within the time stated in the contract.

## Pro forma Parent Company Guarantee (for use with Option X4)

(to be reproduced exactly as shown below on the letterhead of the Supplier's Parent Company)

**Eskom Holdings SOC Ltd  
Megawatt Park  
Maxwell Drive  
Sandton  
Johannesburg**

Date:

Dear Sirs,

### Parent Company Guarantee for Contract No

With reference to the above numbered contract made or to be made between

**Eskom Holdings SOC Ltd, Megawatt Park, Maxwell Drive, Sandton  
Johannesburg**

(the *Purchaser*) and

**[Insert registered name and address of the *Supplier*]**

(the *Supplier*), for

**[Insert details of the *goods* and *services* from the Contract Data]**

(the *goods* and  
*services*).

I/We the undersigned

on behalf of the *Supplier's*  
parent company (name)

of physical address

and duly authorised thereto do hereby unconditionally guarantee to the *Purchaser* that the *Supplier* shall Provide the Goods and Services in accordance with the above numbered Contract.

1. If for any reason the *Supplier* fails to Provide the Goods and Services, we hereby agree to cause to Provide the Goods and Services at no additional cost to the *Purchaser*.
2. If we fail to comply with the terms of this Deed of Guarantee, the *Purchaser* may itself procure such performance (whether or not the Agreement be formally determined). The *Purchaser* is to notify us and we shall indemnify the *Purchaser* for any additional cost or expense it incurs.
3. Our liability shall be as primary obligor and not merely as surety and shall not be impaired or discharged by reason of any arrangement or change in relationship made between the *Supplier* and the *Purchaser* and/or between us and *Supplier*; nor any alteration in the obligations undertaken by the *Supplier* or in the terms of the Agreement; nor any indulgence, failure, delay by you as to any matter; nor any dissolution or liquidation or such other analogous event of the *Supplier*.
4. The *Purchaser* shall not be obliged before taking steps to enforce the terms of this Deed of Guarantee to obtain judgement against the *Supplier* in any court or other tribunal, to make or file any claim in liquidation (or analogous proceedings) or to seek any remedy or proceed first against the *Supplier*.
5. This Deed of Guarantee shall be governed by and construed in accordance with the laws of the Republic of South Africa and we hereby submit to the non-exclusive jurisdiction of the High Court of South Africa.

Signed at

on this

day of

20

|                            |  |
|----------------------------|--|
| Signature(s)               |  |
| Name(s) (printed)          |  |
| Position in parent company |  |
| Signature of Witness(s)    |  |
| Name(s) (printed)          |  |

## Pro forma Performance Bond – Demand Guarantee (for use with Option X13)

(to be reproduced exactly as shown below on the letterhead of the Bank providing the Bond / Guarantee)

Eskom Holdings SOC Ltd  
Megawatt Park  
Maxwell Drive  
Sandton  
Johannesburg

Bank reference No.

Date:

Dear Sirs,

### Performance Bond – Demand Guarantee for [insert name of *Supplier*] required in terms of contract [insert *Supplier's* contract reference number or title]

1. In this Guarantee the following words and expressions shall have the following meanings:-

|     |                                     |   |
|-----|-------------------------------------|---|
| 1.1 | "Bank" means                        | [Insert name of Bank], [●] Branch, Registration No. [●]   |
| 1.2 | "Bank's Address" means              | [Insert physical address of Bank]   |
| 1.3 | "Contract" means                    | the written agreement relating to providing the <i>goods</i> and <i>services</i> , entered into between the <i>Purchaser</i> and the <i>Supplier</i> , on or about the [●] day of [●] 200[●] (Contract Reference No. [●]) as amended, varied, restated, novated or substituted from time to time;   |
| 1.4 | " <i>Supplier</i> " means           | [●] a company registered in accordance with the laws of [●] under Registration No [●].  |
| 1.5 | " <i>Purchaser</i> " means          | Eskom Holdings SOC Ltd a company registered in accordance with the laws of the Republic of South Africa under Registration Number [●]   |
| 1.6 | "Expiry Date" means                 | the earlier of <ul style="list-style-type: none"> <li>the date that the Bank receives a notice from the <i>Purchaser</i> stating that all amounts due from the <i>Supplier</i> as certified in terms of the contract have been received by the <i>Purchaser</i> and that the <i>Supplier</i> has fulfilled all his obligations under the Contract, or</li> <li>the date that the Bank issues a replacement Bond for such lesser or higher amount as may be required by the <i>Purchaser</i>.</li> </ul> |
| 1.7 | "Guaranteed Sum" means              | the sum of R[●], ([●] Rand)   |
| 1.8 | " <i>goods and services</i> " means | [insert details from Contract Data part 1]  |

2. At the instance of the *Supplier*, we the undersigned \_\_\_\_\_ and \_\_\_\_\_, in our respective capacities as \_\_\_\_\_ and \_\_\_\_\_ of the Bank, and duly authorized thereto, confirm that we hold the Guaranteed Sum at the disposal of the *Purchaser* as security for the proper performance by the *Supplier* of all of its obligations in terms of and arising from the Contract and hereby undertake to pay to the *Purchaser*, on written demand from the *Purchaser* received prior to the Expiry Date, any sum or sums not exceeding in total the Guaranteed Sum.

3. A demand for payment under this guarantee shall be made in writing at the Bank's address and shall:

- be signed on behalf of the *Purchaser* by a Group Executive, Divisional Executive, Senior General Manager, General Manager or its delegate;

MANUFACTURE, SUPPLY AND DELIVERY OF LABELS USED AND APPLIED IN SUBSTATIONS AS WELL AS ON HV, MV AND LV LINES WITHIN THE LIMLANGA CLUSTER, MPUMALANGA AND LIMPOPO OPERATING UNIT ON AN "AS AND WHEN REQUIRED" BASIS OVER A PERIOD OF 60-MONTHS.

- state the amount claimed ("the Demand Amount");
  - state that the Demand Amount is payable to the *Purchaser* in the circumstances contemplated in the Contract.
4. Notwithstanding the reference herein to the Contract the liability of the Bank in terms hereof is as principal and not as surety and the Bank's obligation/s to make payment:
- is and shall be absolute provided demand is made in terms of this bond in all circumstances; and
  - is not, and shall not be construed to be, accessory or collateral on any basis whatsoever.
5. The Bank's obligations in terms of this Guarantee:
- shall be restricted to the payment of money only and shall be limited to the maximum of the Guaranteed Sum; and
  - shall not be discharged and compliance with any demand for payment received by the Bank in terms hereof shall not be delayed, by the fact that a dispute may exist between the *Purchaser* and the *Supplier*.
6. The *Purchaser* shall be entitled to arrange its affairs with the *Supplier* in any manner which it sees fit, without advising us and without affecting our liability under this Guarantee. This includes, without limitation, any extensions, indulgences, release or compromise granted to the *Supplier* or any variation under or to the Contract.
7. Should the *Purchaser* cede its rights against the *Supplier* to a third party where such cession is permitted under the Contract, then the *Purchaser* shall be entitled to cede to such third party the rights of the *Purchaser* under this Guarantee on written notification to the Bank of such cession.
8. This Guarantee:
- shall expire on the Expiry Date until which time it is irrevocable;
  - is, save as provided for in 7 above, personal to the *Purchaser* and is neither negotiable nor transferable;
  - shall be returned to the Bank upon the earlier of payment of the full Guaranteed Sum or expiry hereof;
  - shall be regarded as a liquid document for the purpose of obtaining a court order; and
  - shall be governed by and construed in accordance with the law of the Republic of South Africa and shall be subject to the jurisdiction of the Courts of the Republic of South Africa.
  - will be invalid and unenforceable if any claim which arises or demand for payment is received after the Expiry Date.
9. The Bank chooses domicilium citandi et executandi for all purposes in connection with this Guarantee at the Bank's Address.

Signed at \_\_\_\_\_ on this \_\_\_\_\_ day of \_\_\_\_\_ 20\_\_

For and on behalf of the Bank

Bank Signatories(s)

Name(s) (printed)

Witness(s)

Bank's seal or stamp



## PART 2: PRICING DATA

### NEC3 Supply Contract

| Document reference | Title                     | No of pages |
|--------------------|---------------------------|-------------|
| C2.1               | Pricing assumptions       | 28          |
| C2.2               | The <i>price schedule</i> | [30]        |

## C2.1 Pricing assumptions

### How *goods* and *services* are priced and assessed for payment

Clause 11 in NEC3 Supply Contract, (SC3) core clauses states:

|                                     |      |   |
|-------------------------------------|------|---|
| <b>Identified and defined terms</b> | 11   |   |
|                                     | 11.2 | (11) The Prices are the amounts stated in the price column of the Price Schedule. Where a quantity is stated for an item in the Price Schedule, the Price is calculated by multiplying the quantity by the rate.  |
|                                     |      | (12) The Price Schedule is the <i>price schedule</i> unless later changed in accordance with this contract.   |
| <b>Assessing the amount due</b>     | 50.2 | The amount due is   |
|                                     |      | <ul style="list-style-type: none"> <li>the Price for each lump sum item in the Price Schedule which the <i>Supplier</i> has completed,</li> <li>where a quantity is stated for an item in the Price Schedule, an amount calculated by multiplying the quantity which the <i>Supplier</i> has completed by the rate,</li> <li>plus other amounts to be paid to the <i>Supplier</i>,</li> <li>less amounts to be paid by or retained from the <i>Supplier</i>.</li> </ul> |
|                                     |      | Any tax which the law requires the <i>Purchaser</i> to pay to the <i>Supplier</i> is included in the amount due.  |

This confirms that the Supply Contract is a priced contract where the Prices are derived from a list of items of *goods* and *services* which can be priced as lump sums or as expected quantities of *goods* and *services* multiplied by a rate, or a mix of both.

### Function of the Price Schedule

Clause 53.1 states: "Information in the Price Schedule is not Goods Information". This confirms that instructions to do work or how it is to be done are not included in the Price Schedule but in the Goods Information. This is further confirmed by Clause 20.1 which states, "The *Supplier* Provides the Goods and Services in accordance with the Goods Information". Hence the *Supplier* does **not** Provide the Goods and Services in accordance with the Price Schedule. The Price Schedule is only a pricing document.

### Preparing the *price schedule*

Items in the *price schedule* may have been inserted by the *Purchaser* and the tendering supplier should insert any additional items which he considers necessary. Whichever party provides the items in the *price schedule* the total of the Prices is assumed to be fully inclusive of everything necessary to Provide the Goods and Services as described at the time of entering into this contract.

It will be assumed that the tendering supplier has

- Read Pages 8, 11, 12 and Appendix 5 of the SC3 Guidance Notes before preparing the *price schedule*;
- Included in his Prices and rates for correction of Defects (core clause 43.1) as there is no compensation event for this unless the Defect is due to a *Supplier's* risk;

Spread the cost of doing work he chooses not to list as separate items in the *price schedule*

MANUFACTURE, SUPPLY AND DELIVERY OF LABELS USED AND APPLIED IN SUBSTATIONS AS WELL AS ON HV, MV AND LV LINES WITHIN THE LIMLANGA CLUSTER, MPUMALANGA AND LIMPOPO OPERATING UNIT ON AN "AS AND WHEN REQUIRED" BASIS OVER A PERIOD OF 60-MONTHS.

- across other Prices and rates in order to fulfil the obligation to Provide the Goods and Services for the tendered total of the Prices;
- Understood that there is no adjustment to lump sum prices in the *price schedule* if the amount, or quantity, of work within that lump sum item later turns out to be different to that which the *Supplier* estimated at time of tender. The only basis for a change to the Prices is as a result of a compensation event per clause 60.1;
- Understood that the *Supplier* does not have to allow in his Prices and rates for matters that may arise as a result of a compensation event.

### **Format of the *price schedule***

Entries in the first four columns in the *price schedule* in section C2.2 are made either by the *Purchaser* or the tendering supplier.

If the *Supplier* is to be paid an amount for the item which is not adjusted if the quantity of work in the item changes, the tendering supplier enters the amount in the Price column only, the Unit, Quantity and Rate columns being left blank.

If the *Supplier* is to be paid an amount for the item which is the rate for the item multiplied by the quantity completed, the tendering *Supplier* enters the rate which is then multiplied by the Quantity to produce the Price, which is also entered.

If the *Supplier* is to be paid an amount for an item proportional to the length of time for which the *goods* and *services* are provided, a unit of time is stated in the Unit column and the length of time (as a quantity of the stated units of time) is stated in the Quantity column.

## C2.2 the price schedule

| MATERIAL NO. | SHORT TEXT                               | SPECIFICATIONS   | QUANTITY | UNIT OF MEASURE | PRICE/ UNIT |
|--------------|--|--|----------|-----------------|-------------|
| 0162913      | SIGN SFTY:UNAUTHORISED HANDLING          | SIGN, SAFETY: DISPLAY: UNAUTHORISED HANDLING; DIMENSIONS: WD 290 X LG 290 MM; MATERIAL: CHROMADEK; REFERENCE NO: KM112; ALL SYMBOLIC SAFETY SIGNS MUST MEET THE REQUIREMENTS OF SABS1186   | 1        | EACH            |             |
| 0162915      | SIGN ELECT SFTY:DANGER ELECTRICITY;WHITE | SIGN, ELECTRICAL SAFETY: DESIGNATION: DANGER ELECTRICITY; DIMENSIONS: WD 290 X LG 290 MM; MATERIAL: PLASTIC; LAYOUT: RED LETTERS ON WHITE; COLOR: WHITE; INSCRIPTION COLOR: RED; REFERENCE NO: K0707; SYMBOLIC; ALL SAFETY SIGNS MUST MEET THE REQUIREMENTS OF SABS1186  | 1        | EACH            |             |
| 0172418      | SIGN LC - LIVE CHAMBER D6077             | SIGN, ELECTRICAL SAFETY: DESIGNATION: LIVE CHAMBER; DIMENSIONS: WD 290 X HT 360 MM; MATERIAL: CHROMADEK/MILD STEEL; LAYOUT: SHOCK FLASH PICTOGRAM/INSCRIPTION; INSCRIPTION HEIGHT: 30 MM; DRAWING NO: D-DT-6077; WHITE 0.6 MM CHROMADEK (Z200) SCREEN PRINTED, CLEAR POWDER COATED TO SANS 1274 OR 12 MM MILD STEEL WITH VIREOUS ENAMEL FINISH; STD. LABEL SIZE WITH 4 X 5 MM DIA. HOLES SPACED 15 MM FROM TOP AND BOTTOM; OPTIONAL LABEL SIZE: 470 X 290 MM ONLY WHEN AN ADDITIONAL LANGUAGE IS REQUIRED BY REGION; SIGN TO BE DIVIDED INTO 2 SECTIONS; TOP SECTION: TRIANGLE LOGO WITH SHOCK FLASH, COLORS BLACK AND YELLOW ON WHITE BACKGROUND, SANS 1186 (WW7); BOTTOM SECTION: WORDING ON LABEL ONLY IN ENGLISH, BLACK LETTERING 30 MM HIGH ON WHITE BACKGROUND; PROVISION IS MADE FOR ADDITIONAL LANGUAGE IF REQUIRED BY REGION; TEST/CERT., IDENTIFICATION AND SPECIFICATION REQUIREMENTS: MATERIAL SPEC: P/C CHROMADEK /VITREOUS ENAMEL CORROSION SPEC: N/A STANDARD SPEC: SANS 1186 AND SANS 1247 ESKOM SPEC: SCSSCAAP5 AND D-DT-5021 TEST AND CERTIFICATION: N/A | 1        | EACH            |             |
| 0172496      | SIGN F - PROHIBITIVE (VARIOUS) D6074     | SIGN: TYPE: PROHIBITIVE F; DESIGNATION: VARIOUS; DIMENSIONS: 290X290 MM; MATERIAL: 0.6 MM CHROMADEK (Z200), CLEAR POWDER COATED TO SANS 1274, OR 1.2 MM MILD STEEL VITREOUS ENAMEL FINISHING; LAYOUT: RED CIRCLE AND RED LINE DIAGONALLY THROUGH LOGO; ATTACHMENT METHOD: 4 X 5 MM DIA HOLES IN CORNERS 15 MM FROM ALL SIDES; COLOR: WHITE; BASIC SHAPE STYLE: SQUARE; SPECIFICATION: ESKOM 240-75660336; DDT 5017; STD SANS 1186; DRAWING NO: DDT-6074 REV LATEST; REFERENCE NO: F  | 1        | EACH            |             |
| 0172497      | SIGN:A B C, UNAUTH. ENTRY/INTERF. APP;9  | SIGN: TYPE: A B C, UNAUTH. ENTRY/INTERF. APP; DESIGNATION: UNAUTHORISED ENTRY STRICTLY PROHIBITED/UNAUTHORISED PERSONS ARE PROHIBITED FROM HANDLING OR INTERFERING WITH ELECTRICAL APPARATUS; DIMENSIONS: 360 X 290 X THK 1.2 MM; MATERIAL: CHROMADEK Z200 WHITE, SCREEN PRINTED, POWDER COATED CLEAR SANS 1274 OR MS, VITREOUS ENAMEL FINISHING; LAYOUT: TOP TRIANGLE LOGO WITH SHOCK FLASH, COLORS BLACK AND YELLOW ON WHITE BACKGROUND; BOTTOM WORDING ON LABEL ONLY IN ENGLISH, BLACK LETTERING ON WHITE BACKGROUND; ATTACHMENT METHOD: 4 X 5 MM DIA HOLES SPACED 15 MM FROM TOP AND BOTTOM CORNERS; COLOR: WHITE; INSCRIPTION COLOR: BLACK/YELLOW; INSCRIPTION HEIGHT: 9 MM; BASIC SHAPE  | 1        | EACH            |             |

MANUFACTURE, SUPPLY AND DELIVERY OF LABELS USED AND APPLIED IN SUBSTATIONS AS WELL AS ON HV, MV AND LV LINES WITHIN THE LIMLANGA CLUSTER, MPUMALANGA AND LIMPOPO OPERATING UNIT ON AN "AS AND WHEN REQUIRED" BASIS OVER A PERIOD OF 60-MONTHS.

|         |   |  |   |      |  |
|---------|---|--|---|------|--|
|         |   | STYLE: RECTANGLE; DRAWING NO: DDT 6072 REV LATEST; SPECIFICATION: ESKOM 240-75660336; DDT 5015; SANS 1186/1247; A B C; OPTIONAL LABEL SIZE: 470MM X 290MM ONLY WHEN AN ADDITIONAL LANGUAGE IS REQUIRED BY REGION; SIGN TO BE DIVIDED INTO TWO SECTIONS; PROVISION IS MADE FOR ADDITIONAL LANGUAGE IF REQUIRED BY REGION; IDENTIFICATION: INDELIBLE MNFRS TRADEMARK & PART NO. ON ALL ITEMS   |   |      |  |
| 0172498 | SIGN:HARD<br>AREA;G;MANDATORY;WHITE HAT     | SIGN: TYPE: HARD HAT AREA;G; DESIGNATION: MANDATORY; DIMENSIONS: 290X290 MM; MATERIAL: 0.6 MM CHROMADEK (Z200), CLEAR POWDER COATED TO SANS 1274, OR 1.2 MM MILD STEEL VITREOUS ENAMEL FINISHING; LAYOUT: HARD HAT IN WHITE ONTO ROUND BLUE BACKGROUND; ATTACHMENT METHOD: 4 X 5 MM DIA HOLES IN CORNERS 15 MM FROM ALL SIDES; INSCRIPTION COLOR: WHITE; BASIC SHAPE STYLE: SQUARE; SPECIFICATION: ESKOM 240-75660336; DDT 5018; STD SANS 1186; DRAWING NO: DDT-6075 REV LATEST; REFERENCE NO: G   | 1 | EACH |  |
| 0186192 | SIGN SFTY:PICTOGRAM;EMERGENCY<br>SHOWER;ABS | SIGN, SAFETY: DISPLAY: PICTOGRAM; TYPE: EMERGENCY SHOWER; DIMENSIONS: SQ 190 X THK 0.9 MM; MATERIAL: ABS; COLOR: GREEN; SHAPE: SQUARE; INSCRIPTION COLOR: WHITE; SUPPL P/N: GA20; DRAWING NO: D6113 REV 1; WITH 4 X 5 MM DIA HOLES SPACED 15 MM FROM SIDES; IDENTIFICATION AND SPECIFICATION REQUIREMENTS: ESKOM SPEC: SCSSCABE9; INDELIBLE MNFRS. TRADEMARK AND PART NO ON ALL ITEMS  | 1 | EACH |  |
| 0186193 | SIGN, GA19 - INFORMATIVE -<br>EYEWASH D6113 | SIGN, SAFETY: DISPLAY: PICTOGRAM; TYPE: EYEWASH; DIMENSIONS: SQ 190 X THK 0.9 MM; MATERIAL: ABS; COLOR: GREEN; SHAPE: SQUARE; INSCRIPTION COLOR: WHITE; SUPPL P/N: GA19; DRAWING NO: D6113 REV 1; WITH 4 X 5 MM DIA HOLES SPACED 15 MM FROM SIDES; IDENTIFICATION AND SPECIFICATION REQUIREMENTS: ESKOM SPEC: SCSSCABE9; INDELIBLE MNFRS TRADEMARK AND PART NO ON ALL ITEMS  | 1 | EACH |  |
| 0186194 | SIGN, PV5 - DRINKING WATER PROHIB<br>D6113  | SIGN, SAFETY: DISPLAY: PICTOGRAM; TYPE: DO NOT DRINK WATER; DIMENSIONS: SQ 190 X THK 0.9 MM; MATERIAL: ABS; COLOR: WHITE; SHAPE: SQUARE; INSCRIPTION COLOR: BLACK/RED; SUPPL P/N: PV5; DRAWING NO: D6113 REV 1; WITH 4 X 5 MM DIA HOLES SPACED 15 MM FROM SIDES; ESKOM SPEC: SCSSCABE9; IDENTIFICATION INDELIBLE MNFRS TRADEMARK AND PART NO ON ALL ITEMS  | 1 | EACH |  |
| 0186195 | SIGN, DCSS1 - BATTERY ROOM D6112            | SIGN, SAFETY: DISPLAY: BATTERY ROOM PROHIBITIVE; TYPE: SYMBOLIC; DIMENSIONS: SQ 500 X THK 1.5 MM; MATERIAL: ABS; COLOR: WHITE; INSCRIPTION HEIGHT: 12; 15; 25; 45 MM; INSCRIPTION COLOR: BLACK/RED SIGNAL/YELLOW GOLDEN; SPECIFICATION: ESKOM SCSSCABE9; SUPPL P/N: DCSS1; DRAWING NO: D6112 REV 1; WITH 4 X 5 MM DIA HOLES SPACED 15 MM FROM SIDES; FONT/SIZE: HELVETICA COMPACT; SABS PV1 AND WW4; COLOURS (SABS) (A11) (B49); BLACK PIN STRIP BORDER 3MM WIDE INSET 5MM; PROCESS: SCREEN PRINT OR CUT CAST VINYL; IDENTIFICATION: INDELIBLE MNFRS,TRADEMARK AND PART NO ON ALL ITEMS    | 1 | EACH |  |
| 0186196 | SIGN, DCSS2 - BATTERY CABINET<br>D6112      | SIGN, SAFETY: DISPLAY: BATTERY CABINET PROHIBITIVE; TYPE: SYMBOLIC; DIMENSIONS: SQ 290 X THK 1.5 MM; MATERIAL: ABS; COLOR: WHITE; INSCRIPTION HEIGHT: 7; 10; 15; 25 MM; INSCRIPTION COLOR: BLACK/RED SIGNAL/YELLOW GOLDEN; SPECIFICATION: ESKOM SCSSCABE9; SUPPL P/N: DCSS2; DRAWING NO: D6112 REV 1; 4 X 5 MM DIA HOLES SPACED 15 MM FROM SIDES; FONT/SIZE HELVETICA COMPACT; SABS: PV1 AND WW4; COLOURS: (SABS) , (A11) AND (B49); BLACK PIN STRIP BORDER 2MM WIDE INSET 3MM; PROCESS SCREEN PRINT OR CUT CAST VINYL; IDENTIFICATION INDELIBLE MNFRS, TRADEMARK AND PART NO ON ALL ITEMS | 1 | EACH |  |

MANUFACTURE, SUPPLY AND DELIVERY OF LABELS USED AND APPLIED IN SUBSTATIONS AS WELL AS ON HV, MV AND LV LINES WITHIN THE LIMLANGA CLUSTER, MPUMALANGA AND LIMPOPO OPERATING UNIT ON AN "AS AND WHEN REQUIRED" BASIS OVER A PERIOD OF 60-MONTHS.

|         |  |  |   |      |  |
|---------|--|--|---|------|--|
| 0186197 | SIGN:SYMBOLIC;SQ 380 X THK 0.9 MM;SQ     | SIGN: TYPE: SYMBOLIC; DESIGNATION: PROHIBITIVE, COMBINED BATTERY ROOM; DIMENSIONS: SQ 380 X THK 0.9 MM; MATERIAL: ABS PLASTIC; LAYOUT: SYMBOLIC SIGNS/SIZE (SABS) PV2, MV5, MV9 AND MV10 (SQ 190 MM); COLORS (SABS) BLACK, RED SIGNAL (A11) AND BLUE ULTRAMARINE (F09); ATTACHMENT METHOD: (4) 5 MM DIA HOLES SPACED 15 MM FROM SIDES; INSCRIPTION COLOR: BLACK SABS; BLUE ULTRAMARINE F09; RED SIGNAL A11; BASIC SHAPE STYLE: SQ; DRAWING NO: D6112 REV 1; SPECIFICATION: ESKOM SCSSCAABE9; MODEL NO: DCSS3; PROCESS SCREEN PRINT OR CUT CAST VINYL; IDENTIFICATION: INDELIBLE MNFRS. TRADEMARK AND PART NO. ON ALL ITEMS | 1 | EACH |  |
| 0219004 | SIGN, WARNING ELECTRIFIED FENCE D6058    | SIGN, ELECTRICAL SAFETY: DESIGNATION: ELECTRIFIED FENCE; DIMENSIONS: 100 X 200 MM; MATERIAL: PLASTIC DISSCABR2; LAYOUT: MARKED ON BOTH SIDES; COLOR: YELLOW; INSCRIPTION COLOR: BLACK; SPECIFICATION: CORROSION DIN 50021; STD DISSCABR2; ESKOM DISSCABR2; TEST/CERTIFICATION DIN 50021; DRAWING NO: D6058 REV 1; MARKED WITH INDELIBLE INSCRIPTION AS SHOWN ON D-DT-5089; MASS:- 0.046G; WITH 5MM DIAMETER HOLES IN FOUR CORNERS; IDENTIFICATION: INDELIBLE MNFRS TRADEMARK AND PART NO. ON ALL ITEMS   | 1 | EACH |  |
| 0244153 | LABEL:CROSSING LINE;WD 450 X LG 920 MM   | LABEL: TYPE: CROSSING LINE; SIZE: WD 450 X LG 920 MM; COLOR: GREEN FLUOROCENT LIME; DESIGNATION: BLACK CROSS; MATERIAL: VINYL; 3 M; GALVANIZED STEEL FRAME WITH PUNCHED HOLES  | 1 | EACH |  |
| 0650594 | LABEL:TRFR B.M.T OIL SAMPLE POINT        | LABEL: TYPE: TRFR B.M.T OIL SAMPLE POINT; SIZE: 170 X 30 MM; COLOR: WHITE BACKGROUND; PRINTED IN BLACK; DESIGNATION: TRFR B.M.T OIL SAMPLE POINT; LETTERS PRINTED IN BLACK; SPACE LETTERS EVENLY TO FIT SIGN SIZE; X22 PT, ARIAL BOLD; MATERIAL: UV PROTECTED PVC; PRINTABLE CHROMADEK; ALL TEXT MUST BE IN CAPITAL LETTERS; ALL LABELS MUST BE SUPPLIED WITH ADHESIVE MATERIAL  | 1 | EACH |  |
| 0728341 | SIGN SFTY:CELLPHONES PROHIBITED;SYMBOLIC | SIGN, SAFETY: DISPLAY: CELLPHONES PROHIBITED; TYPE: SYMBOLIC; DIMENSIONS: SQ 290 MM; MATERIAL: CHROMADEK   | 1 | EACH |  |
| 0745127 | SIGN SFTY:LADIES TOILET;INDICATION;AL    | SIGN, SAFETY: DISPLAY: LADIES TOILET; TYPE: INDICATION; DIMENSIONS: WD 190 X LG 190 X THK 2 MM; MATERIAL: ALUMINIUM; COLOR: WHITE; GREEN; BLACK; SHAPE: SQUARE; INSCRIPTION COLOR: BLACK; COMPOSITE;WHITE S/S(0.3MM SKIN); BLUE SQUARE WITH LADY IN WHITE  | 1 | EACH |  |
| 0745144 | SIGN SFTY:GENTS TOILET;INDICATION;AL     | SIGN, SAFETY: DISPLAY: GENTS TOILET; TYPE: INDICATION; DIMENSIONS: WD 190 X LG 190 X THK 3 MM; MATERIAL: ALUMINIUM; COLOR: WHITE; GREEN; BLACK; SHAPE: SQUARE; INSCRIPTION COLOR: BLACK; COMPOSITE;WHITE S/S(0.3MM SKIN); BLUE SQUARE WITH MAN IN WHITE  | 1 | EACH |  |
| 0745157 | SIGN SFTY:GENTS TOILET;INDICATION;AL     | SIGN, SAFETY: DISPLAY: GENTS TOILET; TYPE: INDICATION; DIMENSIONS: WD 290 X LG 290 X THK 3 MM; MATERIAL: ALUMINIUM; COLOR: WHITE; GREEN; BLACK; SHAPE: SQUARE; INSCRIPTION COLOR: BLACK; COMPOSITE; WHITE S/S(0.3MM SKIN); BLUE SQUARE WITH MAN IN WHITE   | 1 | EACH |  |
| 0745159 | SIGN SFTY:LADIES TOILET;INDICATION;AL    | SIGN, SAFETY: DISPLAY: LADIES TOILET; TYPE: INDICATION; DIMENSIONS: WD 290 X LG 290 X THK 3 MM; MATERIAL: ALUMINIUM; COLOR: WHITE; GREEN; BLACK; SHAPE: SQUARE; INSCRIPTION COLOR: BLACK; COMPOSITE;WHITE S/S(0.3MM SKIN); BLUE SQUARE WITH LADY IN WHITE  | 1 | EACH |  |

MANUFACTURE, SUPPLY AND DELIVERY OF LABELS USED AND APPLIED IN SUBSTATIONS AS WELL AS ON HV, MV AND LV LINES WITHIN THE LIMLANGA CLUSTER, MPUMALANGA AND LIMPOPO OPERATING UNIT ON AN "AS AND WHEN REQUIRED" BASIS OVER A PERIOD OF 60-MONTHS.

|         |  |  |   |      |  |
|---------|--|--|---|------|--|
| 0745188 | SIGN SFTY:WARNING;WD 290 X LG 290 MM;AL  | SIGN, SAFETY: DISPLAY: DANGER ASBESTOS MAY CAUSE CANCER; TYPE: WARNING; DIMENSIONS: WD 290 X LG 290 MM; MATERIAL: ALUMINIUM; COLOR: WHITE; BLACK; YELLOW; SHAPE: SQUARE; INSCRIPTION COLOR: BLACK; COMPOSITE;WHITE S/S (0.3MM SKIN); YELLOW TRIANGLE WITH BLACK BORDER   | 1 | EACH |  |
| 0745188 | SIGN SFTY:WARNING;WD 290 X LG 290 MM;AL  | SIGN, SAFETY: DISPLAY: DANGER ASBESTOS MAY CAUSE CANCER; TYPE: WARNING; DIMENSIONS: WD 290 X LG 290 MM; MATERIAL: ALUMINIUM; COLOR: WHITE; BLACK; YELLOW; SHAPE: SQUARE; INSCRIPTION COLOR: BLACK; COMPOSITE;WHITE S/S (0.3MM SKIN); YELLOW TRIANGLE WITH BLACK BORDER   | 1 | EACH |  |
| 0757222 | SIGN:TRFR BAY;23 KV/400 V AUX TRFR 1/2/3 | SIGN: TYPE: TRFR BAY; DESIGNATION: 23 KV/400 V AUX TRFR 1/2/3; DIMENSIONS: WD 230 X LG 610 X THK 1.2 MM; MATERIAL: VITREOUS ENAMEL (MILD STEEL); LAYOUT: HELVETICA COMPACT, CENTER JUSTIFIED; COLOR: ORANGE(SPECTRUM B25); INSCRIPTION COLOR: BLACK; INSCRIPTION HEIGHT: 30; 25 MM; BASIC SHAPE STYLE: RECTANGULAR; DRAWING NO: D-DT-5047/0.54/5578; SPECIFICATION: 240-75660336 | 1 | EACH |  |
| 0757231 | SIGN:TRFR BAY;22 KV/400 V AUX TRFR 1/2/3 | SIGN: TYPE: TRFR BAY; DESIGNATION: 22 KV/400 V AUX TRFR 1/2/3; DIMENSIONS: WD 230 X LG 460 X THK 1.0 MM; MATERIAL: CHROMADEK/CHROMAPREP; LAYOUT: HELVETICA COMPACT, CENTER JUSTIFIED; COLOR: ORANGE(SPECTRUM B25); INSCRIPTION COLOR: BLACK; INSCRIPTION HEIGHT: 30; 25 MM; BASIC SHAPE STYLE: RECTANGULAR; DRAWING NO: D-DT-5047/0.54/5578; SPECIFICATION: 240-75660336         | 1 | EACH |  |
| 0757245 | SIGN:TRFR BAY LABEL 3;CT;BLACK;30; 25 MM | SIGN: TYPE: TRFR BAY LABEL 3; DESIGNATION: CT; DIMENSIONS: WD 230 X LG 460 X THK 1.0 MM; MATERIAL: VITREOUS ENAMEL (MILD STEEL); LAYOUT: HELVETICA COMPACT, CENTER JUSTIFIED; COLOR: ORANGE(SPECTRUM B25); INSCRIPTION COLOR: BLACK; INSCRIPTION HEIGHT: 30; 25 MM; BASIC SHAPE STYLE: RECTANGULAR; DRAWING NO: D-DT-5047/0.54/5578; SPECIFICATION: 240-75660336                 | 1 | EACH |  |
| 0757258 | SIGN:TRFR BAY;22 KV/400 V AUX TRFR 1/2/3 | SIGN: TYPE: TRFR BAY; DESIGNATION: 22 KV/400 V AUX TRFR 1/2/3; DIMENSIONS: WD 230 X LG 460 X THK 1.0 MM; MATERIAL: VITREOUS ENAMEL (MILD STEEL); LAYOUT: HELVETICA COMPACT, CENTER JUSTIFIED; COLOR: ORANGE(SPECTRUM B25); INSCRIPTION COLOR: BLACK; INSCRIPTION HEIGHT: 30; 25 MM; BASIC SHAPE STYLE: RECTANGULAR; DRAWING NO: D-DT-5047/0.54/5578; SPECIFICATION: 240-75660336 | 1 | EACH |  |
| 0757262 | SIGN:TRFR BAY LABEL 3;BKR;BLACK;30; 25   | SIGN: TYPE: TRFR BAY LABEL 3; DESIGNATION: BKR; DIMENSIONS: WD 230 X LG 460 X THK 1.0 MM; MATERIAL: VITREOUS ENAMEL (MILD STEEL); LAYOUT: HELVETICA COMPACT, CENTER JUSTIFIED; COLOR: ORANGE(SPECTRUM B25); INSCRIPTION COLOR: BLACK; INSCRIPTION HEIGHT: 30; 25 MM; BASIC SHAPE STYLE: RECTANGULAR; DRAWING NO: D-DT-5047/0.54/5578; SPECIFICATION: 240-75660336                | 1 | EACH |  |
| 0757269 | SIGN:TRFR BAY;23 KV/400 V AUX TRFR 1/2/3 | SIGN: TYPE: TRFR BAY; DESIGNATION: 23 KV/400 V AUX TRFR 1/2/3; DIMENSIONS: WD 230 X LG 610 X THK 1.2 MM; MATERIAL: CHROMADEK/CHROMAPREP; LAYOUT: HELVETICA COMPACT, CENTER JUSTIFIED; COLOR: ORANGE(SPECTRUM B25); INSCRIPTION COLOR: BLACK; INSCRIPTION HEIGHT: 30; 25 MM; BASIC SHAPE STYLE: RECTANGULAR; DRAWING NO: D-DT-5047/0.54/5578; SPECIFICATION: 240-75660336         | 1 | EACH |  |
| 0757279 | SIGN:TRFR BAY LABEL 7;CT JB;BLACK;30; 25 | SIGN: TYPE: TRFR BAY LABEL 7; DESIGNATION: CT JB; DIMENSIONS: WD 100 X LG 320 X THK 1.2 MM; MATERIAL: VITREOUS ENAMEL (MILD STEEL); LAYOUT: HELVETICA COMPACT, CENTER JUSTIFIED; COLOR: ORANGE(SPECTRUM B25); INSCRIPTION COLOR: BLACK; INSCRIPTION HEIGHT: 30; 25 MM; BASIC SHAPE STYLE: RECTANGULAR; DRAWING NO: D-DT-5047/0.54/5578; SPECIFICATION: 240-75660336              | 1 | EACH |  |

MANUFACTURE, SUPPLY AND DELIVERY OF LABELS USED AND APPLIED IN SUBSTATIONS AS WELL AS ON HV, MV AND LV LINES WITHIN THE LIMLANGA CLUSTER, MPUMALANGA AND LIMPOPO OPERATING UNIT ON AN "AS AND WHEN REQUIRED" BASIS OVER A PERIOD OF 60-MONTHS.

|         |  |  |   |      |  |
|---------|--|--|---|------|--|
| 0765473 | SIGN:HV LINE BAY LABEL 3;LINE ISOL;BLACK | SIGN: TYPE: HV LINE BAY LABEL 3; DESIGNATION: LINE ISOL; DIMENSIONS: WD 230 X LG 460 X THK 1.0 MM; MATERIAL: CHROMADEK/CHROMAPREP; LAYOUT: HELVETICA COMPACT, CENTER JUSTIFIED; COLOR: ORANGE (SECTRUM B25); INSCRIPTION COLOR: BLACK; INSCRIPTION HEIGHT: 30; 25; 25 MM; BASIC SHAPE STYLE: RECTANGULAR; DRAWING NO: D-DT-5047/0.54/5577; SPECIFICATION: 240-75660336 | 1 | EACH |  |
| 0765474 | SIGN:MV LINE LABEL 3;OUTGOING ISOL;BLACK | SIGN: TYPE: MV LINE LABEL 3; DESIGNATION: OUTGOING ISOL; DIMENSIONS: WD 245 X LG 600 X THK 1.0 MM; MATERIAL: CHROMADEK/CHROMAPREP; LAYOUT: HELVETICA MEDIUM COMPACT; COLOR: YELLOW; INSCRIPTION COLOR: BLACK; INSCRIPTION HEIGHT: 50 MM; BASIC SHAPE STYLE: RECTANGULAR; DRAWING NO: D-DT-5047/0.54/5577; SPECIFICATION: 240-75660336                                  | 1 | EACH |  |
| 0765475 | SIGN:PHASE;B;HT 230 X THK 1.2 MM;BLACK   | SIGN: TYPE: PHASE; DESIGNATION: B; DIMENSIONS: HT 230 X THK 1.2 MM; MATERIAL: VITREOUS ENAMEL (MILD STEEL); LAYOUT: HELVETICA COMPACT, CENTER JUSTIFIED; COLOR: BLUE F09; INSCRIPTION COLOR: BLACK; INSCRIPTION HEIGHT: 150 MM; BASIC SHAPE STYLE: ROUND; DRAWING NO: D-DT-5047/0.54/5577; SPECIFICATION: 240-75660336; BOTH SIDES                                     | 1 | EACH |  |
| 0765476 | SIGN:TX LINE;HV TOWER;BLACK;75; 75; 140  | SIGN: TYPE: TX LINE; DESIGNATION: HV TOWER; DIMENSIONS: WD 120 X HT 1225 X THK 0.6 MM; MATERIAL: CHROMADEK/CHROMAPREP; LAYOUT: HELVETICA COMPACT, CENTER JUSTIFIED; COLOR: GOLDEN YELLOW, SABS B49; INSCRIPTION COLOR: BLACK; INSCRIPTION HEIGHT: 75; 75; 140 MM; BASIC SHAPE STYLE: RECTANGULAR; SPECIFICATION: 240-75660336  | 1 | EACH |  |
| 0765477 | SIGN:SUBSTN;NAME LARGE;POP-RIVITED       | SIGN: TYPE: SUBSTATION; DESIGNATION: NAME LARGE; DIMENSIONS: WD 1165 X HT 550 X THK 1.0 MM; MATERIAL: CHROMADEK/CHROMAPREP; ATTACHMENT METHOD: POP-RIVITED; COLOR: PANTONE 8004C; INSCRIPTION COLOR: PANTONE 287C; INSCRIPTION HEIGHT: 50; 60; 60 MM; BASIC SHAPE STYLE: RECTANGULAR; DRAWING NO: D-DT-5047; SPECIFICATION: 240-75660336                               | 1 | EACH |  |
| 0765478 | SIGN:TRFR BAY LABEL 2;BKR;BLACK;30; 25   | SIGN: TYPE: TRFR BAY LABEL 2; DESIGNATION: BKR; DIMENSIONS: WD 230 X LG 610 X THK 1.0 MM; MATERIAL: CHROMADEK/CHROMAPREP; LAYOUT: HELVETICA COMPACT, CENTER JUSTIFIED; COLOR: ORANGE (SECTRUM B25); INSCRIPTION COLOR: BLACK; INSCRIPTION HEIGHT: 30; 25 MM; BASIC SHAPE STYLE: RECTANGULAR; DRAWING NO: D-DT-5047/0.54/5577; SPECIFICATION: 240-75660336              | 1 | EACH |  |
| 0765479 | SIGN:CABLE MARKER;SUPERVISORY;SILVER;6   | SIGN: TYPE: CABLE MARKER; DESIGNATION: SUPERVISORY; DIMENSIONS: WD 10 X LG 40 X THK 1.2 MM; MATERIAL: ALUMINUM ANODISED; COLOR: SILVER; INSCRIPTION COLOR: BLACK; INSCRIPTION HEIGHT: 6 MM; BASIC SHAPE STYLE: RECTANGULAR; FOR OUTDOOR SUPERVISORY CABLES   | 1 | EACH |  |
| 0765480 | SIGN:HV LINE BAY LABEL 7;CT JB;BLACK     | SIGN: TYPE: HV LINE BAY LABEL 7; DESIGNATION: CT JB; DIMENSIONS: WD 100 X LG 320 X THK 1.2 MM; MATERIAL: VITREOUS ENAMEL (MILD STEEL); LAYOUT: HELVETICA COMPACT, CENTER JUSTIFIED; COLOR: ORANGE (SECTRUM B25); INSCRIPTION COLOR: BLACK; INSCRIPTION HEIGHT: 30; 25 MM; BASIC SHAPE STYLE: RECTANGULAR; DRAWING NO: D-DT-5047/0.54/5577; SPECIFICATION: 240-75660336 | 1 | EACH |  |
| 0765481 | SIGN:TRFR BAY LABEL 1;TRFR;BLACK;100; 75 | SIGN: TYPE: TRFR BAY LABEL 1; DESIGNATION: TRFR; DIMENSIONS: WD 305 X LG 1830 X THK 1.0 MM; MATERIAL: CHROMADEK/CHROMAPREP; LAYOUT: HELVETICA COMPACT, CENTER JUSTIFIED; COLOR: ORANGE (SECTRUM B25); INSCRIPTION COLOR: BLACK; INSCRIPTION HEIGHT: 100; 75 MM; BASIC SHAPE STYLE: RECTANGULAR; DRAWING NO: D-DT-5047/0.54/5577; SPECIFICATION: 240-75660336           | 1 | EACH |  |



MANUFACTURE, SUPPLY AND DELIVERY OF LABELS USED AND APPLIED IN SUBSTATIONS AS WELL AS ON HV, MV AND LV LINES WITHIN THE LIMLANGA CLUSTER, MPUMALANGA AND LIMPOPO OPERATING UNIT ON AN "AS AND WHEN REQUIRED" BASIS OVER A PERIOD OF 60-MONTHS.

|         |  |  |   |      |  |
|---------|--|--|---|------|--|
| 0765482 | SIGN: MV B/B BAY-O/D LABEL 7; VT JB; BLACK   | SIGN: TYPE: MV B/B BAY-O/D LABEL 7; DESIGNATION: VT JB; DIMENSIONS: WD 100 X LG 320 X THK 1.2 MM; MATERIAL: VITREOUS ENAMEL (MILD STEEL); LAYOUT: HELVETICA COMPACT, CENTER JUSTIFIED; COLOR: ORANGE (SECTRUM B25); INSCRIPTION COLOR: BLACK; INSCRIPTION HEIGHT: 30; 25 MM; BASIC SHAPE STYLE: RECTANGULAR; DRAWING NO: D-DT-5047/0.54/5577; SPECIFICATION: 240-75660336        | 1 | EACH |  |
| 0765483 | SIGN: HV LINE BAY LABEL 3; CT; BLACK         | SIGN: TYPE: HV LINE BAY LABEL 3; DESIGNATION: CT; DIMENSIONS: WD 230 X LG 460 X THK 1.0 MM; MATERIAL: CHROMADEK/CHROMAPREP; LAYOUT: HELVETICA COMPACT, CENTER JUSTIFIED; COLOR: ORANGE (SECTRUM B25); INSCRIPTION COLOR: BLACK; INSCRIPTION HEIGHT: 30; 25; 25 MM; BASIC SHAPE STYLE: RECTANGULAR; DRAWING NO: D-DT-5047/0.54/5577; SPECIFICATION: 240-75660336                  | 1 | EACH |  |
| 0765484 | SIGN: TRFR BAY LABEL 7; CT JB; BLACK; 30; 25 | SIGN: TYPE: TRFR BAY LABEL 7; DESIGNATION: CT JB; DIMENSIONS: WD 100 X LG 320 X THK 1.2 MM; MATERIAL: VITREOUS ENAMEL (MILD STEEL); LAYOUT: HELVETICA COMPACT, CENTER JUSTIFIED; COLOR: ORANGE (SECTRUM B25); INSCRIPTION COLOR: BLACK; INSCRIPTION HEIGHT: 30; 25 MM; BASIC SHAPE STYLE: RECTANGULAR; DRAWING NO: D-DT-5047/0.54/5577; SPECIFICATION: 240-75660336              | 1 | EACH |  |
| 0765485 | SIGN: TRFR BAY LABEL 3; B/B 1 ISOL; BLACK    | SIGN: TYPE: TRFR BAY LABEL 3; DESIGNATION: B/B 1 ISOL; DIMENSIONS: WD 230 X LG 460 X THK 1.2 MM; MATERIAL: VITREOUS ENAMEL (MILD STEEL); LAYOUT: HELVETICA COMPACT, CENTER JUSTIFIED; COLOR: ORANGE (SECTRUM B25); INSCRIPTION COLOR: BLACK; INSCRIPTION HEIGHT: 30; 25 MM; BASIC SHAPE STYLE: RECTANGULAR; DRAWING NO: D-DT-5047/0.54/5577; SPECIFICATION: 240-75660336         | 1 | EACH |  |
| 0765486 | SIGN: TRFR BAY LABEL 2; BLACK; 30; 25 MM     | SIGN: TYPE: TRFR BAY LABEL 2; DESIGNATION: 22 KV/400 V AUX TRFR 1/2/3; DIMENSIONS: WD 230 X LG 610 X THK 1.0 MM; MATERIAL: CHROMADEK/CHROMAPREP; LAYOUT: HELVETICA COMPACT, CENTER JUSTIFIED; COLOR: ORANGE (SECTRUM B25); INSCRIPTION COLOR: BLACK; INSCRIPTION HEIGHT: 30; 25 MM; BASIC SHAPE STYLE: RECTANGULAR; DRAWING NO: D-DT-5047/0.54/5577; SPECIFICATION: 240-75660336 | 1 | EACH |  |
| 0765487 | SIGN: HV LINE BAY LABEL 2; LINE ISOL; BLACK  | SIGN: TYPE: HV LINE BAY LABEL 2; DESIGNATION: LINE ISOL; DIMENSIONS: WD 230 X LG 610 X THK 1.0 MM; MATERIAL: CHROMADEK/CHROMAPREP; LAYOUT: HELVETICA COMPACT, CENTER JUSTIFIED; COLOR: ORANGE (SECTRUM B25); INSCRIPTION COLOR: BLACK; INSCRIPTION HEIGHT: 30; 25 MM; BASIC SHAPE STYLE: RECTANGULAR; DRAWING NO: D-DT-5047/0.54/5577; SPECIFICATION: 240-75660336               | 1 | EACH |  |
| 0765488 | SIGN: HV LINE BAY LABEL 2; LINE ISOL; BLACK  | SIGN: TYPE: HV LINE BAY LABEL 2; DESIGNATION: LINE ISOL; DIMENSIONS: WD 230 X LG 610 X THK 1.2 MM; MATERIAL: VITREOUS ENAMEL (MILD STEEL); LAYOUT: HELVETICA COMPACT, CENTER JUSTIFIED; COLOR: ORANGE (SECTRUM B25); INSCRIPTION COLOR: BLACK; INSCRIPTION HEIGHT: 30; 25 MM; BASIC SHAPE STYLE: RECTANGULAR; DRAWING NO: D-DT-5047/0.54/5577; SPECIFICATION: 240-75660336       | 1 | EACH |  |
| 0765489 | SIGN: MV LINE LABEL 4; INCOMING ISOL; BLACK  | SIGN: TYPE: MV LINE LABEL 4; DESIGNATION: INCOMING ISOL; DIMENSIONS: WD 245 X LG 450 X THK 1.2 MM; MATERIAL: VITREOUS ENAMEL (MILD STEEL); LAYOUT: HELVETICA MEDIUM COMPACT; COLOR: YELLOW; INSCRIPTION COLOR: BLACK; INSCRIPTION HEIGHT: 50 MM; BASIC SHAPE STYLE: RECTANGULAR; DRAWING NO: D-DT-5047/0.54/5577; SPECIFICATION: 240-75660336                                    | 1 | EACH |  |
| 0765490 | SIGN: TRFR BAY LABEL 3; BKR; BLACK; 30; 25   | SIGN: TYPE: TRFR BAY LABEL 3; DESIGNATION: BKR; DIMENSIONS: WD 230 X LG 460 X THK 1.0 MM; MATERIAL: CHROMADEK/CHROMAPREP; LAYOUT: HELVETICA COMPACT, CENTER JUSTIFIED; COLOR: ORANGE (SECTRUM B25); INSCRIPTION COLOR: BLACK; INSCRIPTION  | 1 | EACH |  |

MANUFACTURE, SUPPLY AND DELIVERY OF LABELS USED AND APPLIED IN SUBSTATIONS AS WELL AS ON HV, MV AND LV LINES WITHIN THE LIMLANGA CLUSTER, MPUMALANGA AND LIMPOPO OPERATING UNIT ON AN "AS AND WHEN REQUIRED" BASIS OVER A PERIOD OF 60-MONTHS.

|         |  |  |   |      |  |
|---------|--|--|---|------|--|
|         |  | HEIGHT: 30; 25 MM; BASIC SHAPE STYLE: RECTANGULAR; DRAWING NO: D-DT-5047/0.54/5577; SPECIFICATION: 240-75660336  |   |      |  |
| 0765491 | SIGN:TRFR BAY LABEL 2;B/B 1 ISOL;BLACK   | SIGN: TYPE: TRFR BAY LABEL 2; DESIGNATION: B/B 1 ISOL; DIMENSIONS: WD 230 X LG 610 X THK 1.0 MM; MATERIAL: CHROMADEK/CHROMAPREP; LAYOUT: HELVETICA COMPACT, CENTER JUSTIFIED; COLOR: ORANGE (SECTRUM B25); INSCRIPTION COLOR: BLACK; INSCRIPTION HEIGHT: 30; 25 MM; BASIC SHAPE STYLE: RECTANGULAR; DRAWING NO: D-DT-5047/0.54/5577; SPECIFICATION: 240-75660336               | 1 | EACH |  |
| 0765493 | SIGN:HV LINE BAY LABEL 3;LINE ISOL;BLACK | SIGN: TYPE: HV LINE BAY LABEL 3; DESIGNATION: LINE ISOL; DIMENSIONS: WD 230 X LG 460 X THK 1.2 MM; MATERIAL: VITREOUS ENAMEL (MILD STEEL); LAYOUT: HELVETICA COMPACT, CENTER JUSTIFIED; COLOR: ORANGE (SECTRUM B25); INSCRIPTION COLOR: BLACK; INSCRIPTION HEIGHT: 30; 25; 25 MM; BASIC SHAPE STYLE: RECTANGULAR; DRAWING NO: D-DT-5047/0.54/5577; SPECIFICATION: 240-75660336 | 1 | EACH |  |
| 0765494 | SIGN:MV B/B BAY-O/D LABEL 2;TRANS B/B    | SIGN: TYPE: MV B/B BAY-O/D LABEL 2; DESIGNATION: TRANS B/B; DIMENSIONS: WD 230 X LG 610 X THK 1.0 MM; MATERIAL: CHROMADEK/CHROMAPREP; LAYOUT: HELVETICA COMPACT, CENTER JUSTIFIED; COLOR: ORANGE (SECTRUM B25); INSCRIPTION COLOR: BLACK; INSCRIPTION HEIGHT: 30; 25 MM; BASIC SHAPE STYLE: RECTANGULAR; DRAWING NO: D-DT-5047/0.54/5577; SPECIFICATION: 240-75660336          | 1 | EACH |  |
| 0765495 | SIGN:MV LINE LABEL 4;OUTGOING ISOL;BLACK | SIGN: TYPE: MV LINE LABEL 4; DESIGNATION: OUTGOING ISOL; DIMENSIONS: WD 245 X LG 450 X THK 1.0 MM; MATERIAL: CHROMADEK/CHROMAPREP; LAYOUT: HELVITICA MEDIUM COMPACT; COLOR: YELLOW; INSCRIPTION COLOR: BLACK; INSCRIPTION HEIGHT: 50 MM; BASIC SHAPE STYLE: RECTANGULAR; DRAWING NO: D-DT-5047/0.54/5577; SPECIFICATION: 240-75660336  | 1 | EACH |  |
| 0765496 | SIGN:MV LINE LABEL 4;BY-PASS ISOL;YELLOW | SIGN: TYPE: MV LINE LABEL 4; DESIGNATION: BY-PASS ISOL; DIMENSIONS: WD 245 X LG 450 X THK 1.0 MM; MATERIAL: CHROMADEK/CHROMAPREP; LAYOUT: HELVITICA MEDIUM COMPACT; COLOR: YELLOW; INSCRIPTION COLOR: BLACK; INSCRIPTION HEIGHT: 50 MM; BASIC SHAPE STYLE: RECTANGULAR; DRAWING NO: D-DT-5047/0.54/5577; SPECIFICATION: 240-75660336   | 1 | EACH |  |
| 0765497 | SIGN:TRFR BAY LABEL 2;A/B SW;BLACK       | SIGN: TYPE: TRFR BAY LABEL 2; DESIGNATION: A/B SW; DIMENSIONS: WD 230 X LG 610 X THK 1.0 MM; MATERIAL: CHROMADEK/CHROMAPREP; LAYOUT: HELVETICA COMPACT, CENTER JUSTIFIED; COLOR: ORANGE (SECTRUM B25); INSCRIPTION COLOR: BLACK; INSCRIPTION HEIGHT: 30; 25 MM; BASIC SHAPE STYLE: RECTANGULAR; DRAWING NO: D-DT-5047/0.54/5577; SPECIFICATION: 240-75660336                   | 1 | EACH |  |
| 0765498 | SIGN:MV B/B BAY-O/D LABEL 2;VT;BLACK     | SIGN: TYPE: MV B/B BAY-O/D LABEL 2; DESIGNATION: VT; DIMENSIONS: WD 230 X LG 610 X THK 1.2 MM; MATERIAL: VITREOUS ENAMEL (MILD STEEL); LAYOUT: HELVETICA COMPACT, CENTER JUSTIFIED; COLOR: ORANGE (SECTRUM B25); INSCRIPTION COLOR: BLACK; INSCRIPTION HEIGHT: 30; 25 MM; BASIC SHAPE STYLE: RECTANGULAR; DRAWING NO: D-DT-5047/0.54/5577; SPECIFICATION: 240-75660336         | 1 | EACH |  |
| 0765499 | SIGN:MV LINE LABEL 3;VOLTAGE REG;YELLOW  | SIGN: TYPE: MV LINE LABEL 3; DESIGNATION: VOLTAGE REG; DIMENSIONS: WD 245 X LG 600 X THK 1.2 MM; MATERIAL: VITREOUS ENAMEL (MILD STEEL); LAYOUT: HELVITICA MEDIUM COMPACT; COLOR: YELLOW; INSCRIPTION COLOR: BLACK; INSCRIPTION HEIGHT: 50 MM; BASIC SHAPE STYLE: RECTANGULAR; DRAWING NO: D-DT-5047/0.54/5577; SPECIFICATION: 240-75660336                                    | 1 | EACH |  |

MANUFACTURE, SUPPLY AND DELIVERY OF LABELS USED AND APPLIED IN SUBSTATIONS AS WELL AS ON HV, MV AND LV LINES WITHIN THE LIMLANGA CLUSTER, MPUMALANGA AND LIMPOPO OPERATING UNIT ON AN "AS AND WHEN REQUIRED" BASIS OVER A PERIOD OF 60-MONTHS.

|         |   |   |   |      |  |
|---------|---|---|---|------|--|
| 0765501 | SIGN: TRFR BAY LABEL 2;CT;BLACK;30; 25 MM | SIGN: TYPE: TRFR BAY LABEL 2; DESIGNATION: CT; DIMENSIONS: WD 230 X LG 610 X THK 1.0 MM; MATERIAL: CHROMADEK/CHROMAPREP; LAYOUT: HELVETICA COMPACT, CENTER JUSTIFIED; COLOR: ORANGE (SECTRUM B25); INSCRIPTION COLOR: BLACK; INSCRIPTION HEIGHT: 30; 25 MM; BASIC SHAPE STYLE: RECTANGULAR; DRAWING NO: D-DT-5047/0.54/5577; SPECIFICATION: 240-75660336                      | 1 | EACH |  |
| 0765502 | SIGN: TX LINE;HV TOWER;BLACK;75; 75; 140  | SIGN: TYPE: TX LINE; DESIGNATION: HV TOWER; DIMENSIONS: WD 120 X HT 1225 X THK 1.2 TO 1.6 MM; MATERIAL: VITREOUS ENAMEL (MILD STEEL); LAYOUT: HELVETICA COMPACT, CENTER JUSTIFIED; COLOR: GOLDEN YELLOW, SABS B49; INSCRIPTION COLOR: BLACK; INSCRIPTION HEIGHT: 75; 75; 140 MM; BASIC SHAPE STYLE: RECTANGULAR; SPECIFICATION: 240-75660336                                  | 1 | EACH |  |
| 0765503 | SIGN:TRFR BAY LABEL 2;A/B SW;BLACK        | SIGN: TYPE: TRFR BAY LABEL 2; DESIGNATION: A/B SW; DIMENSIONS: WD 230 X LG 460 X THK 1.2 MM; MATERIAL: VITREOUS ENAMEL (MILD STEEL); LAYOUT: HELVETICA COMPACT, CENTER JUSTIFIED; COLOR: ORANGE (SECTRUM B25); INSCRIPTION COLOR: BLACK; INSCRIPTION HEIGHT: 30; 25 MM; BASIC SHAPE STYLE: RECTANGULAR; DRAWING NO: D-DT-5047/0.54/5577; SPECIFICATION: 240-75660336          | 1 | EACH |  |
| 0765504 | SIGN:TRFR BAY LABEL 2;B/B 2 ISOL;BLACK    | SIGN: TYPE: TRFR BAY LABEL 2; DESIGNATION: B/B 2 ISOL; DIMENSIONS: WD 230 X LG 610 X THK 1.0 MM; MATERIAL: CHROMADEK/CHROMAPREP; LAYOUT: HELVETICA COMPACT, CENTER JUSTIFIED; COLOR: ORANGE (SECTRUM B25); INSCRIPTION COLOR: BLACK; INSCRIPTION HEIGHT: 30; 25 MM; BASIC SHAPE STYLE: RECTANGULAR; DRAWING NO: D-DT-5047/0.54/5577; SPECIFICATION: 240-75660336              | 1 | EACH |  |
| 0765505 | SIGN:HV LINE BAY LABEL 2;BKR;BLACK        | SIGN: TYPE: HV LINE BAY LABEL 2; DESIGNATION: BKR; DIMENSIONS: WD 230 X LG 610 X THK 1.0 MM; MATERIAL: CHROMADEK/CHROMAPREP; LAYOUT: HELVETICA COMPACT, CENTER JUSTIFIED; COLOR: ORANGE (SECTRUM B25); INSCRIPTION COLOR: BLACK; INSCRIPTION HEIGHT: 30; 25 MM; BASIC SHAPE STYLE: RECTANGULAR; DRAWING NO: D-DT-5047/0.54/5577; SPECIFICATION: 240-75660336                  | 1 | EACH |  |
| 0765506 | SIGN:MV LINE LABEL 4;TRFR;YELLOW;BLACK    | SIGN: TYPE: MV LINE LABEL 4; DESIGNATION: TRFR; DIMENSIONS: WD 245 X LG 450 X THK 1.2 MM; MATERIAL: VITREOUS ENAMEL (MILD STEEL); LAYOUT: HELVETICA MEDIUM COMPACT; COLOR: YELLOW; INSCRIPTION COLOR: BLACK; INSCRIPTION HEIGHT: 50 MM; BASIC SHAPE STYLE: RECTANGULAR; DRAWING NO: D-DT-5047/0.54/5577; SPECIFICATION: 240-75660336  | 1 | EACH |  |
| 0765507 | SIGN:HV B/B BAY LABEL 2;BUS SECT ISOL     | SIGN: TYPE: HV B/B BAY LABEL 2; DESIGNATION: BUS SECT ISOL; DIMENSIONS: WD 230 X LG 610 X THK 1.2 MM; MATERIAL: VITREOUS ENAMEL (MILD STEEL); LAYOUT: HELVETICA COMPACT, CENTER JUSTIFIED; COLOR: ORANGE (SECTRUM B25); INSCRIPTION COLOR: BLACK; INSCRIPTION HEIGHT: 30; 25 MM; BASIC SHAPE STYLE: RECTANGULAR; DRAWING NO: D-DT-5047/0.54/5577; SPECIFICATION: 240-75660336 | 1 | EACH |  |
| 0765508 | SIGN:HV B/B BAY LABEL 3;BUS SECT ISOL     | SIGN: TYPE: HV B/B BAY LABEL 3; DESIGNATION: BUS SECT ISOL; DIMENSIONS: WD 230 X LG 460 X THK 1.2 MM; MATERIAL: VITREOUS ENAMEL (MILD STEEL); LAYOUT: HELVETICA COMPACT, CENTER JUSTIFIED; COLOR: ORANGE (SECTRUM B25); INSCRIPTION COLOR: BLACK; INSCRIPTION HEIGHT: 30; 25 MM; BASIC SHAPE STYLE: RECTANGULAR; DRAWING NO: D-DT-5047/0.54/5577; SPECIFICATION: 240-75660336 | 1 | EACH |  |
| 0765509 | SIGN:MV LINE LABEL 4;TRFR ISOL;YELLOW;50  | SIGN: TYPE: MV LINE LABEL 4; DESIGNATION: TRFR ISOL; DIMENSIONS: WD 245 X LG 450 X THK 1.0 MM; MATERIAL: CHROMADEK/CHROMAPREP; LAYOUT: HELVETICA MEDIUM COMPACT; COLOR: YELLOW; INSCRIPTION COLOR: BLACK; INSCRIPTION HEIGHT: 50 MM;  | 1 | EACH |  |

MANUFACTURE, SUPPLY AND DELIVERY OF LABELS USED AND APPLIED IN SUBSTATIONS AS WELL AS ON HV, MV AND LV LINES WITHIN THE LIMLANGA CLUSTER, MPUMALANGA AND LIMPOPO OPERATING UNIT ON AN "AS AND WHEN REQUIRED" BASIS OVER A PERIOD OF 60-MONTHS.

|         |   |  |   |      |  |
|---------|---|--|---|------|--|
|         |   | BASIC SHAPE STYLE: RECTANGULAR; DRAWING NO: D-DT-5047/0.54/5577; SPECIFICATION: 240-75660336   |   |      |  |
| 0765510 | SIGN: MV FFDR BAY-O/D LABEL 3; NETWK BKR    | SIGN: TYPE: MV FFDR BAY-O/D LABEL 3; DESIGNATION: NETWK BKR; DIMENSIONS: WD 230 X LG 460 X THK 1.2 MM; MATERIAL: VITREOUS ENAMEL (MILD STEEL); LAYOUT: HELVETICA COMPACT, CENTER JUSTIFIED; COLOR: ORANGE (SECTRUM B25); INSCRIPTION COLOR: BLACK; INSCRIPTION HEIGHT: 30; 25 MM; BASIC SHAPE STYLE: RECTANGULAR; DRAWING NO: D-DT-5047/0.54/5577; SPECIFICATION: 240-75660336 | 1 | EACH |  |
| 0765511 | SIGN: MV FFDR BAY-O/D LABEL 2; NETWK BKR    | SIGN: TYPE: MV FFDR BAY-O/D LABEL 2; DESIGNATION: NETWK BKR; DIMENSIONS: WD 230 X LG 610 X THK 1.2 MM; MATERIAL: VITREOUS ENAMEL (MILD STEEL); LAYOUT: HELVETICA COMPACT, CENTER JUSTIFIED; COLOR: ORANGE (SECTRUM B25); INSCRIPTION COLOR: BLACK; INSCRIPTION HEIGHT: 30; 25 MM; BASIC SHAPE STYLE: RECTANGULAR; DRAWING NO: D-DT-5047/0.54/5577; SPECIFICATION: 240-75660336 | 1 | EACH |  |
| 0765512 | SIGN: HV LINE BAY LABEL 1; B/B; BLACK; 150  | SIGN: TYPE: HV LINE BAY LABEL 1; DESIGNATION: B/B; DIMENSIONS: WD 305 X LG 1830 X THK 1.0 MM; MATERIAL: CHROMADEK/CHROMAPREP; LAYOUT: HELVETICA COMPACT, CENTER JUSTIFIED; COLOR: ORANGE (SECTRUM B25); INSCRIPTION COLOR: BLACK; INSCRIPTION HEIGHT: 150 MM; BASIC SHAPE STYLE: RECTANGULAR; DRAWING NO: D-DT-5047/0.54/5577; SPECIFICATION: 240-75660336                     | 1 | EACH |  |
| 0765513 | SIGN: MV B/B BAY-O/D LABEL 3; VT; BLACK     | SIGN: TYPE: MV B/B BAY-O/D LABEL 3; DESIGNATION: VT; DIMENSIONS: WD 230 X LG 460 X THK 1.0 MM; MATERIAL: CHROMADEK/CHROMAPREP; LAYOUT: HELVETICA COMPACT, CENTER JUSTIFIED; COLOR: ORANGE (SECTRUM B25); INSCRIPTION COLOR: BLACK; INSCRIPTION HEIGHT: 30; 25 MM; BASIC SHAPE STYLE: RECTANGULAR; DRAWING NO: D-DT-5047/0.54/5577; SPECIFICATION: 240-75660336                 | 1 | EACH |  |
| 0765514 | SIGN: MV LINE LABEL 4; BY-PASS ISOL; YELLOW | SIGN: TYPE: MV LINE LABEL 4; DESIGNATION: BY-PASS ISOL; DIMENSIONS: WD 245 X LG 450 X THK 1.2 MM; MATERIAL: VITREOUS ENAMEL (MILD STEEL); LAYOUT: HELVETICA MEDIUM COMPACT; COLOR: YELLOW; INSCRIPTION COLOR: BLACK; INSCRIPTION HEIGHT: 50 MM; BASIC SHAPE STYLE: RECTANGULAR; DRAWING NO: D-DT-5047/0.54/5577; SPECIFICATION: 240-75660336                                   | 1 | EACH |  |
| 0765515 | SIGN: MV B/B BAY-O/D LABEL 2; TRANS B/B     | SIGN: TYPE: MV B/B BAY-O/D LABEL 2; DESIGNATION: TRANS B/B; DIMENSIONS: WD 230 X LG 610 X THK 1.2 MM; MATERIAL: VITREOUS ENAMEL (MILD STEEL); LAYOUT: HELVETICA COMPACT, CENTER JUSTIFIED; COLOR: ORANGE (SECTRUM B25); INSCRIPTION COLOR: BLACK; INSCRIPTION HEIGHT: 30; 25 MM; BASIC SHAPE STYLE: RECTANGULAR; DRAWING NO: D-DT-5047/0.54/5577; SPECIFICATION: 240-75660336  | 1 | EACH |  |
| 0765516 | SIGN: HV B/B BAY LABEL 7; VT JB; BLACK      | SIGN: TYPE: HV B/B BAY LABEL 7; DESIGNATION: VT JB; DIMENSIONS: WD 100 X LG 320 X THK 1.2 MM; MATERIAL: VITREOUS ENAMEL (MILD STEEL); LAYOUT: HELVETICA COMPACT, CENTER JUSTIFIED; COLOR: ORANGE (SECTRUM B25); INSCRIPTION COLOR: BLACK; INSCRIPTION HEIGHT: 30; 25 MM; BASIC SHAPE STYLE: RECTANGULAR; DRAWING NO: D-DT-5047/0.54/5577; SPECIFICATION: 240-75660336          | 1 | EACH |  |
| 0765517 | SIGN: MV LINE LABEL 3; OUTGOING ISOL; BLACK | SIGN: TYPE: MV LINE LABEL 3; DESIGNATION: OUTGOING ISOL; DIMENSIONS: WD 245 X LG 600 X THK 1.2 MM; MATERIAL: VITREOUS ENAMEL (MILD STEEL); LAYOUT: HELVETICA MEDIUM COMPACT; COLOR: YELLOW; INSCRIPTION COLOR: BLACK; INSCRIPTION HEIGHT: 50 MM; BASIC SHAPE STYLE: RECTANGULAR; DRAWING NO: D-DT-5047/0.54/5577; SPECIFICATION: 240-75660336                                  | 1 | EACH |  |

MANUFACTURE, SUPPLY AND DELIVERY OF LABELS USED AND APPLIED IN SUBSTATIONS AS WELL AS ON HV, MV AND LV LINES WITHIN THE LIMLANGA CLUSTER, MPUMALANGA AND LIMPOPO OPERATING UNIT ON AN "AS AND WHEN REQUIRED" BASIS OVER A PERIOD OF 60-MONTHS.

|         |  |  |   |      |  |
|---------|--|--|---|------|--|
| 0765518 | SIGN:HV LINE BAY LABEL 7;ISO JB;BLACK    | SIGN: TYPE: HV LINE BAY LABEL 7; DESIGNATION: ISO JB; DIMENSIONS: WD 100 X LG 320 X THK 1.0 MM; MATERIAL: CHROMADEK/CHROMAPREP; LAYOUT: HELVETICA COMPACT, CENTER JUSTIFIED; COLOR: ORANGE (SECTRUM B25); INSCRIPTION COLOR: BLACK; INSCRIPTION HEIGHT: 30; 25 MM; BASIC SHAPE STYLE: RECTANGULAR; DRAWING NO: D-DT-5047/0.54/5577; SPECIFICATION: 240-75660336                  | 1 | EACH |  |
| 0765519 | SIGN:TRFR BAY LABEL 3;CT;BLACK;30; 25 MM | SIGN: TYPE: TRFR BAY LABEL 3; DESIGNATION: CT; DIMENSIONS: WD 230 X LG 460 X THK 1.0 MM; MATERIAL: CHROMADEK/CHROMAPREP; LAYOUT: HELVETICA COMPACT, CENTER JUSTIFIED; COLOR: ORANGE (SECTRUM B25); INSCRIPTION COLOR: BLACK; INSCRIPTION HEIGHT: 30; 25 MM; BASIC SHAPE STYLE: RECTANGULAR; DRAWING NO: D-DT-5047/0.54/5577; SPECIFICATION: 240-75660336                         | 1 | EACH |  |
| 0765520 | SIGN:HV B/B BAY LABEL 2;VT;BLACK;30; 25  | SIGN: TYPE: HV B/B BAY LABEL 2; DESIGNATION: VT; DIMENSIONS: WD 230 X LG 610 X THK 1.0 MM; MATERIAL: CHROMADEK/CHROMAPREP; LAYOUT: HELVETICA COMPACT, CENTER JUSTIFIED; COLOR: ORANGE (SECTRUM B25); INSCRIPTION COLOR: BLACK; INSCRIPTION HEIGHT: 30; 25 MM; BASIC SHAPE STYLE: RECTANGULAR; DRAWING NO: D-DT-5047/0.54/5577; SPECIFICATION: 240-75660336                       | 1 | EACH |  |
| 0765521 | SIGN:HV B/B BAY LABEL 2;BUS SECT BKR     | SIGN: TYPE: HV B/B BAY LABEL 2; DESIGNATION: BUS SECT BKR; DIMENSIONS: WD 230 X LG 610 X THK 1.2 MM; MATERIAL: VITREOUS ENAMEL (MILD STEEL); LAYOUT: HELVETICA COMPACT, CENTER JUSTIFIED; COLOR: ORANGE (SECTRUM B25); INSCRIPTION COLOR: BLACK; INSCRIPTION HEIGHT: 30; 25 MM; BASIC SHAPE STYLE: RECTANGULAR; DRAWING NO: D-DT-5047/0.54/5577; SPECIFICATION: 240-75660336     | 1 | EACH |  |
| 0765522 | SIGN:MV LINE LABEL 4;INCOMING ISOL;BLACK | SIGN: TYPE: MV LINE LABEL 4; DESIGNATION: INCOMING ISOL; DIMENSIONS: WD 245 X LG 450 X THK 1.0 MM; MATERIAL: CHROMADEK/CHROMAPREP; LAYOUT: HELVETICA MEDIUM COMPACT; COLOR: YELLOW; INSCRIPTION COLOR: BLACK; INSCRIPTION HEIGHT: 50 MM; BASIC SHAPE STYLE: RECTANGULAR; DRAWING NO: D-DT-5047/0.54/5577; SPECIFICATION: 240-75660336  | 1 | EACH |  |
| 0765523 | SIGN:MV LINE LABEL 3;TRFR;YELLOW;BLACK   | SIGN: TYPE: MV LINE LABEL 3; DESIGNATION: TRFR; DIMENSIONS: WD 245 X LG 600 X THK 1.0 MM; MATERIAL: CHROMADEK/CHROMAPREP; LAYOUT: HELVETICA MEDIUM COMPACT; COLOR: YELLOW; INSCRIPTION COLOR: BLACK; INSCRIPTION HEIGHT: 50 MM; BASIC SHAPE STYLE: RECTANGULAR; DRAWING NO: D-DT-5047/0.54/5577; SPECIFICATION: 240-75660336   | 1 | EACH |  |
| 0765524 | SIGN:MV B/B BAY-O/D LABEL 1;B/B;BLACK    | SIGN: TYPE: MV B/B BAY-O/D LABEL 1; DESIGNATION: B/B; DIMENSIONS: WD 305 X LG 1830 X THK 1.2 MM; MATERIAL: VITREOUS ENAMEL (MILD STEEL); LAYOUT: HELVETICA COMPACT, CENTER JUSTIFIED; COLOR: ORANGE (SECTRUM B25); INSCRIPTION COLOR: BLACK; INSCRIPTION HEIGHT: 150 MM; BASIC SHAPE STYLE: RECTANGULAR; DRAWING NO: D-DT-5047/0.54/5577; SPECIFICATION: 240-75660336            | 1 | EACH |  |
| 0765525 | SIGN:MV B/B BAY-O/D LABEL 1;B/B;BLACK    | SIGN: TYPE: MV B/B BAY-O/D LABEL 1; DESIGNATION: B/B; DIMENSIONS: WD 305 X LG 1830 X THK 1.0 MM; MATERIAL: CHROMADEK/CHROMAPREP; LAYOUT: HELVETICA COMPACT, CENTER JUSTIFIED; COLOR: ORANGE (SECTRUM B25); INSCRIPTION COLOR: BLACK; INSCRIPTION HEIGHT: 150 MM; BASIC SHAPE STYLE: RECTANGULAR; DRAWING NO: D-DT-5047/0.54/5577; SPECIFICATION: 240-75660336                    | 1 | EACH |  |
| 0765526 | SIGN:TRFR BAY LABEL 3;BLACK;30; 25 MM    | SIGN: TYPE: TRFR BAY LABEL 3; DESIGNATION: 22 KV/400 V AUX TRFR 1/2/3; DIMENSIONS: WD 230 X LG 460 X THK 1.0 MM; MATERIAL: CHROMADEK/CHROMAPREP; LAYOUT: HELVETICA COMPACT, CENTER JUSTIFIED; COLOR: ORANGE (SECTRUM B25); INSCRIPTION COLOR: BLACK; INSCRIPTION HEIGHT: 30; 25 MM; BASIC SHAPE STYLE: RECTANGULAR; DRAWING NO: D-DT-5047/0.54/5577; SPECIFICATION: 240-75660336 | 1 | EACH |  |

MANUFACTURE, SUPPLY AND DELIVERY OF LABELS USED AND APPLIED IN SUBSTATIONS AS WELL AS ON HV, MV AND LV LINES WITHIN THE LIMLANGA CLUSTER, MPUMALANGA AND LIMPOPO OPERATING UNIT ON AN "AS AND WHEN REQUIRED" BASIS OVER A PERIOD OF 60-MONTHS.

|         |  |   |   |      |  |
|---------|--|---|---|------|--|
| 0765527 | SIGN:HV LINE BAY LABEL 2;B/B 1 ISOL      | SIGN: TYPE: HV LINE BAY LABEL 2; DESIGNATION: B/B 1 ISOL; DIMENSIONS: WD 230 X LG 610 X THK 1.2 MM; MATERIAL: VITREOUS ENAMEL (MILD STEEL); LAYOUT: HELVETICA COMPACT, CENTER JUSTIFIED; COLOR: ORANGE (SECTRUM B25); INSCRIPTION COLOR: BLACK; INSCRIPTION HEIGHT: 30; 25 MM; BASIC SHAPE STYLE: RECTANGULAR; DRAWING NO: D-DT-5047/0.54/5577; SPECIFICATION: 240-75660336   | 1 | EACH |  |
| 0765528 | SIGN:MV LINE LABEL 3;TRFR;YELLOW;BLACK   | SIGN: TYPE: MV LINE LABEL 3; DESIGNATION: TRFR; DIMENSIONS: WD 245 X LG 600 X THK 1.2 MM; MATERIAL: VITREOUS ENAMEL (MILD STEEL); LAYOUT: HELVITICA MEDIUM COMPACT; COLOR: YELLOW; INSCRIPTION COLOR: BLACK; INSCRIPTION HEIGHT: 50 MM; BASIC SHAPE STYLE: RECTANGULAR; DRAWING NO: D-DT-5047/0.54/5577; SPECIFICATION: 240-75660336  | 1 | EACH |  |
| 0765529 | SIGN:HV LINE BAY LABEL 7;ISO JB;BLACK    | SIGN: TYPE: HV LINE BAY LABEL 7; DESIGNATION: ISO JB; DIMENSIONS: WD 100 X LG 320 X THK 1.2 MM; MATERIAL: VITREOUS ENAMEL (MILD STEEL); LAYOUT: HELVETICA COMPACT, CENTER JUSTIFIED; COLOR: ORANGE (SECTRUM B25); INSCRIPTION COLOR: BLACK; INSCRIPTION HEIGHT: 30; 25 MM; BASIC SHAPE STYLE: RECTANGULAR; DRAWING NO: D-DT-5047/0.54/5577; SPECIFICATION: 240-75660336   | 1 | EACH |  |
| 0765530 | SIGN:MV LINE LABEL 3;RECLOSER;YELLOW;50  | SIGN: TYPE: MV LINE LABEL 3; DESIGNATION: RECLOSER; DIMENSIONS: WD 245 X LG 600 X THK 1.2 MM; MATERIAL: VITREOUS ENAMEL (MILD STEEL); LAYOUT: HELVITICA MEDIUM COMPACT; COLOR: YELLOW; INSCRIPTION COLOR: BLACK; INSCRIPTION HEIGHT: 50 MM; BASIC SHAPE STYLE: RECTANGULAR; DRAWING NO: D-DT-5047/0.54/5577; SPECIFICATION: 240-75660336  | 1 | EACH |  |
| 0765531 | SIGN:TRFR BAY LABEL 2;A/B SW;BLACK       | SIGN: TYPE: TRFR BAY LABEL 2; DESIGNATION: A/B SW; DIMENSIONS: WD 230 X LG 460 X THK 1.0 MM; MATERIAL: CHROMADEK/CHROMAPREP; LAYOUT: HELVETICA COMPACT, CENTER JUSTIFIED; COLOR: ORANGE (SECTRUM B25); INSCRIPTION COLOR: BLACK; INSCRIPTION HEIGHT: 30; 25 MM; BASIC SHAPE STYLE: RECTANGULAR; DRAWING NO: D-DT-5047/0.54/5577; SPECIFICATION: 240-75660336  | 1 | EACH |  |
| 0765532 | SIGN:HV LINE BAY LABEL 3;LINE E/SW;BLACK | SIGN: TYPE: HV LINE BAY LABEL 3; DESIGNATION: LINE E/SW; DIMENSIONS: WD 230 X LG 460 X THK 1.0 MM; MATERIAL: CHROMADEK/CHROMAPREP; LAYOUT: HELVETICA COMPACT, CENTER JUSTIFIED; COLOR: BLACK; INSCRIPTION COLOR: WHITE; INSCRIPTION HEIGHT: 30; 25; 25 MM; BASIC SHAPE STYLE: RECTANGULAR; DRAWING NO: D-DT-5047/0.54/5577; SPECIFICATION: 240-75660336   | 1 | EACH |  |
| 0765533 | SIGN:MV LINE;CROSSING;CROSS;BLACK        | SIGN: TYPE: MV LINE; DESIGNATION: CROSSING; DIMENSIONS: WD 245 X LG 450 X THK 0.7 MM; MATERIAL: CHROMADEK/CHROMAPREP; LAYOUT: CROSS; COLOR: FLUORESCENT YELLOW GREEN; INSCRIPTION COLOR: BLACK; BASIC SHAPE STYLE: RECTANGULAR; THE FRONT SIDE OF THE CHROMADEK/CHROMAPREP LABEL SHALL BE COVERED WITH A 3M DIAMOND GRADE DG REFLECTIVE SHEETING 4083; CROSS VINYL STRIPS WIDTH 70 MM APPLIED ON FLUORESCENT BACKGROUND OR FLUORESCENT SPACED ON A BLACK BACKGROUND | 1 | EACH |  |
| 0765534 | SIGN:MV LINE LABEL 4;TRFR;YELLOW;BLACK   | SIGN: TYPE: MV LINE LABEL 4; DESIGNATION: TRFR; DIMENSIONS: WD 245 X LG 450 X THK 1.0 MM; MATERIAL: CHROMADEK/CHROMAPREP; LAYOUT: HELVITICA MEDIUM COMPACT; COLOR: YELLOW; INSCRIPTION COLOR: BLACK; INSCRIPTION HEIGHT: 50 MM; BASIC SHAPE STYLE: RECTANGULAR; DRAWING NO: D-DT-5047/0.54/5577; SPECIFICATION: 240-75660336  | 1 | EACH |  |
| 0765535 | SIGN:HV LINE BAY LABEL 3;BKR;BLACK       | SIGN: TYPE: HV LINE BAY LABEL 3; DESIGNATION: BKR; DIMENSIONS: WD 230 X LG 460 X THK 1.0 MM; MATERIAL: CHROMADEK/CHROMAPREP; LAYOUT: HELVETICA COMPACT, CENTER JUSTIFIED; COLOR: ORANGE (SECTRUM B25); INSCRIPTION COLOR: BLACK;  | 1 | EACH |  |

MANUFACTURE, SUPPLY AND DELIVERY OF LABELS USED AND APPLIED IN SUBSTATIONS AS WELL AS ON HV, MV AND LV LINES WITHIN THE LIMLANGA CLUSTER, MPUMALANGA AND LIMPOPO OPERATING UNIT ON AN "AS AND WHEN REQUIRED" BASIS OVER A PERIOD OF 60-MONTHS.

|         |  |  |   |      |  |
|---------|--|--|---|------|--|
|         |  | INSCRIPTION HEIGHT: 30; 25; 25 MM; BASIC SHAPE STYLE: RECTANGULAR; DRAWING NO: D-DT-5047/0.54/5577; SPECIFICATION: 240-75660336  |   |      |  |
| 0765536 | SIGN:TRFR BAY LABEL 3;BKR;BLACK;30; 25   | SIGN: TYPE: TRFR BAY LABEL 3; DESIGNATION: BKR; DIMENSIONS: WD 230 X LG 460 X THK 1.2 MM; MATERIAL: VITREOUS ENAMEL (MILD STEEL); LAYOUT: HELVETICA COMPACT, CENTER JUSTIFIED; COLOR: ORANGE (SECTRUM B25); INSCRIPTION COLOR: BLACK; INSCRIPTION HEIGHT: 30; 25 MM; BASIC SHAPE STYLE: RECTANGULAR; DRAWING NO: D-DT-5047/0.54/5577; SPECIFICATION: 240-75660336      | 1 | EACH |  |
| 0765537 | SIGN:MV LINE LABEL 3;BY-PASS ISOL;YELLOW | SIGN: TYPE: MV LINE LABEL 3; DESIGNATION: BY-PASS ISOL; DIMENSIONS: WD 245 X LG 600 X THK 1.2 MM; MATERIAL: VITREOUS ENAMEL (MILD STEEL); LAYOUT: HELVETICA MEDIUM COMPACT; COLOR: YELLOW; INSCRIPTION COLOR: BLACK; INSCRIPTION HEIGHT: 50 MM; BASIC SHAPE STYLE: RECTANGULAR; DRAWING NO: D-DT-5047/0.54/5577; SPECIFICATION: 240-75660336                           | 1 | EACH |  |
| 0765538 | SIGN:MV LINE LABEL 3;TRFR ISOL;YELLOW;50 | SIGN: TYPE: MV LINE LABEL 3; DESIGNATION: TRFR ISOL; DIMENSIONS: WD 245 X LG 600 X THK 1.0 MM; MATERIAL: CHROMADEK/CHROMAPREP; LAYOUT: HELVETICA MEDIUM COMPACT; COLOR: YELLOW; INSCRIPTION COLOR: BLACK; INSCRIPTION HEIGHT: 50 MM; BASIC SHAPE STYLE: RECTANGULAR; DRAWING NO: D-DT-5047/0.54/5577; SPECIFICATION: 240-75660336                                      | 1 | EACH |  |
| 0765539 | SIGN:SUBSTN;NAME SMALL;POP-RIVITED       | SIGN: TYPE: SUBSTATION; DESIGNATION: NAME SMALL; DIMENSIONS: WD 600 X HT X THK 0.6 MM; MATERIAL: CHROMADEK/CHROMAPREP; ATTACHMENT METHOD: POP-RIVITED; COLOR: PANTONE 8004C; INSCRIPTION COLOR: PANTONE 287C; INSCRIPTION HEIGHT: 35; 45; 45 MM; BASIC SHAPE STYLE: RECTANGULAR; DRAWING NO: D-DT-5047; SPECIFICATION: 240-75660336                                    | 1 | EACH |  |
| 0765540 | SIGN:CABLE MARKER;PROTECTION/DC/METERING | SIGN: TYPE: CABLE MARKER; DESIGNATION: PROTECTION/DC/METERING; DIMENSIONS: WD 15 X LG 50 X THK 1.2 MM; MATERIAL: ALUMINUM ANODISED; COLOR: SILVER; INSCRIPTION COLOR: BLACK; INSCRIPTION HEIGHT: 8 MM; BASIC SHAPE STYLE: RECTANGULAR  | 1 | EACH |  |
| 0765541 | SIGN:HV B/B BAY LABEL 2;BUS SECT ISOL    | SIGN: TYPE: HV B/B BAY LABEL 2; DESIGNATION: BUS SECT ISOL; DIMENSIONS: WD 230 X LG 610 X THK 1.0 MM; MATERIAL: CHROMADEK/CHROMAPREP; LAYOUT: HELVETICA COMPACT, CENTER JUSTIFIED; COLOR: ORANGE (SECTRUM B25); INSCRIPTION COLOR: BLACK; INSCRIPTION HEIGHT: 30; 25 MM; BASIC SHAPE STYLE: RECTANGULAR; DRAWING NO: D-DT-5047/0.54/5577; SPECIFICATION: 240-75660336  | 1 | EACH |  |
| 0765542 | SIGN:TRFR BAY LABEL 2;BKR;BLACK;30; 25   | SIGN: TYPE: TRFR BAY LABEL 2; DESIGNATION: BKR; DIMENSIONS: WD 230 X LG 610 X THK 1.2 MM; MATERIAL: VITREOUS ENAMEL (MILD STEEL); LAYOUT: HELVETICA COMPACT, CENTER JUSTIFIED; COLOR: ORANGE (SECTRUM B25); INSCRIPTION COLOR: BLACK; INSCRIPTION HEIGHT: 30; 25 MM; BASIC SHAPE STYLE: RECTANGULAR; DRAWING NO: D-DT-5047/0.54/5577; SPECIFICATION: 240-75660336      | 1 | EACH |  |
| 0765543 | SIGN:MV FFDR BAY-O/D LABEL 3;NETWK BKR   | SIGN: TYPE: MV FFDR BAY-O/D LABEL 3; DESIGNATION: NETWK BKR; DIMENSIONS: WD 230 X LG 460 X THK 1.0 MM; MATERIAL: CHROMADEK/CHROMAPREP; LAYOUT: HELVETICA COMPACT, CENTER JUSTIFIED; COLOR: ORANGE (SECTRUM B25); INSCRIPTION COLOR: BLACK; INSCRIPTION HEIGHT: 30; 25 MM; BASIC SHAPE STYLE: RECTANGULAR; DRAWING NO: D-DT-5047/0.54/5577; SPECIFICATION: 240-75660336 | 1 | EACH |  |
| 0765544 | SIGN:TRFR BAY LABEL 3;B/B 2 ISOL;BLACK   | SIGN: TYPE: TRFR BAY LABEL 3; DESIGNATION: B/B 2 ISOL; DIMENSIONS: WD 230 X LG 460 X THK 1.2 MM; MATERIAL: VITREOUS ENAMEL (MILD STEEL); LAYOUT: HELVETICA COMPACT, CENTER JUSTIFIED; COLOR: ORANGE (SECTRUM B25); INSCRIPTION COLOR: BLACK;   | 1 | EACH |  |

MANUFACTURE, SUPPLY AND DELIVERY OF LABELS USED AND APPLIED IN SUBSTATIONS AS WELL AS ON HV, MV AND LV LINES WITHIN THE LIMLANGA CLUSTER, MPUMALANGA AND LIMPOPO OPERATING UNIT ON AN "AS AND WHEN REQUIRED" BASIS OVER A PERIOD OF 60-MONTHS.

|         |   |  |   |      |  |
|---------|---|--|---|------|--|
|         |   | INSCRIPTION HEIGHT: 30; 25 MM; BASIC SHAPE STYLE: RECTANGULAR; DRAWING NO: D-DT-5047/0.54/5577; SPECIFICATION: 240-75660336  |   |      |  |
| 0765545 | SIGN: MV LINE LABEL 4; VOLTAGE REG; YELLOW  | SIGN: TYPE: MV LINE LABEL 4; DESIGNATION: VOLTAGE REG; DIMENSIONS: WD 245 X LG 450 X THK 1.0 MM; MATERIAL: CHROMADEK/CHROMAPREP; LAYOUT: HELVETICA MEDIUM COMPACT; COLOR: YELLOW; INSCRIPTION COLOR: BLACK; INSCRIPTION HEIGHT: 50 MM; BASIC SHAPE STYLE: RECTANGULAR; DRAWING NO: D-DT-5047/0.54/5577; SPECIFICATION: 240-75660336  | 1 | EACH |  |
| 0765546 | SIGN: TRFR BAY LABEL 7; ISO JB; BLACK       | SIGN: TYPE: TRFR BAY LABEL 7; DESIGNATION: ISO JB; DIMENSIONS: WD 100 X LG 320 X THK 1.2 MM; MATERIAL: VITREOUS ENAMEL (MILD STEEL); LAYOUT: HELVETICA COMPACT, CENTER JUSTIFIED; COLOR: ORANGE (SECTRUM B25); INSCRIPTION COLOR: BLACK; INSCRIPTION HEIGHT: 30; 25 MM; BASIC SHAPE STYLE: RECTANGULAR; DRAWING NO: D-DT-5047/0.54/5577; SPECIFICATION: 240-75660336         | 1 | EACH |  |
| 0765547 | SIGN: HV B/B BAY LABEL 3; BUS SECT ISOL     | SIGN: TYPE: HV B/B BAY LABEL 3; DESIGNATION: BUS SECT ISOL; DIMENSIONS: WD 230 X LG 460 X THK 1.0 MM; MATERIAL: CHROMADEK/CHROMAPREP; LAYOUT: HELVETICA COMPACT, CENTER JUSTIFIED; COLOR: ORANGE (SECTRUM B25); INSCRIPTION COLOR: BLACK; INSCRIPTION HEIGHT: 30; 25 MM; BASIC SHAPE STYLE: RECTANGULAR; DRAWING NO: D-DT-5047/0.54/5577; SPECIFICATION: 240-75660336        | 1 | EACH |  |
| 0765548 | SIGN: HV LINE BAY LABEL 3; BKR; BLACK       | SIGN: TYPE: HV LINE BAY LABEL 3; DESIGNATION: BKR; DIMENSIONS: WD 230 X LG 460 X THK 1.2 MM; MATERIAL: VITREOUS ENAMEL (MILD STEEL); LAYOUT: HELVETICA COMPACT, CENTER JUSTIFIED; COLOR: ORANGE (SECTRUM B25); INSCRIPTION COLOR: BLACK; INSCRIPTION HEIGHT: 30; 25; 25 MM; BASIC SHAPE STYLE: RECTANGULAR; DRAWING NO: D-DT-5047/0.54/5577; SPECIFICATION: 240-75660336     | 1 | EACH |  |
| 0765549 | SIGN: TRFR BAY LABEL 2; B/B 2 ISOL; BLACK   | SIGN: TYPE: TRFR BAY LABEL 2; DESIGNATION: B/B 2 ISOL; DIMENSIONS: WD 230 X LG 610 X THK 1.2 MM; MATERIAL: VITREOUS ENAMEL (MILD STEEL); LAYOUT: HELVETICA COMPACT, CENTER JUSTIFIED; COLOR: ORANGE (SECTRUM B25); INSCRIPTION COLOR: BLACK; INSCRIPTION HEIGHT: 30; 25 MM; BASIC SHAPE STYLE: RECTANGULAR; DRAWING NO: D-DT-5047/0.54/5577; SPECIFICATION: 240-75660336     | 1 | EACH |  |
| 0765550 | SIGN: MV LINE LABEL 3; CT/VT; YELLOW; BLACK | SIGN: TYPE: MV LINE LABEL 3; DESIGNATION: CT/VT; DIMENSIONS: WD 245 X LG 600 X THK 1.0 MM; MATERIAL: CHROMADEK/CHROMAPREP; LAYOUT: HELVETICA MEDIUM COMPACT; COLOR: YELLOW; INSCRIPTION COLOR: BLACK; INSCRIPTION HEIGHT: 50 MM; BASIC SHAPE STYLE: RECTANGULAR; DRAWING NO: D-DT-5047/0.54/5577; SPECIFICATION: 240-75660336  | 1 | EACH |  |
| 0765552 | SIGN: HV LINE BAY LABEL 3; LINE E/SW; BLACK | SIGN: TYPE: HV LINE BAY LABEL 3; DESIGNATION: LINE E/SW; DIMENSIONS: WD 230 X LG 460 X THK 1.2 MM; MATERIAL: VITREOUS ENAMEL (MILD STEEL); LAYOUT: HELVETICA COMPACT, CENTER JUSTIFIED; COLOR: BLACK; INSCRIPTION COLOR: WHITE; INSCRIPTION HEIGHT: 30; 25; 25 MM; BASIC SHAPE STYLE: RECTANGULAR; DRAWING NO: D-DT-5047/0.54/5577; SPECIFICATION: 240-75660336              | 1 | EACH |  |
| 0765553 | SIGN: HV B/B BAY LABEL 3; BUS SECT BKR      | SIGN: TYPE: HV B/B BAY LABEL 3; DESIGNATION: BUS SECT BKR; DIMENSIONS: WD 230 X LG 460 X THK 1.2 MM; MATERIAL: VITREOUS ENAMEL (MILD STEEL); LAYOUT: HELVETICA COMPACT, CENTER JUSTIFIED; COLOR: ORANGE (SECTRUM B25); INSCRIPTION COLOR: BLACK; INSCRIPTION HEIGHT: 30; 25 MM; BASIC SHAPE STYLE: RECTANGULAR; DRAWING NO: D-DT-5047/0.54/5577; SPECIFICATION: 240-75660336 | 1 | EACH |  |
| 0765554 | SIGN: MV B/B BAY-O/D LABEL 3; TRANS B/B     | SIGN: TYPE: MV B/B BAY-O/D LABEL 3; DESIGNATION: TRANS B/B; DIMENSIONS: WD 230 X LG 460 X THK 1.2 MM; MATERIAL: VITREOUS ENAMEL (MILD STEEL); LAYOUT: HELVETICA COMPACT, CENTER JUSTIFIED; COLOR: ORANGE (SECTRUM B25); INSCRIPTION COLOR:   | 1 | EACH |  |



MANUFACTURE, SUPPLY AND DELIVERY OF LABELS USED AND APPLIED IN SUBSTATIONS AS WELL AS ON HV, MV AND LV LINES WITHIN THE LIMLANGA CLUSTER, MPUMALANGA AND LIMPOPO OPERATING UNIT ON AN "AS AND WHEN REQUIRED" BASIS OVER A PERIOD OF 60-MONTHS.

|         |  |  |   |      |  |
|---------|--|--|---|------|--|
|         |  | BLACK; INSCRIPTION HEIGHT: 30; 25 MM; BASIC SHAPE STYLE: RECTANGULAR; DRAWING NO: D-DT-5047/0.54/5577; SPECIFICATION: 240-75660336   |   |      |  |
| 0765555 | SIGN:TRFR BAY LABEL 2;B/B 1 ISOL;BLACK   | SIGN: TYPE: TRFR BAY LABEL 2; DESIGNATION: B/B 1 ISOL; DIMENSIONS: WD 230 X LG 610 X THK 1.2 MM; MATERIAL: VITREOUS ENAMEL (MILD STEEL); LAYOUT: HELVETICA COMPACT, CENTER JUSTIFIED; COLOR: ORANGE (SECTRUM B25); INSCRIPTION COLOR: BLACK; INSCRIPTION HEIGHT: 30; 25 MM; BASIC SHAPE STYLE: RECTANGULAR; DRAWING NO: D-DT-5047/0.54/5577; SPECIFICATION: 240-75660336 | 1 | EACH |  |
| 0765556 | SIGN:HV LINE BAY LABEL 1;B/B;BLACK;150   | SIGN: TYPE: HV LINE BAY LABEL 1; DESIGNATION: B/B; DIMENSIONS: WD 305 X LG 1830 X THK 1.2 MM; MATERIAL: VITREOUS ENAMEL (MILD STEEL); LAYOUT: HELVETICA COMPACT, CENTER JUSTIFIED; COLOR: ORANGE (SECTRUM B25); INSCRIPTION COLOR: BLACK; INSCRIPTION HEIGHT: 150 MM; BASIC SHAPE STYLE: RECTANGULAR; DRAWING NO: D-DT-5047/0.54/5577; SPECIFICATION: 240-75660336       | 1 | EACH |  |
| 0765557 | SIGN:HV B/B BAY LABEL 2;BUS SECT BKR     | SIGN: TYPE: HV B/B BAY LABEL 2; DESIGNATION: BUS SECT BKR; DIMENSIONS: WD 230 X LG 610 X THK 1.0 MM; MATERIAL: CHROMADEK/CHROMAPREP; LAYOUT: HELVETICA COMPACT, CENTER JUSTIFIED; COLOR: ORANGE (SECTRUM B25); INSCRIPTION COLOR: BLACK; INSCRIPTION HEIGHT: 30; 25 MM; BASIC SHAPE STYLE: RECTANGULAR; DRAWING NO: D-DT-5047/0.54/5577; SPECIFICATION: 240-75660336     | 1 | EACH |  |
| 0765558 | SIGN:MV LINE LABEL 3;TRFR ISOL;YELLOW;50 | SIGN: TYPE: MV LINE LABEL 3; DESIGNATION: TRFR ISOL; DIMENSIONS: WD 245 X LG 600 X THK 1.2 MM; MATERIAL: VITREOUS ENAMEL (MILD STEEL); LAYOUT: HELVITICA MEDIUM COMPACT; COLOR: YELLOW; INSCRIPTION COLOR: BLACK; INSCRIPTION HEIGHT: 50 MM; BASIC SHAPE STYLE: RECTANGULAR; DRAWING NO: D-DT-5047/0.54/5577; SPECIFICATION: 240-75660336                                | 1 | EACH |  |
| 0765559 | SIGN:MV LINE LABEL 3;BY-PASS ISOL;YELLOW | SIGN: TYPE: MV LINE LABEL 3; DESIGNATION: BY-PASS ISOL; DIMENSIONS: WD 245 X LG 600 X THK 1.0 MM; MATERIAL: CHROMADEK/CHROMAPREP; LAYOUT: HELVITICA MEDIUM COMPACT; COLOR: YELLOW; INSCRIPTION COLOR: BLACK; INSCRIPTION HEIGHT: 50 MM; BASIC SHAPE STYLE: RECTANGULAR; DRAWING NO: D-DT-5047/0.54/5577; SPECIFICATION: 240-75660336                                     | 1 | EACH |  |
| 0765560 | SIGN:HV LINE BAY LABEL 3;B/B 1 ISOL      | SIGN: TYPE: HV LINE BAY LABEL 3; DESIGNATION: B/B 1 ISOL; DIMENSIONS: WD 230 X LG 460 X THK 1.0 MM; MATERIAL: CHROMADEK/CHROMAPREP; LAYOUT: HELVETICA COMPACT, CENTER JUSTIFIED; COLOR: ORANGE (SECTRUM B25); INSCRIPTION COLOR: BLACK; INSCRIPTION HEIGHT: 30; 25; 25 MM; BASIC SHAPE STYLE: RECTANGULAR; DRAWING NO: D-DT-5047/0.54/5577; SPECIFICATION: 240-75660336  | 1 | EACH |  |
| 0765561 | SIGN:MV LINE LABEL 4;TRFR ISOL;YELLOW;50 | SIGN: TYPE: MV LINE LABEL 4; DESIGNATION: TRFR ISOL; DIMENSIONS: WD 245 X LG 450 X THK 1.2 MM; MATERIAL: VITREOUS ENAMEL (MILD STEEL); LAYOUT: HELVITICA MEDIUM COMPACT; COLOR: YELLOW; INSCRIPTION COLOR: BLACK; INSCRIPTION HEIGHT: 50 MM; BASIC SHAPE STYLE: RECTANGULAR; DRAWING NO: D-DT-5047/0.54/5577; SPECIFICATION: 240-75660336                                | 1 | EACH |  |
| 0765562 | SIGN:TRFR BAY LABEL 1;TRFR;BLACK;100; 75 | SIGN: TYPE: TRFR BAY LABEL 1; DESIGNATION: TRFR; DIMENSIONS: WD 305 X LG 1830 X THK 1.2 MM; MATERIAL: VITREOUS ENAMEL (MILD STEEL); LAYOUT: HELVETICA COMPACT, CENTER JUSTIFIED; COLOR: ORANGE (SECTRUM B25); INSCRIPTION COLOR: BLACK; INSCRIPTION HEIGHT: 100; 75 MM; BASIC SHAPE STYLE: RECTANGULAR; DRAWING NO: D-DT-5047/0.54/5577; SPECIFICATION: 240-75660336     | 1 | EACH |  |

MANUFACTURE, SUPPLY AND DELIVERY OF LABELS USED AND APPLIED IN SUBSTATIONS AS WELL AS ON HV, MV AND LV LINES WITHIN THE LIMLANGA CLUSTER, MPUMALANGA AND LIMPOPO OPERATING UNIT ON AN "AS AND WHEN REQUIRED" BASIS OVER A PERIOD OF 60-MONTHS.

|         |  |   |   |      |  |
|---------|--|---|---|------|--|
| 0765563 | SIGN:HV B/B BAY LABEL 2;VT;BLACK;30; 25  | SIGN: TYPE: HV B/B BAY LABEL 2; DESIGNATION: VT; DIMENSIONS: WD 230 X LG 610 X THK 1.2 MM; MATERIAL: VITREOUS ENAMEL (MILD STEEL); LAYOUT: HELVETICA COMPACT, CENTER JUSTIFIED; COLOR: ORANGE (SECTRUM B25); INSCRIPTION COLOR: BLACK; INSCRIPTION HEIGHT: 30; 25 MM; BASIC SHAPE STYLE: RECTANGULAR; DRAWING NO: D-DT-5047/0.54/5577; SPECIFICATION: 240-75660336    | 1 | EACH |  |
| 0765564 | SIGN:MV B/B BAY-O/D LABEL 3;TRANS B/B    | SIGN: TYPE: MV B/B BAY-O/D LABEL 3; DESIGNATION: TRANS B/B; DIMENSIONS: WD 230 X LG 460 X THK 1.0 MM; MATERIAL: CHROMADEK/CHROMAPREP; LAYOUT: HELVETICA COMPACT, CENTER JUSTIFIED; COLOR: ORANGE (SECTRUM B25); INSCRIPTION COLOR: BLACK; INSCRIPTION HEIGHT: 30; 25 MM; BASIC SHAPE STYLE: RECTANGULAR; DRAWING NO: D-DT-5047/0.54/5577; SPECIFICATION: 240-75660336 | 1 | EACH |  |
| 0765565 | SIGN:HV LINE BAY LABEL 2;B/B 1 ISOL      | SIGN: TYPE: HV LINE BAY LABEL 2; DESIGNATION: B/B 1 ISOL; DIMENSIONS: WD 230 X LG 610 X THK 1.0 MM; MATERIAL: CHROMADEK/CHROMAPREP; LAYOUT: HELVETICA COMPACT, CENTER JUSTIFIED; COLOR: ORANGE (SECTRUM B25); INSCRIPTION COLOR: BLACK; INSCRIPTION HEIGHT: 30; 25 MM; BASIC SHAPE STYLE: RECTANGULAR; DRAWING NO: D-DT-5047/0.54/5577; SPECIFICATION: 240-75660336   | 1 | EACH |  |
| 0765566 | SIGN:MV LINE LABEL 4;CT/VT;YELLOW;BLACK  | SIGN: TYPE: MV LINE LABEL 4; DESIGNATION: CT/VT; DIMENSIONS: WD 245 X LG 450 X THK 1.2 MM; MATERIAL: VITREOUS ENAMEL (MILD STEEL); LAYOUT: HELVETICA MEDIUM COMPACT; COLOR: YELLOW; INSCRIPTION COLOR: BLACK; INSCRIPTION HEIGHT: 50 MM; BASIC SHAPE STYLE: RECTANGULAR; DRAWING NO: D-DT-5047/0.54/5577; SPECIFICATION: 240-75660336                                 | 1 | EACH |  |
| 0765567 | SIGN:MV LINE LABEL 3;INCOMING ISOL;BLACK | SIGN: TYPE: MV LINE LABEL 3; DESIGNATION: INCOMING ISOL; DIMENSIONS: WD 245 X LG 600 X THK 1.0 MM; MATERIAL: CHROMADEK/CHROMAPREP; LAYOUT: HELVETICA MEDIUM COMPACT; COLOR: YELLOW; INSCRIPTION COLOR: BLACK; INSCRIPTION HEIGHT: 50 MM; BASIC SHAPE STYLE: RECTANGULAR; DRAWING NO: D-DT-5047/0.54/5577; SPECIFICATION: 240-75660336                                 | 1 | EACH |  |
| 0765568 | SIGN:PHASE;R;HT 230 X THK 1.2 MM;RED A11 | SIGN: TYPE: PHASE; DESIGNATION: R; DIMENSIONS: HT 230 X THK 1.2 MM; MATERIAL: VITREOUS ENAMEL (MILD STEEL); LAYOUT: HELVETICA COMPACT, CENTER JUSTIFIED; COLOR: RED A11; INSCRIPTION COLOR: BLACK; INSCRIPTION HEIGHT: 150 MM; BASIC SHAPE STYLE: ROUND; DRAWING NO: D-DT-5047/0.54/5577; SPECIFICATION: 240-75660336; BOTH SIDES                                     | 1 | EACH |  |
| 0765569 | SIGN:HV LINE BAY LABEL 2;BKR;BLACK       | SIGN: TYPE: HV LINE BAY LABEL 2; DESIGNATION: BKR; DIMENSIONS: WD 230 X LG 610 X THK 1.2 MM; MATERIAL: VITREOUS ENAMEL (MILD STEEL); LAYOUT: HELVETICA COMPACT, CENTER JUSTIFIED; COLOR: ORANGE (SECTRUM B25); INSCRIPTION COLOR: BLACK; INSCRIPTION HEIGHT: 30; 25 MM; BASIC SHAPE STYLE: RECTANGULAR; DRAWING NO: D-DT-5047/0.54/5577; SPECIFICATION: 240-75660336  | 1 | EACH |  |
| 0765570 | SIGN:MV LINE LABEL 4;SECT ISOL;YELLOW;50 | SIGN: TYPE: MV LINE LABEL 4; DESIGNATION: SECT ISOL; DIMENSIONS: WD 245 X LG 450 X THK 1.2 MM; MATERIAL: VITREOUS ENAMEL (MILD STEEL); LAYOUT: HELVETICA MEDIUM COMPACT; COLOR: YELLOW; INSCRIPTION COLOR: BLACK; INSCRIPTION HEIGHT: 50 MM; BASIC SHAPE STYLE: RECTANGULAR; DRAWING NO: D-DT-5047/0.54/5577; SPECIFICATION: 240-75660336                             | 1 | EACH |  |
| 0765571 | SIGN:HV B/B BAY LABEL 7;VT JB;BLACK      | SIGN: TYPE: HV B/B BAY LABEL 7; DESIGNATION: VT JB; DIMENSIONS: WD 100 X LG 320 X THK 1.0 MM; MATERIAL: CHROMADEK/CHROMAPREP; LAYOUT: HELVETICA COMPACT, CENTER JUSTIFIED; COLOR: ORANGE (SECTRUM B25); INSCRIPTION COLOR: BLACK;   | 1 | EACH |  |

MANUFACTURE, SUPPLY AND DELIVERY OF LABELS USED AND APPLIED IN SUBSTATIONS AS WELL AS ON HV, MV AND LV LINES WITHIN THE LIMLANGA CLUSTER, MPUMALANGA AND LIMPOPO OPERATING UNIT ON AN "AS AND WHEN REQUIRED" BASIS OVER A PERIOD OF 60-MONTHS.

|         |  |  |   |      |  |
|---------|--|--|---|------|--|
|         |  | INSCRIPTION HEIGHT: 30; 25 MM; BASIC SHAPE STYLE: RECTANGULAR; DRAWING NO: D-DT-5047/0.54/5577; SPECIFICATION: 240-75660336  |   |      |  |
| 0765572 | SIGN:HV LINE BAY LABEL 3;CT;BLACK        | SIGN: TYPE: HV LINE BAY LABEL 3; DESIGNATION: CT; DIMENSIONS: WD 230 X LG 460 X THK 1.2 MM; MATERIAL: VITREOUS ENAMEL (MILD STEEL); LAYOUT: HELVETICA COMPACT, CENTER JUSTIFIED; COLOR: ORANGE (SECTRUM B25); INSCRIPTION COLOR: BLACK; INSCRIPTION HEIGHT: 30; 25; 25 MM; BASIC SHAPE STYLE: RECTANGULAR; DRAWING NO: D-DT-5047/0.54/5577; SPECIFICATION: 240-75660336                  | 1 | EACH |  |
| 0765573 | SIGN:TRFR BAY LABEL 2;BLACK;30; 25 MM    | SIGN: TYPE: TRFR BAY LABEL 2; DESIGNATION: 22 KV/400 V AUX TRFR 1/2/3; DIMENSIONS: WD 230 X LG 610 X THK 1.2 MM; MATERIAL: VITREOUS ENAMEL (MILD STEEL); LAYOUT: HELVETICA COMPACT, CENTER JUSTIFIED; COLOR: ORANGE (SECTRUM B25); INSCRIPTION COLOR: BLACK; INSCRIPTION HEIGHT: 30; 25 MM; BASIC SHAPE STYLE: RECTANGULAR; DRAWING NO: D-DT-5047/0.54/5577; SPECIFICATION: 240-75660336 | 1 | EACH |  |
| 0765574 | SIGN:TRFR BAY LABEL 2;CT;BLACK;30; 25 MM | SIGN: TYPE: TRFR BAY LABEL 2; DESIGNATION: CT; DIMENSIONS: WD 230 X LG 610 X THK 1.2 MM; MATERIAL: VITREOUS ENAMEL (MILD STEEL); LAYOUT: HELVETICA COMPACT, CENTER JUSTIFIED; COLOR: ORANGE (SECTRUM B25); INSCRIPTION COLOR: BLACK; INSCRIPTION HEIGHT: 30; 25 MM; BASIC SHAPE STYLE: RECTANGULAR; DRAWING NO: D-DT-5047/0.54/5577; SPECIFICATION: 240-75660336                         | 1 | EACH |  |
| 0765575 | SIGN:TRFR BAY LABEL 3;CT;BLACK;30; 25 MM | SIGN: TYPE: TRFR BAY LABEL 3; DESIGNATION: CT; DIMENSIONS: WD 230 X LG 460 X THK 1.2 MM; MATERIAL: VITREOUS ENAMEL (MILD STEEL); LAYOUT: HELVETICA COMPACT, CENTER JUSTIFIED; COLOR: ORANGE (SECTRUM B25); INSCRIPTION COLOR: BLACK; INSCRIPTION HEIGHT: 30; 25 MM; BASIC SHAPE STYLE: RECTANGULAR; DRAWING NO: D-DT-5047/0.54/5577; SPECIFICATION: 240-75660336                         | 1 | EACH |  |
| 0765576 | SIGN:TRFR BAY LABEL 7;ISO JB;BLACK       | SIGN: TYPE: TRFR BAY LABEL 7; DESIGNATION: ISO JB; DIMENSIONS: WD 100 X LG 320 X THK 1.0 MM; MATERIAL: CHROMADEK/CHROMAPREP; LAYOUT: HELVETICA COMPACT, CENTER JUSTIFIED; COLOR: ORANGE (SECTRUM B25); INSCRIPTION COLOR: BLACK; INSCRIPTION HEIGHT: 30; 25 MM; BASIC SHAPE STYLE: RECTANGULAR; DRAWING NO: D-DT-5047/0.54/5577; SPECIFICATION: 240-75660336                             | 1 | EACH |  |
| 0765577 | SIGN:PHASE;W;HT 230 X THK 1.2 MM;WHITE   | SIGN: TYPE: PHASE; DESIGNATION: W; DIMENSIONS: HT 230 X THK 1.2 MM; MATERIAL: VITREOUS ENAMEL (MILD STEEL); LAYOUT: HELVETICA COMPACT, CENTER JUSTIFIED; COLOR: WHITE; INSCRIPTION COLOR: BLACK; INSCRIPTION HEIGHT: 150 MM; BASIC SHAPE STYLE: ROUND; DRAWING NO: D-DT-5047/0.54/5577; SPECIFICATION: 240-75660336; BOTH SIDES  | 1 | EACH |  |
| 0765578 | SIGN:MV LINE LABEL 4;VOLTAGE REG;YELLOW  | SIGN: TYPE: MV LINE LABEL 4; DESIGNATION: VOLTAGE REG; DIMENSIONS: WD 245 X LG 450 X THK 1.2 MM; MATERIAL: VITREOUS ENAMEL (MILD STEEL); LAYOUT: HELVETICA MEDIUM COMPACT; COLOR: YELLOW; INSCRIPTION COLOR: BLACK; INSCRIPTION HEIGHT: 50 MM; BASIC SHAPE STYLE: RECTANGULAR; DRAWING NO: D-DT-5047/0.54/5577; SPECIFICATION: 240-75660336  | 1 | EACH |  |
| 0765579 | SIGN:HV LINE BAY LABEL 5;LINE E/SW;BLACK | SIGN: TYPE: HV LINE BAY LABEL 5; DESIGNATION: LINE E/SW; DIMENSIONS: WD 230 X LG 610 X THK 1.2 MM; MATERIAL: VITREOUS ENAMEL (MILD STEEL); LAYOUT: HELVETICA COMPACT, CENTER JUSTIFIED; COLOR: BLACK; INSCRIPTION COLOR: WHITE; INSCRIPTION HEIGHT: 30; 25; 25 MM; BASIC SHAPE STYLE: RECTANGULAR; DRAWING NO: D-DT-5047/0.54/5577; SPECIFICATION: 240-75660336                          | 1 | EACH |  |

MANUFACTURE, SUPPLY AND DELIVERY OF LABELS USED AND APPLIED IN SUBSTATIONS AS WELL AS ON HV, MV AND LV LINES WITHIN THE LIMLANGA CLUSTER, MPUMALANGA AND LIMPOPO OPERATING UNIT ON AN "AS AND WHEN REQUIRED" BASIS OVER A PERIOD OF 60-MONTHS.

|         |  |   |   |      |  |
|---------|--|---|---|------|--|
| 0765580 | SIGN:HV LINE BAY LABEL 2;CT;BLACK;30; 25 | SIGN: TYPE: HV LINE BAY LABEL 2; DESIGNATION: CT; DIMENSIONS: WD 230 X LG 610 X THK 1.0 MM; MATERIAL: CHROMADEK/CHROMAPREP; LAYOUT: HELVETICA COMPACT, CENTER JUSTIFIED; COLOR: ORANGE (SECTRUM B25); INSCRIPTION COLOR: BLACK; INSCRIPTION HEIGHT: 30; 25 MM; BASIC SHAPE STYLE: RECTANGULAR; DRAWING NO: D-DT-5047/0.54/5577; SPECIFICATION: 240-75660336   | 1 | EACH |  |
| 0765581 | SIGN:TRFR BAY LABEL 7;CT JB;BLACK;30; 25 | SIGN: TYPE: TRFR BAY LABEL 7; DESIGNATION: CT JB; DIMENSIONS: WD 100 X LG 320 X THK 1.0 MM; MATERIAL: CHROMADEK/CHROMAPREP; LAYOUT: HELVETICA COMPACT, CENTER JUSTIFIED; COLOR: ORANGE (SECTRUM B25); INSCRIPTION COLOR: BLACK; INSCRIPTION HEIGHT: 30; 25 MM; BASIC SHAPE STYLE: RECTANGULAR; DRAWING NO: D-DT-5047/0.54/5577; SPECIFICATION: 240-75660336   | 1 | EACH |  |
| 0765582 | SIGN:MV LINE;CROSSING;CROSS;BLACK        | SIGN: TYPE: MV LINE; DESIGNATION: CROSSING; DIMENSIONS: WD 245 X LG 600 X THK 0.6 MM; MATERIAL: CHROMADEK/CHROMAPREP; LAYOUT: CROSS; COLOR: FLUORESCENT YELLOW GREEN; INSCRIPTION COLOR: BLACK; BASIC SHAPE STYLE: RECTANGULAR; THE FRONT SIDE OF THE CHROMADEK/CHROMAPREP LABEL SHALL BE COVERED WITH A 3M DIAMOND GRADE DG REFLECTIVE SHEETING 4083; CROSS VINYL STRIPS WIDTH 70 MM APPLIED ON FLUORESCENT BACKGROUND OR FLUORESCENT SPACED ON A BLACK BACKGROUND | 1 | EACH |  |
| 0765583 | SIGN:MV LINE LABEL 3;SECT ISOL;YELLOW;50 | SIGN: TYPE: MV LINE LABEL 3; DESIGNATION: SECT ISOL; DIMENSIONS: WD 245 X LG 600 X THK 1.0 MM; MATERIAL: CHROMADEK/CHROMAPREP; LAYOUT: HELVITICA MEDIUM COMPACT; COLOR: YELLOW; INSCRIPTION COLOR: BLACK; INSCRIPTION HEIGHT: 50 MM; BASIC SHAPE STYLE: RECTANGULAR; DRAWING NO: D-DT-5047/0.54/5577; SPECIFICATION: 240-75660336   | 1 | EACH |  |
| 0765584 | SIGN:HV LINE BAY LABEL 5;LINE E/SW;BLACK | SIGN: TYPE: HV LINE BAY LABEL 5; DESIGNATION: LINE E/SW; DIMENSIONS: WD 230 X LG 610 X THK 1.0 MM; MATERIAL: CHROMADEK/CHROMAPREP; LAYOUT: HELVETICA COMPACT, CENTER JUSTIFIED; COLOR: BLACK; INSCRIPTION COLOR: WHITE; INSCRIPTION HEIGHT: 30; 25; 25 MM; BASIC SHAPE STYLE: RECTANGULAR; DRAWING NO: D-DT-5047/0.54/5577; SPECIFICATION: 240-75660336   | 1 | EACH |  |
| 0765585 | SIGN:MV FFDR BAY-O/D LABEL 2;NETWK BKR   | SIGN: TYPE: MV FFDR BAY-O/D LABEL 2; DESIGNATION: NETWK BKR; DIMENSIONS: WD 230 X LG 610 X THK 1.0 MM; MATERIAL: CHROMADEK/CHROMAPREP; LAYOUT: HELVETICA COMPACT, CENTER JUSTIFIED; COLOR: ORANGE (SECTRUM B25); INSCRIPTION COLOR: BLACK; INSCRIPTION HEIGHT: 30; 25 MM; BASIC SHAPE STYLE: RECTANGULAR; DRAWING NO: D-DT-5047/0.54/5577; SPECIFICATION: 240-75660336  | 1 | EACH |  |
| 0765586 | SIGN:TRFR BAY LABEL 3;BLACK;30; 25 MM    | SIGN: TYPE: TRFR BAY LABEL 3; DESIGNATION: 22 KV/400 V AUX TRFR 1/2/3; DIMENSIONS: WD 230 X LG 460 X THK 1.2 MM; MATERIAL: VITREOUS ENAMEL (MILD STEEL); LAYOUT: HELVETICA COMPACT, CENTER JUSTIFIED; COLOR: ORANGE (SECTRUM B25); INSCRIPTION COLOR: BLACK; INSCRIPTION HEIGHT: 30; 25 MM; BASIC SHAPE STYLE: RECTANGULAR; DRAWING NO: D-DT-5047/0.54/5577; SPECIFICATION: 240-75660336  | 1 | EACH |  |
| 0765587 | SIGN:HV B/B BAY LABEL 3;BUS SECT BKR     | SIGN: TYPE: HV B/B BAY LABEL 3; DESIGNATION: BUS SECT BKR; DIMENSIONS: WD 230 X LG 460 X THK 1.0 MM; MATERIAL: CHROMADEK/CHROMAPREP; LAYOUT: HELVETICA COMPACT, CENTER JUSTIFIED; COLOR: ORANGE (SECTRUM B25); INSCRIPTION COLOR: BLACK; INSCRIPTION HEIGHT: 30; 25 MM; BASIC SHAPE STYLE: RECTANGULAR; DRAWING NO: D-DT-5047/0.54/5577; SPECIFICATION: 240-75660336  | 1 | EACH |  |

MANUFACTURE, SUPPLY AND DELIVERY OF LABELS USED AND APPLIED IN SUBSTATIONS AS WELL AS ON HV, MV AND LV LINES WITHIN THE LIMLANGA CLUSTER, MPUMALANGA AND LIMPOPO OPERATING UNIT ON AN "AS AND WHEN REQUIRED" BASIS OVER A PERIOD OF 60-MONTHS.

|         |  |  |   |      |  |
|---------|--|--|---|------|--|
| 0765588 | SIGN:HV LINE BAY LABEL 2;CT;BLACK;30; 25 | SIGN: TYPE: HV LINE BAY LABEL 2; DESIGNATION: CT; DIMENSIONS: WD 230 X LG 610 X THK 1.2 MM; MATERIAL: VITREOUS ENAMEL (MILD STEEL); LAYOUT: HELVETICA COMPACT, CENTER JUSTIFIED; COLOR: ORANGE (SECTRUM B25); INSCRIPTION COLOR: BLACK; INSCRIPTION HEIGHT: 30; 25 MM; BASIC SHAPE STYLE: RECTANGULAR; DRAWING NO: D-DT-5047/0.54/5577; SPECIFICATION: 240-75660336    | 1 | EACH |  |
| 0765589 | SIGN:HV LINE BAY LABEL 7;CT JB;BLACK     | SIGN: TYPE: HV LINE BAY LABEL 7; DESIGNATION: CT JB; DIMENSIONS: WD 100 X LG 320 X THK 1.0 MM; MATERIAL: CHROMADEK/CHROMAPREP; LAYOUT: HELVETICA COMPACT, CENTER JUSTIFIED; COLOR: ORANGE (SECTRUM B25); INSCRIPTION COLOR: BLACK; INSCRIPTION HEIGHT: 30; 25 MM; BASIC SHAPE STYLE: RECTANGULAR; DRAWING NO: D-DT-5047/0.54/5577; SPECIFICATION: 240-75660336         | 1 | EACH |  |
| 0765590 | SIGN:TRFR BAY LABEL 3;B/B 2 ISOL;BLACK   | SIGN: TYPE: TRFR BAY LABEL 3; DESIGNATION: B/B 2 ISOL; DIMENSIONS: WD 230 X LG 460 X THK 1.0 MM; MATERIAL: CHROMADEK/CHROMAPREP; LAYOUT: HELVETICA COMPACT, CENTER JUSTIFIED; COLOR: ORANGE (SECTRUM B25); INSCRIPTION COLOR: BLACK; INSCRIPTION HEIGHT: 30; 25 MM; BASIC SHAPE STYLE: RECTANGULAR; DRAWING NO: D-DT-5047/0.54/5577; SPECIFICATION: 240-75660336       | 1 | EACH |  |
| 0765591 | SIGN:MV LINE LABEL 4;CT/VT;YELLOW;BLACK  | SIGN: TYPE: MV LINE LABEL 4; DESIGNATION: CT/VT; DIMENSIONS: WD 245 X LG 450 X THK 1.0 MM; MATERIAL: CHROMADEK/CHROMAPREP; LAYOUT: HELVITICA MEDIUM COMPACT; COLOR: YELLOW; INSCRIPTION COLOR: BLACK; INSCRIPTION HEIGHT: 50 MM; BASIC SHAPE STYLE: RECTANGULAR; DRAWING NO: D-DT-5047/0.54/5577; SPECIFICATION: 240-75660336  | 1 | EACH |  |
| 0765592 | SIGN:MV LINE LABEL 4;SECT ISOL;YELLOW;50 | SIGN: TYPE: MV LINE LABEL 4; DESIGNATION: SECT ISOL; DIMENSIONS: WD 245 X LG 450 X THK 1.0 MM; MATERIAL: CHROMADEK/CHROMAPREP; LAYOUT: HELVITICA MEDIUM COMPACT; COLOR: YELLOW; INSCRIPTION COLOR: BLACK; INSCRIPTION HEIGHT: 50 MM; BASIC SHAPE STYLE: RECTANGULAR; DRAWING NO: D-DT-5047/0.54/5577; SPECIFICATION: 240-75660336                                      | 1 | EACH |  |
| 0765593 | SIGN:MV B/B BAY-O/D LABEL 7;VT JB;BLACK  | SIGN: TYPE: MV B/B BAY-O/D LABEL 7; DESIGNATION: VT JB; DIMENSIONS: WD 100 X LG 320 X THK 1.0 MM; MATERIAL: CHROMADEK/CHROMAPREP; LAYOUT: HELVETICA COMPACT, CENTER JUSTIFIED; COLOR: ORANGE (SECTRUM B25); INSCRIPTION COLOR: BLACK; INSCRIPTION HEIGHT: 30; 25 MM; BASIC SHAPE STYLE: RECTANGULAR; DRAWING NO: D-DT-5047/0.54/5577; SPECIFICATION: 240-75660336      | 1 | EACH |  |
| 0765595 | SIGN:MV B/B BAY-O/D LABEL 3;VT;BLACK     | SIGN: TYPE: MV B/B BAY-O/D LABEL 3; DESIGNATION: VT; DIMENSIONS: WD 230 X LG 460 X THK 1.2 MM; MATERIAL: VITREOUS ENAMEL (MILD STEEL); LAYOUT: HELVETICA COMPACT, CENTER JUSTIFIED; COLOR: ORANGE (SECTRUM B25); INSCRIPTION COLOR: BLACK; INSCRIPTION HEIGHT: 30; 25 MM; BASIC SHAPE STYLE: RECTANGULAR; DRAWING NO: D-DT-5047/0.54/5577; SPECIFICATION: 240-75660336 | 1 | EACH |  |
| 0765596 | SIGN:MV LINE LABEL 3;CT/VT;YELLOW;BLACK  | SIGN: TYPE: MV LINE LABEL 3; DESIGNATION: CT/VT; DIMENSIONS: WD 245 X LG 600 X THK 1.2 MM; MATERIAL: VITREOUS ENAMEL (MILD STEEL); LAYOUT: HELVITICA MEDIUM COMPACT; COLOR: YELLOW; INSCRIPTION COLOR: BLACK; INSCRIPTION HEIGHT: 50 MM; BASIC SHAPE STYLE: RECTANGULAR; DRAWING NO: D-DT-5047/0.54/5577; SPECIFICATION: 240-75660336                                  | 1 | EACH |  |
| 0765597 | SIGN:MV LINE LABEL 3;INCOMING ISOL;BLACK | SIGN: TYPE: MV LINE LABEL 3; DESIGNATION: INCOMING ISOL; DIMENSIONS: WD 245 X LG 600 X THK 1.2 MM; MATERIAL: VITREOUS ENAMEL (MILD STEEL); LAYOUT: HELVITICA MEDIUM COMPACT; COLOR: YELLOW; INSCRIPTION COLOR: BLACK; INSCRIPTION HEIGHT: 50 MM; BASIC SHAPE STYLE: RECTANGULAR; DRAWING NO: D-DT-5047/0.54/5577; SPECIFICATION: 240-75660336                          | 1 | EACH |  |

MANUFACTURE, SUPPLY AND DELIVERY OF LABELS USED AND APPLIED IN SUBSTATIONS AS WELL AS ON HV, MV AND LV LINES WITHIN THE LIMLANGA CLUSTER, MPUMALANGA AND LIMPOPO OPERATING UNIT ON AN "AS AND WHEN REQUIRED" BASIS OVER A PERIOD OF 60-MONTHS.

|         |  |   |   |      |  |
|---------|--|---|---|------|--|
| 0765598 | SIGN: MV LINE LABEL 3; SECT ISOL; YELLOW; 50 | SIGN: TYPE: MV LINE LABEL 3; DESIGNATION: SECT ISOL; DIMENSIONS: WD 245 X LG 600 X THK 1.2 MM; MATERIAL: VITREOUS ENAMEL (MILD STEEL); LAYOUT: HELVITICA MEDIUM COMPACT; COLOR: YELLOW; INSCRIPTION COLOR: BLACK; INSCRIPTION HEIGHT: 50 MM; BASIC SHAPE STYLE: RECTANGULAR; DRAWING NO: D-DT-5047/0.54/5577; SPECIFICATION: 240-75660336                                       | 1 | EACH |  |
| 0765599 | SIGN: MV B/B BAY-O/D LABEL 2; VT; BLACK      | SIGN: TYPE: MV B/B BAY-O/D LABEL 2; DESIGNATION: VT; DIMENSIONS: WD 230 X LG 610 X THK 1.0 MM; MATERIAL: CHROMADEK/CHROMAPREP; LAYOUT: HELVETICA COMPACT, CENTER JUSTIFIED; COLOR: ORANGE (SECTRUM B25); INSCRIPTION COLOR: BLACK; INSCRIPTION HEIGHT: 30; 25 MM; BASIC SHAPE STYLE: RECTANGULAR; DRAWING NO: D-DT-5047/0.54/5577; SPECIFICATION: 240-75660336                  | 1 | EACH |  |
| 0765599 | SIGN: MV B/B BAY-O/D LABEL 2; VT; BLACK      | SIGN: TYPE: MV B/B BAY-O/D LABEL 2; DESIGNATION: VT; DIMENSIONS: WD 230 X LG 610 X THK 1.0 MM; MATERIAL: CHROMADEK/CHROMAPREP; LAYOUT: HELVETICA COMPACT, CENTER JUSTIFIED; COLOR: ORANGE (SECTRUM B25); INSCRIPTION COLOR: BLACK; INSCRIPTION HEIGHT: 30; 25 MM; BASIC SHAPE STYLE: RECTANGULAR; DRAWING NO: D-DT-5047/0.54/5577; SPECIFICATION: 240-75660336                  | 1 | EACH |  |
| 0765600 | SIGN: HV LINE BAY LABEL 3; B/B 1 ISOL        | SIGN: TYPE: HV LINE BAY LABEL 3; DESIGNATION: B/B 1 ISOL; DIMENSIONS: WD 230 X LG 460 X THK 1.2 MM; MATERIAL: VITREOUS ENAMEL (MILD STEEL); LAYOUT: HELVETICA COMPACT, CENTER JUSTIFIED; COLOR: ORANGE (SECTRUM B25); INSCRIPTION COLOR: BLACK; INSCRIPTION HEIGHT: 30; 25; 25 MM; BASIC SHAPE STYLE: RECTANGULAR; DRAWING NO: D-DT-5047/0.54/5577; SPECIFICATION: 240-75660336 | 1 | EACH |  |
| 0765601 | SIGN: MV LINE LABEL 3; RECLOSER; YELLOW; 50  | SIGN: TYPE: MV LINE LABEL 3; DESIGNATION: RECLOSER; DIMENSIONS: WD 245 X LG 600 X THK 1.0 MM; MATERIAL: CHROMADEK/CHROMAPREP; LAYOUT: HELVITICA MEDIUM COMPACT; COLOR: YELLOW; INSCRIPTION COLOR: BLACK; INSCRIPTION HEIGHT: 50 MM; BASIC SHAPE STYLE: RECTANGULAR; DRAWING NO: D-DT-5047/0.54/5577; SPECIFICATION: 240-75660336  | 1 | EACH |  |
| 0765602 | SIGN: TRFR BAY LABEL 2; A/B SW; BLACK        | SIGN: TYPE: TRFR BAY LABEL 2; DESIGNATION: A/B SW; DIMENSIONS: WD 230 X LG 610 X THK 1.2 MM; MATERIAL: VITREOUS ENAMEL (MILD STEEL); LAYOUT: HELVETICA COMPACT, CENTER JUSTIFIED; COLOR: ORANGE (SECTRUM B25); INSCRIPTION COLOR: BLACK; INSCRIPTION HEIGHT: 30; 25 MM; BASIC SHAPE STYLE: RECTANGULAR; DRAWING NO: D-DT-5047/0.54/5577; SPECIFICATION: 240-75660336            | 1 | EACH |  |
| 0765603 | SIGN: TRFR BAY LABEL 3; B/B 1 ISOL; BLACK    | SIGN: TYPE: TRFR BAY LABEL 3; DESIGNATION: B/B 1 ISOL; DIMENSIONS: WD 230 X LG 460 X THK 1.0 MM; MATERIAL: CHROMADEK/CHROMAPREP; LAYOUT: HELVETICA COMPACT, CENTER JUSTIFIED; COLOR: ORANGE (SECTRUM B25); INSCRIPTION COLOR: BLACK; INSCRIPTION HEIGHT: 30; 25 MM; BASIC SHAPE STYLE: RECTANGULAR; DRAWING NO: D-DT-5047/0.54/5577; SPECIFICATION: 240-75660336                | 1 | EACH |  |
| 0765604 | SIGN: MV LINE LABEL 4; OUTGOING ISOL; BLACK  | SIGN: TYPE: MV LINE LABEL 4; DESIGNATION: OUTGOING ISOL; DIMENSIONS: WD 245 X LG 450 X THK 1.2 MM; MATERIAL: VITREOUS ENAMEL (MILD STEEL); LAYOUT: HELVITICA MEDIUM COMPACT; COLOR: YELLOW; INSCRIPTION COLOR: BLACK; INSCRIPTION HEIGHT: 50 MM; BASIC SHAPE STYLE: RECTANGULAR; DRAWING NO: D-DT-5047/0.54/5577; SPECIFICATION: 240-75660336                                   | 1 | EACH |  |
| 0765605 | SIGN: MV LINE LABEL 3; VOLTAGE REG; YELLOW   | SIGN: TYPE: MV LINE LABEL 3; DESIGNATION: VOLTAGE REG; DIMENSIONS: WD 245 X LG 600 X THK 1.0 MM; MATERIAL: CHROMADEK/CHROMAPREP; LAYOUT: HELVITICA MEDIUM COMPACT; COLOR: YELLOW; INSCRIPTION COLOR: BLACK; INSCRIPTION HEIGHT: 50 MM;  | 1 | EACH |  |

MANUFACTURE, SUPPLY AND DELIVERY OF LABELS USED AND APPLIED IN SUBSTATIONS AS WELL AS ON HV, MV AND LV LINES WITHIN THE LIMLANGA CLUSTER, MPUMALANGA AND LIMPOPO OPERATING UNIT ON AN "AS AND WHEN REQUIRED" BASIS OVER A PERIOD OF 60-MONTHS.

|         |  |   |   |      |  |
|---------|--|---|---|------|--|
|         |  | BASIC SHAPE STYLE: RECTANGULAR; DRAWING NO: D-DT-5047/0.54/5577; SPECIFICATION: 240-75660336  |   |      |  |
| 0765673 | SIGN:PHASE;B;HT 230 X THK 1.0 MM;BLACK   | SIGN: TYPE: PHASE; DESIGNATION: B; DIMENSIONS: HT 230 X THK 1.0 MM; MATERIAL: CHROMADEK/CHROMAPREP; LAYOUT: HELVETICA COMPACT, CENTER JUSTIFIED; COLOR: BLUE F09; INSCRIPTION COLOR: BLACK; INSCRIPTION HEIGHT: 150 MM; BASIC SHAPE STYLE: ROUND; SPECIFICATION: 240-75660336; BOTH SIDES | 1 | EACH |  |
| 0765674 | SIGN:PHASE;R;HT 230 X THK 1.0 MM;RED A11 | SIGN: TYPE: PHASE; DESIGNATION: R; DIMENSIONS: HT 230 X THK 1.0 MM; MATERIAL: CHROMADEK/CHROMAPREP; LAYOUT: HELVETICA COMPACT, CENTER JUSTIFIED; COLOR: RED A11; INSCRIPTION COLOR: BLACK; INSCRIPTION HEIGHT: 150 MM; BASIC SHAPE STYLE: ROUND; SPECIFICATION: 240-75660336; BOTH SIDES  | 1 | EACH |  |
| 0765675 | SIGN:PHASE;W;HT 230 X THK 1.0 MM;WHITE   | SIGN: TYPE: PHASE; DESIGNATION: W; DIMENSIONS: HT 230 X THK 1.0 MM; MATERIAL: CHROMADEK/CHROMAPREP; LAYOUT: HELVETICA COMPACT, CENTER JUSTIFIED; COLOR: WHITE; INSCRIPTION COLOR: BLACK; INSCRIPTION HEIGHT: 150 MM; BASIC SHAPE STYLE: ROUND; SPECIFICATION: 240-75660336; BOTH SIDES    | 1 | EACH |  |
|         | TRANSPORT COST                           |   | 1 | KM   |  |
|         | <b>TOTAL AMOUNT excluding VAT</b>        |   |   |      |  |

Offered delivery Lead time: \_\_\_\_\_ weeks

#### Contract Price Adjustment (CPA):

CPA will kick in after sixteen (16) months from the base date (of one month prior to enquiry closing) for commodities with prices that are less volatile. The sixteen months comprises of one (1) month prior to enquiry closing, three (3) months normal tender validity period as prescribed by the CIDB Act, and the twelve (12) months being the first twelve (12) months of the contract period.

## PART 3: SCOPE OF WORK

Manufacture, supply and delivery of labels used and applied in substations as well as on HV, MV and LV lines within the LimLanga Cluster, Mpumalanga and Limpopo Operating Unit on an "as and when required" basis over a period of 60-months.

| Document reference | Title                                | No of pages |
|--------------------|--------------------------------------|-------------|
|                    | This cover page                      | 31          |
| C3.1               | <i>Purchaser's</i> Goods Information | 32          |
| C3.2               | <i>Supplier's</i> Goods Information  |             |
|                    | Total number of pages                |             |



## C3.1: *PURCHASER'S* GOODS INFORMATION

### Contents

|   |                                     |
|---|-------------------------------------|
| PART C1: AGREEMENTS & CONTRACT DATA.....  | 2                                   |
| Offer .....   | 3                                   |
| Acceptance .....  | 4                                   |
| Schedule of Deviations to be completed by the <i>Purchaser</i> prior to contract award .....  | 5                                   |
| Part one - Data provided by the <i>Purchaser</i> .....  | 6                                   |
| Statement .....   | 6                                   |
| Data .....  | 6                                   |
| General .....   | 6                                   |
| 2 .....   | 7                                   |
| The <i>Supplier's</i> main responsibilities .....   | 7                                   |
| 3 .....   | 7                                   |
| Time .....  | 7                                   |
| 4 .....   | 8                                   |
| Testing and defects .....   | 8                                   |
| 5 .....   | 8                                   |
| Payment .....   | 8                                   |
| 6 .....   | 8                                   |
| Compensation events .....   | 8                                   |
| 7 .....   | 8                                   |
| Title .....   | 8                                   |
| There is no reference to Contract Data in this section of the core clauses and terms in italics used in this section are identified elsewhere in this Contract Data. .... | <b>Error! Bookmark not defined.</b> |
| 8 .....   | 8                                   |
| Risks, liabilities, indemnities and insurance .....   | 8                                   |
| 9 .....   | 9                                   |
| Termination and dispute resolution .....  | 9                                   |
| 10 .....  | 10                                  |
| Data for Option clauses .....   | 10                                  |
| The Supply Requirements for this contract are as follows: .....   | 18                                  |
| Part two - Data provided by the <i>Supplier</i> .....   | 19                                  |
| Clause .....  | 19                                  |
| Statement .....   | 19                                  |
| Data .....  | 19                                  |
| <b>Pro formas for Bonds &amp; Guarantees</b> .....  | 20                                  |
| For use with the NEC3 Supply Contract (SC3) .....   | 20                                  |
| Pro forma Parent Company Guarantee (for use with Option X4) .....   | 21                                  |
| Parent Company Guarantee for Contract No .....  | 21                                  |
| Pro forma Performance Bond – Demand Guarantee (for use with Option X13) .....   | 23                                  |
| Part 2: Pricing Data .....  | 25                                  |
| How <i>goods</i> and <i>services</i> are priced and assessed for payment .....  | 26                                  |
| Function of the Price Schedule .....  | 26                                  |
| Preparing the <i>price schedule</i> .....   | 26                                  |
| Format of the <i>price schedule</i> .....   | 27                                  |
| Part 3: Scope of Work .....   | 1                                   |
| C3.1: <i>Purchaser's</i> Goods Information .....  | 2                                   |
| 1 Overview and purpose of the <i>goods</i> and <i>services</i> .....  | 4                                   |
| 2 Specification and description of the <i>goods</i> .....   | 4                                   |
| <b>Type testing of kiosks</b> .....   | <b>Error! Bookmark not defined.</b> |

MANUFACTURE, SUPPLY AND DELIVERY OF LABELS USED AND APPLIED IN SUBSTATIONS AS WELL AS ON HV, MV AND LV LINES WITHIN THE LIMLANGA CLUSTER, MPUMALANGA AND LIMPOPO OPERATING UNIT ON AN "AS AND WHEN REQUIRED" BASIS OVER A PERIOD OF 60-MONTHS.

|       |  |                                     |
|-------|--|-------------------------------------|
| 2.1   | Procedure for submission and acceptance of <i>Supplier's</i> design .....                                      | 4                                   |
| 2.2   | Other requirements of the <i>Supplier's</i> design.....  | 4                                   |
| 2.3   | Use of <i>Supplier's</i> design .....  | 4                                   |
| 2.4   | Manufacture & fabrication .....  | 4                                   |
| 2.5   | Factory acceptance testing (FAT) .....   | 4                                   |
| 2.6   | Other tests and inspections and commissioning in place of use .....  | 4                                   |
| 2.7   | Operating manuals and maintenance schedules .....  | 5                                   |
| 3     | Specification of the <i>services</i> to be provided .....  | 5                                   |
| 4     | Constraints on how the <i>Supplier</i> Provides the Goods.....   | 5                                   |
| 4.1   | Programming constraints .....  | 5                                   |
| 4.2   | Work to be done by the Delivery Date .....   | 5                                   |
| 4.3   | Cooperating with Others .....  | 5                                   |
| 4.4   | Management meetings.....   | 5                                   |
| 4.5   | Documentation control .....  | 6                                   |
| 4.6   | Health and safety risk management.....   | 6                                   |
| 4.7   | Environmental constraints and management.....  | 6                                   |
| 4.8   | Quality .....  | 6                                   |
| 4.9   | Invoicing and payment .....  | 7                                   |
| 4.10  | Insurance provided by the <i>Purchaser</i> .....   | 7                                   |
| 4.11  | Contract change management .....   | 7                                   |
| 4.12  | Provision of bonds and guarantees .....  | 7                                   |
| 4.13  | Records of Defined Cost, payments & assessments of compensation events to be kept by the <i>Supplier</i> ..... | 7                                   |
| 5     | Procurement .....  | 7                                   |
| 5.1   | Subcontracting .....   | 7                                   |
| 5.1.1 | Preferred subcontractors .....   | 8                                   |
| 5.1.2 | Limitations on subcontracting .....  | 8                                   |
| 5.    | Skills Development.....  | <b>Error! Bookmark not defined.</b> |
| 6     | List of drawings.....  | 11                                  |
| 6.1   | Drawings issued by the <i>Purchaser</i> .....  | 11                                  |

## 1 Overview and purpose of the *goods* and *services*

This contract is for the Manufacture, supply and delivery of labels used and applied in substations as well as on HV, MV and LV lines within the LimLanga Cluster, Mpumalanga and Limpopo Operating Unit on an "as and when required" basis over a period of 60-months.

## 2 Specification and description of the *goods*

**The high-level scope of work is as follows:**

The Manufacture, supply and delivery of labels used and applied in substations as well as on HV, MV and LV lines within the LimLanga Cluster, Mpumalanga and Limpopo Operating Unit on an "as and when required" basis over a period of 60-months.

### 2.1 Procedure for submission and acceptance of *Supplier's* design

N/A

### 2.2 Other requirements of the *Supplier's* design

N/A

### 2.3 Use of *Supplier's* design

N/A

### 2.4 Manufacture & fabrication

The *Supplier* warrants that's the *goods* and material are new, unused as per *Purchaser* standard, and fit for purpose to be used in the final destination and other locations stated in the Goods Information.

Refer to Eskom 240-105658000 (QM 58) Specification (Supplier Quality Management: Specification

### 2.5 Factory acceptance testing (FAT)

*Purchaser* to perform factory acceptance testing (FAT) for the first consignment.

Where the products are manufactured in South Africa, a notification of inspection must be communicated at least 7 (seven) working days prior to the testing.

After contract award, *Purchaser* shall at Eskom's sole discretion evaluate the *goods* at any stage during the manufacturing and fabrication process to determine that the *goods* meet the requirements of the specification.

### 2.6 Other tests and inspections and commissioning in place of use

N/A

MANUFACTURE, SUPPLY AND DELIVERY OF LABELS USED AND APPLIED IN SUBSTATIONS AS WELL AS ON HV, MV AND LV LINES WITHIN THE LIMLANGA CLUSTER, MPUMALANGA AND LIMPOPO OPERATING UNIT ON AN "AS AND WHEN REQUIRED" BASIS OVER A PERIOD OF 60-MONTHS.

## 2.7 Operating manuals and maintenance schedules

N/A

## 3 Specification of the services to be provided

N/A

## 4 Constraints on how the *Supplier* Provides the Goods

### 4.1 Programming constraints

None

### 4.2 Work to be done by the Delivery Date

All Work to be done will be stated in the Task Order.

### 4.3 Cooperating with Others

N/A

### 4.4 Management meetings

Regular meetings of a general nature may be convened and chaired by the *Supply Manager* as follows:

| Title and purpose                      | Approximate time & interval       | Location   | Attendance by:  |
|--|-----------------------------------|--|---|
| Risk register and compensation events  | As and when necessary             | Alternate between <i>Supplier &amp; Purchaser</i> premise OR Virtually | <i>Purchaser, Supplier</i> , and others that may be invited |
| Overall contract progress and feedback | Quarterly Progress review meeting | Alternate between <i>Supplier &amp; Purchaser</i> premise OR Virtually | <i>Purchaser, Supplier</i> and others that may be invited   |
| Technical and Quality                  | Once or Twice a year              | Alternate between <i>Supplier &amp; Purchaser</i> premise OR Virtually | <i>Purchaser, Supplier</i> and others that may be invited   |
|  |                                   |  |   |

Meetings of a specialist nature may be convened as specified elsewhere in this Goods Information or if not so specified by persons and at times and locations to suit the Parties, the nature and the progress of the manufacture of the *goods*. Records of these meetings shall be submitted to the *Supply Manager* by the person convening the meeting within five days of the meeting.

All meetings shall be recorded using minutes or a register prepared and circulated by the person who convened the meeting. Such minutes or register shall not be used for the purpose of confirming actions or instructions under the contract as these shall be done separately by the person identified in the *conditions of contract* to carry out such actions or instructions.

#### 4.5 Documentation control

All communication is to be channelled through the *Purchaser's Representative* and *Suppliers* key person.

#### 4.6 Health and safety risk management

The Supplier shall comply with the health and safety requirements

#### 4.7 Environmental constraints and management

N/A

#### 4.8 Quality

##### Contract Execution

The *Supplier* shall submit the following documents within 30 days or as per stated timeline after the Contract Date, prior to the commencement of work, for acceptance by Eskom:

- The *Supplier* shall complete a QCP before contract award. This shall be reviewed and signed off by Eskom within 30 days or as per stated timeline after contract award.
- The *Supplier* shall complete a quality control plan and ITP(s) for review and acceptance by Eskom prior to the commencement of any work, inclusive of subcontracted work, within 30 days or as per stated timeline after contract award.
- The sub-supplier QCP/ ITP shall be submitted for review and comment by the *Supplier* and by Eskom within 30 days or as per stated timeline after the award of the tender. All *Supplier* and Eskom comments shall be resolved prior to commencing work.
- The equipment lists and an indication of pressurised components and systems.

**Note:** These plans are to be compiled in line with Eskom's requirements and will have to be discussed with, and approved by, Eskom prior to any work commencing.

- Correspondence shall be directed to the *Supply Manager*, and periodic quality review meetings shall be convened by Eskom with the *Supplier*.
- The mandatory quality review meetings are to be convened by the nominated project quality manager or his/her representative for the contract.
- Monthly quality performance and management reports are to be prepared by the *Supplier* during contract execution. The content of these reports shall be agreed by Eskom when submitted to Eskom on a monthly basis.

##### Supplier Quality Performance Monitoring Phase

The *Supplier* shall adhere to the *Supplier* Contract Quality Requirements Specification QM58 (240-105658000) during the contract execution, with special reference but not limited to:

- (Reference 3.5.2) The *Supplier* shall submit the following documents 30 (thirty) days after contract award:
- A Contract Quality Plan and QCP/ITP(s) for review and acceptance by the *Purchaser* prior to the commencement of any work, inclusive of subcontracted work. This shall be reviewed and signed off by the *Purchaser*.

MANUFACTURE, SUPPLY AND DELIVERY OF LABELS USED AND APPLIED IN SUBSTATIONS AS WELL AS ON HV, MV AND LV LINES WITHIN THE LIMLANGA CLUSTER, MPUMALANGA AND LIMPOPO OPERATING UNIT ON AN "AS AND WHEN REQUIRED" BASIS OVER A PERIOD OF 60-MONTHS.

- QCP/ITP(s) during contract execution shall be adhered to.
- *Purchaser* to perform first consignment release, a self - release will be issued *Supplier* upon satisfactory report.
- *Supplier* to keep record of non-conformance & inspection defect/reject reports and Non-conformance Reports to be reconcile with the record of the *Purchaser* during interphase meeting.

## 4.9 Invoicing and payment

Within one week of receiving a payment certificate from the *Supply Manager* in terms of core clause 51.1, the *Supplier* provides the *Purchaser* with a tax invoice showing the amount due for payment equal to that stated in the *Supply Manager's* certificate.

The *Supplier* shall address the tax invoice to *Purchaser* and include on each invoice the following information:

- Name and address of the *Supplier* and the *Supply Manager*;
- The contract number and title;
- *Supplier's* VAT registration number;
- The *Purchaser's* VAT registration number.
- Description of *goods* and *services* provided for each item invoiced based on the Price Schedule;
- Total amount invoiced excluding VAT, the VAT and the invoiced amount including VAT;
- (add other as required)

Tax invoices must be sent to [INVOICESESKOMLOCAL@ESKOM.CO.ZA](mailto:INVOICESESKOMLOCAL@ESKOM.CO.ZA) for processing

## 4.10 Insurance provided by the *Purchaser*

As per NEC Core Clause 8.

## 4.11 Contract change management

N/A

## 4.12 Provision of bonds and guarantees

The form in which a bond or guarantee required by the *conditions of contract* (if any) is to be provided by the *Supplier* is given in Part 1 Agreements and Contract Data, document C1.3, Sureties.

The *Purchaser* may withhold payment of amounts due to the *Supplier* until the bond or guarantee required in terms of this contract has been received and accepted by the person notified to the *Supplier* by the *Supply Manager* to receive and accept such bond or guarantee. Such withholding of payment due to the *Supplier* does not affect the *Purchaser's* right to termination stated in this contract.

## 4.13 Records of Defined Cost, payments & assessments of compensation events to be kept by the *Supplier*

N/A

# 5 Procurement

## 5.1 Subcontracting

MANUFACTURE, SUPPLY AND DELIVERY OF LABELS USED AND APPLIED IN SUBSTATIONS AS WELL AS ON HV, MV AND LV LINES WITHIN THE LIMLANGA CLUSTER, MPUMALANGA AND LIMPOPO OPERATING UNIT ON AN "AS AND WHEN REQUIRED" BASIS OVER A PERIOD OF 60-MONTHS.

### 5.1.1 Preferred subcontractors

The target for subcontracting is minimum of 30% of the local content.

The allocation of the sub-contracted amount shall be 30% of the contract value to QSE's and EME's with minimum 51% black ownership

### 5.1.2 Limitations on subcontracting

Subcontracting must be approved by the Purchaser.

## SDL&I TARGETS

### Section 2: Objective criteria

The inclusion of objective criteria is not mandatory but a condition for contract award. If the tenderer does not meet objective criteria; it may lead to the second-ranked tenderer being recommended for award.

### 2.1 Designated Sectors

When applicable the following stipulated minimum threshold for Local Production and Content must be achieved in full by the tenderer

a) Is this Commodity or part of it a Designated Sector?

| YES                                 | NO                       |
|-------------------------------------|--------------------------|
| <input checked="" type="checkbox"/> | <input type="checkbox"/> |

Please indicate below Designated Components:

| Commodity                  | Components                               | Local Content Threshold |
|----------------------------|--|-------------------------|
| Steel value-added products | Fabricated structural steel (mild steel) | 100%                    |
|                            | Roof and gladding (chromadek/chromaprep) | 100%                    |

**NOTE:** SBD 6.2 Declaration Form and Annex C (Local Content Declaration-Summary Schedule) are therefore **mandatory** and must be tender returnables if applicable.

### Section 3: SDL&I Objectives in line with Reconstruction and Development Programme (RDP) Goals

Tenderers who complete and submit the objectives as required, but who do not meet Eskom's targets, will not be disqualified. SDL&I objectives do not form part of scoring but commitments will form part of contractual obligations

#### 1. Transformation – BBBEE Improvement or Retention Plan

Transformation remains an area of focus, where Eskom continuously strives to align itself with national transformation imperatives to unlock growth, drive industrialization, create employment and contribute to skills development.

Eskom encourages its suppliers to constantly strive to improve their B-BBEE rating. Whereas Tenderer/s will be allocated points in terms of a preference point system based on specific goals, Eskom also requests that tenderer/s submits their B-BBEE improvement or retention plan within 30 days of signing the contract.

Tenderer/s are therefore requested to indicate the extent to which they will maintain (only if the respondent is a Level 1) or may improve/maintain their B-BBEE status over the contract period if their B-BBEE status is level 2 or 3. Tenderer/s with a B-BBEE status level 4 at the time of contract award, shall migrate and achieve as a non-negotiable a milestone of B-BBEE Level 3 by the end of the first year of the contract and thereafter improve their B-BBEE status level or migrate by one level higher.

Tenderer/s with a B-BBEE recognition status of Level 5 to Level 8 or non-compliant at the time of contract award, shall migrate and achieve as a non-negotiable a milestone of Level 4 by the end of the first year of the contract and thereafter improve at least one B-BBEE Level higher of each year from the second year of the contract.

Tenderer/s are requested to submit their B-BBEE Improvement Plan as an essential document within 30 days of signing the contract.

**NB:** A valid B-BBEE certificate or Sworn Affidavit is a condition for contract award, if your company's annual Total Revenue is R10 Million or less you qualify as an Exempted Micro Enterprise therefore you can submit Sworn Affidavit. If your annual Total Revenue is R50 Million or less, you qualify as Qualifying Small Enterprise and must comply with all of the elements of QSE score card relevant to your sector unless an entity is at least 51% Black owned you are required to obtain a Sworn affidavit. If your Annual Total Revenue is above R50m you need to submit a Valid B-BBEE certificate

## 2. **Local Procurement Content**

"Local Procurement Content" refers to value added "Local Procurement Content" refers to value added in South Africa by South African resources. This contract only involves local goods and/or services, thus, local procurement content is **100%**.

## 3. **Procurement spend on entities with a minimum 51% black ownership**

The winning tenderer is encouraged to procure/spend on designated groups on the following paid invoices for both:

- the indirect expenses (e.g. overheads) on goods and services supplied to the contractor/supplier by designated groups; and
- direct spend on goods and services supplied by the subcontractors for the execution of the scope of work.

Activities, as a proportion of the local procurement content, which may be subcontracted to designated black owned enterprises must be submitted in a table below.

| Procurement from Designated Group | Eskom Target | Tenderer Proposal |
|-----------------------------------|--------------|-------------------|
| Black Owned                       | 4.0%         |                   |
| Black Women Owned                 | 3.0%         |                   |
| Black Youth Owned                 | 2.0%         |                   |
| Black Persons with Disability     | 1.0%         |                   |

2. **Jobs.** Tenderers will be required to report on the number of jobs that were created and or retained as a direct result of being awarded a contract.



### 3. Skills development

Tenderers are required to submit proposals in a table below for developing the skills of unemployed candidates in the country. Skills development is intended to address Eskom's core, scarce and critical skills and the scarce and critical skills. These skills are also included in a 2020 list of occupations in high demand as stipulated in the Government Gazette 43937. Candidates shall be from all provinces in the country, and their composition shall be representative of the population demographics of South Africa

| Skill type / Occupation<br>(Candidates from TVET college or<br>with National Diploma)   | Eskom target | Proposed Number of<br>Candidates |
|---|--------------|----------------------------------|
| <b>CAD Design</b> for label layouts.  | 1            |                                  |
| <b>Material science</b> knowledge, especially corrosion-resistant metals like stainless steel.  | 1            |                                  |
| <b>CNC machining</b> and <b>laser engraving</b> for steel to automate tasks like cutting, drilling, and shaping materials with high precision and accuracy. | 1            |                                  |

The process of developing these skills shall involve the participation by tenderers directly and through their supply network. In certain cases, the SETA's accredited training providers can be approached to participate in developing critical and scarce skills.

**Note:** That these targets for skills development candidates categorically exclude Eskom employees and registered learners. The tenderers are required to take full responsibility for the total cost of developing the requisite skills, and Eskom shall not make any financial contribution towards the fulfilment of this obligation. Tenderers also are advised to approach their relevant SETAs to access grants, subsidies, and incentives as well as South African Revenue Services for tax rebates that are earmarked for skills development initiatives.

### Section 3: SDL&I Penalty and Performance Security

Eskom will apply a penalty of 2.5% of the invoice amount for failure to meet SDL&I obligations.

Eskom will apply a penalty of 2.5% of the Contract Value for failure to meet SDL&I obligations. For the duration of the contract, Eskom will retain 2.5% of every invoice (excluding VAT) as security for the fulfilment of all SDL&I Obligations. The retained amounts shall only be released to the Contractor upon:

- Eskom receives the SDL&I progress report/s from the contractor.
- Fulfilment of all SDL&I obligations by the contractor.
- Submission of an approved compliance report by SDL&I Department.

### Section 4: Reporting and Monitoring

- The suppliers shall on a quarterly basis submit a report to Eskom in accordance with Data Collection Template on their compliance with the SDL&I obligations described above.
- Eskom shall review the SDL&I reports submitted by the suppliers within 30 (thirty) days of receipt of the reports and notify the suppliers in writing if their SDL&I obligations have not been met.
- Upon notification by Eskom that the suppliers have not met their SDL&I obligations, the suppliers shall be required to implement corrective measures to meet those SDL&I obligations before the commencement of the following report, failing which Retention clauses shall be invoked.
- Every contract shall be accompanied by the SDL&I Implementation Schedule, which must be completed by the suppliers and returned to SDL&I representative for acceptance 28 days after contract award. This will be used as a reference document for monitoring, measuring and reporting on the supplier's progress in delivering on their stated SDL&I commitments

MANUFACTURE, SUPPLY AND DELIVERY OF LABELS USED AND APPLIED IN SUBSTATIONS AS WELL AS ON HV, MV AND LV LINES WITHIN THE LIMLANGA CLUSTER, MPUMALANGA AND LIMPOPO OPERATING UNIT ON AN "AS AND WHEN REQUIRED" BASIS OVER A PERIOD OF 60-MONTHS.

## **6 List of drawings**

### **6.1 Drawings issued by the *Purchaser***

None