


	SHE SPECIFICATION Disconnections & Reconnection Services NCOU Sectors (Karoo, Kgalagadi, Kalahari and Hart sectors)	Template Identifier	240-73416879	Rev	2
		Document Identifier	High/SPU01	Rev	1
		Effective Date	February 2024		
		Review Date	February 2025		

Project Name: Replace: Disconnections and Reconnections of SPU meters in the Northern Cape Customer Service Area's(Hart, Karoo, Kalahari and Kgalagadi sectors)

Project Address: Harts,Karoo,Kalahari and Kgalagadi at NCOU, Gemma Cluster


Scope of the project: Disconnection & Reconnection of SPU Meters

Compiled by	Accepted by	Accepted by
Name : Mbazima Chabalala	Name : Magda Wyngaardt	Name : Khuduthamaga Ntshekang
Signature : 	Signature : 	Signature : 
Date:03/09/2024	Date : 06/09/2024	Date : 05/09/2024
Contractor Safety Officer Northern Cape/ Gemma Cluster	Contractor Safety Manager Northern Cape/ Gemma Cluster	Manager Northern Cape/ Gemma Cluster

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.


	SHE SPECIFICATION Disconnections & Reconnection Services NCOU Sectors (Karoo, Kgalagadi, Kalahari and Hart sectors)	Template Identifier	240-73416879	Rev	2
		Document Identifier	High/SPU01	Rev	1
		Effective Date	February 2024		
		Review Date	February 2025		

CONTENTS	Page
1. Introduction.....	6
2. Supporting Clauses.....	6
2.1 Scope	6
2.1.1 Purpose	7
2.1.2 Applicability	7
2.2.1 Normative	7
2.3 Definitions	9
2.4 Abbreviations	133
2.6 Roles and Responsibilities	144
2.6.1 Commitment	144
2.5 Related/Supporting Documents	244
3. Specification	255
3.1 Scope of work	255
3.2 Legal Compliance	26
3.2.1 Section 37(2) (Legal) Agreement	26
3.2.2 Hazardous work by children (Child Labour)	266
3.3 Eskom Requirements	277
3.4 Construction Professional Registration	28
3.5 Notification of Construction Work	28
3.6 SHE Policy	28
3.7 COID	29
3.8 Costing for SHE within the Project	29
3.9 Statutory Appointments	29
3.10 Eskom Life-saving Rules	30
3.11 Substance Abuse	322
3.12 Contractor organisational Structure	322
3.12.1 Principal Contractor Organogram	322

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.


	SHE SPECIFICATION Disconnections & Reconnection Services NCOU Sectors (Karoo, Kgalagadi, Kalahari and Hart sectors)	Template Identifier	240-73416879	Rev	2
		Document Identifier	High/SPU01	Rev	1
		Effective Date	February 2024		
		Review Date	February 2025		

3.12.2 Appointed Contractor/s Organogram	333
3.13 Risk assessment (refer to 32-520)	33
3.14 Safe work procedures / method statements	344
3.15 Roof work (refer to 32- 418)	35
3.16 Work Sites	35
3.17 Fire Equipment and maintenance	365
3.18 Flammable and Combustible Liquids	36
3.18.1 Refuelling at the construction site	37
3.19 First Aid and Equipment	37
3.19.1 Boxes and equipment	38
3.20 SHE Communication Systems	38
3.20.1 Statutory Health and Safety Committees	39
3.20.2 Non-statutory health and safety committees	40
3.20.3 Agenda	40
3.20.4 Minutes and action items for all health and safety committee meetings	411
3.20.5 Tool box talks / Daily team talks / pre job meetings	422
3.21 SHE Training	422
3.21.1 Induction training	432
3.21.2 Site specific induction training	432
3.21.3 Visitors to site induction	433
3.21.4 General training	443
3.22 Contractor Site Establishment	443
3.22.1 Site roads	444
3.22.2 Construction vehicle safety	444
3.23 Housekeeping and Order	455
3.23.1 Stacking and Storage	46
3.24 Workplace Signage and Colour Coding	466
3.25 Tools and Equipment	47

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.


	SHE SPECIFICATION Disconnections & Reconnection Services NCOU Sectors (Karoo, Kgalagadi, Kalahari and Hart sectors)	Template Identifier	240-73416879	Rev	2
		Document Identifier	High/SPU01	Rev	1
		Effective Date	February 2024		
		Review Date	February 2025		

3.25.1 Hand tools	48
3.26 Ladders	48
3.27 Scaffolding	49
3.28 Auditing	49
3.28.1 Approval and compliance of principal contractor SHE plan	49
3.28.2 Eskom SHE audits	49
3.28.1 Contractor audits	50
3.29 Smoking	50
3.30 Cellular Phones	50
3.31 Occupational Health, Hygiene and Rehabilitation	500
3.31.1 Medicals	500
3.32 Working at Heights	51
3.32.1 General Requirements	51
3.33 Risk Assessments	511
3.34 Safe Work Procedures and Practices / Safe Operating	52
3.35 Personal Protective Equipment Requirements	52
3.36 Incident Investigation	532
3.37 Emergency Management	534
3.38 Non-Conformance and Compliance	544
3.39 SHE File	555
3.40 Work Stoppage	566
3.41 Hours of Work	576
3.41.1 Normal work	576
3.41.2 Night work	57
3.41.3 Overtime	577
3.42 Omissions from Safety and Health Requirements Specification	577
3.43 Contract Sign-Off	587
3.44 Project Statistics	58

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.


	SHE SPECIFICATION Disconnections & Reconnection Services NCOU Sectors (Karoo, Kgalagadi, Kalahari and Hart sectors)	Template Identifier	240-73416879	Rev	2
		Document Identifier	High/SPU01	Rev	1
		Effective Date	February 2024		
		Review Date	February 2025		

3.45 Weather Extremes	59
3.46 Excavation Work	59
3.47 COVID-19 Requirements	62
3.48 Working near or crossing National, Provincial or local roads	64
3.49 Existing Infrastructure and Services	64
3.50 Working in close proximity to large bodies of water	64
3.51 Asbestos Work (or Working in a naturally occurring Asbestos area)	65
3.52 Security Management	72
3.53 Access to Farms and Rural areas, Private property, Public and Governmental land	72
3.54 Working in close proximity to Live apparatus	72
3.55 Routine On Job/ Task Observations	73
4. Acceptance.....	73
5. Revisions.....	73
6. Annexures	74
6.1 Annexure 1 – Flash Report Template	74
6.2 Annexure 2 – Technical Instruction for Transportation of Personnel.....	77
6.3 Annexure 3 – Training Needs Analysis/ Matrix	78
6.4 Annexure 4 – Site Specific Evaluation Template	80
6.5 Annexure 5 – 37(2) Agreement Template.....	101
6.6 Annexure 6 – CR5(1)(K) Appointment Template	104
6.7 Annexure 7 – Acknowledgement Form for OHS, Legal and other requirements	106
6.8 Annexure 8 – Behavioural Observation Form.....	108
6.9 Annexure 9 – Annexure D OHS KPI SHE Post-contract Reviews.....	109
6.10 Annexure 10 – Task Observation Form	114
6.11 Annexure 11 – Contractor SHE File Hand Back Record	117
6.12 Annexure 12 – OHS Tender Evaluation Template	120

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	SHE SPECIFICATION Disconnections & Reconnection Services NCOU Sectors (Karoo, Kgalagadi, Kalahari and Hart sectors)	Template Identifier	240-73416879	Rev	2
		Document Identifier	High/SPU01	Rev	1
		Effective Date	February 2024		
		Review Date	February 2025		

1. Introduction

Eskom's responsibility and commitment is to ensure a safe working environment is in line with its Safety, Health, Environmental and Quality Policy, along with legislative obligations.

This SHE specification is Eskom the minimum requirements which are required to be met for the specific contract and for the duration of the contract period by contractors and where required, the delivery organisation.

The contractor is expected to develop a SHE plan which meets these requirements as well as all the relevant applicable legislation they conform to.

Eskom in no way assumes the contractor's legal responsibilities. The contractor is and remains accountable for the quality and the execution of his/her health and safety programme for his/her employees and appointed contractor employees.

This SHE specification reflects minimum requirements and should not be construed as all encompassing.

Note 1: All the requirements listed hereunder are in relation to the contract and do not supersede or replace any organizational SHE requirements.

Where requirements listed are already in place, then the organisational requirements must be taken cognisance of and listed in the respective SHE plans. If there are any additional Eskom and or legislative requirements listed in the SHE specification, then these must be addressed.

2. Supporting Clauses


2.1 Scope

This SHE specification lists the legislative and Eskom requirements and where applicable, any requirements pertaining to Local Authorities / Municipal by-laws / Environmental legislation that must be met by the contractor.

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	SHE SPECIFICATION Disconnections & Reconnection Services NCOU Sectors (Karoo, Kgalagadi, Kalahari and Hart sectors)	Template Identifier	240-73416879	Rev	2
		Document Identifier	High/SPU01	Rev	1
		Effective Date	February 2024		
		Review Date	February 2025		

2.1.1 Purpose

This document will provide a standardised approach to the compilation of SHE specifications throughout Eskom for contracts, standards and NEC 3 contracts.

2.1.2 Applicability

This SHE specification is applicable to any contracting organisation who intends tendering for the contract.

2.2 Normative/Informative References

Parties using this document shall apply the most recent edition of the documents listed in the following paragraphs.


2.2.1 Normative

- [1] Basic Conditions of Employment Act No 75 of 1997.
- [2] Occupational Health and Safety Act and Regulations No 85 of 1993.
- [3] National Environmental Management Act 107 of 1998.
- [4] National Road Traffic Act 93 of 1996.
- [5] 32-37 Eskom Substance Abuse Procedure.
- [6] 32-136 Contractor Health and Safety Requirements
- [7] 240-62196227 Life- saving Rules
- [8] 32-95 Environmental, Occupational Health and Safety Incident Management Procedure
- [9] 32-727 SHEQ Policy
- [10] 32- 418 Working at Heights Procedure
- [11] 240-62946386 Vehicle and Driver Safety Management Procedure
- [12] 32-520 Risk Assessment procedure
- [13] Plant Safety Regulations.

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	SHE SPECIFICATION Disconnections & Reconnection Services NCOU Sectors (Karoo, Kgalagadi, Kalahari and Hart sectors)	Template Identifier	240-73416879	Rev	2
		Document Identifier	High/SPU01	Rev	1
		Effective Date	February 2024		
		Review Date	February 2025		


2.2.2 Informative

- [1] Tobacco Products Control Act 83 of 1993 (Updated 2011.05.19)
- [2] SANS 1186 Symbolic Safety Signs
- [3] Constitution of the Republic of South Africa No 108 of 1996
- [4] DMN 34-110 Operating A Vehicle Mounted Crane
- [5] DMN 34-1981 Excavations.

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	SHE SPECIFICATION Disconnections & Reconnection Services NCOU Sectors (Karoo, Kgalagadi, Kalahari and Hart sectors)	Template Identifier	240-73416879	Rev	2
		Document Identifier	High/SPU01	Rev	1
		Effective Date	February 2024		
		Review Date	February 2025		


2.3 Definitions

Definition	Explanation
Appointed contractor	Means a contractor appointed by the principal contractor
Baseline risk assessment	(32-520) baseline operational risks refer to the health and safety risks associated with all standard processes and routine activities in the business
Business unit (BU)	(32-296) means any defined unit within the Eskom environment, operating as a business under a particular cost-centre number. In the context of this document and in terms of health and safety, any reference to a BU includes a defined unit within any Eskom division and its subsidiaries
Client	(OHS Act) Eskom representative (Internal – Asset Owner), also referred to as the contract administrator/custodian or agent or project manager (as defined in the contract). He/she is the person responsible for ensuring that the works or services are executed in terms of the contract, as well as adherence to legislation pertaining to the contract.
Competent person	(OHS Act) means any person having the knowledge, training, experience, and qualifications, specific to the work or task being performed, provided that, where appropriate, qualifications and training are registered in terms of the South African Qualifications Authority Act, 1995 (Act No. 58 of 1995)
Contractor	(OHS Act) means an employer as defined in section 1 of the Act who performs contracted work and includes principal contractors
Construction work	Any work in connection with <ul style="list-style-type: none"> a. the construction, erection, alteration, renovation, repair, demolition or dismantling of or addition to a building or any similar structure. b. the construction, erection, maintenance, demolition or dismantling of any bridge, dam, canal, road, railway, runway, sewer or water reticulation system or the moving of earth, clearing of land, the making of excavation, piling or any similar civil engineering structure or type of work.
Consultant	means a person providing professional advice
Controlled disclosure	controlled disclosure to external parties (either enforced by law or discretionary)

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.


	SHE SPECIFICATION Disconnections & Reconnection Services NCOU Sectors (Karoo, Kgalagadi, Kalahari and Hart sectors)	Template Identifier	240-73416879	Rev	2
		Document Identifier	High/SPU01	Rev	1
		Effective Date	February 2024		
		Review Date	February 2025		

Definition	Explanation
Duty of care to the environment	(32-136) anybody who causes or has caused or may cause significant pollution or degradation of the environment must take reasonable measures to prevent such pollution or degradation from occurring, continuing, or recurring. If such harm to the environment is authorised by law or cannot reasonably be avoided or stopped, such person must minimise and rectify such pollution or degradation of the environment
Employee	(OHS Act) means, subject to the provisions of subsection (2), any person who is employed by or works for an employer and who receives or is entitled to receive any remuneration or who works under the direction or supervision of an employer or any other person
Employer	(OHS Act) means, subject to the provisions of subsection (2), any person who employs or provides work for any person and remunerates that person or expressly or tacitly undertakes to remunerate him/her, but excludes a TES (ex labour broker) as defined in section 1(1) of the Labour Relations Act 1956 (Act No. 28 of 1956)
Environment	(32-94) means: a. the land, water, and atmosphere of the earth; b. micro-organisms and plant and animal life; and c. any part or combination of (a) and (b) and the interrelationships among and between them, and the physical, chemical, aesthetic, and cultural properties and conditions of the foregoing that influence human health and well-being
Environmental Management plan	A detailed plan of action prepared to ensure that recommendations for enhancing or ensuring positive impacts and limiting or preventing negative environmental impacts are implemented during the life-cycle of a project. This Environmental Management Plan should preferably form part of Eskom's Environmental Management System
Eskom requirements	Eskom requirements flowing from directives, policies, standards, procedures, specifications, work instructions, guidelines, or manuals
Fall protection plan	(OHS Act) means a documented plan of all risks relating to working from an elevated position, considering the nature of work undertaken, and setting out the procedures and methods to be applied in order to eliminate the risk
Hazard	(OHS Act) means a source of, or exposure to, danger
Hazard identification	(OHS Act) means the identification and documenting of existing or expected hazards to the health and safety of persons, which are normally associated with the type of construction work being executed or to be executed
Health and safety file	(OHS Act) means a file or other record in permanent form, containing the information required in relation to the contract.

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.


	SHE SPECIFICATION Disconnections & Reconnection Services NCOU Sectors (Karoo, Kgalagadi, Kalahari and Hart sectors)	Template Identifier	240-73416879	Rev	2
		Document Identifier	High/SPU01	Rev	1
		Effective Date	February 2024		
		Review Date	February 2025		

Definition	Explanation
Health and safety plan	(OHS Act) means a document plan that addresses hazards identified and includes safe work procedures to mitigate, reduce, or control hazards identified
Health and safety specification	(OHS Act) means a document specification of all health and safety requirements pertaining to associated to a contract, so as to ensure the health and safety of persons.
Health and safety requirements	means comprehensive health and safety requirements for a contract, project, site, and scope of work. This specification is intended to ensure the health and safety of persons, both workers and the public, and the duty of care to the environment. The health and safety requirements must be specific to each contract, project, site, and scope of work
Life saving Rules	(240-62196227) a rule that, if not adhered to, has the potential to cause serious harm to people
Medical Certificate of fitness	(OHS Act) means a certificate valid for one year, issued by an occupational health practitioner, issued in terms of the regulations, whom shall be registered with the Health Professions Council of South Africa
Medical surveillance	(OHS Act) means a planned programme or periodic examination (which may include clinical examinations, biological monitoring, or medical tests) of employees by an occupational health practitioner or, in prescribed cases, by an occupational medicine practitioner
Method statement	(OHS Act) means a written document detailing the key activities to be performed in order to reduce, as reasonably as practicable, the hazards identified in any risk assessment
Organisation	may be defined as a group of individuals (large of small) that is cooperating under the direction of executive leadership in accomplishment of certain common objects
Pre-job meetings	(34-227) means a meeting that is held prior to the commencement of the day's work and that is attended by all the relevant employees associated with the work task
Principal contractor	(In the text of this document) Means an employer, as defined in section 1 of the OHS Act, who intends to tender for or has signed a contract with Eskom for services rendered.
Provincial director	(OHS Act) means the provincial director as defined in Regulation 1 of the General Administrative Regulations under the Act

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.


	SHE SPECIFICATION Disconnections & Reconnection Services NCOU Sectors (Karoo, Kgalagadi, Kalahari and Hart sectors)	Template Identifier	240-73416879	Rev	2
		Document Identifier	High/SPU01	Rev	1
		Effective Date	February 2024		
		Review Date	February 2025		

Definition	Explanation
Responsible Manager	Is a Manager of a department, section or operating/business unit who has been appointed as part of the Eskom delegation of authority process with the aim to assist the applicable 16(2) assigned person in executing his/her duties in terms of the Occupational Health and Safety Act
Risk assessment	(OHS Act) means a programme to determine any risk associated with any hazard at a construction site in order to identify the steps needed to be taken to remove, reduce, or control such hazard.
Site	(34-228) means an Eskom department, unit, complex, building, specific project, work site, or the site where agents, clients, principal contractors, contractors, suppliers, vendors, and service providers provide a service to Eskom, directly or indirectly
Service provider	any private person or legal entity that provides any service(s) to Eskom for compensation
Subsidiary	(32-94) an enterprise controlled by another (called the parent) through the ownership of greater than 50% of its voting stock
Supplier	(32-1034) means a natural or legal person who renders a service and may include the following current or potential supplier vendor, contractor, consultant
Task	(34-227) a segment of work that requires a set of specific and distinct actions for its completion
Toolbox talks	(34-227) where the team leader, after conducting pre-task planning, shares all the tasks at hand and discusses task allocation, the identified risks, and the control measures with all his/her team members on site before commencing a specific task and documenting the agreed strategy. (This shall be done to ensure common understanding of the tasks, risks, and control measures required.)
The Act	(OHS Act) means the Occupational Health and Safety Act No. 85 of 1993, as amended, and the Regulations thereto
Visitor	any person visiting a workplace with the knowledge of, or under the supervision of, an employer.

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	SHE SPECIFICATION Disconnections & Reconnection Services NCOU Sectors (Karoo, Kgalagadi, Kalahari and Hart sectors)	Template Identifier	240-73416879	Rev	2
		Document Identifier	High/SPU01	Rev	1
		Effective Date	February 2024		
		Review Date	February 2025		


2.4 Abbreviations

Abbreviation	Description
AIA	Approved Inspection Authority
BU	Business Unit
CE	Chief Executive
CNC	(Eskom) Customer Network Centre
CR	Construction Regulations of the OHS Act
COID Act	Compensation for Occupational Injuries and Diseases Act
DMR	Driven Machinery Regulations
DoeL	Department of Employment and Labour (Inspection and Enforcement services – Provincial office)
EAP	Employee Assistance Program
EP	Emergency Preparedness
ERfW	Environmental Regulations for Workplaces
GAR	General Administrative Regulations
GSR	General Safety Regulations
HCA	Hazardous Chemical Substances
LDV	Light Delivery Vehicle
LoG	(COID) Letter of Good Standing
SDS	Safety Data Sheets
NEMA	National Environmental Management Act
OHS Act	Occupational Health and Safety Act and Regulations, 85 of 1993
SACPCMP	South African Council for the Project & Construction Management Professions
SABS	South African Bureau Standard
SANS	South African National Standard

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	SHE SPECIFICATION Disconnections & Reconnection Services NCOU Sectors (Karoo, Kgalagadi, Kalahari and Hart sectors)	Template Identifier	240-73416879	Rev	2
		Document Identifier	High/SPU01	Rev	1
		Effective Date	February 2024		
		Review Date	February 2025		

2.6 Roles and Responsibilities

2.6.1 Commitment

Visible commitment is essential to providing a safe work environment. Managers, supervisors and employees at all levels must demonstrate their commitment by being proactively involved in the day to day operations, in particular the Occupational Health and Safety aspects of any project / contract. Legislation requires that each employee must take reasonable care of themselves and their fellow workers, from management level down to the lowest employee level.

2.6.2 Principal contractors and appointed contractors


Note 1: Most of the roles and responsibilities listed apply to both principal contractors and any appointed contractors. Where some of the listed do not apply to both, then the specific responsibilities will be listed and titled. The contractors shall:

1. Carry out all duties as listed in section 8, 9 and 10, the various other regulations that form part of the OHS Act and Regulation 7 of the Construction Regulations.
2. The principal contractor must notify the provincial director of the Department of Labour in writing of all construction work if it falls within the scope of Regulation 4 of the Construction Regulations (if this has not been arranged and or done by the client/agent);
3. Carry accountability and responsibility for the safety and health of their employees and their appointed contractors within their working area, as contemplated by section 37(2) of the OHS Act;
4. Shall keep a record of all employees including the appointed contractor employees, including date of induction, relevant skills and licenses and be able to produce this list at the request of the Eskom Project Manager.
5. Ensure that all their appointees are made aware of their accountabilities and responsibilities in terms of their appointment and that they advise and assist these appointees in the execution of their duties.

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.


	SHE SPECIFICATION Disconnections & Reconnection Services NCOU Sectors (Karoo, Kgalagadi, Kalahari and Hart sectors)	Template Identifier	240-73416879	Rev	2
		Document Identifier	High/SPU01	Rev	1
		Effective Date	February 2024		
		Review Date	February 2025		

6. Ensure that the minimum legislative, regulatory and Eskom SHE requirements are complied with on all work sites.
7. Give the Eskom project managers and line managers / responsible managers their full participation and cooperation.
8. Compile a SHE (health and safety) file where all relevant health and safety records must be kept for each work site.
9. The principal contractor must hand over a consolidated (to include any appointed contractors files) health and safety file to the Eskom project manager on completion of the project. This is to include all drawings, designs, lists of materials used and other applicable information about the completed project, as well as the list of appointed contractors, the agreement, and the type of work completed.
10. Contractors must hand over a consolidated (to include any appointed contractors files) health and safety file to the principal contractor on completion of the project. This is to include all drawings, designs, lists of materials used and other applicable information about the completed project, as well as the list of appointed contractors, the agreement, and the type of work completed.
11. The principal contractor must provide the project manager with a certified copy of his/her Compensation Commissioner's valid letter of good standing before the commencement of work and any future renewal letters obtained during the project for record-keeping purposes. The letter of good standing shall reflect the name of the contractor's company. Similarly, the principal contractor must provide the Eskom project manager with all the valid letters of good standing from their appointed contractors.
12. Contractors must provide the principal contractor with a certified copy of his/her Compensation Commissioner's valid letter of good standing before the commencement of work and any future renewal letters obtained during the project for record-keeping purposes. The letter of good standing shall reflect the name of the contractor's company.
13. Appoint competent staff to perform the project work and ensure that all employees are trained in the health and safety aspects relating to such work and that the

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	SHE SPECIFICATION Disconnections & Reconnection Services NCOU Sectors (Karoo, Kgalagadi, Kalahari and Hart sectors)	Template Identifier	240-73416879	Rev	2
		Document Identifier	High/SPU01	Rev	1
		Effective Date	February 2024		
		Review Date	February 2025		

employees understand the hazards associated with all other work being carried out on the project.

14. Ensure that all employees are conversant with all relevant work procedures and that they adhere to such procedures. Similarly (without removing the appointed contractors' responsibilities), ensure that their appointed contractors and their employees are conversant with all relevant work procedures and that they adhere to such procedures.
15. Co-ordinate the activities of all the appointed contractors in the interests of safety and health;
16. Ensure that potential contractors (whom they intend appointing) submitting tenders have made detailed provision for the cost of safety and health measures throughout the project.
17. Stop his /her employees and any appointed contractors if project work is not in accordance with the health and safety plan or if such work poses a threat to the health and safety of persons or a risk of degradation to the environment.
18. Take reasonable steps to ensure cooperation between all their appointed contractors.
19. Only appoint contractors to do work, if satisfied that the contractor has the necessary competencies and resources to perform the work safely.
20. Appoint full-time competent employees in writing to supervise the performance of all specified work throughout the contract period.

Note 2: No work may commence and or continue without the presence of the appointed project manager or project supervisor during performance of the contracted work.


21. Ensure that the supervisor or manager do not supervise work on any site other than the site for which such supervisor has been appointed for.

Note 3: In determining the number of appointed competent supervisors, the nature and scope of work being performed, shall be taken into consideration.

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	SHE SPECIFICATION Disconnections & Reconnection Services NCOU Sectors (Karoo, Kgalagadi, Kalahari and Hart sectors)	Template Identifier	240-73416879	Rev	2
		Document Identifier	High/SPU01	Rev	1
		Effective Date	February 2024		
		Review Date	February 2025		


Note 4: If a sufficient number of competent employee(s) have been appointed to assist the construction supervisor, the construction supervisor may supervise more than one site.

22. Appoint a Part-time construction safety officer (registered with SACPCMP) in writing. Safety officer to conduct Weekly Behavioural based observations and site inspections.
23. Not victimise or dismiss employees, by virtue of the employee's divulging health and safety information or suspecting such information has been divulged, in the interests of health and safety requirements.
24. Follow a process of disciplinary action if any of their employees or their appointed contractor employees have transgressed any of the requirements of the health and safety specification, safety and health plans, site rules or any other requirements.
25. Ensure that all appropriate precautions are taken to protect persons (visitors, members of the public, and other contractors) present at work or in the vicinity of a construction site against all risks that may arise from such site.
26. Before the commencement of any work, conduct risk assessments which shall include public safety. This should be done by a competent person appointed in writing with a view to identify hazardous and potentially hazardous work operations.
27. Ensure that pre-task risk assessments are conducted and documented daily and prior to the starting of any new task, irrespective of whether it is a repetitive task or not.
28. Take prime responsibility for all aspects of environmental management associated with the project activity for which they are responsible.
29. Provide any appointed contractor who is making a bid or is appointed to perform work on Eskom's behalf, with the relevant sections of the documented Eskom's SHE Specification.
30. Principal contractors are required to approve appointed contractor's health and safety plans if they meet all the requirements.

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	SHE SPECIFICATION Disconnections & Reconnection Services NCOU Sectors (Karoo, Kgalagadi, Kalahari and Hart sectors)	Template Identifier	240-73416879	Rev	2
		Document Identifier	High/SPU01	Rev	1
		Effective Date	February 2024		
		Review Date	February 2025		

31. Must ensure that an organisation medical surveillance programme for the duration of the contract is in place and maintained.
32. Prior to having pre-employment and periodic medicals fitness examinations conducted, person/man job specifications must be compiled and handed to the occupational health practitioner.
33. Ensure that pre-employment, periodic and exit medicals are carried out on their employees. Medical assessments must be conducted by a registered Occupational Health Practitioner. During the pre-employment medical, where employees will be required to work at heights, they will also be required to undergo the required employee physical and psychological fitness examinations.
34. Ensure, prior to the commencement of construction work, that all persons involved in the project work, as well as the appointed contractors, have received a health and safety induction training session. Similarly, ensure that all visitors to site undergo the site's induction training.
35. Ensure, prior to the commencement of construction work or contracted work, that all their employees involved in the project work, as well as the appointed contractors, have received task-specific training.
36. Issue risk-based personal protective equipment (PPE) as a measure of last resort to their employees, inspect such equipment regularly and ensure recipients of PPE are trained in the proper use, care and where necessary, the maintenance of PPE;


Note 5: should the principal contractor or his/her appointed contractors entertain visitors on site, they will be held responsible for the provision and wearing PPE.

37. Erect their own site huts, temporary buildings, storage areas, toilets, fencing, and any other structure as may be required. Any such structures shall be positioned and erected in compliance with any instructions from the Eskom project manager and the relevant site safety and fire prevention requirements;
38. On completion of the work remove all structures erected by them, and where required by law rehabilitate the environment.

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	SHE SPECIFICATION Disconnections & Reconnection Services NCOU Sectors (Karoo, Kgalagadi, Kalahari and Hart sectors)	Template Identifier	240-73416879	Rev	2
		Document Identifier	High/SPU01	Rev	1
		Effective Date	February 2024		
		Review Date	February 2025		

39. Where performing work with the environment, ensure that minimal damage is done and that where an Environment Management Plan is in place, then adhere to the plan.
40. Respect the rights of land owners/lessors and the preservation of their registered activities;
41. Must have a substance abuse program which must be in line with the requirements of the OHS Act.
42. Ensure that no alcohol or other intoxicating substances are brought on to, or remains on the work sites.


Note 6: Eskom will not tolerate the presence of anyone who is or who appears to be under the influence of alcohol or any other intoxicating substance whilst performing work for them or on any work site.

43. Ensure that all equipment and tools used comply with OHS Act requirements with respect to condition, use, care, storage, maintenance, and the management of these;
44. Ensure that all incidents are reported and investigated timeously by competent incident investigators.
45. Be involved in all of their appointed contractor's investigations.
46. Establish health and safety committees, hold such committee meetings on all sites, and ensure that appointed contractors participate in their health and safety meetings.
47. Chair their own health and safety committee meetings and record such meetings.
48. Appoint sufficient number of health and safety representatives in terms of legislative requirements and ensure that the appointed contractors appoint health and safety representatives for their work sites.
49. When appointing contractors, advise the project manager in writing timeously and obtain his/her approval prior to them commencing work.

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	SHE SPECIFICATION Disconnections & Reconnection Services NCOU Sectors (Karoo, Kgalagadi, Kalahari and Hart sectors)	Template Identifier	240-73416879	Rev	2
		Document Identifier	High/SPU01	Rev	1
		Effective Date	February 2024		
		Review Date	February 2025		

50. Shall keep a record of all employees including the appointed contractor's employees, including date of induction, relevant skills and licenses and be able to produce this list at the request of the Eskom Project Manager.

2.6.3 Construction Managers/ Contract Managers


Note 1: No work may commence and or continue without the appointed supervisor or manager during the performance of the contracted work.

1. Not supervise construction work on any construction site other than the site they have been appointed to supervise;
2. Assist the contractor and/or the appointed safety officer in conducting site induction training for new staff and site visitors;
3. Instruct and train all employees under their control on any hazardous and related work procedures, before any work commences and thereafter, at such times as may be determined by a risk assessment;
4. Ensure that the minimum legislative and Eskom SHE requirements are complied with on all work sites;
5. Stop any construction work that is not in accordance with the safety and health plan or if such work poses a threat to the safety and health of persons or a risk of degradation to the environment;
6. Ensure that risk-based personal protective equipment (PPE) has been issued and employees wear/use the PPE as instructed.
7. Inspect such PPE on a regular basis and record the inspections;
8. Ensure that all incidents are reported to the client and are investigated.
9. Be involved in all investigations that occur within their area of responsibility.
10. Carry out audits and or inspections on their contractors at least monthly and any appointed contractors on instructions of their contractor.
11. Ensure that employees under their control are conversant with all relevant work procedures and that they adhere to such procedures;
12. Before the commencement of any work, where possible, assist in the conducting of risk assessments and ensure that appropriate mitigating measures have been considered and implemented.;
13. Ensure that daily or pre-task risk assessments are conducted and documented daily and prior to the starting of any new task, irrespective of whether it is a repetitive task. Ensure that the team are involved in the abovementioned risk assessments;
14. Hold tool box talks at the start of each day/ task to discuss health and safety issues as well as confirming the requirements of the daily risk assessments;

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	SHE SPECIFICATION Disconnections & Reconnection Services NCOU Sectors (Karoo, Kgalagadi, Kalahari and Hart sectors)	Template Identifier	240-73416879	Rev	2
		Document Identifier	High/SPU01	Rev	1
		Effective Date	February 2024		
		Review Date	February 2025		

15. Ensure that all appropriate precautions are taken to protect persons (visitors, members of the public, and other contractors) present at work or in the vicinity of a construction site against all risks that may arise from such site.
16. Ensure that no alcohol or other intoxicating substances are brought on to, or remains on, the premises / work sites and that no employee remains on site if he/she is under the influence. Furthermore, report such instances to contract management;
17. Ensure that all equipment and tools used on site comply with OHS Act requirements with respect to condition, use, care, storage, maintenance, and the management of these.
18. Ensure that they and their contractor managers give clear and unambiguous instructions for the project work, to the employees for whom they are responsible for.
19. Not victimise their employees by virtue of their employees divulging health and safety information or suspecting such information has been divulged, in the interests of health and safety requirements (reference – section 26 of the OHS Act).
20. Where any work is performed which involves the environment, ensure that minimal damage is done to the environment and that where an Environment Management Plan is in place, then the plan adhere to the plan.
21. Stop any employee or contractor from performing construction work which is not in accordance with the principal contractor's and or appointed contractors health and safety plan which poses a threat to the health and safety of persons.

2.6.4 Contractor site supervisor or Contract Supervisor


Must:

1. Be competent to perform the required supervisory tasks;
2. Ensure their employees and all appointed contractors comply with the required statutory and Eskom project requirements;
3. Inspect all work done by the Contractors to ensure adherence to Eskom's standards and specifications
4. Conduct follow-up inspections to ensure findings are closed out and preventative action is in place.
5. Monitor contractors for adhere to statutory requirements and safety standards.
6. Monitor contractors overall SHE performance on site in order to achieve excellent results
7. Ensuring a Safe working environment is established and maintained by the contractor for the elimination of unsafe acts by all people whilst on the project site.

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	SHE SPECIFICATION Disconnections & Reconnection Services NCOU Sectors (Karoo, Kgalagadi, Kalahari and Hart sectors)	Template Identifier	240-73416879	Rev	2
		Document Identifier	High/SPU01	Rev	1
		Effective Date	February 2024		
		Review Date	February 2025		

8. Discuss all SHE related problems with the relevant contractor management timeously in the first instance and thereafter the Eskom project manager in the second instance relating to procedure requirements, non-conformance's identified, corrective actions, audits and inspection schedules.
9. Ensuring that quality records are maintained in accordance with legislative and Eskom requirements;
10. Continual liaison between the principal contractor, appointed contractors and employees.
11. Ensures that employees and appointed contractors are aware of latest standards, procedures, work instructions and safety regulations issued by Eskom:
12. Conduct site Inspections for compliance to SHE requirements and compiles the relevant inspection reports.
13. Submit the observation reports to the relevant management.
14. Have meaningful participation in the project statutory health and safety committee meetings.
15. Participate in all appointed contractor incident investigations.
16. Participate in the principal contractors emergency preparedness planning.
17. Ensure that their own employees and those of any appointed contractor are competent to perform the tasks assigned.
18. Issue site instructions on behalf of the principal contractor where and when the appointed contractors deviate from safety requirements.
19. Assist the principal contractor with the handing over process, in particular the SHE file and relevant documentation.

2.6.5 Employees


Must:

1. Be responsible for their own safety and health and that of their co-workers;
2. Co-operate with their employer to meet all of the employer's as well as legislative and Eskom requirements;
3. Familiarise themselves with their responsibilities during induction and awareness training sessions, some of which are:
 - a. familiarising themselves with their workplaces and safety and health procedures;
 - b. working in a manner that does not endanger them or cause harm to others;
 - c. ensuring that the work area is kept tidy;

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.


	SHE SPECIFICATION Disconnections & Reconnection Services NCOU Sectors (Karoo, Kgalagadi, Kalahari and Hart sectors)	Template Identifier	240-73416879	Rev	2
		Document Identifier	High/SPU01	Rev	1
		Effective Date	February 2024		
		Review Date	February 2025		

- d. reporting all incidents and near misses;
 - e. protecting fellow workers against injury by performing job observations;
 - f. reporting unsafe acts and unsafe conditions;
 - g. reporting any situation that may become dangerous; and
 - h. carrying out lawful orders and obeying safety and health rules;
4. Who become aware of any person disregarding a safety notice, instruction, or regulation, immediately report this to the person concerned. If the person persists, stop that person from working, and report the matter to contractor management and/or Eskom's project manager or supervisor immediately.
 5. Not damage, alter, remove, render ineffective, or interfere with anything that has been provided for the protection of the site or for the health and safety of persons this includes any guarding of machinery or equipment.
 6. Obey any safety signs and adhere to any site demarcation at all times.
 7. When entering or leaving the site, do so via the official designated access/departure routes. Where reflective jackets/bibs are required to be worn, wear them.
 8. Be subjected to any disciplinary action, if having transgressed any of the requirements of the health and safety site rules, Eskom requirements, company requirements, or legislative requirements.
 9. Avoid any act that may endanger their own health and safety or that of fellow employees, members of the public, or visitors who may be affected by their acts and/or omissions at work.
 10. Have the right to obtain proper information from their employer regarding health and safety risks and measures related to the work processes.
 11. Use facilities placed at their disposal and not misuse anything provided for their own protection or that of others.
 12. Have the right to remove themselves from danger when they have good reason to believe that there is an imminent and danger to their health and safety and have the duty to inform their supervisor immediately of such danger.
 13. Report to their supervisor (in the first instance), the principal contractor (in the second instance), and/or the Eskom project manager, any substandard acts and/or conditions that have come to their attention and that have not been rectified or acted on by their contractor management timeously.
 14. Have the right and the duty at any workplace to participate in ensuring healthy and safe working conditions, to the extent of their control, over the equipment and methods of work adopted.
 15. Maintain the surrounding area of the work site in a neat and tidy condition.
 16. Have meaningful participation in regular health and safety meetings.
 17. Have the right to refuse to perform or continue to perform any task/job on the grounds of health, safety, and environmental concerns.

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	SHE SPECIFICATION Disconnections & Reconnection Services NCOU Sectors (Karoo, Kgalagadi, Kalahari and Hart sectors)	Template Identifier	240-73416879	Rev	2
		Document Identifier	High/SPU01	Rev	1
		Effective Date	February 2024		
		Review Date	February 2025		

18. When given instructions, understand the instructions and be permitted to clarify those instructions.

2.6.6 Contractor Health and Safety officer

- Promote a SHE culture within the organisations involved in the project / contract.
- The contractor's safety and health officer shall assist in the control of all health and safety-related matters on the sites.
- Be involved in the developing the project SHE plan and SHE policy.
- Be in constant liaison and cooperate with Eskom's SHE professionals responsible for providing them with a health and safety service.
- Ensure that this SHE specification is adhered to by his/her principal contractor and is submitted to any appointed contractors.
- Conduct audits and inspections of all work sites for the duration of the project.
- Be involved in the organisations incident investigations when required.
- Participate in the organisation's statutory and non-statutory health and safety committees meetings.
- Conduct organisational, site and visitor induction training.
- Stop any employee or contractor from performing construction work which is not in accordance with the principal contractor's and or appointed contractors health and safety plan which poses a threat to the health and safety of persons.
- Ensure that no alcohol or other intoxicating substances are brought on to, or remains on, the premises / work sites and that no employee remains on site if he/she is under the influence. Furthermore, report such instances to contract management.
- Make themselves available and ensure co-operation of employees under their control to undergo breathalyser and drug testing while entering and/or being on any Eskom work site by Eskom.
- Carry out audits and or inspections on their contractors at least monthly and any appointed contractors on instructions of their contractor;
- Carry out frequent behaviour observations of employees under their control at least monthly and any appointed contractors on instructions of their contractor.


2.5 Related/Supporting Documents

Eskom OHS Act section 37 (2) agreement to be signed at procurement during the signing of the NEC contract, it is the responsibility of the project manager to ensure that the 37(2) agreement is signed and a copy be kept in the contractor file at procurement.

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	SHE SPECIFICATION Disconnections & Reconnection Services NCOU Sectors (Karoo, Kgalagadi, Kalahari and Hart sectors)	Template Identifier	240-73416879	Rev	2
		Document Identifier	High/SPU01	Rev	1
		Effective Date	February 2024		
		Review Date	February 2025		

3. Specification

3.1 Scope of work

The contractor will visit a meter installation and perform a disconnection/reconnection activity as per Eskom instruction at four Northern Cap sectors (Hart, Kgalagadi, Karoo and Kalahari)

- Verify the meter number to be disconnected/reconnected
- The disconnection/reconnection will be performed by switching the main circuit breaker (MCB) into ON/OFF position
- For disconnections the MCB will be sealed in the OFF position. If the MCB does not have a shroud a disconnection sticker must be stuck over the MCB and the tails must be pulled in the event when the MCB cannot be sealed off to prevent the customer from tampering and reconnecting electricity supply
- Upon the reconnection the sticker must be removed. If fitted with a shroud then the MCB must be sealed in the ON position
- Record the meter reading after both disconnection and reconnection
- Take digital photograph of disconnected/reconnected meter showing the date and time when the photograph is taken
- Lock meter installation with Eskom lock
Proper training on how to seal off meters when disconnected should be enforced
- Where meters are in the property or inside the house, the tails must be pulled as well as any other meter whether it is a single or 3 phase meter that cannot be sealed off
- Any private locks to be replaced with Eskom locks


A copy of the scope of works must be retained by the contractor.

Note: The contractor who will be awarded this contract will be known as the “principal contractor” and any contractor appointed by the principal contractor will be known as the “appointed contractor.”

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	SHE SPECIFICATION Disconnections & Reconnection Services NCOU Sectors (Karoo, Kgalagadi, Kalahari and Hart sectors)	Template Identifier	240-73416879	Rev	2
		Document Identifier	High/SPU01	Rev	1
		Effective Date	February 2024		
		Review Date	February 2025		

3.2 Legal Compliance

3.2.1 Section 37(2) (Legal) Agreement

A section 37(2) agreement must be signed between Eskom and the principal contractor at the time of awarding the contract. The principal contractor must ensure that a section 37(2) agreement is compiled between the principal contractor and all their appointed contractors for the contract.

The original copy of the section 37(2) Agreement must be retained by the contractor and a copy retained by the responsible project manager.

A copy of all the agreements must form part of the respective contractor's SHE file.

3.2.2 Hazardous work by children (Child Labour)

The constitution of the Republic of South Africa, in the "Bill of Rights" is clear on the rights of children, especially when it comes to:

1. being protected from exploitative labour practices;
2. not to be required or permitted to perform work or provide services that
 - i. are inappropriate for a person of that child's age; or
 - ii. place at risk the child's well-being, education, physical or mental health or spiritual, moral or social development;


and the Basic Conditions of Employment Act, Chapter six Section 43 "Prohibition of employment of children".

Before resorting to the use of child labour, due consideration must be given to the rights of the child in terms of the constitution. Where work is being performed which is not prohibited in terms of the constitution, then such work must be conducted in terms of the OHS Act "Regulations on Hazardous Work by Children in South Africa" with emphasis on paragraph 2 Purpose and Interpretation. Eskom does not condone the use of child labour and therefore all effort must be exercised and child labour should not be used.

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	SHE SPECIFICATION Disconnections & Reconnection Services NCOU Sectors (Karoo, Kgalagadi, Kalahari and Hart sectors)	Template Identifier	240-73416879	Rev	2
		Document Identifier	High/SPU01	Rev	1
		Effective Date	February 2024		
		Review Date	February 2025		

3.2.3 OHS Act

The principal contractor and appointed contractors shall have an up to date copy of the OHS Act and regulations which will be available to all employees.

3.2.4 Legislative compliance

All contractors will comply with all the legislation pertaining to this contract being:

The principal contractor and all appointed contractors will comply with all the legislation pertaining to this project being:

- The Constitution of the Republic of South Africa (particularly Section 24 of the Bill of Rights).
- Occupational Health and Safety Act 1993 (Act 85 of 1993) and its Regulations.
- National Environmental Management Act 1998 (Act 107 of 1998).
- Environment Conservation Act 1989 (Act 73 of 1989).
- National Water Act 1998 (Act 36 of 1998).
- Civil and Building Work Act.
- National Road Traffic Act 93 of 1996.
- Compensation for Occupational Injuries and Diseases Act.
- SANS Standards –Contractor shall use the relative standards applicable to the project.


3.2 Eskom Requirements

All contractors shall, before commencement of the project ensure that all their employees are familiar with the relevant Eskom SHE documentation that is applicable to contract services.

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	SHE SPECIFICATION Disconnections & Reconnection Services NCOU Sectors (Karoo, Kgalagadi, Kalahari and Hart sectors)	Template Identifier	240-73416879	Rev	2
		Document Identifier	High/SPU01	Rev	1
		Effective Date	February 2024		
		Review Date	February 2025		

3.3 Construction Professional Registration

The principal contractor and all his/her appointed contractors shall be registered in their respective levels as professionals in terms of the requirements of the SACPCMP.

The SACPCMP web address is <http://www.sacpcmp.org.za>

- SHE professionals (which include Construction Safety Officers) are required to register as professionals with the SACPCMP.
- Construction agents are required to register as a professional with the SACPCMP.

3.4 Notification of Construction Work N/A

Unless otherwise contractually agreed upon, the principal contractor must notify the relevant provincial director of the Department of Labour of the intention of carrying out any construction work as defined in Construction Regulation 4 of the Act. The notification form of construction work is listed as an annexure to the construction regulations of the OHS Act. A copy of the notification letter sent to the DoL shall be forwarded to the Project Manager on the same day as sent to the DoL. A copy of the letter and their approval must be kept in the SHE file. When the DoL provide a letter of approval, a copy of the approval must be sent to the Eskom Project Manager and a copy filed in the SHE file.

3.5 SHE Policy


SHE policy is a statement of intent and a commitment by the organisation's CE and senior management in relation to the relevant SHE roles and responsibilities, the achievement of their strategic objectives, values of integrity, customer satisfaction, excellence, and innovation.

The principal contractor and all appointed contractors, if already not in place, will be required to compile an organisational SHE policy in line with their SHE responsibilities. The policy must be signed by the organisation's CE or the appointed assistant to the CE OHS Act Section 16(2). The policy must be displayed in a prominent place within the workplace. A copy of the policy must be filed in the contractor SHE files and attached as an annexure in the SHE Plan.

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	SHE SPECIFICATION Disconnections & Reconnection Services NCOU Sectors (Karoo, Kgalagadi, Kalahari and Hart sectors)	Template Identifier	240-73416879	Rev	2
		Document Identifier	High/SPU01	Rev	1
		Effective Date	February 2024		
		Review Date	February 2025		

3.6 COID

The principal contractor and all his/her appointed contractors shall be registered with an appropriate employment compensation commissioner and have available a valid letter of good standing (LoG) from such commissioner. The obligation lies with the contractors to ensure that the LoG remain valid throughout the contract period. A copy of the LoG must be filed in the contractor SHE files.

3.7 Costing for SHE within the Project

The costing for SHE must be itemised based on the overall scope of the project (i.e.) Training, provision of PPE, safety equipment purchases etc.

3.8 Statutory Appointments


For the duration of the contract, the principal contractor and all appointed contractors shall appoint competent employees who will meet the requirements of the OHS Act. Where appointments are made, contractors shall ensure that the appointees have been suitably trained and or informed of their responsibilities before getting them to accept such appointment. The relevant statutory appointments shall be made in accordance with the requirements of the OHS Act which includes the requirement of a competent person being appointed in the relevant roles. The statutory appointments should include but not limited to the following:

- OHS Act Construction Regulation 8(1) - Construction Manager (Full time)|
- OHS Act Construction Regulation 8(7) – Assistant Construction Supervisor
- OHS Act Construction Regulation 8(5) – Construction Health and Safety Officer (Part-Time)
- OHS Act General Administrative Regulation 9(2) – Incident Investigator
- OHS Act Section 19 (3) - Health and Safety Committee Member
- OHS Act Section 19(6)(a) – Co-opted Health and Safety Committee member
- OHS Act Hazardous Chemical Substances Regulation 3(3) Hazardous Chemical Substances Co-coordinator

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	SHE SPECIFICATION Disconnections & Reconnection Services NCOU Sectors (Karoo, Kgalagadi, Kalahari and Hart sectors)	Template Identifier	240-73416879	Rev	2
		Document Identifier	High/SPU01	Rev	1
		Effective Date	February 2024		
		Review Date	February 2025		

- OHS Act, Section 17 – Health and Safety Representative.
- OHS Act General Machinery Regulation 2(1) – Supervision of Machinery
- OHS Act Construction Regulation 7(1)(V) Appointment of a Contractor (if appointing subcontractors)
- OHS Act Construction Regulation 9(1) - Person to Compile Risk Assessments
- OHS Act Construction Regulation 10(1) - Competent Person to Compile Fall Protection Plan
- OHS Act: Pressure Equipment Regulations 11 & 12 Portable Gas Container Inspector
- OHS Act: Construction Regulations 11(1) Person to Supervise Excavation Work
- OHS Act: Construction Regulations 23(1)(d)(i) Construction Vehicle and Mobile Plant Operator
- OHS Act: Construction Regulations 24(c) Electrical Installations and Machinery on construction sites
- OHS Act: Construction Regulations 28(a) Stacking and Storage Supervisor on Construction sites
- OHS Act: Construction Regulations 29(h) Firefighting Equipment Inspector
- OHS Act General Safety Regulations 3(4) – First Aider/s

3.9.1 Non-statutory appointments

- Eskom requirement – Emergency Planning Co-coordinator
- Eskom requirement - Chairperson of Health and Safety Committee


3.9 Eskom Life-saving Rules

1. Eskom views health and safety in high esteem and encourages that any organisation who performs work for Eskom in Eskom adopt the same view.
2. Five Life-saving rules have been developed that will apply to all Eskom Employees, agents, consultants, and **contractors**. Failure to adhere to these rules by any Eskom

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	SHE SPECIFICATION Disconnections & Reconnection Services NCOU Sectors (Karoo, Kgalagadi, Kalahari and Hart sectors)	Template Identifier	240-73416879	Rev	2
		Document Identifier	High/SPU01	Rev	1
		Effective Date	February 2024		
		Review Date	February 2025		

employee or employee of a Principal Contractor or appointed contractor will be considered a serious transgression. These rules are being implemented to prevent serious injury or death of any employee, labour broker or contractor working in any area within Eskom.

3. If any contractual work will be performed on any Eskom premises (including delivery of any product), then the rules **shall be obeyed** by any contractor and their employees.

The rules are:


RULE	DESCRIPTION OF RULE
Rule 1	OPEN, ISOLATE, TEST, EARTH, BOND, AND/OR INSULATE BEFORE TOUCH (That is plant, any plant operating above 1000 V)
Rule 2	HOOK UP AT HEIGHTS Working at height is defined as any work performed above a stable work surface or where a person puts himself/herself in a position where he/she exposes himself/herself to a fall from or into.
Rule 3	BUCKLE UP No person may drive any vehicle on Eskom business and/or on Eskom premises: Unless the driver and all passengers are wearing seat belts.
Rule 4	BE SOBER No person is allowed to be under the influence of intoxicating liquor or drugs while on duty
Rule 5	PERMIT TO WORK Where an authorisation limitation exists, no person shall work without the required permit to work.

Eskom will take a stance of zero tolerance on these rules.

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	SHE SPECIFICATION Disconnections & Reconnection Services NCOU Sectors (Karoo, Kgalagadi, Kalahari and Hart sectors)	Template Identifier	240-73416879	Rev	2
		Document Identifier	High/SPU01	Rev	1
		Effective Date	February 2024		
		Review Date	February 2025		

Non-compliance to a Life Saving rule will be considered serious misconduct and will lead to serious disciplinary action, which may include dismissal.

This is to ensure that **every person** who works on or visits an Eskom returns home safely to his or her family.

3.10 Substance Abuse

1. Alcohol and substance abuse poses a significant threat to any business, more so in industrial incidents and the driving of vehicles. Eskom is therefore, entitled to take reasonable steps to ensure that intoxicated persons are identified and prevented from entering Eskom.
2. General Safety Regulation 2A is clear on the legal stance regarding intoxication.
3. The alcohol and drug permissible level is 0%.
4. All contractors shall comply with Eskom's procedure 32-37 ("Substance Abuse Procedure"), taking in to account that this is an Eskom Life-saving Rule number 4: BE SOBER"), this means anyone entering the Eskom will be subjected to ad hoc alcohol testing.
5. Contractors are encouraged to compile their own manual and to carry out regular alcohol testing of their own employees. The legislative alcohol level is deemed to be zero.
6. Test records must be treated as "Confidential" and filed in the employees' personal file.

3.11 Contractor organisational Structure

3.12.1 Principal Contractor Organogram

The principal contractor must provide an organisational organogram related to this contract, depicting all the levels of responsibility from the CE down to the supervisors responsible for the contract. List the relevant positions held, names of appointees and legal appointments.


The principal contractor must ensure that all appointed contractors comply with this requirement. The principal contractor is responsible for keeping copies of all the organograms' as well as submitting them with the SHE plan. All organograms shall be updated timeously when appointments are changed.

This diagram must be kept up to date and filed in the project SHE files.

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	SHE SPECIFICATION Disconnections & Reconnection Services NCOU Sectors (Karoo, Kgalagadi, Kalahari and Hart sectors)	Template Identifier	240-73416879	Rev	2
		Document Identifier	High/SPU01	Rev	1
		Effective Date	February 2024		
		Review Date	February 2025		

3.12.2 Appointed Contractor/s Organogram

1. Appointed contractors are required to compile their company organogram for the project, listing the reporting structure from their CE down to their project supervisors. The diagram must list the names, positions held and any appointments made.
2. This diagram must be kept up to date, a copy of which must be given to the principal contractor and a copy filed in the relevant project SHE files.
3. This diagram must be kept up to date and filed in the project SHE files.

3.12 Risk assessment (refer to 32-520)

It is a legal requirement in terms of Section 8 (2)(d) of the OHS Act for an employer to carry out risk assessments, to establish which risks and hazards are attached to the health and safety of persons due to any work which is performed, any article or substance which is, handled, stored, transported. A risk assessment is defined as an identification of the hazards present in an organisation and an estimate of the extent of the risks involved, taking into account whatever precautions are already being taken.

It is essentially a three stage process:


- identification of all hazards;
- evaluation of the risks;
- Measures to control the risks.

Risk assessments are required to be maintained. This means that significant changes to a process or activity, or any new process or activity should be subjected to a risk assessment and that if new hazards come to light during the work process, then these should also be subjected to risk assessments. Risk assessments for long term processes should be periodically reviewed and updated. Method statements or written safe work procedures are an effective method as information and record of the way jobs / tasks must be performed. Daily or issue based or task specific or on the job risk assessments must be conducted at the place where work is to be performed/ conducted to allow managers and employees to assess any inherent risks that could have been overlooked during the initial risk assessment or any changes that might have occurred in a period of absence. For example if a job / task is extended over a day or halted due to inclement weather.

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	SHE SPECIFICATION Disconnections & Reconnection Services NCOU Sectors (Karoo, Kgalagadi, Kalahari and Hart sectors)	Template Identifier	240-73416879	Rev	2
		Document Identifier	High/SPU01	Rev	1
		Effective Date	February 2024		
		Review Date	February 2025		

Guidelines for actual steps involved in a job/task specific risk assessment are:

- Each activity is listed;
- Specific hazards are identified and listed against each activity;
- The magnitude of each risk is rated as Low. Medium or High;
- All known documentary and supervisory controls are listed. For instance: What safe work procedures exist for ladders;
- The relevance, effectiveness and sufficiency of these controls are assessed;
- In the event of insufficient or deficient controls for the particular activity, steps to be taken to rectify this shall be recorded, and safe working procedures drawn up;
- Persons responsible for implementing and supervising the task shall be identified, nominated and duly assigned;
- Persons responsible for monitoring the task and carrying out the planned job observation must be nominated;
- Completed risk assessment shall be handed to the Eskom project manager representative for comment and approval.

The relevant section of the risk assessment shall be issued with a Transmittal Note to the Supervisor nominated as the responsible person; and the names of workmen who have received instruction on the work content and the sequence of the activities listed in the risk assessment shall be recorded, and their competence established. This instruction shall be done through an interpreter if required and recorded on the Pre-Job Brief (Daily Safe Task Instructions), with reference to applicable Risk Assessments.

3.13 Safe work procedures / method statements

Method statements / written safe work procedure are control measures used to prevent an incident from occurring during the execution of the project. A written safe work procedure/ method statements provide guidance how to execute the task safely. A safe working procedure should be written when:-


- a. Designing a new job or task;
- b. Changing a job or task;
- c. Introducing new equipment or substances; and

The safe working procedure should identify:

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	SHE SPECIFICATION Disconnections & Reconnection Services NCOU Sectors (Karoo, Kgalagadi, Kalahari and Hart sectors)	Template Identifier	240-73416879	Rev	2
		Document Identifier	High/SPU01	Rev	1
		Effective Date	February 2024		
		Review Date	February 2025		

- d. The supervisor for the task or job and the employees who will undertake the task;
- e. The tasks that are to be undertaken that pose risks;
- f. The equipment and substances that are used in these tasks;
- g. The control measures that have been built into these tasks;
- h. Any training or qualification needed to undertake the task;
- i. The personal protective equipment to be worn;
- j. Actions to be undertaken to address safety issues that may arise while undertaking the task.

3.14 Roof work (refer to 32- 418)N/A

3.15 Work Sites


Note1:No area is to be stripped of vegetation to create firebreaks, to prevent or make fires. No open fires are allowed on site. The contractor must ensure that operations are in compliance with statutory requirements at all times.

1. The contractor must develop a fire safety procedure for the construction site prior to commencing work. The procedure must take into consideration the size of the site/s, the type of work performed and amount of combustible materials. Cognisance of OHS Act CR 29 must be made.
2. It must be developed in accordance with the hot work permit of the Eskom Plant Safety Regulations, Eskom Fire Risk Management requirements and all other applicable Regulations. All workers entering and working in the construction site need to be trained in fire safety and any duties they are required to perform.
3. A suitable fire warning system for alerting site personnel of fire shall be provided, and capable of being heard in all areas of the site.
4. Appropriate portable extinguishers must be available on the construction site and in cases of hot work, be readily available at the location.
5. Storage of combustible and flammable liquid in the construction site is not permitted unless stored in approved flammable cabinets or outdoors away from the buildings.
6. Site Smoking Restrictions must be enforced. No open flames are permissible and where hot work is performed, the work areas must be cleared of any combustibles prior to commencement of work.

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	SHE SPECIFICATION Disconnections & Reconnection Services NCOU Sectors (Karoo, Kgalagadi, Kalahari and Hart sectors)	Template Identifier	240-73416879	Rev	2
		Document Identifier	High/SPU01	Rev	1
		Effective Date	February 2024		
		Review Date	February 2025		

3.16 Fire Equipment and maintenance

1. All firefighting equipment's that have been provided shall:
 - a. Be clearly labelled
 - b. Conspicuously numbered
 - c. Entered in a register
 - d. Inspected monthly by a competent person
2. Tested and serviced at recommended intervals by an accredited supplier
3. Results entered in the register and signed by competent person.


3.17 Flammable and Combustible Liquids

1. Proposals to store fuel on site must have written approval from the Eskom Project Manager. The volumes of fuel allowed to be stored will depend on site conditions and Statutory Regulations.
2. A maximum storage of 40 litres of fuel is allowed to be stored. Anything greater than 40 litres to be stored in a flammable/combustible liquid store.
3. Adequate numbers of dry chemical fire extinguishers, each with a minimum capacity of 4.5 kg, shall be provided, installed and maintained.
4. All fuel storage areas must comply with the following requirements: -
 - a. Storage should be well clear of buildings.
 - b. Storage areas must be kept free from all combustible materials.
 - c. All Safety signs must be prominently displayed i.e.
 - Flammable Liquid.
 - No Smoking.
 - No open flames.
 - d. Adequate firefighting equipment must be available.
5. Diesel tanks are to be installed in a bunded area; bunded area must be able to contain 110% of tank capacity.
6. Bunded area shall be of a concrete or steel construction and lined with a leak proof sealing material.
7. Bunded area shall have a drain valve.
8. No other material/equipment shall be stored in the bunded area.

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	SHE SPECIFICATION Disconnections & Reconnection Services NCOU Sectors (Karoo, Kgalagadi, Kalahari and Hart sectors)	Template Identifier	240-73416879	Rev	2
		Document Identifier	High/SPU01	Rev	1
		Effective Date	February 2024		
		Review Date	February 2025		

3.18.1 Refuelling at the construction site

With the exception of construction vehicles and mobile equipment, before a machine is refuelled, the motor must be stopped. Refuelling shall take place at designated safe areas and appropriate warning signs installed. Suitable drip trays must be used to prevent spillage at the filling nozzle.


3.18 First Aid and Equipment

1. The requirements of the OHS Act GSR 3 must be observed.
2. First aid appointments must be made to meet the requirements, this includes construction sites. Appointees must be trained to level 2. It is good practice for all employees to be trained to at least level 1.
3. When appointing employees for work sites, cognisance must be taken into account the type of work performed, the distance teams are working apart and the terrain to be covered if an emergency should arise.
4. A list of emergency numbers must be displayed on the notice boards and made accessible for all employees.
5. Principal Contractor must ensure that his /her employees and appointed contractor employees are familiar with the emergency numbers.
6. Contractors shall have one first aid box for the first 5 persons and thereafter one for every 50 or team of workers on site or part thereof, taking into account the type of work performed and the distance between teams.
7. More first aid boxes shall be provided in accordance with the risk assessment. Boxes must be available and accessible for the immediate treatment of injured persons at the workplace.
8. For offices, signs indicating where the first aid box or boxes are kept as well as the name and contact details of the First Aider of such first aid box or boxes shall be erected.
9. The Principal Contractor and appointed contractor shall ensure that alternative arrangements be made for incidents occurring after working hours.

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	SHE SPECIFICATION Disconnections & Reconnection Services NCOU Sectors (Karoo, Kgalagadi, Kalahari and Hart sectors)	Template Identifier	240-73416879	Rev	2
		Document Identifier	High/SPU01	Rev	1
		Effective Date	February 2024		
		Review Date	February 2025		

3.19.1 Boxes and equipment

The following is a list of minimum contents of a first aid box:

- Item 1: Wound cleaner/antiseptic (100ml).
- Item 2: Swabs for cleaning wounds.
- Item 3: Cotton wool for padding (100 g).
- Item 4: Sterile gauze (minimum quantity 10).
- Item 5: 1 Pair of forceps (for splinters).
- Item 6: 1 Pair of scissors (minimum size 100 mm).
- Item 7: 1 Set of safety pins.
- Item 8: 4 Triangular bandages.
- Item 9: 4 Roller bandages (75 mm X 5 m).
- Item 10: 4 Roller bandages (100 mm X 5 m).
- Item 11: 1 Roll of elastic adhesive (25 mm X 3 m).
- Item 12: 1 Non-allergenic adhesive strip (25 mm X 3 m).
- Item 13: 1 Packet of adhesive dressing strips (minimum quantity, 10 assorted sizes).
- Item 14: 4 First aid dressings (75 mm X 100 mm).
- Item 15: 4 First aid dressings (150 mm x 200 mm).
- Item 16: 2 Straight splints.
- Item 17: 2 Pairs large and 2 pairs medium disposable latex gloves.
- Item 18: 2 CPR mouth pieces or similar devices.

A content check list must be available with all boxes and boxes shall be checked on a regular basis, kept clean and dust free.


3.19 SHE Communication Systems

Principal Contractor/s and their appointed contractors must develop a communication strategy outlining how they intend to communicate SHE issues to their staff, the mediums they will employ and how they will measure the effectiveness of their SHE communication.

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	SHE SPECIFICATION Disconnections & Reconnection Services NCOU Sectors (Karoo, Kgalagadi, Kalahari and Hart sectors)	Template Identifier	240-73416879	Rev	2
		Document Identifier	High/SPU01	Rev	1
		Effective Date	February 2024		
		Review Date	February 2025		

Below is a brief on how communication should take place. Where project meetings are conducted on site, SHE shall be included as a standing agenda point and minutes of these meetings shall be available on site at all times. Minutes of meeting must be compiled and filed in the relevant SHE files. All employees shall have access to these minutes. Attendance register shall be kept for all the health and safety meetings.


3.20.1 Statutory Health and Safety Committees

1. The principal contractor shall establish statutory health and safety committee in terms of Section 19 of the OHS Act, Act. Similarly, appointed contractors shall establish their own statutory health and safety committee.
2. All appointed contractors shall be members of the principal contractor's safety committee.
3. The Committee shall meet to discuss SHE issues concerning the current work being performed, training, upcoming work and SHE requirements, incidents and lessons learned specific SHE problems, safety performance, action plans and other relevant SHE issues. Listed below is a preferred agenda.
4. SHE representatives for a workplace shall be members of the relevant workplace safety committees (Refer to Section 19 (2) (a) of the OHS Act).
5. The number of persons nominated by employer must not be more than the Health and Safety Representatives on that specific statutory health and safety committee. (Refer to Section 19(2)(c) of the OHS Act)
6. A statutory health and safety committee meeting shall be held at least 3 monthly (where medium to high risk work is involved, more frequent if required), and all appointed members of the committee shall attend the meeting.
7. Statutory health and safety committees may make recommendations to the principal contractor and the project manager and the Inspector at DoL.
8. All health and safety committees shall discuss all projects related OHS Act Section 24 and 25 incidents and other notified serious incidents.
9. Health and safety committees shall follow up on incident investigation recommendations and shall keep record of all recommendations made by the committee.
10. Statutory health and safety committees may make recommendations for the revision of current standards, procedures and practices.
11. The principal contractor and appointed contractors shall ensure that statutory and non-statutory health and safety committees carry out their duties.

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	SHE SPECIFICATION Disconnections & Reconnection Services NCOU Sectors (Karoo, Kgalagadi, Kalahari and Hart sectors)	Template Identifier	240-73416879	Rev	2
		Document Identifier	High/SPU01	Rev	1
		Effective Date	February 2024		
		Review Date	February 2025		

12. The chairperson of the health and safety committees shall be selected and appointed by the contractor. The appointed chairperson must be competent to chair meetings and be able to make informed decisions.

3.20.2 Non-statutory health and safety committees

1. Where there are large worksites, then non-statutory sub-committee must be established within that worksite to assist with the communication of health and safety related matters between the statutory health and safety committee and the workplace.
2. The duties and responsibilities of the non- statutory health and safety committees will be the same as the statutory safety committee


3.20.3 Agenda

1. The following serves as the guideline for the SHE Committee meeting agenda.
 - List of agenda items:
 - Matters arising from previous minutes
 - Matters arising from Contractor's SHE meetings.
 - Audit results and feedback
 - Review Health and Safety Representative Inspection Reports
 - Review
 - Incident investigation reports
 - Non-Conformances
 - Announcements (near miss/injury/damage)
 - Follow up on recommendations made by the employer in incident investigation reports
 - Accident Prevention – Safety Promotion
 - Planned Job Observations
 - SHE Training

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	SHE SPECIFICATION Disconnections & Reconnection Services NCOU Sectors (Karoo, Kgalagadi, Kalahari and Hart sectors)	Template Identifier	240-73416879	Rev	2
		Document Identifier	High/SPU01	Rev	1
		Effective Date	February 2024		
		Review Date	February 2025		

- Protective clothing and equipment
- Incident Announcements / Recall
- Forthcoming High hazard activities.
- Non-conformances.
- Housekeeping.
- Work permits.
- Work procedures.
- Hazardous materials / substances.
- Fire Prevention
- Occupational Hygiene Assessments, Health Risks and Actions
- Security
- Construction vehicles and mobile equipment
- Rules, Instructions
- Public Safety
- Environmental Management
- Emergency Preparedness
- Statistics report
- Closure


3.20.4 Minutes and action items for all health and safety committee meetings

1. Minutes and record of action items shall be kept of all health and safety committee meetings.
2. Action column with target dates and responsible person shall be clearly visible on the minutes and shall be completed during the meeting.
3. Statutory health and safety committee meeting minutes and record of action items shall be kept for the duration of the project or a minimum period of three years.

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	SHE SPECIFICATION Disconnections & Reconnection Services NCOU Sectors (Karoo, Kgalagadi, Kalahari and Hart sectors)	Template Identifier	240-73416879	Rev	2
		Document Identifier	High/SPU01	Rev	1
		Effective Date	February 2024		
		Review Date	February 2025		

4. Non-statutory health and safety committee meeting minutes shall be kept for the duration of the project or a minimum period of 12 months.
5. All other meeting minutes where SHE is on the agenda, shall be kept for a minimum period of 12 months.
6. The original copy of the minutes and record of the action items must be signed by the chairperson.
7. The relevant project manager and principal contractor shall endorse the relevant minutes with his/her recommendations and return the minutes to the relevant contractors chairperson within 14 calendar days of the meeting.

3.20.5 Tool box talks / Daily team talks / pre job meetings

1. A meeting must be held prior to the commencement of the day's work with all relevant personnel associated with the work task in attendance. The job, relevant procedures, associated hazards, safety measures, i.e. the task risk assessments shall be discussed. Each employee who attends the briefing shall sign an attendance list of that pre-job brief form undertaking that they have an understanding of the tasks, risks and control measures required.
2. Where possible, tool box talks can be included in the pre-job brief meetings. If this does not occur, then weekly tool box talks must be conducted. The toolbox talk topics will be based on SHE issues pertaining to the construction site and or the project. The topic contents shall be in writing. Attendance registers with the topic listed shall be kept.


3.20 SHE Training

1. The principal contractor, when making a bid for this project shall provide a breakdown list of the SHE training requirements and the costing of such requirements. Similarly, appointed contractor must provide the same requirements when bidding with the principal contractor.
2. The scope of training includes but is not limited to the type of work being performed and the relevant procedures. Additional to the requirements, will be that the principal contractor and appointed contractors must have the appropriate qualifications, certificates and employees should always be under competent supervision.

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	SHE SPECIFICATION Disconnections & Reconnection Services NCOU Sectors (Karoo, Kgalagadi, Kalahari and Hart sectors)	Template Identifier	240-73416879	Rev	2
		Document Identifier	High/SPU01	Rev	1
		Effective Date	February 2024		
		Review Date	February 2025		

3. Where legislative and Eskom recommended appointments are made, the relevant training shall be given to those appointees prior to the acceptance of those appointments.
4. When there is an amendment to the Acts and/or to the regulations, SHE specification and SHE plan, all affected staff shall undergo the applicable refresher training.
5. Appropriate time must be set aside for training (induction and other) of all employees.
6. Records of all training and qualifications of all contractor employees must be kept on the SHE file.

3.21.1 Induction training

1. The principal contractor shall ensure that all his / her employees, appointed contractors and their employees have undergone the Eskom Safety Contractor Management induction training prior to commencing work on site.
2. Attendance registers must be completed of any induction training given, which must indicate that they have received and understood the induction training.
3. Prior to attending the induction training, all employees must undergo a pre-employment medical examination and found fit for duty. A copy of the certificate of fitness must be kept in the SHE file on site for the duration of the project.
4. All employees and visitors on site shall carry the proof of induction training.

3.21.2 Site specific induction training

The principal contractor shall ensure that all his / her employees and appointed contractor employees undergo site specific work induction with regard to the approved project SHE plan, general hazards prevalent on the construction site, construction risk assessment, rules and regulations, and other related aspects. The induction training should also include identification of sensitive features such as wetlands/vlei areas, red data species, graves, etc.


3.21.3 Visitors to site induction

1. Visitors to the site shall be required to undergo and comply with the principal contractor's site-specific safety induction prior to being allowed access to site.
2. All visitors must remain in the care and custody of a person (host) who has been properly inducted. No visitors are permitted to undertake any work onsite, of any nature.

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	SHE SPECIFICATION Disconnections & Reconnection Services NCOU Sectors (Karoo, Kgalagadi, Kalahari and Hart sectors)	Template Identifier	240-73416879	Rev	2
		Document Identifier	High/SPU01	Rev	1
		Effective Date	February 2024		
		Review Date	February 2025		

- Visitors who have completed site induction must be provided with a record of proof of Induction training.

3.21.4 General training

The principal contractor will be required to ensure that before an employee commences work on the project, the respective supervisor informs the employee of his scope of authority, the hazards associated with work as well as the control measures to be taken. This will include man-job specifications, the discussion of any task procedures or hazardous operational procedures to be performed by the employee. The Principal Contractor is to ensure that the supervisor has satisfied himself that the employee understands the hazards associated with any work to be performed by conducting task/job observations.

3.21 Contractor Site Establishment

- Principal contractor's site facilities should be managed at all times.
- Prior to establishing a project site, a site plan is required to be drawn listing position of all buildings, amenities, storage and stacking areas. The appropriate colour coding and demarcation of storage and stacking areas must be carried out.
- Where, working in the field and material is stored at the work sites, then proper stacking and storage shall be carried out.
- When compiling the site plan, cognisance must be taken to the establishment of the site camp, ablution facilities and dining area in relation to one another and away from stacking and storage areas.

3.22.1 Site roads

- When planning, sufficient areas must be allocated for parking of construction vehicles and mobile equipment's as well as roadways for ease of manoeuvrability of these vehicles.
- Sufficient width roads to be provided and adequate space is to be allowed for large vehicles traversing the sites.


3.22.2 Project Vehicle safety

- It is the responsibility of the driver to ensure:

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	SHE SPECIFICATION Disconnections & Reconnection Services NCOU Sectors (Karoo, Kgalagadi, Kalahari and Hart sectors)	Template Identifier	240-73416879	Rev	2
		Document Identifier	High/SPU01	Rev	1
		Effective Date	February 2024		
		Review Date	February 2025		

- a. Their passengers wear seat belts whilst the vehicle is in motion.
 - b. Comply with all traffic road rules, safety, direction and speed signs.
 - c. Ensure that vehicle loads are properly secured prior to moving off.
 - d. Ensure that vehicles are not overloaded.
2. No drivers or operators may text, talk on cell phones or two way radios whilst driving, unless a hands free kit is used.
 3. All drivers of construction vehicles are to have valid medical fitness certificates.
 4. Each Project site that is enclosed by demarcation will have system/ process to manage vehicle access to site.
 5. Contractor must maintain their vehicles in a roadworthy condition and a vehicle license must be valid at all times.
 6. Drivers of light vehicles must avoid stopping or parking in the vicinity of machines. At least 30 (thirty) meters must be left clear between such a vehicle and such a machine
 7. Contractor vehicles can be subject to inspections by the Client/Agent's representative. Vehicles which are not roadworthy will not be permitted to be used on the project.
 8. Drivers/operators shall be responsible for the travel-worthiness of all loads conveyed by them. Precautions shall be taken to secure all loads properly. Loads projecting from vehicles shall be securely loaded and in daytime a red flag and during darkness a red light or red reflective material shall be attached to the extreme end of such projecting material.


3.22 Housekeeping and Order

1. All contractors shall maintain a high standard of housekeeping within their sites and vehicles for the duration of the project.
2. Prompt disposal of waste materials, scrap and rubbish is essential.
3. Materials/objects shall not be left unsecured in elevated areas –falling objects may cause serious injuries/fatalities.
4. Nails protruding through timber shall be bent over or removed so as not to cause injury.

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	SHE SPECIFICATION Disconnections & Reconnection Services NCOU Sectors (Karoo, Kgalagadi, Kalahari and Hart sectors)	Template Identifier	240-73416879	Rev	2
		Document Identifier	High/SPU01	Rev	1
		Effective Date	February 2024		
		Review Date	February 2025		

5. All packaging material including boxes, pallets, crates, etc. to be removed from the work area immediately.
6. On completion of his / her work, the contractor is responsible for clearing his / her work area of all materials, scrap, temporary buildings and building bases to the satisfaction of the client/agent.
7. In cases where an inadequate standard of housekeeping has developed, compromising safety and cleanliness, anyone has the responsibility to bring it to the attention of the principal contractor in the first instance and the Eskom project/site manager in the second instance.
8. The Eskom Project/Site Manager has the right to instruct the principal contractor and appointed contractors to cease work until the area has been tidied up and made safe. Neither additional costs nor extension of time to the contract shall be allowed as a result of such a stoppage. Failure to comply with this requirement will result into site cleaning by another cleaning contractor company at the cost of the principal contractor.
9. The principal contractor shall carry out regular safety/housekeeping inspections (at least weekly) to ensure maintenance of satisfactory standards. The principal contractor shall document the results of each inspection and shall maintain records for viewing.

3.23.1 Stacking

1. Before stacking any material, the contractors or their employees must consult the contract manager for authorisation to use such an area for stacking purposes. This is to prevent haphazard arrangements.
2. Adequate care must be taken by the contractor to ensure that storage and stacking is carried out correctly and safely.
3. Correct shelf stacking must be carried out, heavy and bulky on the bottom, light and small on top.


3.23 Workplace Signage and Colour Coding

1. Symbolic safety signage shall be displayed where it is required by legislation.
2. All symbolic safety signage shall conform to the requirements of SANS standard 1186.

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	SHE SPECIFICATION Disconnections & Reconnection Services NCOU Sectors (Karoo, Kgalagadi, Kalahari and Hart sectors)	Template Identifier	240-73416879	Rev	2
		Document Identifier	High/SPU01	Rev	1
		Effective Date	February 2024		
		Review Date	February 2025		

3. Signs shall be positioned to be seen from most positions within the work sites / areas.
4. All signage must be clear at all times and be replaced timeously when worn out.
5. Contractors establishing sites must erect a company sign at their site offices to reflect the name and contact details of the: Construction Supervisor; Health and Safety Manager/Practitioner; First Aider; Health and Safety Representative and Evacuation warden.
6. The location of every first aid box; fire extinguisher and emergency exit is to be clearly indicated by means of a sign.
7. When using, an explosive power tool the appropriate signage shall be erected, warning people of its use.
8. Contractors shall provide signage where work is conducted and where unauthorised entry is prohibited and/or where alerting and cautioning passers-by to be aware of potential dangers.
9. The meanings of the appropriate symbolic signage must be discussed during induction training and toolbox talks.
10. Where possible, within workshops, work areas and established premises, the appropriate sign indicating the meaning of symbolic safety signs must be displayed.


3.24 Tools and Equipment

1. Contractors shall ensure that all tools and equipment are identified, safe to be used and is maintained in a good condition.
2. Contractors shall ensure that all tools and equipment are listed on an inventory list, be regularly inspected at least monthly or as required by legislation and risk assessments. The equipment should be numbered or tagged so that it can be properly monitored and inspected.
3. Where applicable, tools and equipment must have the necessary approved test or calibration documentation prior to being brought onto the project and the records shall form part of the SHE plan. Maintenance calibration shall be undertaken in terms of the manufacturer's requirements.
4. All fuel driven equipment must be properly maintained in accordance with the manufacturer's recommendations and legal requirements.

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	SHE SPECIFICATION Disconnections & Reconnection Services NCOU Sectors (Karoo, Kgalagadi, Kalahari and Hart sectors)	Template Identifier	240-73416879	Rev	2
		Document Identifier	High/SPU01	Rev	1
		Effective Date	February 2024		
		Review Date	February 2025		

5. Eskom reserves the right to inspect tools or items of equipment brought to site by contractors for use on this project.
6. Should Eskom personnel find any item that is inadequate, faulty, unsafe or in any other way unsuitable for the safe and satisfactory execution of the work for which it is intended, the Eskom personnel shall advise the contractor in writing and the contractor shall forthwith remove the item from site and replace it with a safe and adequate substitute.

Note: In such cases, the contractor shall not be entitled to extra payments or extensions of time in respect of delay caused by Eskom's instructions.

7. Where defective tools and equipment's are identified, such tools and equipment shall be removed out of site immediately, locked away to prevent further use until such time as the tool or piece of equipment has been repaired.
8. Contractors shall ensure that the appropriate records are kept for all tools and equipment used on the project. Such tools and equipment's shall be subjected to regular inspections.

3.25.1 Hand tools

1. All hand tools (hammers, chisels, spanners, etc.) must be recorded on a register and inspected by the construction supervisor on a monthly basis as well as by users prior to use.
2. Tools with sharp points in tool boxes must be protected with a cover.
3. All files and similar tools must be fitted with handles.
4. No make shift tools are permissible on the project.


3.25 Ladders

1. Ladders used shall conform to the requirements of GSR 13A and used in terms of GSR 6.
2. The appropriate head protection, with chin strap shall be worn by employees working from a ladder or with climbing irons.
3. The ladder wheels, brakes and platform must be in good condition.
4. All metal parts to be in good condition, no cracks.
5. Non-slip devices must be in good condition and no paint to be on wooden ladders

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	SHE SPECIFICATION Disconnections & Reconnection Services NCOU Sectors (Karoo, Kgalagadi, Kalahari and Hart sectors)	Template Identifier	240-73416879	Rev	2
		Document Identifier	High/SPU01	Rev	1
		Effective Date	February 2024		
		Review Date	February 2025		

6. Climbing irons are permitted to be used in place of ladders on condition that the requirements of GSR 6 are not compromised and from an electrical point of view not damage any cabling. The working at heights risk assessment must indicate the use of climbing irons.
7. Employees using climbing irons shall be suitably trained in the use, care and maintenance of such climbing irons.
8. When using climbing irons, the appropriate rope grab fall prevention system shall be used.
9. The correct fall protection equipment shall be worn and used whilst climbing up, working from and climbing down ladders.
10. The appropriate head protection, with chin strap shall be worn by employees working from a ladder or with climbing irons.
11. A detailed inspection of all ladders shall be conducted monthly by a competent person and every time prior to climbing by employees using such ladders. The inspection check lists must be filed in the site SHE files.

3.26 Scaffolding

1. N/A

3.27 Auditing

3.28.1 Approval and compliance of principal contractor SHE plan

The Contractor's SHE Plan will be audited against compliance checklist so as to verify compliance to the requirements of the Eskom SHE specifications. Once there is compliance only then will the principal contractors SHE plan be approved by the project manager or an appointed Eskom contract custodian. The implementation of the SHE Plan shall be assessed / audited by Eskom personnel on a regular basis. This will include physical conditions evaluation.

3.28.2 Eskom SHE audits


Eskom shall evaluate all contractors' SHE performance on an ongoing basis against the legal, Eskom requirements, SHE specification and the contractors SHE plans.

Note: Eskom reserves the right to conduct unannounced audits on contractors

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	SHE SPECIFICATION Disconnections & Reconnection Services NCOU Sectors (Karoo, Kgalagadi, Kalahari and Hart sectors)	Template Identifier	240-73416879	Rev	2
		Document Identifier	High/SPU01	Rev	1
		Effective Date	February 2024		
		Review Date	February 2025		

There will be monthly audits conducted by Eskom on the principal contractor/s and/or appointed contractors. These audits shall be attended by the contractor's site manager or his representative.

If there are any findings / non-compliance identified as serious in these audits, an activity will be stopped for that specific Principal Contractor and appointed contractor. Refer to section on "Work Stoppage" in this SHE Specification.

3.28.1 Contractor audits

Principal Contractors are required to conduct internal audits on both their employees and their appointed contractors on the implementation of their SHE Plan on a monthly basis or when the scope of work changes. A summary of the findings and the proposed corrective actions shall be submitted to Eskom project manager within one week after completion of the audit. Where appointed contractors are audited by the principal contractor a copy of the audit report shall be submitted to the appointed contractor within 7 days of the audit.

3.28 Smoking

The national smoking policy must be observed and smoking is permitted in designated areas only (Eskom Smoking Procedure 32-36).

3.29 Cellular Phones

The national requirements regarding the use of cellular phones must be observed, in particular when driving and or operating mobile equipment and or machinery.

3.30 Occupational Health, Hygiene and Rehabilitation

All contractors are required to develop an Occupational Health, Hygiene and Rehabilitation program. The program is intended to ensure that the risks to health are identified and controlled.


3.31.1 Medicals

Note: Eskom will only accept medical surveillances conducted by an Occupational Health Practitioner who holds a qualification in occupational health.

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	SHE SPECIFICATION Disconnections & Reconnection Services NCOU Sectors (Karoo, Kgalagadi, Kalahari and Hart sectors)	Template Identifier	240-73416879	Rev	2
		Document Identifier	High/SPU01	Rev	1
		Effective Date	February 2024		
		Review Date	February 2025		

1. Principal contractors must ensure that their employees and their appointed contractor employees have a medical surveillance program whereby their employees under go entry, periodic and exit medical fitness examinations.
2. In order for the appropriate medical examinations to be conducted, each employee must have a man job specification, which must indicate the description of work, list of hazards and potential occupational exposure limits, physical hazards and required physical attributes.
3. Medical fitness certificates shall be renewed annually for employees who are working on site. This shall be maintained until completion of the contract.
4. The Principal Contractor must ensure that his / her employees and appointed contractor employees have undergone pre-entry medical examination before starting work on the contract.
5. The principal contractor shall provide a documented process for managing those employees who are issued with a conditional certificate of fitness.

3.31 Working at Heights N/A

3.32.1 General Requirements

1. N/A

3.32 Risk Assessments


It is a legal requirement in terms of Section 8 (2)(d) of the OHS Act for an employer to carry out risk assessments, to establish which risks and hazards are attached to the health and safety of persons due to any work which is performed, any article or substance which is, handled, stored, transported. A risk assessment is defined as an identification of the hazards present in an organisation and an estimate of the extent of the risks involved, taking into account whatever precautions are already being taken. It is essentially a three stage process:

- identification of all hazards;
- evaluation of the risks;
- Measures to control the risks.

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	SHE SPECIFICATION Disconnections & Reconnection Services NCOU Sectors (Karoo, Kgalagadi, Kalahari and Hart sectors)	Template Identifier	240-73416879	Rev	2
		Document Identifier	High/SPU01	Rev	1
		Effective Date	February 2024		
		Review Date	February 2025		

Risk assessments are required to be maintained. This means that significant changes to a process or activity, or any new process or activity should be subjected to a risk assessment and that if new hazards come to light during the work process, then these should also be subjected to risk assessments. Risk assessments for long term processes should be periodically reviewed and updated. Method statements or written safe work procedures are an effective method as information and record of the way jobs / tasks must be performed. Daily or issue based or task specific or on the job risk assessments must be conducted at the place where work is to be performed/ conducted to allow managers and employees to assess any inherent risks that could have been overlooked during the initial risk assessment or any changes that might have occurred in a period of absence. For example if a job / task is extended over a day or halted due to inclement weather.

3.33 Safe Work Procedures and Practices / Safe Operating

There must be written safe work procedures for all activities, the safe work procedures must be aligned with the risk assessments.


3.34 Personal Protective Equipment Requirements

1. The Principal contractor must provide a detailed programme that includes the issuing, maintenance and replacement of PPE for all his employees and appointed contractors on site.
2. All contractors shall comply with the requirements of GSR 2 of the OHS Act.
3. The risk based PPE matrix must be compiled detailing the types of PPE that is required to be issued to employees performing the respective tasks.
4. Where there are unusual instances where particular activities require additional type of PPE, then a risk assessment must be conducted where such PPE requirements will be identified and the issuing be carried out.
5. All contractors shall ensure that their visitors wear and use the correct PPE whilst on worksites.
6. Where PPE is required and visitors are not in possession of, then it is the individual contractor's responsibility to provide the PPE.
7. All PPE purchased and used by all contractor employees including visitors must comply with the relevant SANS standards.

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	SHE SPECIFICATION Disconnections & Reconnection Services NCOU Sectors (Karoo, Kgalagadi, Kalahari and Hart sectors)	Template Identifier	240-73416879	Rev	2
		Document Identifier	High/SPU01	Rev	1
		Effective Date	February 2024		
		Review Date	February 2025		

8. Where deemed as a requirement, then high visibility vests shall be worn.

3.35 Incident Investigation

All incidents shall be investigated in terms of OHS Act General Administrative Regulations 8 and 9, using Eskom Procedure 32-95 as a reference, and where injuries as contemplated in sections 24 and 25 have been sustained, be reported to the Department of Labour.

Contractors shall use the standard General Administrative Regulation Annexure 1 “Recording of an Incident” form for all incident investigation reports. The objective of incident investigation should not only be a legal requirement but should establish why and how the incident occurred and find out the real root cause of the incident and to decide on precautionary measures that are required to address the root cause to prevent any further recurrences of the same or similar incidents.

The contractor incident management procedure needs to be aligned to Eskom's 32-95 incident management procedure and timeline must be strictly adhered to.

The high level steps of the incident management procedure are as follows:

1. Incident identification
2. Initiation and Execution of Emergency Response
3. Notification and Reporting
4. Incident prioritisation
5. Classification and Recording of Incidents
6. Incident investigation
7. Management of Corrective Actions (Safety Measures)
8. Incident close-out
9. Incident Communication


Timelines with regards to incident management need to be strictly adhered to as per 32-95 Occupational Health and Safety Incident Management Procedure and 240-131838225 Occupational Health and Safety Incident Management Definitions and Classification Parameters.

Failure to comply with these requirements will be seen as the contractor not fulfilling their contractual obligations and the relevant consequence management actions will be taken against contractors who do not comply.

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	SHE SPECIFICATION Disconnections & Reconnection Services NCOU Sectors (Karoo, Kgalagadi, Kalahari and Hart sectors)	Template Identifier	240-73416879	Rev	2
		Document Identifier	High/SPU01	Rev	1
		Effective Date	February 2024		
		Review Date	February 2025		

Timelines include:

1. Notification of incident to relevant Eskom SHEQS department should be done before the end of shift or within 24 hours of the incident occurring.
2. Investigation process to be initiated within 48 hours and concluded within 30 calendar days. The onus is on the contractor manager to provide evidence for the reasons why the Internal OHS Investigation could not be completed within 30 days and should be submitted to the relevant SHEQS department.

In the case of incidents involving contractor employees, the contractor must investigate those incidents as an employer in his/her own right (employer's investigation) and generate a report. The report and Annexure 1 must be submitted to the applicable OU/BU or on request to the Department of Labour by the contractor. Eskom may participate during these investigations.

3.36 Emergency Management

The art of emergency preparedness and response is to minimise the effects of any emergency and to restore normal activities as soon as practical. The contractor must familiarise themselves with the Eskom emergency response plan and procedure. Periodic emergency drills must be undertaken to test the effectiveness of the plan. This must be recorded and provided to the Eskom SHEQS department for evaluation in the site specific safety file.

The emergency management procedure to be submitted has to include emergency contact numbers relevant to the area worked in for the site supervisor, hospital, fire brigade, first aider and ER24 (010 205 3400 and 084 124).


3.37 Non-Conformance and Compliance

1. Any non-compliance to any health and safety requirement in this SHE specification is subject to discipline in terms of the Eskom Procurement and Supply Management Procedure.
2. Principal contractors are required to implement a non-conformance procedure (if not already in place) for issuing to contractors for transgressions. The procedure can include "quality" related non-conformance issues. Similarly, appointed contractors must implement a non-conformance procedure.

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	SHE SPECIFICATION Disconnections & Reconnection Services NCOU Sectors (Karoo, Kgalagadi, Kalahari and Hart sectors)	Template Identifier	240-73416879	Rev	2
		Document Identifier	High/SPU01	Rev	1
		Effective Date	February 2024		
		Review Date	February 2025		

3. The procedure for the issuing and closing off of non-conformance reports shall be strictly adhered to.
4. Contractor project management must monitor the close out non-conformances issued, in not doing so; any recommendations made may not be implemented.
5. Where non-conformances are issued by Eskom then one of the close-out steps of the procedure will be for the offender to be called by the responsible project manager to explain the non-conformance issued and what plan is in place to prevent a recurrence of the non-conformance.
6. Should the contractor fail to provide adequate PPE to their employees for the tasks being performed and/or to visitors; failure to enforce the wearing of such PPE will be viewed as a transgression of the legislative and Eskom requirements.
7. After a contractor has been appointed the Project Manager should submit the relevant, SHE Specification to the principal contractor. The principal contractor then develops a site-specific safety file in terms of the SHE Specification submitted for the project, this safety file needs to be developed and submitted to the Eskom SHEQS department for evaluation. No contractor may commence with work before the site-specific safety file is accepted by Eskom SHEQS department and the relevant Project manager, as well as that the site-specific procedures are adhered to.
8. Eskom reserves the right to stop any contractor performing unsafe work/conditions and can apply consequence management if any contractor fails to comply with any Legislative requirements as well as any Eskom Requirements, Standards and Procedures. Refer to 32-726 Contract and Contractor OHS management Section 3.4.4.4.
9. Should Eskom personnel find that the site-specific safety file is unsatisfactory, the process in Section 3.7 of 32-726 Contract and Contractor OHS management shall be initiated.


3.38 SHE File

1. A SHE file means a file or other record in permanent form, containing the information about the safety and health management system during construction and all information relating to the post-construction phase after handover to the client, so that the client can maintain the works in a healthy and safe way.
2. All contractors are required to keep a SHE file on every project site. If there is more than one site per project, a file per site shall be kept at that site. Contractors may keep additional files at their head office as additional records. The SHE file shall be

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	SHE SPECIFICATION Disconnections & Reconnection Services NCOU Sectors (Karoo, Kgalagadi, Kalahari and Hart sectors)	Template Identifier	240-73416879	Rev	2
		Document Identifier	High/SPU01	Rev	1
		Effective Date	February 2024		
		Review Date	February 2025		

maintained by all the contractors on their construction sites and shall be available on request for audit and inspection purposes.

3. The SHE file shall consist of the requirements in terms of the project's safety specification, the contractor's safety and health plans.
4. The sequence of filing the documentation must be kept in the same sequence as listed in this SHE specification and the SHE plan.
5. Each record shall be separated by partitions to afford easy identification and access. Each partition must be labelled.
6. On completion of the construction work/project, the principal contractor must hand over a consolidated health and safety file to the project manager. The principal contractor must also hand over all drawings, designs, lists of materials used, and other applicable information about the completed structure, as well as the list of subcontractors, the agreement, and the type of work completed.
7. In case where the project is extended, should the documentation in the SHE files become cumbersome, the older documentation must be archived in boxes which shall be correctly labelled and be available for auditing purposes. The archived documentation must be handed over at the completion of the project.


3.39 Work Stoppage

1. Any person may stop any activity where an unsafe act or unsafe condition that poses or may pose an imminent threat to the safety and health of an individual or create a risk of degradation of the environment. This includes any unauthorised work or service performed by, or legally or contractually non-compliant acts or omissions by, any contractor contracted to work at that site.
2. Work stoppages that are initiated due to SHE concerns, non-compliance, or poor performance related to the contractor's works or services shall not warrant any financial compensation claim lodged against Eskom where the contractor has not met the requirements defined legally or contractually.
3. Where stoppages are carried out, the required non-conformance report shall be raised.
4. All work stoppages ideally should be investigated and documented by contract custodians.

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	SHE SPECIFICATION Disconnections & Reconnection Services NCOU Sectors (Karoo, Kgalagadi, Kalahari and Hart sectors)	Template Identifier	240-73416879	Rev	2
		Document Identifier	High/SPU01	Rev	1
		Effective Date	February 2024		
		Review Date	February 2025		

3.40 Hours of Work

The requirements of the Basic Conditions of Employment Act, Chapter Two “Regulation of Working Time” must be adhered to. All contractors are required to maintain an accurate record of time worked by each employee.

3.41.1 Normal work

All work conducted on site shall fall within the legal requirements in accordance with the Basic Conditions of Employment Act. Contractors will notify their Eskom Supervisor or project manager of any work that needs to be performed after hours according to the agreed arrangements. (The application needs to be submitted timeously). Where applicable, the notification should include proof of application, for overtime, to the Department of Labour and /or the letter of approval from the Department of Labour.

3.41.2 Night work

When night work is to be performed; contractors shall provide sufficient lighting to enable the entire work site to be illuminated to a degree that employees will not work in dark (un-illuminated) or dimly lit areas. Care must be exercised as not to use few lights with high light intensives as this will cause night blindness.

If work is continuing from day light into night, at dusk, a tool box talk must be held where all employees will be advised of the hazards of night work and the extra precautions which require to be taken, i.e. poor housekeeping, stepping on uneven ground, stepping into holes etc.

3.41.3 Overtime

When overtime is required to be performed, the appointed contractors shall inform the principal contractor of such action. The principal contractor shall inform the Eskom project manager of such function. Contractors shall be aware of the effects of human fatigue and regulate overtime accordingly. The baseline risk assessment must be reviewed to include the management of overtime work.


3.41 Omissions from Safety and Health Requirements Specification

By drawing up this SHE specification Eskom has endeavoured to address the most critical aspects relating to SHE issues in order to assist the contractor to adequately provide for the health and safety of employees on site.

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	SHE SPECIFICATION Disconnections & Reconnection Services NCOU Sectors (Karoo, Kgalagadi, Kalahari and Hart sectors)	Template Identifier	240-73416879	Rev	2
		Document Identifier	High/SPU01	Rev	1
		Effective Date	February 2024		
		Review Date	February 2025		

Should Eskom not have addressed all SHEQ aspects pertaining to the work that is tendered for, the contractor needs to include it in the SHE plan and inform Eskom of such issues when signing the contract.

3.42 Contract Sign-Off

On completion of the project, all appointed contractors shall close out their project documentation; SHE files and forward such to the principal contractor. The principal contractor shall likewise close out his/her project documentation and SHE files and forward such to the Eskom project manager.

3.43 Project Statistics

The following information should be submitted by the 1st of each month to the Contract Manager/ Custodian:

- Contractor manpower numbers and hours worked for the purpose of calculating the contractor lost-time injury (LTIR) and total recordable injury (TRIR) rates.
- Contractor incidents per month (fatalities, lost time, medicals, first aid and near-misses).
- Contractor confirmation that incident case studies were discussed, and recommendations implemented.
- Contractor confirmation that all issues findings against them has been addressed as required.
- Contractor will submit their statistics every month using the latest 240-140441286 Contractor Manpower/Man-hours and OHS stats reporting form.

3.44 Weather Extremes

Contractors should after conducting a site specific baseline risk assessment establish what weather extremes are occurring in the area and make provision for control measures to prevent or reduce exposure to their employees to an acceptable level.

3.45 Excavation Work N/A


As per the scope of this project excavation will take place and as a result strict adherence to Eskom and legislative requirements need to be adhered to pertaining excavations.

As per Construction Regulation 13 – Excavations:

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.


	SHE SPECIFICATION Disconnections & Reconnection Services NCOU Sectors (Karoo, Kgalagadi, Kalahari and Hart sectors)	Template Identifier	240-73416879	Rev	2
		Document Identifier	High/SPU01	Rev	1
		Effective Date	February 2024		
		Review Date	February 2025		

- (1) A contractor must-
- (a) ensure that all excavation work is carried out under the supervision of a competent person who has been appointed in writing for that purpose; and
 - (b) evaluate, as far as is reasonably practicable, the stability of the ground before excavation work begins.
- (2) A contractor who performs excavation work-
- (a) must take reasonable and sufficient steps to prevent, as far as is reasonably practicable, any person from being buried or trapped by a fall or dislodgement of material in an excavation.
 - (b) may not require or permit any person to work in an excavation which has not been adequately shored or braced: Provided that shoring and bracing may not be necessary where-
 - (i) the sides of the excavation are sloped to at least the maximum angle of repose measured relative to the horizontal plane; or
 - (ii) such an excavation is in stable material: Provided that-
 - (aa) permission has been given in writing by the appointed competent person contemplated in sub regulation (1) upon evaluation by him or her of the site conditions; and
 - (bb) where any uncertainty pertaining to the stability of the soil still exists, the decision from a professional engineer or a professional technologist competent in excavations is decisive and such a decision must be noted in writing and signed by both the competent person contemplated in sub regulation (1) and the professional engineer or technologist, as the case may be;

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	SHE SPECIFICATION Disconnections & Reconnection Services NCOU Sectors (Karoo, Kgalagadi, Kalahari and Hart sectors)	Template Identifier	240-73416879	Rev	2
		Document Identifier	High/SPU01	Rev	1
		Effective Date	February 2024		
		Review Date	February 2025		

(c) must take steps to ensure that the shoring or bracing contemplated in paragraph (b) is designed and constructed in a manner that renders it strong enough to support the sides of the excavation in question.

(d) must ensure that no load, material, plant, or equipment is placed or moved near the edge of any excavation where it may cause its collapse and consequently endangers the safety of any person, unless precautions such as the provision of sufficient and suitable shoring or bracing are taken to prevent the sides from collapsing.

(e) must ensure that where the stability of an adjoining building, structure or road is likely to be affected by the making of an excavation, steps are taken to ensure the stability of such building, structure or road and the safety of persons.

(f) must cause convenient and safe means of access to be provided to every excavation in which persons are required to work, and such access may not be further than six meters from the point where any worker within the excavation is working.

(g) must ascertain, as far as is reasonably practicable, the location and nature of electricity, water, gas or other similar services which may in any way be affected by the work to be performed and must before the commencement of excavation work that may affect any such service, take the steps that are necessary to render the circumstances safe for all persons involved.

(h) must ensure that every excavation, including all bracing and shoring, is inspected-

(i) daily, prior to the commencement of each shift.

(ii) after every blasting operation.


(iii) after an unexpected fall of ground.

(iv) after damage to supports; and

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	SHE SPECIFICATION Disconnections & Reconnection Services NCOU Sectors (Karoo, Kgalagadi, Kalahari and Hart sectors)	Template Identifier	240-73416879	Rev	2
		Document Identifier	High/SPU01	Rev	1
		Effective Date	February 2024		
		Review Date	February 2025		

(v) after rain,

by the competent person contemplated in sub regulation (1), in order to ensure the safety of the excavation and of persons, and those results must be recorded in a register kept on site and made available on request to an inspector, the client, the client's agent, any other contractor or any employee;

(i) must cause every excavation which is accessible to the public or which is adjacent to public roads or thoroughfares, or whereby the safety of persons may be endangered, to be-

(i) adequately protected by a barrier or fence of at least one metre in height and as close to the excavation as is practicable; and

(ii) provided with warning illuminants or any other clearly visible boundary indicators at night or when visibility is poor or have resort to any other suitable and sufficient precautionary measure where subparagraphs (i) and (ii) are not practicable.

(j) must ensure that all precautionary measures stipulated for confined spaces as determined in the General Safety Regulations, 2003, are complied with by any person entering any excavation.

(k) must, where the excavation work involves the use of explosives, appoint a competent person in the use of explosives for excavation, and must ensure that a method statement is developed by that person in accordance with the applicable explosives legislation; and

(l) must cause warning signs to be positioned next to an excavation within which or where persons are working or carrying out inspections or tests.


3.46 COVID-19 Requirements

Code of Practice: Managing exposure to SARS-COV-2 in the workplace, 2022
Published in GG46596, on 24 June 2022, GNR 2191.

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	SHE SPECIFICATION Disconnections & Reconnection Services NCOU Sectors (Karoo, Kgalagadi, Kalahari and Hart sectors)	Template Identifier	240-73416879	Rev	2
		Document Identifier	High/SPU01	Rev	1
		Effective Date	February 2024		
		Review Date	February 2025		

As a result of the global COVID-19 pandemic the following requirements have to be put in place to ensure adequate control measures are present in workplaces:

Chapter 2 of GNR 2191:

1. Risk assessment and plan

Every employer must –

- a. Undertake a risk assessment to give effect to its obligations under the OHSA and the HBA Regulations;
- b. On the basis of the risk assessment develop or amend its existing plan to include –
 - i. Any measures to be implemented in respect of the vaccination of its employees and, taking into account the intervals between vaccinations, the dates by which the employees must be fully vaccinated; and
 - ii. Any other protective measures contemplated section 6(1) and (2);
- c. Consult on the risk assessment and plan with –
 - i. Any representative trade union as contemplated by section 14(1) of the LRA; and
 - ii. Any health and safety committee established in terms of section 19 of the OHSA or, in the absence of such committee, a health and safety representative designated in terms of section 17(1) of the OHSA or employee representative; and
- d. Make the risk assessment and plan available for inspection by the trade union and committee contemplated in paragraph (c) and an inspector.


2. Contents of risk assessment and plan

1. The risk assessment and plan referred to in section 5(1)(b) must include –
 - a. The identification of the employees contemplated in paragraph (i) of that section;
 - b. The reporting of symptoms by employees and isolation of employees who are diagnosed with COVID-19 and are symptomatic;
 - c. The workplace protective measures required to be taken in terms of HBA Regulations including personal protective equipment and ventilation;
 - d. A procedure to resolve any issue that may arise from the HRA by an employee of the right to refuse to work in the circumstances contemplated in section 15(1); and

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	SHE SPECIFICATION Disconnections & Reconnection Services NCOU Sectors (Karoo, Kgalagadi, Kalahari and Hart sectors)	Template Identifier	240-73416879	Rev	2
		Document Identifier	High/SPU01	Rev	1
		Effective Date	February 2024		
		Review Date	February 2025		

- e. The process by which the obligations under this Code will be complied with.
- 2. The risk assessment and plan referred to in section 5(1)(b) may include –
 - a. Social distancing measures including minimising the number of workers in the workplace through rotation, staggered working hours, shift and remote working arrangements;
 - b. PPE measures contemplated in section 11;
 - c. Personal hygiene measures such as the wearing of facecloth masks, barriers hand washing, sanitisers and surface disinfectants;
 - d. Any special measures to mitigate the risk of infection or serious illness or death in respect of individual employees at increased risk such as reducing the numbers in and the duration of occupancy in meeting rooms.

In developing and implementing a plan in terms of subsection (1)(b)(i), an employer must comply with section 12.

3.48 Working near or crossing National, Provincial and local roads

Principal contractors must at all times ensure that all relevant legislation and best practices are followed when working near or crossing roads.

Ensuring that an adequate risk assessment is conducted and control measures implemented when work is conducted near or close to roads, where required relevant national as well as provincial and local authorities should be notified of any work being carried out over roads. Control measures including but not limited to relevant safety signage, traffic control by the use of flagmen as well as barricading should be in place.


3.49 Existing Infrastructure and Services

Before any work commences the Principal contractor should ensure that all existing infrastructure (Live overhead feeders, underground networks such as water pipes electrical cables etc.) are known to their employees and the risks pertaining to these infrastructure as

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	SHE SPECIFICATION Disconnections & Reconnection Services NCOU Sectors (Karoo, Kgalagadi, Kalahari and Hart sectors)	Template Identifier	240-73416879	Rev	2
		Document Identifier	High/SPU01	Rev	1
		Effective Date	February 2024		
		Review Date	February 2025		

well as what control measures are in place to ensure that no employees is injured or infrastructure damaged as a result of their activities.

The relevant existing infrastructure hazards and risks should be identified and included in the project specific baseline risk assessment together with the relevant control measures.

3.50 Working in close proximity to large bodies of water.

Principal contractors must at all times ensure that all relevant legislation and best practices are followed when working near large bodies of water.

Ensuring that an adequate risk assessment is conducted, and control measures implemented when work is conducted near or close to bodies of water. Control measures including but not limited to relevant barricading and terrain stability assessment should be put in place.

3.51 Asbestos Work (Working in a naturally occurring asbestos area)

The Northern Cape is known for the prevalence of asbestos, contractors/ Eskom employees need to take precaution when working in such areas. The following towns and surrounding areas are known to be Asbestos affected.


- Kuruman
- Danielskuil
- Lime Acres
- Kathu
- Hotazel
- Prieska
- Marydale

Client shall ensure that Contractor:

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	SHE SPECIFICATION Disconnections & Reconnection Services NCOU Sectors (Karoo, Kgalagadi, Kalahari and Hart sectors)	Template Identifier	240-73416879	Rev	2
		Document Identifier	High/SPU01	Rev	1
		Effective Date	February 2024		
		Review Date	February 2025		

(a) Prior to work commencing –

Is performed by Registered Asbestos Contractor.

All asbestos materials likely to become airborne are identified.

At least seven days before the commencement of the asbestos work, the written plan of work should be compiled by the AIA in consultation with the RAC, according to AAR – Regulation 15 and Appendix A – Contents of the plan of work (32-303).

At least seven days before the commencement of any asbestos work (Types 1, 2, and 3), every BU responsible manager shall notify the relevant Chief Director: Provincial Operations (DEL) for acknowledgement, by means of a written notification (AAR – Annexure 2, or Appendix G of this document) of such work, together with an AIA-approved and signed asbestos work plan. The latter plan is to be submitted by the responsible AIA to the Chief Director, with submission (notification) to be verified by both the BU responsible manager and the asbestos contractor of concern (AAR – Regulation 13(d)). The asbestos plan of work must be signed by the following:

- Asbestos client (BU responsible manager)
- RAC
- AIA

Note that a shorter period for notification may be allowed by the Chief Director: Provincial Operations in the event of an emergency, according to the AAR – Regulation 10(3).

The relevant Chief Director: Provincial Operations must acknowledge receipt in writing to the employer/asbestos client and AIA within the seven-day notification period.

The notification must give a specific description of the location, venue, and contact details of where the asbestos work will be done, including details of the RAC, details of the asbestos client, details of the AIA, type and volume of asbestos to be removed/repaired, and the expected commencement and completion dates of the work). The minimum contents of the plan of work requirements are summarised in Appendix A.

Copies of notification correspondence shall be kept on site for AIA verification and auditing purposes

An Employer must provide information, instruction, and training as per Asbestos Regulation 7 to persons who may have incidental asbestos exposure.


(b) During and after completion of demolition work -

All asbestos and material containing asbestos are handled and disposed of according to Asbestos Abatement Regulation 21;

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	SHE SPECIFICATION Disconnections & Reconnection Services NCOU Sectors (Karoo, Kgalagadi, Kalahari and Hart sectors)	Template Identifier	240-73416879	Rev	2
		Document Identifier	High/SPU01	Rev	1
		Effective Date	February 2024		
		Review Date	February 2025		

All persons exposed to or likely to be exposed to asbestos is issued with appropriate Personal Protective Equipment as per Asbestos Abatement Regulation 19 and that such equipment is used properly.

The premise, area or structure is thoroughly checked to ensure that all asbestos waste has been removed.

Contractor shall ensure:

Where roof work / Work from fall risk position are performed it is done in accordance to Construction Regulation 10.

Written work procedures are established and followed to prevent release of asbestos dust in the environment and approval therefore obtained from Approved Asbestos Inspection Authority and Provincial Director of D.O.L. Plan of work is submitted for approval, at least 30 day prior to work commencing, to an approved asbestos inspection authority;

A copy of the plan of work, approved by approved asbestos inspection authority, is submitted to the provincial director at least 14 days prior to commencement of demolition work. The approved plan of work shall be signed by Approved Asbestos Inspection Authority, employer and mandatory of employer.

Respirators:

The employer shall—

(a) Provide employees with respirators approved by the chief inspector for use when working with asbestos. A sufficient quantity of respirator filters approved for asbestos shall be provided so those employees can change filters during the workday. A filter should preferably not be used for a period longer than one workday. The respirators shall be issued on a personal basis and arrangements shall be made for the regular inspection and servicing of the respirators.

(b) Instruct and train employees in proper respirator use and ensure that filters and respirators are protected from exposure to asbestos prior to use; and

(c) Ensure that employees always wear respirators in the workplace, and that respirators are properly fitted.

Protective clothing:


The employer shall-

(a) Provide suitable protective clothing for his employees. Suitable clothing comprises overalls or similar full-body protective clothing with head covering and gumboots. Such clothing may be disposable, washable for re-use or may alternatively be suitable wet weather gear that can be hosed down;

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	SHE SPECIFICATION Disconnections & Reconnection Services NCOU Sectors (Karoo, Kgalagadi, Kalahari and Hart sectors)	Template Identifier	240-73416879	Rev	2
		Document Identifier	High/SPU01	Rev	1
		Effective Date	February 2024		
		Review Date	February 2025		

(b) Undertake or arrange for the disposal or laundering of protective clothing. Where a contract laundry is employed, care shall be taken that the contractor fully understands the precautions necessary for handling asbestos-contaminated clothing; and

(c) Ensure that protective clothing is removed from the premises only for laundering or disposal and then only if suitably packed in a sealed impermeable container, and that it is clearly labelled with a warning label as containing asbestos-contaminated clothing.

Personal protective equipment and facilities (AAR 19):

(1) An employer or self-employed person must—

(a) provide respiratory protective equipment and protective clothing suitable for protection against regulated asbestos fibres to all persons who may be exposed to asbestos;

(b) ensure that the respiratory protective equipment provides the appropriate level of protection for the type of asbestos work to be undertaken; and

(c) ensure that a person's exposure is adequately controlled as contemplated in regulation 9.

(2) Where respiratory protective equipment is provided, the employer or self-employed person must ensure that—

(a) the relevant equipment is capable of keeping the exposure level below the OEL for asbestos;

(b) the relevant equipment is correctly and properly used, stored and maintained;

(c) information, instruction, training and supervision that are necessary with regard to the use of the equipment are provided to the persons; and

(d) the equipment is kept in good condition and efficient working order.

Only SABS-approved asbestos dust/particulate masks (respiratory protection devices), capable of keeping the exposure level below the OEL for asbestos, are permitted to be used for asbestos inhalation protection.

Employees expected to wear the issued respiratory protective devices shall be trained in their correct use, storage, and maintenance.


The Principal Contractor Manager/Supervisor shall provide regular visual inspections of the employees to ensure the correct usage, maintenance, and condition of the PPE. No respiratory protection device may be left lying on the surface where it could accumulate asbestos fibres. The issued disposable respiratory protective device (particulate filter) shall be used once only.

Where reusable respirators are used, the requirements indicated for decontamination facilities and personal hygiene in this standard should be complied with.

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	SHE SPECIFICATION Disconnections & Reconnection Services NCOU Sectors (Karoo, Kgalagadi, Kalahari and Hart sectors)	Template Identifier	240-73416879	Rev	2
		Document Identifier	High/SPU01	Rev	1
		Effective Date	February 2024		
		Review Date	February 2025		

PPE issued to an employee shall be cleaned, decontaminated (asbestos-free), and, where appropriate, sterilised. Separate containers or storage facilities shall be provided for storage of PPE when not in use, and all PPE, when not in use, may only be stored in the place provided.

No person shall be allowed to remove dirty or contaminated PPE from the premises. Where contaminated PPE must be disposed of, it shall be treated as asbestos waste. Supervisors responsible for the asbestos work must ensure compliance with these requirements.

Where PPE contaminated with asbestos dust is cleaned on the premises:

- Care must be taken to prevent contamination during handling, transport and cleaning; and
- Water used for decontamination or cleaning of equipment must be filtered in accordance with AAR – Regulation 9(3) before being released into any water system.

The Registered Asbestos Contractor must—

- provide employees involved in Type 1 and Type 2 asbestos work with adequate personal washing facilities, which are readily accessible and located in an area where the facilities will not become contaminated;
- provide employees involved in

Decontamination facilities and personal hygiene:

The employer shall set up decontamination facilities outside the workplace for the exclusive use of employees exposed to asbestos. These facilities shall consist of a "clean" change-room, toilet/shower facilities and a "dirty" decontamination change-room

All employees without exception shall—


- remove personal clothes in the "clean" change- room and put on clean protective clothing, gum-boots and respirators before entering the work- place; and
- Use the vacuum-cleaning to de-dust before the protective clothing and gumboots are removed in the "dirty" decontamination change room when leaving the workplace. While still wearing their respirators, the employees should proceed to the showers and only remove their respirators while showering. All showering must be done using soap and water.
- Employees shall not eat, drink or smoke in the workplace. Before eating, drinking or smoking, employees shall first comply with paragraph (ii), and before re-entering the workplace employees shall comply with paragraph (i).

All other persons entering the workplace shall wear approved respirators for asbestos as well as protective clothing and footwear. Before leaving the workplace they must comply with paragraph (ii).

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	SHE SPECIFICATION Disconnections & Reconnection Services NCOU Sectors (Karoo, Kgalagadi, Kalahari and Hart sectors)	Template Identifier	240-73416879	Rev	2
		Document Identifier	High/SPU01	Rev	1
		Effective Date	February 2024		
		Review Date	February 2025		

All contaminated clothing and footwear shall be left in the decontamination change-room and should be immediately stored in suitable containers prior to disposal or laundering. Contaminated respirators that are removed in the showers must be removed after being washed down and stored for disposal or made good for re-use. The collection of protective clothing, footwear and respirators shall be strictly controlled.

Decontamination (AAR 19):

(3) An employer or self-employed person must, as far as is reasonably practicable—

(a) issue no personal protective equipment to a person unless such equipment is cleaned, decontaminated and, where appropriate, sterilised;

(b) provide separate containers or storage facilities for personal protective equipment not in use; and (c) ensure that all personal protective equipment not in use is stored only in the place provided.

(4) An employer or self-employed person must, as far as is reasonably practicable, ensure that all personal protective equipment contaminated with asbestos dust is thoroughly cleaned and handled in accordance with the following procedures-

(a) Where personal protective equipment is cleaned on the premises of the asbestos client, care must be taken to prevent contamination during handling, transport, and cleaning; and

(b) water that is used for decontamination or cleaning of equipment must be filtered in accordance with regulation 9(3) before being released into any water system.

(5) Subject to sub regulation (3)(a), an employer or self-employed person must ensure that no person removes dirty or contaminated personal protective equipment from the workplace: Provided that where personal protective equipment contaminated with asbestos dust has to be disposed of, it must be treated as asbestos waste as contemplated in regulation 21.

(6) Subject to the Facilities Regulations, 2004, published as Government Notice R.924 in Gazette No. 26636 of 3 August 2004, the employer must—


(a) provide employees involved in type 1 and type 2 asbestos work with adequate washing facilities, which are readily accessible and located in an area where the facilities will not become contaminated, to enable employees to meet a standard of personal hygiene consistent with the adequate control of exposure, and to avoid the spread of asbestos dust;

(b) provide employees involved in type 3 asbestos work with a decontamination facility, in accordance with HSG 248, Chapter 9, which facility is readily accessible and located in an area where it will not become contaminated, to enable employees to meet a standard of personal hygiene consistent with the adequate control of exposure, and to avoid the spread of asbestos dust.

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	SHE SPECIFICATION Disconnections & Reconnection Services NCOU Sectors (Karoo, Kgalagadi, Kalahari and Hart sectors)	Template Identifier	240-73416879	Rev	2
		Document Identifier	High/SPU01	Rev	1
		Effective Date	February 2024		
		Review Date	February 2025		

After asbestos work has been completed, the Registered Asbestos Contractor shall ensure that all surfaces in the regulated asbestos area are cleaned, preferably by first using vacuum-cleaning equipment with a HEPA filtration efficiency of 99.97% for particles of 1 µm in size and then wet-cleaning techniques (for example, mops). After cleaning the regulated asbestos area, 24 hours shall be allowed for the dust to settle before repeating the wet cleaning of all surfaces. If the clean-up seems satisfactory, the Registered Asbestos Contractor shall ensure that two static air samples are taken inside the area, after the clean-up has been completed and within a reasonable time after the area is deemed to be dry, to ascertain whether the regulated asbestos area is clear of asbestos fibres.

If it is found that the regulated asbestos area is still contaminated, the Registered Asbestos Contractor shall ensure that the cleaning and air sampling are repeated until the concentration of regulated asbestos fibres is less than, or equal to, the background concentration (clearance indicator sampling) or less than 0.01 f/ml of air (reassurance sampling).

If the regulated asbestos area is found to comply with the above, all contaminated materials, for example, isolation sheeting, tape, barriers, and other debris, shall be carefully placed in double impermeable plastic bags for asbestos waste and properly sealed off, for example, with a cable tie, and disposed of as asbestos waste.

Disposal of waste:


An employer or self-employed person must, as far as is reasonably practicable, ensure that—

- (a) all asbestos waste is placed in containers that will prevent exposure during handling;
- (b) the premises, structure or area are thoroughly checked to ensure that all asbestos waste intended for disposal has been removed.
- (c) all vehicles, reusable containers, or any other similar articles, which have been in contact with asbestos waste, are cleaned and decontaminated after use in such a way that such vehicles, containers or similar articles do not cause a hazard inside or outside the workplace concerned.
- (d) a document is obtained from the asbestos disposal site, contemplated in sub regulation (e), for all asbestos waste removed from the workplace; all asbestos waste is disposed of only on sites specifically designated for this purpose in terms of the Environment Conservation Act, 1989, and the National Environmental Management: Waste Act, 2008;
- (e) all persons involved in the collection, transport and disposal of asbestos waste, who may be exposed to that waste, are provided with suitable personal protective equipment;

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	SHE SPECIFICATION Disconnections & Reconnection Services NCOU Sectors (Karoo, Kgalagadi, Kalahari and Hart sectors)	Template Identifier	240-73416879	Rev	2
		Document Identifier	High/SPU01	Rev	1
		Effective Date	February 2024		
		Review Date	February 2025		

(f) the drivers of vehicles carrying asbestos waste are provided with written instructions on safety precautions and emergency procedures; and

(g) where the services of a contractor for the transport and disposal of asbestos waste are used, the contractor complies with the provisions of these Regulations.

Asbestos clearance certificate:

Following the completion of type 2 or type 3 asbestos work, an approved inspection authority must—

(a) conduct a thorough visual inspection of the relevant work area;

(b) conduct air sampling to ensure compliance with the clearance indicator;

(c) ensure that all asbestos waste has been removed in accordance with the requirements of regulation 21 (AAR); and

(d) issue a written declaration for the purpose of clearance certification.

3.52 Security Management

When making use of security services on a contractor worksite adherence to Sectoral Determination 6: Private Security Sector published under Government Gazette No. 35633 of 28 August 2012, needs to be adhered to.

Security contractor companies and Security officers should be in possession of their respective PSIRA registrations.

Security officers need to be provided with adequate Uniform (Including bullet proof vests), Lighting, Shelter, Ablutions, Drinking water, Communication devices and Panic buttons.

An adequate Threat risk assessment needs to be conducted before any Security services can be provided.


3.53 Access to farms, rural areas, private property, public and Governmental land

When there is a need to access private property Eskom standard 240-80605256 ACCESS TO PRIVATE PROPERTY (INCLUDES STRATEGY ON ACCESSING GAME RESERVES / FARMS / SMALLHOLDINGS) needs to be followed. For any other Government owned land the necessary authorities should be contacted and arrangements to be made.

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	SHE SPECIFICATION Disconnections & Reconnection Services NCOU Sectors (Karoo, Kgalagadi, Kalahari and Hart sectors)	Template Identifier	240-73416879	Rev	2
		Document Identifier	High/SPU01	Rev	1
		Effective Date	February 2024		
		Review Date	February 2025		

Be aware that various hazards might be present when accessing private land, for example wild animals, domestic animals and public members themselves can also pose risks.

3.54 Working in close proximity to Live apparatus

Principal contractors must at all times ensure that all relevant legislation and best practices are followed when working near large bodies of water

Ensuring that an adequate risk assessment is conducted and control measures implemented when work is conducted near or close to bodies of water. Control measures including but not limited to relevant barricading and terrain stability assessment should be put in place.

3.55 Routine on job observations

In line with Eskom requirements the Principal contractor site supervisor is responsible to conduct routine on site job observations.

Eskom will confirm if this requirement is adhered to through site visits and audits.

Requirements:

1. Have at least 4 job observations been done per month?
2. Has a task observation for operation of specialized vehicle mounted equipment taken place within the last 3 months?
3. Has all staff who "Work at heights" been observed at least once a year?
4. Have all staff who perform critical tasks been observed at least once a year whilst performing a critical task?

4. Acceptance


Nil.

5. Revisions

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	SHE SPECIFICATION Disconnections & Reconnection Services NCOU Sectors (Karoo, Kgalagadi, Kalahari and Hart sectors)	Template Identifier	240-73416879	Rev	2
		Document Identifier	High/SPU01	Rev	1
		Effective Date	February 2024		
		Review Date	February 2025		

Date	Rev.	Compiler	Remarks
August 2015	0	F Pooe	This provides the initial SHE specification requirements that must be met by the relevant contractors who have been awarded a contract for the work to be performed for Eskom.
February 2024	1	M v Tonder	Document made scope of work specific to "Replace SPU meter with new smart SPU meter"

ANNEXURE 1 – FLASH REPORT

ACCIDENT / INCIDENT REGISTER NO :

PART 1 – TO BE COMPLETED FOR ALL ACCIDENTS / INCIDENTS:


ESKOM ☐ PUBLIC ☐ CONTRACTOR ☐ CASUAL/TEMP ☐
 POOL ☐ COMPANY CAR ☐ SCHEME ☐ HIRED/PRIVATE ☐


FIRST AID		ELECTRICAL CONTACT	
MEDICAL		EQUIPMENT DAMAGE	
FATAL		THEFT	
LOST TIME INJURY		ENVIRONMENTAL	
OCCUPATIONAL DISEASE		FIRE	
VEHICLE ACCIDENT		NEAR MISS	
STORM DAMAGE		ON DUTY	
OTHER		OFF DUTY	
CRIME RELATED INCIDENTS			
PRIORITISATION BY LINE & SHE USING THE MATRIX			

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	SHE SPECIFICATION Disconnections & Reconnection Services NCOU Sectors (Karoo, Kgalagadi, Kalahari and Hart sectors)	Template Identifier	240-73416879	Rev	2
		Document Identifier	High/SPU01	Rev	1
		Effective Date	February 2024		
		Review Date	February 2025		

 Matrix.pdf			
---	--	--	--

NAME OF PERSON INVOLVED	
UNIQUE NUMBER OR IDENTITY NUMBER	
NATURE OF INJURIES SUSTAINED	
UNIT/SECTION/DEPARTMENT	
DATE OF ACCIDENT/INCIDENT	
LOCATION OF INCIDENT/ACCIDENT	
MANAGER/SUPERVISOR	
TELEPHONE NUMBER	

FULL DESCRIPTION OF ACCIDENT/INCIDENT :

WHAT IMMEDIATE ACTION IS TAKEN TO PREVENT SIMILAR INCIDENT IN FUTURE?

LESSON LEARNT (GENERAL)

IMMEDIATE PRELIMINARY FINDINGS OBSERVED

SUBSTANCE ABUSE TEST DONE	YES		NO	
---------------------------	-----	--	----	--


PART 2 – TO BE COMPLETED FOR PUBLIC / CONTRACTOR / LIVESTOCK ACCIDENTS

LOW HANGING CONDUCTOR / CONDUCTOR ON GROUND		OTHER	
IRRIGATION PIPE INTO LINE			
TELKOM LINE INTO ESKOM LINE			
EXTERNAL / SUB-CONTRACTOR			
UNLAWFUL ENTRY / VANDALISM			

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	SHE SPECIFICATION Disconnections & Reconnection Services NCOU Sectors (Karoo, Kgalagadi, Kalahari and Hart sectors)	Template Identifier	240-73416879	Rev	2
		Document Identifier	High/SPU01	Rev	1
		Effective Date	February 2024		
		Review Date	February 2025		

CRANE INTO LINE			
TREE ON LINE			
ESKOM VEHICLE INVOLVED			

PART 3 – TO BE COMPLETED FOR ALL VEHICLE ACCIDENTS

ESKOM DRIVER & UNIQUE NUMBER	
ESKOM VEHICLE REGISTRATION NUMBER	
DAMAGES TO ESKOM VEHICLE	
THIRD PARTY REGISTRATION NUMBER	
DRIVER OF 3 RD PARTY VEHICLE	
TELEPHONE NUMBER OF 3 RD PARTY	
NAME OF WITNESS	
WITNESS TELEPHONE NUMBER	

PART 4 – TO BE COMPLETED FOR ALL ELECTRICAL CONTACTS

DD SHEET NUMBER	
LINE CLEARANCE	
SUB STATION AND NETWORK	
SECTION BREAKERS	
TEE LINE	
ESKOM VOLTAGE	
BEFORE THE METER	
BEYOND THE METER	

PART 5 – TO BE COMPLETED FOR ALL CRIME RELATED INCIDENTS

NAME OF INVESTIGATING OFFICER	
DATE , TIME REPORTED TO INVESTIGATING OFFICER	
ESTIMATED VALUE INVOLVED	
DESCRIPTION OF PROPERTY DAMAGE	
NAME OF POLICE STATION REPORTED TO	
DATE, TIME REPORTED TO SAPS	
PERSON REPORTING TO SAPS	


PART 6 – TO BE COMPLETED FOR ALL MEDICAL AND LOST TIME INJURIES

NAME OF ATTENDING DOCTOR	
NAME HOSPITAL TAKEN TO	
TELEPHONE NUMBER OF DOCTOR / HOSPITAL	
FAX NUMBER OF DOCTOR / HOSPITAL	
DATE OF TREATMENT RECEIVED	
TIME OF TREATMENT RECEIVED	

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	SHE SPECIFICATION Disconnections & Reconnection Services NCOU Sectors (Karoo, Kgalagadi, Kalahari and Hart sectors)	Template Identifier	240-73416879	Rev	2
		Document Identifier	High/SPU01	Rev	1
		Effective Date	February 2024		
		Review Date	February 2025		


PART 7 – TO BE COMPLETED FOR ALL INCIDENTS / ACCIDENTS

FULL NAME OF PERSON REPORTING INCIDENT	
NAME OF SAFETY REP REPORTED TO	
TELEPHONE NUMBER	
FAX NUMBER	
DATE OF REPORTING INCIDENT / ACCIDENT	
TIME OF INCIDENT / ACCIDENT	

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	SHE SPECIFICATION Disconnections & Reconnection Services NCOU Sectors (Karoo, Kgalagadi, Kalahari and Hart sectors)	Template Identifier	240-73416879	Rev	2
		Document Identifier	High/SPU01	Rev	1
		Effective Date	February 2024		
		Review Date	February 2025		

Annexure 2 – Transportation of people at the back of open vehicles

DISTRIBUTION TECHNICAL INSTRUCTION

15 December 2011 Enquiries: Moniwa Mahlangu
Tel: (012) 421 6625

TECHNICAL INSTRUCTION: 11TI-027

ART: 21 – RISK MANAGEMENT

TRANSPORTATION OF PEOPLE AT THE BACK OF OPEN VEHICLES (BAKKIES)

Background

In the past years we have experienced fatalities where people were being transported at the back of open vehicles, this has had a major impact since these vehicles are not meant for the conveyance of people but material and tools instead and furthermore it is against existing laws in the country. It was also communicated through a technical instruction (10TI-012) issued on 26 March 2010 that the practice should be stopped, it was however observed that this practice still persists in the organization.

It is further expressed that all Eskom employees and contractors should ensure Zero Harm to employees whilst performing work and even travelling on a daily basis.


Instruction

In order to prevent these incidents and similar consequences, it is decided that no person will be transported in a vehicle that is not intended for the conveyance of people at all times. Therefore no one will be transported at the back of an LDV regardless of whether it is covered with a canopy.

This instruction should be implemented with immediate effect and be communicated to all the relevant parties.

This Technical Instruction is in accordance with Eskom's Policies & Procedure and applicable legislation.


Your commitment to Zero Harm to all is appreciated.


 APPROVED BY:

23/12/2011
 DATE:

A Noah
Chairperson – Distribution SHEQ Committee


ESKOM COPYRIGHT PROTECTED



Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	SHE SPECIFICATION Disconnections & Reconnection Services NCOU Sectors (Karoo, Kgalagadi, Kalahari and Hart sectors)	Template Identifier	240-73416879	Rev	2
		Document Identifier	High/SPU01	Rev	1
		Effective Date	February 2024		
		Review Date	February 2025		

ANNEXURE 3 - TRAINING NEEDS ANALYSIS/ MATRIX

	CORE SAFETY, HEALTH AND ENVIRONMENT COMPETENCY TRAINING MATRIX	Template Identifier	240-43921898	Rev	4
		Document Identifier	240-89306315	Rev	1
		Authorisation Date	December 2019		
		Review Date	December 2024		

Introduction:


This training matrix is to be read in conjunction with 32-477 (SHE Training and Development Procedure)

OU/BU		18	10	19	23	23	23	23	23	22	23	23	23	2	22	23	23	23	23	2
														3						3
GM/PSM		4	1	1	0	0	0	0	0	1	0	0	0	0	1	0	0	0	0	0
Required Training		22	11	20	23	23	23	23	23	23	23	23	23	2	23	23	23	23	23	2
														3						3
Training Compliance	99.0%	81.8%	90.9	95.0	100.0	100.0	100.0	100.0%	100.0	95.7%	100.0	100.0%	100.0	100.0	95.7%	100.0	100.0	100.0	100.0	100.0

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.


	SHE SPECIFICATION Disconnections & Reconnection Services NCOU Sectors (Karoo, Kgalagadi, Kalahari and Hart sectors)	Template Identifier	240-73416879	Rev	2
		Document Identifier	High/SPU01	Rev	1
		Effective Date	February 2024		
		Review Date	February 2025		

EMPLOYEE (Name and surname)	DESIGNATION	Safety Induction Training		SHE Systems Training				General Health and safety				Construction SHE Management Training				Other OHS Training Requirements:					
		Site Specific SHE Induction	Task Specific SHE Induction	ISO 14001 Environmental management system standard awareness	Occupational Health and Safety Assessment Series Awareness – OHSAS 18001: 2007	Occupational Health and Safety Assessment Series Implementation – OHSAS 18001: 2007	ISO 45001 Occupational Health and Safety Standard Awareness	General Health and Safety Awareness/ Introduction to Basic	Office Health and Safety	NEBOSH Occupational Health and Safety	SHE Training for Supervisors	Contracts Health and Safety Management Training for Tender	Contracts Health and Safety Management Training for Procurement	Contracts Health and Safety Management Training for Construction Clerk-of-works, Project Supervisors, Managers	First Aid	Fire Fighting	Safety representative	FAS and FAS Rescue	Fall Protection Planner	ETC.	
		Done	Req	Req	Done	Done	Done	Done	Done	Req	Done	Done	Done	Done	Req	Done	Done	Done	Done	Done	Done
		Req	Done		Done	Done	Done	Done	Done	Done	Done	Done	Done	Done	Done	Done	Done	Done	Done	Done	Done
		Req	Done		Done	Done	Done	Done	Done	Done	Done	Done	Done	Done	Done	Done	Done	Done	Done	Done	Done
		Req	Done		Done	Done	Done	Done	Done	Done	Done	Done	Done	Done	Done	Done	Done	Done	Done	Done	Done
			Done		Done	Done	Done	Done	Done	Done	Done	Done	Done	Done	Done	Done	Done	Done	Done	Done	Done
		Done	Done		Done	Done	Done	Done	Done	Done	Done	Done	Done	Done	Done	Done	Done	Done	Done	Done	Done
		Done			Done	Done	Done	Done	Done	Done	Done	Done	Done	Done	Done	Done	Done	Done	Done	Done	Done

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	SHE SPECIFICATION Disconnections & Reconnection Services NCOU Sectors (Karoo, Kgalagadi, Kalahari and Hart sectors)	Template Identifier	240-73416879	Rev	2
		Document Identifier	High/SPU01	Rev	1
		Effective Date	February 2024		
		Review Date	February 2025		


Annexure 4 – Site Specific Evaluation Template

<h2 style="text-align: center;">SITE SPECIFIC CONTRACTOR EVALUATION TEMPLATE</h2>		
PRINCIPAL CONTRACTOR DETAILS		
Site Name & Address		Telephone:
Project Manager (Client)		Telephone: Cell No :
Principal Contractor		Telephone: Cell No :
Contractors		Telephone:
Construction /Site Manager(Principal Contractor)		Cell:
Construction H&S Manager (Principal Contractor)		Cell:

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	SHE SPECIFICATION Disconnections & Reconnection Services NCOU Sectors (Karoo, Kgalagadi, Kalahari and Hart sectors)	Template Identifier	240-73416879	Rev	2
		Document Identifier	High/SPU01	Rev	1
		Effective Date	February 2024		
		Review Date	February 2025		


Construction H&S Officer(Principal Contractor)		Cell:
Scope of Work		
Project Commencement Date:		
Project Completion Date:		

Codes	Legal Requirements	Legal Ref	STATUS			What to look for??	Actions & Comments
			Y	N	N/A		
A1	SHE Policy	Sec. 07 OHS ACT				SHE Policy must be signed by the CEO of the company and dated.	
A2	Mandatory Agreement	Sec. 37(2)				A signed 37-2 agreement (new) by Client and Principal Contractor and if	

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.


	SHE SPECIFICATION Disconnections & Reconnection Services NCOU Sectors (Karoo, Kgalagadi, Kalahari and Hart sectors)	Template Identifier	240-73416879	Rev	2
		Document Identifier	High/SPU01	Rev	1
		Effective Date	February 2024		
		Review Date	February 2025		


					applicable between their appointed contractors	
		Section 10 (4)			Is there an agreement of Client and/ or Supplier using third party equipment/ machinery on site as well as security contracts	
		32-726 (Annexure B)			Signed Annexure B Acknowledge of Eskom SHE rules and other requirements	
		Adherence to Requirements			Signed Adherence to the Occupational Health and Safety Act, Act No 85 of 1993 and Regulations, Eskom SHE Specification and other Requirements	

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.


	SHE SPECIFICATION Disconnections & Reconnection Services NCOU Sectors (Karoo, Kgalagadi, Kalahari and Hart sectors)	Template Identifier	240-73416879	Rev	2
		Document Identifier	High/SPU01	Rev	1
		Effective Date	February 2024		
		Review Date	February 2025		

						 Letter to Contractor Executives 18-12-202	
A3	H&S specification and Baseline Risk Assessment for the project	CR 5(b) CR5(1)(a)				Client Issued H&S Specification and Baseline Risk Assessment to be included in file	
A4	Total Number of employees on site	CR 5(1)(h)				Employee list site specific to the project	
A5	Letter of Good Standing	CR 5(1)(j)				A valid current FEM/COID letter of Good Standing, Number and expiry date/ Nature of Business must reflect the scope of work of that specific project.	
A6	H&S Plan	CR7 (1)(a)				H&S Plan to be aligned to Clients H&S Specification/ scope specific to the project	

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.


	SHE SPECIFICATION Disconnections & Reconnection Services NCOU Sectors (Karoo, Kgalagadi, Kalahari and Hart sectors)	Template Identifier	240-73416879	Rev	2
		Document Identifier	High/SPU01	Rev	1
		Effective Date	February 2024		
		Review Date	February 2025		

Codes	Appointments & Competencies	Legal Ref	Status			What to look for?	Actions & Comments
			Y	N	N/A		
B1	CEO	Sec.16(1)				Letter of Appointment/ Letter of resolution	
B2	CEO Assignee	Sec. 16(2)				Letter of Appointment	
B3	H&S Rep.	Sec. 17				Letter of appointment and proof of competency	
B4	H&S Committee Members	Sec. 19(3)				Letters of appointment(Management appointees as well as employee representatives)	
B5	First Aider	GSR 3(4)				Letter of appointment and proof of competency	

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.


	SHE SPECIFICATION Disconnections & Reconnection Services NCOU Sectors (Karoo, Kgalagadi, Kalahari and Hart sectors)	Template Identifier	240-73416879	Rev	2
		Document Identifier	High/SPU01	Rev	1
		Effective Date	February 2024		
		Review Date	February 2025		


B6	Ladder Inspector	GSR 13A				Letter of Appointment & proof of competence	
B7	Incident Investigator	GAR 9(2)				Letter of appointment and a certificate in incident investigation e.g. RCAT	
B8	Construction H&S Officer (Part-time)	CR 8(5)				Letter of Appointment & SACPCMP Registration	
B9	Work Supervisor	Section 8 of 5=85 Of 1993 OHSA				Letter of Appointment & proof of competence	
B10	Risk Assessor	CR 9(1)				Letter of appointment & proof of formal Risk Assessment course/training attended- Institution name	
B11	Fall Protection Planner	CR -10(1)(a)				Letter of appointment and proof of training US:229994	

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.


	SHE SPECIFICATION Disconnections & Reconnection Services NCOU Sectors (Karoo, Kgalagadi, Kalahari and Hart sectors)	Template Identifier	240-73416879	Rev	2
		Document Identifier	High/SPU01	Rev	1
		Effective Date	February 2024		
		Review Date	February 2025		

B12	Driver List and Competency	 Vehicle and Driver Safety Management P 240-62946386				Provide Vehicle drivers with valid drivers licences with PDrP where applicable	
B13	Electrical Machinery Inspector	CR 24(e)				Letter of appointment and proof of competency, Electrical Trade test	
B14	Stacking & Storage	CR 28(a)				Letter of Appointment & proof of competence – Formal training certificate	
B15	Fire Equipment Inspector	CR29 (h)				Letter of appointment and proof of competency	
B18	HCA Controller	HCA Regulations				Letter of appointment and proof of competence for Hazardous chemicals (Valid	

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.


	SHE SPECIFICATION Disconnections & Reconnection Services NCOU Sectors (Karoo, Kgalagadi, Kalahari and Hart sectors)	Template Identifier	240-73416879	Rev	2
		Document Identifier	High/SPU01	Rev	1
		Effective Date	February 2024		
		Review Date	February 2025		

						PCO for Vegetation Management)	
Codes	Risk Assessment	Legal Ref	Status			What to look for?	
			Y	N	N/A		
C1	Risk Identification	CR 9(1)(a)				Risk Assessment template -Site specific risk identification Copy of Baseline Risk Assessment	
C2	Risk Analysis	CR 9(1)(b)				A documented method on how hazards and risks are evaluated and analysed e.g. matrices	
C3	Risk Control	CR 9(1)(c)				Documented Risk Mitigation/ Control plan List safe work procedures to mitigate, reduce or control the risks on the BRA	
C4	Monitoring Plan/Mechanism	CR 9(1)(d)				A monitoring plan- How are risks monitored. Note: during execution phase planned task	

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.


	SHE SPECIFICATION Disconnections & Reconnection Services NCOU Sectors (Karoo, Kgalagadi, Kalahari and Hart sectors)	Template Identifier	240-73416879	Rev	2
		Document Identifier	High/SPU01	Rev	1
		Effective Date	February 2024		
		Review Date	February 2025		

					observation at 4 per month by the supervisor, Working at Heights & Specialized Vehicle equipment	
C5	Monitoring /Observations	CR 9(1)(d)			Schedule of observations 4 observations per month on the following Working at Elevated positions for all staff w@h annually , in the last 3 months Specialized vehicles Critical/High/ Extreme task	
C6	Review Plan	CR9(1)(e)			A review plan demonstrating the frequency of review of Baseline RA's(Date of review of the plan if terms of incident occurs)	
C7	Task Manuals and Safe Work Procedures				Check for Review dates of Safe Work Procedures/ Task manuals	
Codes	Induction Training	Legal Ref	Status		What to look for?	

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.


	SHE SPECIFICATION Disconnections & Reconnection Services NCOU Sectors (Karoo, Kgalagadi, Kalahari and Hart sectors)	Template Identifier	240-73416879	Rev	2
		Document Identifier	High/SPU01	Rev	1
		Effective Date	February 2024		
		Review Date	February 2025		

			Y	N	N/A		
E1	Proof of Eskom's Induction Training on file.					Proof of Eskom Induction conducted	
E2	Was Induction done by the Company?					Proof of Company Induction (Attendance register) & Contractor Induction Curriculum Content	
E3	OHS Training program /matrix					Procedure/ Program /IDP's/Matrix	
Codes	Medical Surveillance	Legal Ref	Status			What to look for?	
			Y	N	N/A		
F1	Construction Vehicle & Mobile Plant Operator's medical certificate of Fitness	CR 23(1)(d)(ii)				Medical Fitness Certificate by OHP & OHNP	
F2	Medical certificates for all	CR 7(8)				Medical Certificates of all employees in the	

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.


	SHE SPECIFICATION Disconnections & Reconnection Services NCOU Sectors (Karoo, Kgalagadi, Kalahari and Hart sectors)	Template Identifier	240-73416879	Rev	2
		Document Identifier	High/SPU01	Rev	1
		Effective Date	February 2024		
		Review Date	February 2025		

	employees					project by OHP & OHNP	
F3	Certificate of medical fitness	CR10(2)(b)			N/A	Evaluation of medical fitness of employees working at heights by OHP & OHNP	
Codes	Procedures	Legal Ref				What to look for?	
			Y	N	N/A		
G1	Incident Management Procedure	32-95				Incident Management procedure to be aligned to 32-95, wrt reporting, recording, classification and investigation	
G2	Effective Evacuation Plan	CR 29(1)(i)				Evacuation Plan (e.g. Check emergency number, appointments letters and Fire extinguisher handling awareness etc.)	
G3	Safe Work Procedures for all work performed at elevation to be contained in SHE plan.	32-418 Ref 3.3.2 (c)				Safe work procedure/s	

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.


	SHE SPECIFICATION Disconnections & Reconnection Services NCOU Sectors (Karoo, Kgalagadi, Kalahari and Hart sectors)	Template Identifier	240-73416879	Rev	2
		Document Identifier	High/SPU01	Rev	1
		Effective Date	February 2024		
		Review Date	February 2025		

G4	Vehicle Safety Management	32-345				Vehicle Safety Management Procedure to be aligned to Eskom 32-345	
G5	Procedure for prevention of Fall into water & rescue plan of persons in danger of drowning	CR26(1)(a)				Procedure & Rescue Plan	
Codes	ORHVS	Legal Ref	Status			What to look for?	
			Y	N	N/A		
H	Copies of Valid ORHVS certificates and Authorizations if work is to be done in any Eskom HV yard, substation or servitude authorized by the GMR 2(1)					Copies of valid ORHVS certificates and Authorisations	
Codes	Consultation and Participation	Legal Ref	Status			What to look for?	
			Y	N	N/A		

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.


	SHE SPECIFICATION Disconnections & Reconnection Services NCOU Sectors (Karoo, Kgalagadi, Kalahari and Hart sectors)	Template Identifier	240-73416879	Rev	2
		Document Identifier	High/SPU01	Rev	1
		Effective Date	February 2024		
		Review Date	February 2025		

J1	Statutory meetings/ Inspections reports	Sec 19, 17				Previous records of meetings from other projects, she representative reports	
Codes	Principal Contractor to inform the client regarding use of contractors	Legal Ref	Status			What to look for?	
			Y	N	N/A		
K1	Is the Principal Contractor using contractors?					List of contractors	
K2	Is the contractor's H&S Plan approved by the Principal Contractor (Client)					Copy of contractor's H&S plan , signed by the Principal Contractor	
% Compliance to SHE Specification		100% compliant					Below 100% compliant
Function Representative		Name & Surname		Signature		Date	

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	SHE SPECIFICATION Disconnections & Reconnection Services NCOU Sectors (Karoo, Kgalagadi, Kalahari and Hart sectors)	Template Identifier	240-73416879	Rev	2
		Document Identifier	High/SPU01	Rev	1
		Effective Date	February 2024		
		Review Date	February 2025		

Signature of Eskom SHE Officer				
Signature of Project Co-ordinator				
Signature of Principal Contractor Health and Safety Officer / Representative				


(100% requirements met) - The file is FULLY compliant in all respects and the contractor may access the site and commence work.

(Less than 100% requirements met) - The file is non-compliant – The contractor may not have access to site or commence work. The contractor must rectify the deviations as listed on the following page and the file is re-viewed and a new assessment form is completed achieving full compliance

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	SHE SPECIFICATION Disconnections & Reconnection Services NCOU Sectors (Karoo, Kgalagadi, Kalahari and Hart sectors)	Template Identifier	240-73416879	Rev	2
		Document Identifier	High/SPU01	Rev	1
		Effective Date	February 2024		
		Review Date	February 2025		

Annexure 5 – 37(2) Agreement Template

	Occupational Health and Safety Act: Section 37(2) Agreement - Form	Template Identifier	240-43921804	Rev	5
		Document Identifier	240-77037682	Rev	6
		Effective Date	December 2020		
		Review Date	December 2025		

SECTION 37(2) AGREEMENT CONCLUDED BETWEEN

.....[insert name of subsidiary or Eskom Holdings SOC Limited]

AND

.....

(Name of contractor/supplier)

I,[(insert name of person representing contractor/supplier company)]representing [insert name of contractor/supplier], do hereby acknowledge that [insert name of contractor/supplier] is an employer in his/her own right, with duties as prescribed in the Occupational Health and Safety Act No. 85 of 1993 ("the Act"), as amended, and agree to ensure that all work will be performed and/or machinery or plant used in accordance with the provisions of the Act.


I undertake that [insert name of contractor/supplier] shall strictly adhere to, and ensure that his/her employees adhere to, the provisions of the Occupational Health and Safety Act, 1993 (Act 85 of 1993).

I have been provided with SHE specifications for project/service[insert brief details of project/service, for example, name, contract/project number] and will comply with the requirements set out in these.

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	SHE SPECIFICATION Disconnections & Reconnection Services NCOU Sectors (Karoo, Kgalagadi, Kalahari and Hart sectors)	Template Identifier	240-73416879	Rev	2
		Document Identifier	High/SPU01	Rev	1
		Effective Date	February 2024		
		Review Date	February 2025		

Occupational Health and Safety Act: Section 37(2) Agreement - Form	Document Identifier	240-77037682	Rev	6
--	---------------------	--------------	-----	---

I accept and agree that the SHE specifications constitute arrangements and procedures between (*insert name of contractor/supplier*) and [*insert name of subsidiary or Eskom Holdings SOC Limited*] which will ensure compliance by [*insert name of contractor/supplier*] with the provisions of the Act, as contemplated in section 37(2) of the Act.

This agreement constitutes the sole agreement between the parties, and no variation, modification, or waiver of any of the provisions of this agreement or consent to any departure from these shall, in any manner, be of any force or effect, unless confirmed in writing and signed by both parties, and such variation, modification, waiver, or consent shall be effective only in the specific instance and for the specific purpose and to the extent for which it was made or given.

This agreement is signed on behalf of the parties, each signatory to this warranting that he/she has the requisite authority to do so.

Signed this day of 20 at

..... (*Place*)

(*Full name*)..... (*Signature*)on

behalf of (**Contractor/supplier**)

Contractor Responsible Manager (*responsible for signing the contract on behalf of the contractor/supplier*)


Witnesses

1.

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	SHE SPECIFICATION Disconnections & Reconnection Services NCOU Sectors (Karoo, Kgalagadi, Kalahari and Hart sectors)	Template Identifier	240-73416879	Rev	2
		Document Identifier	High/SPU01	Rev	1
		Effective Date	February 2024		
		Review Date	February 2025		

Occupational Health and Safety Act: Section 37(2) Agreement - Form	Document Identifier	240-77037682	Rev	6
--	---------------------	--------------	-----	---

2.

Signed this day of 20 at (*Place*)

(*Full name*..... (*Signature*) on

behalf of [insert name of subsidiary or Eskom Holdings SOC Limited]
(Contracts and/or Project Manager or Representative)

Witnesses


1.

2.


Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	SHE SPECIFICATION Disconnections & Reconnection Services NCOU Sectors (Karoo, Kgalagadi, Kalahari and Hart sectors)	Template Identifier	240-73416879	Rev	2
		Document Identifier	High/SPU01	Rev	1
		Effective Date	February 2024		
		Review Date	February 2025		

Annexure 6 - Principal Contractor 5(1)(k) Template

	Principal Contractor 5(1)(k) Construction Regulations 2014 Appointment Letter	Document Identifier	240-64729708	Rev	7
		Effective Date	Aug 2021		
		Review Date	September 2026		

I, **(Name & Surname of the appointer)** the **(Designation of the appointer*)** for **(Site name)** hereby appoint you **(Add Appointee Name & Surname)** being the Contractor's Representative for **(Add full company Name)** as **Principal Contractor** for **(Scope of work)** as per Construction Regulations 2014, Regulation 5(1)(k); to perform the following duties as prescribed by Construction Regulations 2014, Regulation 7(1) ; .

Designated Functional Responsibilities and Authority

In particular you are required amongst others, to ensure the following –

- provide and demonstrate to the client sufficient documented Health and Safety Plan based on clients documented health and safety specification contemplated in regulation 5(1)b of CR 2014
- open and keep on site a health and safety file, which must include all documentation required in terms of the Act, which must be available on request to an inspector; the client, the client agent or a contractor;
- on appointing of any other contractor and ensure compliance with the provision of the Act as contemplated on regulation 7(1)c;
- ensure health and safety plan contemplated in regulation 7(1)(a) as well as contractors health and safety plan is available on request to an employee, inspector, a contractor ; the client or client's agent
- hand over a consolidated health and safety file to the client upon completion of the construction work;
- include and make available a comprehensive and updated list of all contractors on site accountable to the principal contractor, the agreements between the parties and the type of work being done
- ensure that all his or her employees have a valid medical certificate of fitness specific to the construction work to be performed and issued by an occupational health practitioner in the form of Annexure 3.
- stop any contractor from performing a construction activity which poses a threat to the health and safety of persons and which is not in accordance with the client's health and safety specifications and the Contractor's Health and Safety Plan for the site.

You are required to report any deviations from the above-mentioned instructions to me.

You shall submit a written weekly report on all shortfalls that have not been met in terms of these regulations.


This appointment is effective from **(Add Start Date Here)** until withdrawn by the **(Designation of the appointer*)**.

.....

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	SHE SPECIFICATION Disconnections & Reconnection Services NCOU Sectors (Karoo, Kgalagadi, Kalahari and Hart sectors)	Template Identifier	240-73416879	Rev	2
		Document Identifier	High/SPU01	Rev	1
		Effective Date	February 2024		
		Review Date	February 2025		

Signature

Date

(Designation of the appointer)*

Acceptance of Designation

I, *(Add Appointee Name Here) (Add Unique number or ID number)*, hereby acknowledge and accept the above-mentioned appointment and declare that I am conversant with the relevant provisions of the Occupational Health and Safety Act No. 85 of 1993.


Principal Contractor CR 5 (1)(k)

Date

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	SHE SPECIFICATION Disconnections & Reconnection Services NCOU Sectors (Karoo, Kgalagadi, Kalahari and Hart sectors)	Template Identifier	240-73416879	Rev	2
		Document Identifier	High/SPU01	Rev	1
		Effective Date	February 2024		
		Review Date	February 2025		

Annexure 7 – Annexure B: Eskom Acknowledgement Form for OHS legal and other requirements

	Annexure B: Eskom Acknowledgement Form for OHS legal and other requirements	Template Identifier	240-43921804	Rev	5
		Document Identifier	240-77471499	Rev	3
		Effective Date	May 2021		

Annexure B: Acknowledgement Form for Eskom OHS legal and other requirements


NOTE: the supplier/contractor/tenderer has to ensure that he/she understands the OHS requirements listed hereunder.

<p>1. The supplier/contractor/tenderer is expected to comply to the following documents when working at/rendering a service to Eskom but not limited to the following:</p> <ul style="list-style-type: none"> a. Eskom contractor Health and Safety requirements standards 32-136 b. OHS specification/requirements provided c. Occupational Health and Safety Act 85 of 1993 d. Compensation for Occupational Diseases and Illnesses Act 130 of 1993 <p>Note: Please note that after contract award, it is your responsibility to fully align the company's processes to Eskom's OHS requirements (policies, procedures, standards etc).</p>
<p>2. Penalties shall be enforced on the main supplier for non-conformance/s (identified for the main supplier and/or its contractor and/or supplier) pertaining to Eskom and/or Statutory OHS requirement/s.</p>
<p>4. Ensure that all employees (contractors/suppliers) undergo the relevant Eskom induction and the company's</p>
<p>5. Management of Contractors/ Suppliers</p> <p>The main contractor/supplier:</p> <ul style="list-style-type: none"> a) Has to demonstrate to Eskom the process and selection criteria applied when appointing contractors and suppliers. b) Has to provide notification to Eskom, prior to the appointment of contractors or suppliers for the commencement of work. c) Has to ensure that contractors/ suppliers have adequate resources and competencies. d) Is accountable for the management of its contractors/ suppliers in order to ensure that the applicable legal and Eskom requirements (that are applicable to the main supplier during contract execution) are complied with by the contractors or suppliers.

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	SHE SPECIFICATION Disconnections & Reconnection Services NCOU Sectors (Karoo, Kgalagadi, Kalahari and Hart sectors)	Template Identifier	240-73416879	Rev	2
		Document Identifier	High/SPU01	Rev	1
		Effective Date	February 2024		
		Review Date	February 2025		

- e) The main supplier shall monitor contractors or suppliers through audits and assessments with regard to OHS compliance during the execution of the work.
- f) The grounds for the termination of work done by contractors/suppliers shall be provided by the main supplier.
- g) All non-conformances/non-compliance by the contractors/suppliers (all tiers) to the main supplier shall be dealt with directly with the main contractor/supplier in terms of performance and penalty processes.
- h) Eskom reserves the right to verify this when deemed necessary. The contractor may be instructed to provide copies of testimonials/references and the contact detail of clients (including Eskom) for whom the Company has done previous work of a similar nature

I, the undersigned, hereby acknowledge that I have obtained copies of the above documents and confirm that I fully understand them and the consequences of non-compliance.

Signed at on day of **20.....**

Company/Supplier Name:

.....

Name of Authorised person (CEO/Director/ Managing Director)

.....

Signature

Date


Witness 1

Witness 2

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	SHE SPECIFICATION Disconnections & Reconnection Services NCOU Sectors (Karoo, Kgalagadi, Kalahari and Hart sectors)	Template Identifier	240-73416879	Rev	2
		Document Identifier	High/SPU01	Rev	1
		Effective Date	February 2024		
		Review Date	February 2025		


Annexure 8 – Behavioural Observation Form

Behavioural Observation Form – Standard					
Observer's Details					
Name of Observer:			Date of Observation:		
Duration of Observation (min) :			Task Grading of Observer:		
Operation Unit:			Observer's Dept./Area:		
Dept. observed:		Location/Area/PS/Unit:			
People Observed		Group Observed			
Number of people observed:		Employee:		Co-Observers	
Number of people working safely:		Principal Contractor:		Co-Observer:	
		Sub-Contractor:		Co-Observer:	
Number of people working unsafely:		Visitor:		Co-Observer:	
Type of activity Observed:					
Safe behaviours and Safe Conditions Observed					
Activity is:	Safe	(If block is selected - describe safe behaviours and conditions in above block)			
	Unsafe	(If block is selected - Please identify the unsafe actions in the categories below)			
Unsafe Categories					
PPE		Positions of People		Reactions of People	
<input type="checkbox"/> Ears		<input type="checkbox"/> Striking against or getting struck by		<input type="checkbox"/> Adjust PPE	
<input type="checkbox"/> Eyes and face		<input type="checkbox"/> Caught in or between objects		<input type="checkbox"/> Change position	
<input type="checkbox"/> Feet and Legs		<input type="checkbox"/> Fall/could fall		<input type="checkbox"/> Rearrange job	
<input type="checkbox"/> Hands and Arms		<input type="checkbox"/> Contacting extreme temperatures		<input type="checkbox"/> Stop activity	
<input type="checkbox"/> Head		<input type="checkbox"/> Inhaling or swallowing hazardous substances		Orderliness/Housekeeping	
<input type="checkbox"/> Respiratory System		<input type="checkbox"/> Repetitive motion		<input type="checkbox"/> Not understood	
<input type="checkbox"/> Trunk		<input type="checkbox"/> Awkward positions		<input type="checkbox"/> Not known	
		<input type="checkbox"/> Electrical contact		<input type="checkbox"/> Not followed	
Tools and Equipment		Procedures			
<input type="checkbox"/> In bad, unsafe condition		<input type="checkbox"/> Not adequate		<input type="checkbox"/> Not followed	
<input type="checkbox"/> Not used correctly		<input type="checkbox"/> Not known		<input type="checkbox"/> Not understood	
<input type="checkbox"/> Wrong for job					
Reasons for Unsafe Behaviours					
<input type="checkbox"/> Not available		<input type="checkbox"/> Knowledge (training)			
<input type="checkbox"/> Unaware of risk		<input type="checkbox"/> Not practical			
<input type="checkbox"/> Uncomfortable		<input type="checkbox"/> Time pressure			
<input type="checkbox"/> Cost		<input type="checkbox"/> Unclear responsibility			
<input type="checkbox"/> Forgetting					
Comments/Follow-up Actions:					

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	SHE SPECIFICATION Disconnections & Reconnection Services NCOU Sectors (Karoo, Kgalagadi, Kalahari and Hart sectors)	Template Identifier	240-73416879	Rev	2
		Document Identifier	High/SPU01	Rev	1
		Effective Date	February 2024		
		Review Date	February 2025		

Annexure 9 – Annexure D OHS KPI SHE Post-contract Reviews

	Annexure D: OHS KPI's and Post-Contract Reviews	Template Identifier	240-43921804	Rev	5
		Document Identifier	240-77472561	Rev	3
		Effective Date	May 2021		

The objectives and outcome of the OHS post-contract review shall be reflected in the contractual requirements for the supplier so that the supplier is aware of this exercise.

An evaluation will be conducted and will be supported by the objective evidence documented during the term of the contract. The evaluation report must be filed in the contract documents.

The following criteria (but not limited to) shall be considered for the review:


- Accident and injury data for the contract.
- OHS non-conformances.
- Duration and effectiveness in addressing and closing out OHS deficiencies/corrective actions.
- Legal compliance with OHS requirements.
- Number of behavioural safety observations conducted by contract manager and the contractor supervisors.
- Close-out of Incident Investigations.
- No. of staff members (incl. subcontractors and suppliers) who contravened the Eskom Lifesaving rules.
- Prohibition and contravention notices issued by Department of Labour/Dept. of Mineral Resources notices, Department of Environmental affairs etc.
- Contributions and effort made to improve OHS performance
- Contractor /Supplier (including its contractor) total number of incidents:
 - Fatalities,
 - Lost-time injuries,
 - reportable incidents (Department of Labour/Department of Mineral Resources/Department Environmental affairs)

The following matrix shall be used to assess the performance against the identified criteria. The OU/BU may add or remove KPI's to ensure practicality:

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	SHE SPECIFICATION Disconnections & Reconnection Services NCOU Sectors (Karoo, Kgalagadi, Kalahari and Hart sectors)	Template Identifier	240-73416879	Rev	2
		Document Identifier	High/SPU01	Rev	1
		Effective Date	February 2024		
		Review Date	February 2025		

	Annexure D: OHS KPI's and Post-Contract Reviews	Template Identifier	240-43921804	Rev	5
		Document Identifier	240-77472561	Rev	3
		Effective Date	May 2021		

1. Contractor OHS KPI (Business units or Operating units must ensure alignment to the business KPI's)

Supplier's name: **Project Ref number:**


Scope of work:

KPA	KPI	Weighting	Floor	Kick	Target	Stretch	Ceiling
1. Fatalities	1.) No of fatalities experienced for the fiscal year or the duration of the project if less than 12 months	40%	2	1	0	-1	-2
2. Lost time incidents / LTIR	1.) Lost time incidents/LTIR for the fiscal year the duration of the project less than 12 months	30%	4	3	2	1	0
3. OHS compliance	1.) Supplier average audit rating for the fiscal year the duration of the project less than 12	20%	1	2	3	4	5

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.


	SHE SPECIFICATION Disconnections & Reconnection Services NCOU Sectors (Karoo, Kgalagadi, Kalahari and Hart sectors)	Template Identifier	240-73416879	Rev	2
		Document Identifier	High/SPU01	Rev	1
		Effective Date	February 2024		
		Review Date	February 2025		

	months						
	2.) Supplier has closed out audit findings/non-conformances within a specified period.		80%	85%	90%	95%	10%
	3.) Eskom Safety rules violation for the fiscal year the duration of the project less than 12 months		40%	20%	0%	-20%	-40%
4. OHS improvement programme	1.) Supplier has implemented OHS interventions or initiatives to improve on the Health and Safety of employees	10%	60%	70%	80%	90%	100%
	2.) Supplier participate in Eskom's OHS interventions and programmes (Safety stand offs, OHS campaigns/events, cooperation, provide the required feedback or information etc)		60%	70%	80%	90%	100%

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	SHE SPECIFICATION Disconnections & Reconnection Services NCOU Sectors (Karoo, Kgalagadi, Kalahari and Hart sectors)	Template Identifier	240-73416879	Rev	2
		Document Identifier	High/SPU01	Rev	1
		Effective Date	February 2024		
		Review Date	February 2025		

	Annexure D: OHS KPI's and Post-Contract Reviews	Template Identifier	240-43921804	Rev	5
		Document Identifier	240-77472561	Rev	3
		Effective Date	May 2021		


2. Post Contract Evaluation Report:

Unacceptable	Satisfactory	Good	Exceptional
Comments:			
Decision:			
<u>Will this Supplier be Recommended for Future Work Within Eskom? Tick Applicable Column</u>			
Yes, With Reservations	Yes	No	
Substantiate the reasons for reservation (if applicable):			
Names and designations and contact details of persons that conducted the post contract review:			

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.


	SHE SPECIFICATION Disconnections & Reconnection Services NCOU Sectors (Karoo, Kgalagadi, Kalahari and Hart sectors)	Template Identifier	240-73416879	Rev	2
		Document Identifier	High/SPU01	Rev	1
		Effective Date	February 2024		
		Review Date	February 2025		

Unacceptable	Satisfactory	Good	Exceptional
<p>Administrative:</p> <p>Performance record and evaluation data on this form have been completed by:</p> <p>Client representative:</p> <p>Name: _____ Title: _____</p> <p>Signature: _____ Date: _____</p> <p>Additional comments:</p>			


Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	SHE SPECIFICATION Disconnections & Reconnection Services NCOU Sectors (Karoo, Kgalagadi, Kalahari and Hart sectors)	Template Identifier	240-73416879	Rev	2
		Document Identifier	High/SPU01	Rev	1
		Effective Date	February 2024		
		Review Date	February 2025		

Annexure 10 – TASK OBSERVATION FORM

	Task Observation Template			Template Identifier	240-43921804	Rev	6
				Document Identifier	240-114350002	Rev	2
				Effective Date	November 2020		
				Review Date	May 2025		

1.	Task Observer Name:		Task Observed / Scope of Work:	
	Section / Department:		Location:	
	Occupation:		Is there a procedure for this task?	
	Date:		Procedure Ref. No.:	
	Time with task:		Work Order No.:	


2.	REASON FOR THE OBSERVATION									
	Planned		Accident Repeater		Experienced Worker		Risk Taker		Follow-up	
	Name of employee/s being observed:									

3.	TASK OBSERVATION									
	Did employee adhere to the procedure / practise requirements?			Could Substandard Acts and Conditions observed lead to:						
	Did the employee use the prescribed PPE			- Injury						
	Did the employee adhere to safety specifications as per activity performed at the time			- Occupational Health Illnesses						
	Tools & Equipment:			- Costs (Delays)						

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.


	SHE SPECIFICATION Disconnections & Reconnection Services NCOU Sectors (Karoo, Kgalagadi, Kalahari and Hart sectors)	Template Identifier	240-73416879	Rev	2
		Document Identifier	High/SPU01	Rev	1
		Effective Date	February 2024		
		Review Date	February 2025		

	- Used correctly			- Poor Quality (Non-conformance)		
	- In good and safe condition			- Environment (Damage, Pollution, Wildlife)		
	- Test certificates valid and available			- Public Liability		
	Pre-task Planning (Toolbox Talk):			- Work Site (Clean and Tidy)		
	- Work Instruction / Task Manual used			- Live saving Rules (Transgression)		
	- Complete workers register					
	Risk assessment been done					
	Valid work permit available					
4.	NON COMPLIANCE PRACTICES OBSERVATION					
	Working at unsafe speed			Failure to warn		
	Using unsafe equipment			Taking chances		
	Using equipment unsafely			Failure to identify hazards		
	Unsafe loading, placing & lifting			Failure to secure / lock-out		
	Taking unsafe position			Safety sign ignored		
	Safety rules ignored					
	NOTE: ALL OBSERVED CLASS HAZARDS SHALL REQUIRE IMMEDIATE INTERVENTION					
5.	OBSERVED DEVIATIONS / NON-CONFORMANCES					
6.	AT RISK BEHAVIOURS					
7.	PROPOSED CONTROLS					
	Compile a procedure for this task			Issue a standing instruction		
	Revise present procedure			Change work methods		

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.


	SHE SPECIFICATION Disconnections & Reconnection Services NCOU Sectors (Karoo, Kgalagadi, Kalahari and Hart sectors)	Template Identifier	240-73416879	Rev	2
		Document Identifier	High/SPU01	Rev	1
		Effective Date	February 2024		
		Review Date	February 2025		

	Retrain employees			Professional referral		
	Engineering revision			Coaching		
8.	ANALYSIS					
	IAC – Inadequate capability		ABU – Abuse or misuse / equip / drug or alcohol		MAIN – Inadequate maintenance	
	KNO – Lack of knowledge		NAT – Natural factors		EQU – Inadequate equipment	
	SKI – Lack of skill		LEA – Inadequate leadership		STA – Inadequate work / training standards	
	STR – Stress		ENG – Inadequate engineering		WEA – Wear and tear	
	MOT – Improper motivation		PUR – Inadequate purchasing		CON – Inadequate control	
9.	DISCUSSION BETWEEN SUPERVISOR / OBSERVER AND EMPLOYEE					
	EMPLOYEE EXPLANATION FOR RISK BEHAVIOUR					
	AGREEMENT TO CHANGE AT RISK BEHAVIOUR					
10.	FOLLOW-UP ACTION				WHEN / WHO	
11.	SIGNATURES					
	Person being observed		Date			
	Task Observer		Date			

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	SHE SPECIFICATION Disconnections & Reconnection Services NCOU Sectors (Karoo, Kgalagadi, Kalahari and Hart sectors)	Template Identifier	240-73416879	Rev	2
		Document Identifier	High/SPU01	Rev	1
		Effective Date	February 2024		
		Review Date	February 2025		

Annexure 11 – Contractor SHE File Hand Back Record

	CONTRACTOR SHE FILE HAND BACK RECORD	Document Identifier	240-76755865	Rev	1
		Authorisation Date	01 March 2014		

Delete not applicable

*Contract / Project : _____

*Contract / Project Number: _____

I, _____ in my capacity as _____,
have received the SHE File for the above mentioned Contract / Project from:

Details of Contractor

Trading Name	
Company Registration Number	
Contact Person	
Contact Number	
Address	

The contents of the file include:


Note: member receiving to ✓ requirement for inclusion in file for project specific

Requirement	Minimum	In file
-------------	---------	---------

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	SHE SPECIFICATION Disconnections & Reconnection Services NCOU Sectors (Karoo, Kgalagadi, Kalahari and Hart sectors)	Template Identifier	240-73416879	Rev	2
		Document Identifier	High/SPU01	Rev	1
		Effective Date	February 2024		
		Review Date	February 2025		


	Requirement ✓	
All drawings, photographs, designs	✓	
Copy SHE policy	✓	
Copy Letter of Good Standing	✓	
Sect 16(2) Appointment	✓	
Project / Contract scope of work	✓	
Project / Contract SHE plan	✓	
Principal Contractor Appointment	✓	
H & S Representative appointment	✓	
Safety Officer appointment	✓	
Construction Notification application	✓	
Construction Work Permit approval	✓	
Approved copy of specific SHE plan	✓	
Project Organisational Organogram	✓	
Breakdown for costing for SHE	✓	
Scope of Work	✓	
Competency Training records	✓	
Incident investigation records	✓	
Base Line Risk Assessments	✓	
Fall protection plan	✓	
Medical Certificates	✓	
Emergency Management plans	✓	
Fire Risk Management plans	✓	
First Aid Management	✓	
SHE Communication System	✓	
Pre start job assessment / talk	✓	
Relevant Equipment check lists	✓	
Audit reports		
•		
•		
•		
•		
•		
•		
•		

- Assessor to add additional project / contract specific requirements

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	SHE SPECIFICATION Disconnections & Reconnection Services NCOU Sectors (Karoo, Kgalagadi, Kalahari and Hart sectors)	Template Identifier	240-73416879	Rev	2
		Document Identifier	High/SPU01	Rev	1
		Effective Date	February 2024		
		Review Date	February 2025		

Comments by member receiving file:

SHE File handed in by:

Name: _____ **Signed:** _____

Date of Handover: _____

SHE File received by:

Name: _____ **Signed:** _____

Date Receiving: _____

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	SHE SPECIFICATION Replace SPU meter with new smart SPU meter	Template Identifier	240-73416879	Rev	2
		Document Identifier	High/SPU01	Rev	X
		Effective Date	February 2024		
		Review Date	February 2025		

Annexure 12 – OHS Tender Evaluation Template

	Annexure C 4: OHS Tender Evaluation Template (Construction work)	Template Identifier	240-43921898	Rev	5
		Document Identifier	240-106084699	Rev	2
		Effective Date	May 2021		

1. Tenderer's / Supplier's name:

Tender Ref number:

Scope of work: Replace SPU meter with new smart meter SPU

<u>Ref.</u>	<u>OHS Tender Returnable</u>	<u>Submission</u>	<u>Comments</u>

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	SHE SPECIFICATION Replace SPU meter with new smart SPU meter	Template Identifier	240-73416879	Rev	2
		Document Identifier	High/SPU01	Rev	X
		Effective Date	February 2024		
		Review Date	February 2025		

		Y = Yes N= No N/A = Not applicable	
1	Annexure B Is the acknowledgement of Eskom's OHS legal and other requirements form signed and submitted by the tenderer?		
2	OHS plan (Must address the project /scope of work OHS risk(s) and aligned with the health and safety specification or requirements)		
3	Costing for Health and Safety management Has the tenderer submitted detailed costing for SHE (the cost should be broken down not provided as a lump sum)? <ul style="list-style-type: none"> The costing must be based on the overall scope of work/service to be performed; 		

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	SHE SPECIFICATION Replace SPU meter with new smart SPU meter	Template Identifier	240-73416879	Rev	2
		Document Identifier	High/SPU01	Rev	X
		Effective Date	February 2024		
		Review Date	February 2025		

<u>Ref.</u>	<u>OHS Tender Returnable</u>	<u>Submission</u>	<u>Comments</u>
		Y = Yes N= No N/A = Not applicable	
	<ul style="list-style-type: none"> The scope of work and the risk assessment may serve as a guideline. 		
4	Baseline Risk Assessment (BRA) Identification, assessment and management of OHS		
5	Valid Letter of Good Standing (COIDA or equivalent)		
6	OHS policy signed by CEO The submitted policy document must comply to OHS Act Section 7		

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	SHE SPECIFICATION Replace SPU meter with new smart SPU meter	Template Identifier	240-73416879	Rev	2
		Document Identifier	High/SPU01	Rev	X
		Effective Date	February 2024		
		Review Date	February 2025		

<u>Ref.</u>	<u>OHS Tender Returnable</u>	<u>Submission</u>	<u>Comments</u>
		Y = Yes N= No N/A = Not applicable	
7	OHS Competency (Consider scope of work, risks, SHE plan and applicability) CV,s and qualifications / certificates. Appointments and competencies required: <ul style="list-style-type: none"> - First aiders - Fire fighters - Part-time Safety officer (SACPCMP registered) - SHE Representative - Incident investigator - Driver Competency 		

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	SHE SPECIFICATION Replace SPU meter with new smart SPU meter	Template Identifier	240-73416879	Rev	2
		Document Identifier	High/SPU01	Rev	X
		Effective Date	February 2024		
		Review Date	February 2025		

<u>Ref.</u>	<u>OHS Tender Returnable</u>	<u>Submission</u>	<u>Comments</u>
		Y = Yes N= No N/A = Not applicable	
	<ul style="list-style-type: none"> - Risk Assessor - Stacking and Storage 		
8	Medical Fitness Certificates - by Occupational Health Practitioner for any two employees		
9	Driver and Vehicle Procedure		
	Recommendation		Recommended or Not recommended.

*NOTE: For explanatory notes for the listed items (SHE requirements) please refer to [240 - 77433139 Annexure A: Supplier Risk Category](#)

Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

