


PARTRIDGE, MAUD AND ASSOCIATES CONSULTANTS IN THE EARTH SCIENCES		TRIAL HOLE/TEST PIT	Test Pit No.:30 Sheet:1 of 1
PROJECT: BRAVO			
	PROFILE DESCRIPTION		
	0,00-0,50m	Slightly moist red-brown, in profile red-brown, stiff, micro fissured SANDY CLAY, with occasional coarse medium and fine, miscellaneous gravels; small roots; hillwash.	
	0,50-0,80m	Abundant coarse and fine sub-rounded, weathered quartzite and tillite GRAVELS, loosely packed in a matrix as above; overall consistency stiff; small roots; pebble marker.	
	0,80-1,50m	Slightly moist red-brown, in profile red-brown mottled dark brown and black, firm, fissured, SANDY CLAY-SILT, with scattered fine friable ferruginous CONCRETIONS; reworked residual diabase.	
	1,50-2,10m	Slightly moist yellow-brown, in profile yellow-brown speckled orange-brown and black, medium dense to dense, jointed (stained red and black and with a thin clay coating in places), slightly CLAYEY SILTY SAND; residual diabase.	
	<div>Notes:</div> <div><div>1.</div><div>Pit excavated to refusal of Hyundai 305LC7 excavator at 2,10m on a hard rock diabase corestone in excess of 2,00m in diameter.</div></div> <div><div>2.</div><div>No water seepage.</div></div> <div><div>3.</div><div>Undisturbed sample at 1,10m.</div></div> <div><div>JFR/JFR</div><div>20/08/07</div></div>		