



PLAN ON RAFT FOUNDATION AT LVL. -1285

- GENERAL NOTES**
1. ALL DESIGN & WORKMANSHIP TO BE IN ACCORDANCE WITH THE FOLLOWING SPECIFICATION.
 2. FOSTER WHEELER GRADE ELEVATION 0.000 EQUALS ESCOM LVL +1450.000
 3. ALL SETTING OUT DIMENSIONS TO BE SITE CHECKED BY CONTRACTOR ANY DISCREPANCIES TO BE REPORTED TO ENGINEER
 4. DO NOT SCALE THIS DRAWING USE FIGURED DIMENSIONS ALL DIMENSIONS ARE IN MILLIMETERS
 5. BEAM DEPTH IS FIRST DIMENSION GIVEN AND INCLUDES SLAB THICKNESS
 6. DIMENSION OF COLUMN FACES PARALLEL TO BOTTOM EDGE OF DRAWING UNLESS FIRST
 7. D.P.C. TO BE GUNPLAS 250µ PLASTIC SHEETING OR EQUAL
 8. MINIMUM CONCRETE STRENGTH @ 28 DAYS
- FOUNDATIONS**
COLUMNS 30 MDS
WALLS
BEAMS & SLABS
SURFACE BED

- REFERENCE DRAWINGS**
- DETS TWO GED. SLAB-21362-0-43-5002
 - GROUND SLAB (SHEET-1) 21362-0-43-5003
 - " (SHEET-2) 21362-0-43-5004
 - " (SHEET-3) 21362-0-43-5005
 - PILING LAYOUT - 21362-0-55-1000
 - PILE CAP LAYOUT - 21362-0-43-5000
 - PLOT PLAN - 21361-0-01-2

Lettered B/S
WILL COMPANY (LOCAL)
ESCOM - 4-10-1982 (FORM)
CONTRACT NO. OPL 1554
DRAWN BY: [Signature]
CHECKED BY: [Signature]
REFERENCE: WLB 27-00 (FORM)

DRAWING RECORDS
TEKENINGLER

OPL 1554
SECOND AND THIRD
Q-63/2861

NOTE:
THIS DRAWING IS AMENDED
ALL PRINTS NOT CARRYING
AMENDMENT ARE
TO BE DESTROYED

CONCRETE LAYOUT OF RAFT SLAB

APPROVED FOR CONSTRUCTION
DRG. REV. 1 DATE 8-9-82
10/9/82
CONTRACT No. 1-1531-21362

SCALE 1:50
21362-0-43-5001

FOSTER WHEELER ENERGY LTD.
AND IS LENT WITHOUT CONSIDERATION OTHER THAN THE BORROWER'S AGREEMENT THAT IT SHALL NOT BE REPRODUCED, COPIED, LENT OR DISPOSED OF DIRECTLY OR INDIRECTLY FOR ANY PURPOSE OTHER THAN THAT FOR WHICH IT IS SPECIFICALLY FORWARDED BY PATENT.