

	1	2	3	4	5	6	7	8	9
A									
B									
C									
D									
E									
F									

FITTING	ROOMS	DESCRIPTION OF ITEM	
	TOILET OPERATING ROOM		
WASH BASIN	●	VAAL POTTERIES VITREOUS CHINA 455x290mm BANTAM WHITE BASIN WITH ONE RHS TAPHOLE CONFIGURATION, COMPLETE WITH WASTE, GRID, PLUG, CHAIN AND CHROME PLATED BOTTLE TRAP. BASIN TO BE FIXED TO WALL WITH TWO 10mm BOLTS 40 x 32mm 'COBRA' (350) CP BOTTLE TRAP WITH 75mm SEAL, INLET SCREWED FEMALE, OUTLET MALE. 'COBRA' (111-15) 1/2" STAR CP PILLAR TAP. ANGLE REGULATING VALVE WITH 350mm LONG SUPPLY TUBE AND CAPNUT. 400 x 600 x 6mm MIRROR WITH POLISHED EDGES, PLUGGED TO WALL WITH CP CAPPED SCREWS. (MIRROR TO BE FITTED ABOVE WASH BASIN SEE DETAIL) 450mm LONG x 19mm dia. CP TOWEL RAIL TO BE FITTED ON WALL NEXT TO BASIN.	COLD WATER
W.C.	●	'VAAL POTTERIES WHITE VITREOUS CHINA CLOSE COUPLED PAN COMPLETE WITH MATCHING 9 LITRE INLET CISTERN, LID, FLUSH PIPE, HANDLE AND SEAT. 150 x 150mm 'COBRA' SEMI-RECESSED WHITE VITREOUS CHINA TOILET ROLL HOLDER. (POSITION TO BE DETERMINED ON SITE)	
SINK FLOOR UNIT	●	PREPARATION BOWL AS SPECIFIED COMPLETE WITH 40mm dia. RUBBER TRAP, WASTE GRID, PLUG AND CHAIN. FOR UNIT SEE DRG.O.12/7323 (SHEET 2) 1 OFF 'COBRA' (113) CHROME PLATED PILLAR TAP WITH STAR TYPE HANDLE.	

1	SINK FLOOR UNIT REVISED - REFERENCE	2	3	4	27/11/17	SHT 1	PLAN
REV	REVISION DESCRIPTION	BY	CHKD	AUTH	DATE	REFERENCE DRAWINGS	
APPROVED BY	D. SENEKAL		DATE 12/7/2011		<div>TRANSMISSION SUBSTATIONS</div> <div>ACCESS CONTROL BUILDING-2011</div> <div>SANITARYWARE SPECIFICATION</div>		
CHECKED BY	A. NAUDE		DATE 12/7/2011				
DRAWN BY	DB NAUDE		DATE 12/7/2011				
SCALE	AS SHOWN						
0.54/7515							
		SHEET NUMBER		REVISION			
		4		1			