

	PURCHASE OF NEW YELLOW PLANT SCOPE OF WORK	Bulk Material Services
---	---	-------------------------------

Title: **SOW – Purchase of New Yellow Plant – Slipform Paver** Document Identifier:

Alternative
Reference Number: Not Applicable

Area of Applicability: Eskom Rotek Industries
SOC Ltd




Functional Area: Bulk Material Services

Revision: 0

Total Pages: 10

Next Review Date:

Disclosure
Classification: Controlled Disclosure

Compiled by	Functional Responsibility	Authorized by
 Lefa Tota Production Manager Date: 15/08/2024	 Shuaib Gaibie Engineering Date: 15/08/2024	 Sifiso Mthethwa BMS Mobile Plant - HOD Date: 15.08.24

1. Purpose

The purpose of this document is to outline the scope requirements for the purchase of new yellow plant fleet for the Eskom Rotek Industries (ERI) Bulk Material Services (BMS) Mobile plant

2. Brief overview of our business

Eskom Rotek Industries (ERI) Bulk Material Services (BMS) mobile plant is used for all construction and materials handling services, including but not limited to, coal, ash and lime stone. The mobile plant must be able to operate and cope within the harsh and dusty environment at any of the provinces within the borders of the Republic of South Africa (RSA).

The reliability of the mobile equipment is of paramount importance to the operations, including its ease of maintenance and availability of spares within the very borders of RSA. The advancements in the use of technology to monitor plant health and its productivity presents an opportunity where technology becomes an integral component of the mobile that is to be acquired.

The Data generated from the telematics, purchased with the equipment, will be the property of Eskom Holdings SOC Ltd, and the entity will be at liberty to use this data at zero (0) cost. In an event that the software/platform is owned by the supplier, the relevant data will equally remain property of the customer, guided by the Eskom Information Security Policy 32-85; Electronic Communications Security Act 68 of 2022; Protection of Information Act 84 of 1982.

3. Description of Services

The services required are for the supply, delivery of new Slipform paver (further details enlisted in the Technical Specifications), with warranty, maintenance and service plan services, to the ERI BMS mobile plant, Rosherville, Johannesburg.

4. Scope of Work

Below listed, are the Technical specifications that further describe the required equipment:

No.	Boundary/Equipment	Specification
4.1	Engine	<ul style="list-style-type: none">Cylinders: 6Cooling: Water

CONTROLLED DISCLOSURE

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Rotek Industries SOC Ltd.

- Nominal Power: @ 2300 rpm: 155kW/208 HP/ 211 PS
- Displacement: 6 057 cm³
- Fuel consumption, full load, during operation: 42 l/h and 12.6 l/h

No.	Boundary/Equipment	Specification
4.2	Electricity System	<ul style="list-style-type: none"> • Power Supply: 24 V DC • Electric vibration: 110 V Ac 3~200Hz
4.3	Weight of basic machine	<ul style="list-style-type: none"> • Empty weight of machine no fluids: 29 000 kg • Operating weight, half tank: 30 000 kg • Maximum operating weight, full tank: 40 400 kg
4.4	Fuel Tank system	<ul style="list-style-type: none"> • Fuel tank: 4000 L • Hydraulic oil tank, electricity vibration: 200 L • Hydraulic oil tank, hydraulic vibration: 400 L • Water tank: 550L • Additional Water tank 550L
4.5	Handling Characteristics	<ul style="list-style-type: none"> • Advance speed during paving: 0 to 6m/min • Travel speed in driving gear: 0 to 21m/min
4.6	Track Units	<ul style="list-style-type: none"> • Number: 3 or 4 • Type BO: (L x W x H): 1590 x 300 x 570mm
4.7	Height Adjustment	<ul style="list-style-type: none"> • Hydraulic: 1100 mm • Mechanical (hole pattern): 400mm
4.8	Machine Weights	<ul style="list-style-type: none"> • Operating weight: 16000-27500 kg • Trimmer working width 600mm: 1300 kg • Belt conveyor: 1550 kg • Folding belt conveyor: 1800 kg • Auger conveyor: 2650 kg
4.9	Concrete Mold	<ul style="list-style-type: none"> • Position: left/ right

CONTROLLED DISCLOSURE

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Rotek Industries SOC Ltd.

	<ul style="list-style-type: none"> • Max. mould height: 3000mm • Max mold width :4000mm
4.10 Vibration and circuits	<ul style="list-style-type: none"> • Hydraulic vibration: 6-12 connectors • Electric vibration: 18 connectors • Hydraulically powered vibrators: straight (D66) • Electrically powered vibrators: straight (D76)
4.11 Trimmer	<ul style="list-style-type: none"> • Standard width: 600-1600 mm • Working depth: 0-150 mm • Cutting diameter: 500 mm • Hydraulic height adjustment: 400mm • Mechanical height adjustment: 300mm • Trimmer laterally adjustable: 1300mm
4.9 Concrete feeding	<ul style="list-style-type: none"> • Belt conveyor: Length 5900mm, belt width :600mm • Folding belt conveyor (extras): Length 6000mm, belt width :600mm • Auger conveyor, short (extras): Length 4600mm, auger diameter :400mm • Auger conveyor, long (extras): Length 5700mm, auger diameter :400mm • Discharge chute: Steel or rubber
4.10 Operator Environment	<ul style="list-style-type: none"> • ROPS cab: • All-weather, enclosed pressurized, Sound suppressed panel glass, Meets ISO 3471 standards • ROPS mounted air conditioner • Advisor operator interface; Electronic monitoring system; Diagnostic service information • Full colour LCD monitor with analogue gauge • Seat – Air-suspension

CONTROLLED DISCLOSURE

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Rotek Industries SOC Ltd.

-
- Heater, defroster and ventilation
 - Visibility – Rear vision camera, rear view mirrors
 - Lighting – LED lights package
 - Interior LED courtesy lights
 - Radio ready
 - Power supply – 24V
 - Sun visor – front/rear
 - Steering, electronically controlled, power differential, joystick
-

5. Equipment monitoring hardware/software

The equipment must be fitted with hardware / software to facilitate online real monitoring of the following: ERI to own below listed data, and data sharing principles to be in line with company policy

- Hours
- Location
- Fuel usage
- Productivity, to include; Utilisation, Idling, payload, load monitors, etc.
- Diagnostic codes, i.e. protective signals
- Equipment to include operator biometric functionality for start-up & data acquisition (price to be costed separately)

6. Warranty (Comprehensive/Premium)

- 0 to 12000 hours (standard + extended) comprehensive/Premium warranty on each machine
- In the event of intra-warranty repairs to new machines, supplier to be in a position to supply a loan machine to maintain minimum 85% availability

*Warranty components to include, but not limited to: **Engine, Electronics, Braking, Steering & Suspension and CAB***

7. Service and Maintenance Plan

CONTROLLED DISCLOSURE

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Rotek Industries SOC Ltd.

- 12000 hours service plan to be added to package, 1st service to be conducted on the 100 hr mark, followed by intervals of 500 hours, with a 50 hours leniency gap
- Supplier to monitor and notify service intervals 150hrs prior to service
- Service plan to be inclusive of a service kit and labour
- 12000 hours Maintenance plan to be added to package

Service/Maintenance, components to include, but not limited to: **Engine, Electronics, Braking, Steering & Suspension and CAB**

8. Operator and Service Manuals (Digital versions)

- Package to include an Operator as well as Service manual

9. Delivery of Equipment

- Delivery of fully finished packaged product to be within contracted timelines from order
- Supplier must plan to deliver/transport the machine to various stipulated sites in the Gauteng, Free State, Mpumalanga and Limpopo regions. Exact locations to be indicated pre-order.
- Commissioning of product must be within 3 days after delivery on site.

10. After Sales/Market Support

No.	Service
1.	24/7 technical support and parts/spares sales – with onsite support capability
2.	Average response time within 6 – 24 hours on warranty breakdowns and warranty services and confirmation of extended aftermarket support for next 6 years minimum
3.	85 - 95% OEM Parts availability in stock
4.	7 to 14 days turn-around time to import spares if not available locally
5.	Supplier to provide free technical training for Supervisors; Artisans; Operators
7.	Technical training on specific equipment to Eskom mechanical technician
8.	Supplier to conduct quarterly machine health monitoring inspections and submit reports to Plant Management within warranty period
9.	In the event of intra-warranty repairs to new machines, supplier to be in a position to supply a loan machine to maintain minimum 85% availability

CONTROLLED DISCLOSURE

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Rotek Industries SOC Ltd.

10	10% of total purchase/contract value to be made available as credit limit for potential spares and maintenance
----	--

11. Equipment Recommendations

Recommendations from a technical perspective, will be based on the following conditions:

- Machine complies with the required specifications
- Product and spares availability
- Technical specification compliance, amongst other requirements

CONTROLLED DISCLOSURE

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Rotek Industries SOC Ltd.

12. Technical Evaluation

Appendix A

Gatekeepers (All Gatekeepers are compulsory for further evaluation to continue)

Tick ✓

<ul style="list-style-type: none"> • ISO 9001 accreditation (that of the equipment Supplier) • 100% compliance with technical specifications • Must be sized to meet the required Max mold width of - 4 000 mm • 100% compliance with delivery schedule • Loan machine confirmation to ensure minimum 85% availability • Confirm that warranty/service/maintenance plans include - Engine, Electronics, Braking, Steering & Suspension and CAB (indicate details) 				
Description		Technical Criterion	Scoring Criteria	Weight (%)
1	OEM or Accredited Distributorship			
1.1	Verifiable Proof of OEM status or accreditation	Proof of OEM registration or authorized distributor approval	20 = verified and compliant OEM registration 10 = verified and compliant OEM agreement 0 = not verified and or compliant	
2	Technical compliance (Please specify and reference location of required data)			
2.1	Machine specifications. (Refer to scope of work)	Must comply with all machine technical specification as per scope of work	20 = compliant 0 = non-compliant (Gatekeeper does not quality)	

CONTROLLED DISCLOSURE

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Rotek Industries SOC Ltd.

SOW – PURCHASE OF NEW YELLOW PLANT

Unique Identifier:

Revision: **0**Page: **9 of 11**

2.2	Workshop Accreditation inclusive of ISO 9001	Proof of accredited workshop facilities registered with relevant heavy equipment repair-work statutory bodies	10 = compliant 0 = non-compliant	
Description		Technical Criterion	Scoring Criteria	Weight (%)
3	Delivery schedule			
3.1	Product Delivery Schedule	Written confirmation of product delivery commitment	5 = 0 – 4 months 0 = 4+ months (Gatekeeper, does not quality)	
4	Aftersales support confirmation			
4.1	24/7 technical support and parts/spares sales	Documentation confirming 24/7 technical support and parts/spares sales – with onsite support capability, i.e. Field services	20 = compliant 0 = non-compliant or non-submission	
4.2	The supplier to provide free technical training for Artisans, Supervisor, Technician and Operators within 3 months of delivery	Documentation confirming that the supplier will provide free technical training for relevant personnel and manuals	10 = compliant 0 = non-compliant or non-submission	
4.3	To meet the local manufacturing and assemble content requirements	The supplier to furnish proof that the manufacturing and/or assembling is done in South Africa to support local employment market	5 = local manufacturing 3 = local assembling 0 = international manufacturing and assembling	
4.4	Loan Machine	In the event of intra-warranty repairs to new machines, supplier to be in a position to supply a loan machine to maintain minimum 85% availability	10 = Compliant 0 = Non-compliant or non-submission (Gatekeeper, does not quality)	

CONTROLLED DISCLOSURE

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Rotek Industries SOC Ltd.

Total Weighted Score	/100	
----------------------	------	--

Supplier that does not meet the gatekeepers or obtain a score above 75% will be deemed unacceptable

CONTROLLED DISCLOSURE

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Rotek Industries SOC Ltd.

13. Supporting documents

NB: Adherence to the following documentation must be proven accordingly during the evaluation process:

- ISO 9001 Quality Management Systems
- OSHAS 1800 Safety Management Systems
- Occupational Health and Safety Act and Regulations (85 of 1993)
- 240-62196227_Eskom Life Saving Rules
- Criminal Procedures Act 51 of 1977
- National Road Traffic Act 93 of 1996
- Labour Relations Act 66 of 1995
- Basic Conditions of Employment Act 75 of 1997
- Eskom Information Security Policy 32-85
- Electronic Communications Security Act 68 of 2002
- Protection of Information Act 84 of 1982

CONTROLLED DISCLOSURE

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Rotek Industries SOC Ltd.